

Fair Compensation*

John E. Stovall[†]

Brigham Young University

13 September 2021

Abstract

A firm has a group of workers, each of whom has varying productivities over a set of tasks. After assigning workers to tasks, the firm must then decide how to distribute its output to the workers. We first consider three compensation rules and various fairness properties they may satisfy. We show that among efficient and symmetric rules: the Egalitarian rule is the only rule that is invariant to “irrelevant” changes in one worker’s productivity; the Individual Contribution rule is the only rule that is invariant to the removal of workers and their assigned tasks; and the Shapley Value rule is the only rule that, for any two workers, equalizes the impact one worker has on the other worker’s compensation. We introduce other rules and axioms, and relate each rule to each axiom.

Keywords: Axiomatic fair allocation, Compensation, Individual contribution, Shapley value

*I thank Scott Condie, Joey McMurray, Juan Moreno-Ternero, Brennan Platt, Karol Szwagrzak, and the junior faculty group at BYU’s Economics Department for comments.

[†]Department of Economics, Brigham Young University, Provo, UT 84602. johnestovall@byu.edu

1 Introduction

What is a fair way for a firm to compensate its workers? A firm has things to do and people to do them. How productive each worker is at the various tasks is, of course, important information that allows the firm to assign workers to tasks so as to maximize output. However, productivity in the various tasks could also be used to determine compensation for the workers. That is, a worker's compensation could depend not just on her production for the task she is assigned, but on her potential production for the other tasks.

For example, consider a car dealership that must assign its salespeople to shifts. Some shifts, such as evenings or weekends, might naturally have more sales than other shifts. In addition, each salesperson might be more or less effective depending on the shift. Assuming the manager knows each worker's productivity for every shift, then she could assign the workers to shifts in a way that maximizes sales. This, on average, would be beneficial for the workers as it would mean there is more money available to distribute as compensation. But how should the manager distribute compensation? After all, the workers assigned to the slower shifts still contributed to the dealership's total sales, and they would have contributed more if they had been assigned to the busier shifts.

We envision a scenario in which a firm has some enumerated set of tasks to perform, with each task leading to an identifiable amount of output for that task from a given worker. Some other examples might be: a firm assigns salespeople to geographical areas; an investment bank assigns traders to trade in specific assets; a software firm assigns developers to work on various projects; a department chair assigns instructors to teach university courses.

How to compensate its workers in one instance would be useful for the firm, but even more useful would be a general rule that tells the firm how to compensate for any scenario they might face. We study a number of different compensation rules and seek to understand them by exploring what general properties, or axioms, they may satisfy. Our axioms generally capture some notion of fairness, and so this axiomatic approach provides us some justification for employing a given compensation rule. A firm may be interested in this because — even if their main goal in choosing a compensation rule is not fairness per se — then it could be easier for them to justify a rule to their workers for workplace harmony and retention purposes.

We consider three main compensation rules. The first is the Egalitarian rule, which equalizes compensation across all workers, no matter what their respective

productivities. The second rule is the Individual Contribution rule, which gives each worker exactly what they produce from their assigned task. The third rule is the Shapley Value rule, which assigns compensation to each worker according to their average marginal output across all possible orderings of the workers.

We show that, among efficient and symmetric rules: the Egalitarian rule is the only rule that is invariant to “irrelevant” changes in one worker’s productivity ([Theorem 1](#)); the Individual Contribution rule is the only rule that is invariant to the removal of workers and their assigned tasks ([Theorem 2](#)); and the Shapley Value rule is the only rule that, for any two workers, equalizes the impact one worker has on the other worker’s compensation ([Theorem 3](#)).

We also consider other compensation rules and axioms, and we relate each rule to each axiom. All results are summarized in [Table 1](#). There are too many to discuss at this time, but most of the surprising negative results are for the Individual Contribution rule. For example, we show that the Individual Contribution rule is not continuous ([Example 1](#)), may compensate a worker less than another even when that individual has an absolute advantage in all tasks ([Example 2](#)), may compensate a worker less when their productivity increases ([Example 3](#)), may simultaneously benefit some workers and harm other workers when new workers are hired ([Example 5](#)), and may alter compensation if a null task (a task in which every worker has zero productivity) is removed from consideration ([Example 6](#)). In addition, we show that the Shapley Value rule violates a mild additivity property ([Example 8](#)).

Due to the novelty of the problem presented here, there are no directly comparable papers. However, the problem of allocating some finite resource that is generated by a group of agents is pervasive in social choice theory. Most notably, the problem we consider can be mapped into a transferable utility coalitional game. Indeed, our characterization of the Shapley Value rule is borrowed from [Myerson \(1980\)](#). However, the additional structure of our model, as well as the lack of coalition formation, means that our model requires a separate analysis from coalitional games. We discuss this point further in [subsection 2.2](#).

Other social choice problems concerning fairly allocating a surplus generated by a group of agents include: distributing revenue generated by museum passes ([Ginsburgh and Zang, 2003](#)); sharing proceeds from a venture with a hierarchical structure ([Hougaard et al., 2017](#)); and sharing revenue from sports broadcasts ([Bergantiños and Moreno-Ternero, 2020](#)).

On a historical note, this work was inspired by an experiment by [Gihleb et al. \(2020\)](#). The purpose of their paper was to explore the effect of negotiation on com-

pensation. In their experiment, three subjects are assigned to be either a manager or one of two workers. Each worker is then assigned to perform either a high- or low-productivity task. After the tasks are completed, the manager must distribute the group's output to the workers. The non-obviousness of fair payment due to the disparity in production from the two tasks creates an interesting environment in which the two workers can negotiate for compensation. This non-obviousness also led to the present work.

2 Framework

We use the following notation. Let \mathcal{N} denote the set of all finite subsets of \mathbb{N} . For $N \in \mathcal{N}$, let $|N|$ denote the cardinality of N . For $x, y \in \mathbb{R}^N$, we use the vector inequalities $x \geq y$ if $x_n \geq y_n$ for all $n \in N$, $x \geq y$ if $x \geq y$ and $x \neq y$, and $x > y$ if $x_n > y_n$ for every $n \in N$. For $x \in \mathbb{R}^N$ and $N' \subset N$, let $x_{N'}$ denote the projection of x onto $\mathbb{R}^{N'}$. For $n \in N$, let x_{-n} denote $x_{N \setminus \{n\}}$.

2.1 Definitions

Let $I \in \mathcal{N}$ be a set of individuals. Let $T \in \mathcal{N}$ be a set of tasks where $|T| \geq |I|$. Each individual will produce some homogeneous and divisible output when performing a task. Let $p_i^t \in \mathbb{R}_+$ denote the amount of output individual i can produce when assigned task t . Let $p = (p_i^t)_{i \in I, t \in T}$ denote the *productivity matrix*. For $i \in I$, let $p_i = (p_i^t)_{t \in T}$ be individual i 's *productivity profile*, and let p_{-i} denote the productivity matrix that is formed by removing p_i from p . For $I' \subset I$, let $p_{I'}$ denote the productivity matrix identical to p but restricted to the individuals in I' . In a similar manner, for $t \in T$ and $T' \subset T$ satisfying $|T'| \geq |I|$, we define p^t , p^{-t} and $p^{T'}$.

A *compensation problem* is a tuple (I, T, p) where $I, T \in \mathcal{N}$ satisfy $|I| \leq |T|$ and $p \in \mathbb{R}_+^{I \times T}$. An *assignment* is a function $a : I \rightarrow T$ that is injective. We interpret $a(i) = t$ to mean that individual i has been assigned task t . Note that the number of possible assignments for any problem is $\binom{|T|}{|I|}$, and thus finite. Let $A(I, T)$ denote the set of all possible assignments for I and T , and define

$$y(I, T, p) := \max_{a \in A(I, T)} \sum_{i \in I} p_i^{a(i)}.$$

Thus $y(I, T, p)$ is the maximum amount of output possible under the problem (I, T, p) .

Let $A^*(I, T, p)$ denote the set of optimal assignments for (I, T, p) , i.e.

$$A^*(I, T, p) := \arg \max_{a \in A(I, T)} \sum_{i \in I} p_i^{a(i)}.$$

Thus $y(I, T, p) = \sum_{i \in I} p_i^{a(i)}$ for every $a \in A^*(I, T, p)$.¹

A *solution* for the problem (I, T, p) is a vector $x \in \mathbb{R}_+^I$ such that $\sum_{i \in I} x_i \leq y(I, T, p)$. A *compensation rule* is a function that maps compensation problems to solutions. In what follows, we will use R to denote a generic compensation rule.

2.2 Compensation Problems and Coalitional Games

A compensation problem could be viewed as a transferable utility coalitional game. That is, for the compensation problem (I, T, p) , define the characteristic function $v(S) = y(S, T, p_S)$ for $S \subset I$. While viewing a compensation problem in this way can be informative, there are two important caveats that make our analysis more than just an application of this literature.

First, a compensation problem contains more information than a characteristic function in a coalitional game because the productivity of each agent in each task is known. Not only does this provide a specific structure as to how the surplus is determined, it also gives information about the contribution of each individual. Since our analysis is centered on fairness of the compensation rule, this is potentially relevant information that can be used to determine such compensation.

Second, strategic considerations are not a factor in our analysis since a compensation problem represents a fixed firm's reality. That is, for the purposes of this normative exercise, individual workers are assumed to be a member of the organization and thus not able to split off to form competing coalitions. In addition, the production technology is assumed to be owned by the firm and thus the value to an individual of leaving a firm is not known from the specification of a compensation problem. For example, for a given problem (I, T, p) , individual $i \in I$ has the productivity profile p_i , but since the organization is the one that owns the production process, there is no guarantee that i would have the same productivity profile in another firm, or just producing by himself. Indeed, there is no guarantee that T would be the set of tasks available in another firm. Thus $\max_t p_i^t$ should be thought of as individual i 's productivity if she were the only worker in the firm, not as being

¹An optimal assignment is not chosen according to comparative advantage. For example, if $p_1 = (2, 1)$ and $p_2 = (5, 3)$, then individual 1 has a comparative advantage in task 1. Yet the optimal assignment has $a^*(1) = 2$.

individual i 's threat point were she to splinter off and form her own firm.

Continuing this point, many of the solution concepts in cooperative game theory are not as compelling in this context. For example, the core no longer represents the set of stable divisions since coalitions cannot form and splinter off of the grand coalition.

One other thing to note when viewing a compensation problem as a coalitional game is that in general such games are submodular. See [subsubsection 4.2.6](#).

3 Main Results

We axiomatically characterize three compensation rules: the Egalitarian, Individual Contribution, and Shapley Value rules.

However, before presenting these results, we introduce two basic axioms which all our rules will satisfy. The first says that total compensation must exhaust all of the output.

Efficiency. For every (I, T, p) , we have $\sum_{i \in I} R_i(I, T, p) = y(I, T, p)$.

Efficiency is the basic requirement that there be no waste when compensating the individuals. All of our characterization results will employ this axiom. An example of a rule that would violate Efficiency is a rule that gives everyone zero compensation.

One criticism of Efficiency is that distributing all of the output to the workers leaves nothing for the owner of the firm. This could be addressed in a number of ways. One is to simply include the owner as one of the workers, as well as a task that only the owner can perform (i.e. the other workers have zero productivity in this task). Another way is to modify Efficiency so that the sum of compensation to all workers is equal to some fixed $\alpha \in (0, 1]$ share of total output. All of our results would still hold with straightforward modifications of our rules.

The next axiom is a fairness condition that requires a rule to treat identical individuals equally.

Symmetry. For every (I, T, p) and for every $i, j \in I$, if $p_i = p_j$, then $R_i(I, T, p) = R_j(I, T, p)$.

Only the characterization of the Egalitarian rule will employ Symmetry, even though all of our rules will satisfy it. An example of a rule that would violate Symmetry is a dictatorial rule — i.e. a rule that chooses one individual and always gives them all of the output.

3.1 The Egalitarian Rule

The Egalitarian rule divides a firm's output evenly between all of its workers.

Egalitarian Rule. For any problem (I, T, p) and for any $i \in I$, the Egalitarian rule E assigns to i the compensation

$$E_i(I, T, p) := \frac{y(I, T, p)}{|I|}.$$

Note that this method of compensation completely ignores the contribution of each individual — an individual's productivity is not used in determining their own compensation.

The key axiom in our characterization of the Egalitarian rule is an invariance condition with respect to immaterial changes in productivity.

Independence of Irrelevant Productivity (IIP). For every $I, T \subset \mathcal{N}$ where $|I| \leq |T|$ and for every $p, \hat{p} \in \mathbb{R}_+^{I \times T}$, if p coincides with \hat{p} for all but one entry and $y(I, T, p) = y(I, T, \hat{p})$, then $R(I, T, p) = R(I, T, \hat{p})$.

If the productivity of one task is changed for only one individual, and that change in productivity does not affect the total output possible for the firm, then one could justifiably say that the change in productivity was irrelevant. IIP concludes that compensation should not change in this case.

Theorem 1. *The Egalitarian rule is the only compensation rule satisfying Efficiency, Symmetry, and IIP.*

Proof. It is straightforward to show that the Egalitarian rule satisfies the three axioms.

To show the Egalitarian rule is the only such rule, let R be a rule that satisfies Efficiency, Symmetry, and IIP. Fix the problem (I, T, p) . If $|I| = 1$, then Efficiency implies that $R(I, T, p) = y(I, T, p) = E(I, T, p)$.

So assume $|I| \geq 2$. Fix $a \in A^*(I, T, p)$. Let \hat{p} be the productivity matrix where

$$\hat{p}_i^t = \begin{cases} p_i^t & \text{if } t = a(i) \\ 0 & \text{otherwise} \end{cases}$$

for every $i \in I$. Note that \hat{p} can be formed by simply switching entries of p one by one to be 0. Note also that each time an entry is switched to 0 the output to be divided does not change. Hence repeated applications of IIP imply $R(I, T, p) = R(I, T, \hat{p})$.

Let $\{i, j\} \subset I$. Let \tilde{p} be the productivity matrix where $\tilde{p}_i^{a(j)} = \hat{p}_j^{a(j)}$, $\tilde{p}_j^{a(i)} = \hat{p}_i^{a(i)}$, and $\tilde{p}_k^t = \hat{p}_k^t$ otherwise. Similar to the procedure above, \tilde{p} can be formed by switching just two entries of \hat{p} , but each change in an entry does not change the output to be divided. Hence, applying IIP twice we get $R(I, T, \hat{p}) = R(I, T, \tilde{p})$. Also note that $\tilde{p}_i = \tilde{p}_j$, so Symmetry implies $R_i(I, T, \tilde{p}) = R_j(I, T, \tilde{p})$. Thus we have $R_i(I, T, p) = R_j(I, T, p)$.

Since i and j were chosen arbitrarily in the previous step, this implies $R_i(I, T, p) = R_j(I, T, p)$ for any $i, j \in I$. Efficiency then implies $R_i(I, T, p) = \frac{y(I, T, p)}{|I|}$ for every $i \in I$. \square

3.2 The Individual Contribution Rule

Our next rule assigns compensation according to how much an individual personally contributes to the overall output.

Individual Contribution Rule. For any problem (I, T, p) and for any $i \in I$, the Individual Contribution rule IC assigns to i the compensation

$$IC_i(I, T, p) := \frac{1}{|A^*(I, T, p)|} \sum_{a \in A^*(I, T, p)} p_i^{a(i)}.$$

Note that if $A^*(I, T, p) = \{a\}$, then $IC_i(I, T, p) = p_i^{a(i)}$. That is, each individual is compensated with their individual production. More generally, if $A^*(I, T, p)$ is not a singleton, then individual i gets the average of their productivity under all possible optimal assignments.

Before introducing the key axiom satisfied by the Individual Contribution rule, we set forth some notation. For problem (I, T, p) , assignment $a \in A(I, T)$, and subgroup $I' \subset I$, let $a(I')$ denote the image of I' under a . Thus $a(I')$ are all the tasks assigned by a to the individuals in I' . Note also that $p_{I'}^{a(I')}$ is the productivity matrix p restricted to the individuals in I' and their assigned tasks under a .

Consistency. For every (I, T, p) and $I' \subset I$, we have

$$R_{I'}(I, T, p) = \frac{1}{|A^*(I, T, p)|} \sum_{a \in A^*(I, T, p)} R\left(I', a(I'), p_{I'}^{a(I')}\right).$$

Consistency is an invariance condition with respect to the removal of individuals and tasks from the compensation problem. To understand it, first consider the case when $A^*(I, T, p) = \{a\}$. Imagine a scenario in which some individuals are removed

from the problem (I, T, p) , leaving only $I' \subset I$. In addition, some tasks are also removed from the problem. The tasks that remain are exactly the set of tasks that are optimal to assign to I' in the problem (I, T, p) , namely $a(I')$. The “reduced” compensation problem consisting of just these individuals and just these tasks would be $(I', a(I'), p_{I'}^{a(I')})$. Note that for the individuals in I' , there are many things that are constant across the problems (I, T, p) and $(I', a(I'), p_{I'}^{a(I')})$. In particular, relative to the set of tasks that they perform collectively, their productivities are constant. This implies that the optimal assignment of tasks does not change, and thus as a group they produce the same amount of output. Consistency thus imposes the requirement that the compensation each individual in I' receives should be constant across these different problems.

When $A^*(I, T, p)$ is not a singleton, then Consistency insists that the compensation $i \in I'$ receives under (I, T, p) is equal to the average of their compensation under all possible reduced problems for I' . This is an important condition since there are many compensation problems in which $A^*(I, T, p)$ is not a singleton. A weaker version of Consistency that applied only when $A^*(I, T, p)$ was a singleton may be more appealing, but not nearly strong enough to pin down a compensation rule.²

Consistency as a principle is pervasive in the axiomatic allocation literature. While the implementation of consistency varies depending on the application, the general principle is that a rule should not alter the allocation among a group when other agents are removed from a problem in such a way so that the new reduced problem is

²Any compensation rule satisfying this weaker consistency property would have to coincide with the Individual Contribution rule for problems that have a unique optimal assignment, but could diverge from it for problems with multiple optimal assignments. Thus the following rule would satisfy this weaker notion of consistency, but would not satisfy Consistency as defined above.

Individual Contribution with Priority \succ Rule. Let \succ be a strict ordering over \mathbb{N} . For problem (I, T, p) , let i^{\max} and i^{\min} denote the top and bottom workers with respect to \succ , respectively. Set

$$A^{i^{\max}} := \{a \in A^*(I, T, p) : p_{i^{\max}}^{a(i^{\max})} \geq p_{i^{\max}}^{\hat{a}(i^{\max})} \text{ for every } \hat{a} \in A^*(I, T, p)\}.$$

For $i \neq i^{\min}$, let $i+1$ denote the immediate successor of i in I with respect to \succ , and recursively define

$$A^{i+1} := \{a \in A^i(I, T, p) : p_{i+1}^{a(i+1)} \geq p_{i+1}^{\hat{a}(i+1)} \text{ for every } \hat{a} \in A^i(I, T, p)\}.$$

Note that $A^{i^{\min}}$ is non-empty, and while it may not be a singleton, every $a \in A^{i^{\min}}$ yields the same output levels for every worker. I.e. $p_i^{a(i)} = p_i^{\hat{a}(i)}$ for every $i \in I$ and every $a, \hat{a} \in A^{i^{\min}}$.

For any problem (I, T, p) and for any $i \in I$, the Individual Contribution with Priority \succ rule IC^\succ assigns to i the compensation

$$IC_i^\succ(I, T, p) := p_i^{a(i)},$$

for $a \in A^{i^{\min}}$.

similar in nature to the original problem. The principle is applied in Nash bargaining problems (Lensberg, 1987), coalitional games (Hart and Mas-Colell, 1989), claims problems (Aumann and Maschler, 1985), and matching problems (Sasaki and Toda, 1992).³ See Thomson (2011) for a short introduction and Thomson (2013) for a comprehensive treatment of the literature on the consistency principle.

Theorem 2. *The Individual Contribution rule is the only compensation rule satisfying Efficiency and Consistency.*

Proof. It is straightforward to show that the the Individual Contribution rule satisfies Efficiency. Consistency is established in item 18 in the appendix.

To show the Individual Contribution rule is the only such rule, let R be a rule that satisfies Efficiency and Consistency. Fix the problem (I, T, p) and individual $i \in I$. Since R satisfies Consistency, we have

$$R_i(I, T, p) = \frac{1}{|A^*(I, T, p)|} \sum_{a \in A^*(I, T, p)} R\left(\{i\}, a(i), p_i^{a(i)}\right).$$

Fix $a \in A^*(I, T, p)$. Note that $(\{i\}, a(i), p_i^{a(i)})$ is a problem with one individual, and so Efficiency implies $R(\{i\}, a(i), p_i^{a(i)}) = p_i^{a(i)}$. Substituting this into the above equation, we have

$$R_i(I, T, p) = \frac{1}{|A^*(I, T, p)|} \sum_{a \in A^*(I, T, p)} p_i^{a(i)},$$

which is the Individual Contribution rule. □

3.3 The Shapley Value Rule

Our final compensation rule uses a well-known method for dividing a surplus.⁴

Shapley Value Rule. For any problem (I, T, p) and for any $i \in I$, the Shapley Value

³As discussed in subsection 2.2, compensation problems can be viewed as a coalitional game with the characteristic function $v(S) = y(S, T, p_S)$ for $S \subset I$. However, our Consistency axiom is different from the consistency axiom employed by Hart and Mas-Colell (1989). The key difference is in how the reduced problem is defined. In a compensation problem, the added structure afforded by the tasks provides a natural way to define the reduced problem. However, this added structure means that it is not possible to define the reduced problem in an equivalent manner using just the characteristic function v .

⁴To make the definition of the Shapley Value rule well-defined, let $y(\emptyset, T, p) := 0$.

rule SV assigns to i the compensation

$$SV_i(I, T, p) := \sum_{J \subset I \setminus \{i\}} \frac{|J|!(|I| - |J| - 1)!}{|I|!} [y(J \cup \{i\}, T, p_{J \cup \{i\}}) - y(J, T, p_J)].$$

Imagine that the individuals in group I are lined up in a queue and added one-by-one to the production of the organization. Each time an individual is added, the individuals are reassigned tasks so as to maximize output. If $J \subset I$ are the individuals in the queue that come before i , then $y(J \cup \{i\}, T, p_{J \cup \{i\}}) - y(J, T, p_J)$ is i 's marginal contribution to the output. The Shapley Value rule compensates an individual by giving them the average of their marginal contribution over all possible orderings of the group I .

The key axiom satisfied by the Shapley Value rule is Balanced Impact.

Balanced Impact. For every (I, T, p) where $|I| \geq 2$, for every $\{i, j\} \subset I$, we have $R_i(I, T, p) - R_i(I \setminus \{j\}, T, p_{-j}) = R_j(I, T, p) - R_j(I \setminus \{i\}, T, p_{-i})$.

For the compensation problem (I, T, p) and for $\{i, j\} \subset I$, the difference $R_i(I, T, p) - R_i(I \setminus \{j\}, T, p_{-j})$ measures j 's impact on i 's compensation. Balanced Impact is a fairness condition that insists that the compensation rule equalize the impact two individuals have on each other.

Balanced Impact was first introduced by Myerson (1980) and used to characterize the Shapley value as a solution for coalitional games. We get a similar result for compensation problems.

Theorem 3. *The Shapley Value rule is the only compensation rule satisfying Efficiency and Balanced Impact.*

Proof. Showing the Shapley Value rule satisfies Efficiency and Balanced Impact is straightforward, and so is omitted.

To show it is the only such rule, suppose that R' and R'' both satisfy Efficiency and Balanced Impact. We show that $R'(I, T, p) = R''(I, T, p)$ for any (I, T, p) . We do this by mathematical induction on $|I|$. Note that Efficiency implies that $R'(I, T, p) = R''(I, T, p)$ for every problem (I, T, p) where $|I| = 1$. Now suppose that $n \in \mathbb{N}$ is such that for every (I, T, p) where $|I| = n$, we have $R'(I, T, p) = R''(I, T, p)$. Fix problem (I, T, p) such that $|I| = n + 1$, and fix $\{i, j\} \subset I$. By Balanced Impact, we have

$$R'_i(I, T, p) - R'_j(I, T, p) = R'_i(I \setminus \{j\}, T, p_{-j}) - R'_j(I \setminus \{i\}, T, p_{-i})$$

and

$$R''_i(I, T, p) - R''_j(I, T, p) = R''_i(I \setminus \{j\}, T, p_{-j}) - R''_j(I \setminus \{i\}, T, p_{-i}).$$

Since $|I \setminus \{j\}| = |I \setminus \{i\}| = n$, the inductive hypothesis implies

$$R'_i(I \setminus \{j\}, T, p_{-j}) - R'_j(I \setminus \{i\}, T, p_{-i}) = R''_i(I \setminus \{j\}, T, p_{-j}) - R''_j(I \setminus \{i\}, T, p_{-i}),$$

which in turn implies

$$R'_i(I, T, p) - R'_j(I, T, p) = R''_i(I, T, p) - R''_j(I, T, p).$$

Since $\{i, j\} \subset I$ was chosen arbitrarily, we thus have $R'(I, T, p) = R''(I, T, p)$. This completes the inductive step. \square

4 Other Rules and Axioms

In this section, we introduce a number of other compensation rules, as well as other axioms. We relate each axiom to each compensation rule. Our results are summarized in Table 1. Only a selection of these results are justified in the discussion that follows. See [the appendix](#) for justifications for other entries in this table.

4.1 Other Compensation Rules

For a fixed problem (I, T, p) and for $i \in I$, define

$$\begin{aligned} \bar{p}_i &:= \frac{1}{|T|} \sum_{t \in T} p_i^t, \\ p_i^{\max} &:= \max_{t \in T} p_i^t, \text{ and} \\ \Delta p_i &:= y(I, T, p) - y(I \setminus \{i\}, T, p_{-i}). \end{aligned}$$

Thus \bar{p}_i is individual i 's average productivity, p_i^{\max} is their maximum productivity, and Δp_i is their marginal contribution. Each of these values can be thought of as a single variable summary of individual i 's productivity in the problem (I, T, p) . We consider three compensation rules that each assign compensation proportionally using these three measures of productivity.

Proportional to Average Productivity Rule. For any problem (I, T, p) and for any $i \in I$, the Proportional to Average Productivity rule P^{Av} assigns to i the com-

	E	IC	SV	P^{Av}	P^{\max}	P^{Δ}	E^{Δ}	Par^f
Efficiency	\oplus	\oplus	\oplus	+	+	+	+	+
Continuity	+	-	+	+	+	+	+	\pm
Boundedness	-	+	+	-	-	-	-	\pm
Symmetry	\oplus	+	+	+	+	+	+	+
π -Symmetry	+	-	-	+	+	-	-	\pm
Order Preservation	+	-	+	+	+	+	+	\pm
Strict Order Preservation	-	-	+	+	+	+	+	\pm
Strong Order Preservation	-	-	-	+	-	-	-	\pm
π -Order Preservation	+	-	-	+	+	-	-	\pm
IIP	\oplus	-	-	-	-	-	-	-
Productivity Mono.	+	-	+	+	+	-	+	\pm
Strict Productivity Mono.	+	-	+	+	+	-	+	\pm
Strong Productivity Mono.	-	-	-	+	-	-	-	\pm
Constant Productivity	-	+	+	-	-	-	-	\pm
Trivialness	-	+	+	+	+	+	+	\pm
Consistency	-	\oplus	-	-	-	-	-	-
Balanced Impact	-	-	\oplus	-	-	-	-	-
Ind. Null Workers	-	+	+	+	+	+	-	\pm
No Harm from Hiring	-	-	-	-	-	-	-	-
Solidarity in Hiring	+	-	+	+	+	-	-	+
Ind. Null Tasks	+	-	+	+	+	+	+	\pm
Ind. Unassigned Tasks	+	+	+	-	+	+	+	\pm
Additivity	+	-	-	+	-	-	-	\pm
Weak Additivity	+	+	-	+	-	-	-	\pm
Homogeneity	+	+	+	+	+	+	+	\pm

Table 1: Summary of rules and axioms. The symbols $+$ and $-$ indicate the axiom is necessary and not necessary, respectively. For the first three columns, the set of axioms indicated by \oplus are necessary and sufficient for the given compensation rule, as given by the results in [section 3](#). For the last column, entries of \pm indicate that the axiom could be satisfied under suitable restrictions on the parametric function f .

pensation

$$P_i^{Av}(I, T, p) := \frac{y(I, T, p)}{\sum_{j \in I} \bar{p}_j} \bar{p}_i.$$

Proportional to Max Productivity Rule. For any problem (I, T, p) and for any $i \in I$, the Proportional to Max Productivity rule P^{\max} assigns to i the compensation

$$P_i^{\max}(I, T, p) := \frac{y(I, T, p)}{\sum_{j \in I} p_j^{\max}} p_i^{\max}.$$

Proportional to Marginal Contribution Rule. For any problem (I, T, p) and for any $i \in I$, the Proportional to Marginal Contribution rule P^Δ assigns to i the compensation

$$P_i^\Delta(I, T, p) := \frac{y(I, T, p)}{\sum_{j \in I} \Delta p_j} \Delta p_i.$$

Note that in general $\frac{y(I, T, p)}{\sum_{j \in I} \Delta p_j} \geq 1$ since $\sum_{j \in I} \Delta p_j \leq y(I, T, p)$. Thus one way to think of the Proportional to Marginal Contribution rule is that each individual receives their respective marginal contribution, and then the surplus is distributed proportionally to their marginal contribution. The following rule instead distributes that surplus equally.

Marginal Egalitarian Rule. For any problem (I, T, p) and for any $i \in I$, the Marginal Egalitarian rule E^Δ assigns to i the compensation

$$E_i^\Delta(I, T, p) := \Delta p_i + \frac{1}{|I|} \left(y(I, T, p) - \sum_{j \in I} \Delta p_j \right).$$

Finally, we introduce a family of parametric compensation rules similar to the family introduced by [Young \(1987\)](#) for the conflicting claims problem.

Parametric Rule. Let $f : \cup_{T \in \mathcal{N}} \mathbb{R}^T \times \mathbb{R}_+ \rightarrow \mathbb{R}_+$ satisfy: (i) $f(p_0, \lambda)$ is continuous in λ ; (ii) $f(p_0, \lambda)$ is weakly monotone in λ ; (iii) $f(p_0, 0) = 0$ for every $p_0 \in \cup_{T \in \mathcal{N}} \mathbb{R}^T$; and (iv) $\lim_{\lambda \rightarrow \infty} f(p_0, \lambda) = \infty$ for every $p_0 \in \cup_{T \in \mathcal{N}} \mathbb{R}^T$ that is not null (i.e. $p_0 \neq (0, \dots, 0)$). For any problem (I, T, p) and for any $i \in I$, Par^f assigns to i the compensation

$$Par_i^f(I, T, p) := f(p_i, \lambda),$$

where λ is chosen so that $\sum_{j \in I} f(p_j, \lambda) = y(I, T, p)$.⁵

⁵Because f is continuous, weakly monotone, and unbounded from above with respect to the second argument, such a λ always exists and leads to a unique solution.

Of the rules we have considered above, the Egalitarian, Proportional to Average Productivity, and Proportional to Max Productivity rules are members of the Parametric family, while the others are not. Obviously, every Parametric rule will satisfy Efficiency and Symmetry. However, without additional restrictions on the parametric function f , a Parametric rule will not satisfy any of the axioms we consider below, with one exception.

4.2 Other Axioms

4.2.1 Continuity

We consider a continuity axiom. For this axiom, we endow $\mathbb{R}_+^{I \times T}$ and \mathbb{R}_+^I with the Euclidean topology.

Continuity. For every (I, T, p) , if $\{p(n)\}$ is a sequence of productivity matrices in $\mathbb{R}_+^{I \times T}$ satisfying $p(n) \rightarrow p$, then $R(I, T, p(n)) \rightarrow R(I, T, p)$.

Aside from being analytically useful, Continuity has normative appeal. It would seem grossly unfair if an individual's compensation jumped dramatically due to a small change in someone's productivity. A Parametric rule is not guaranteed to satisfy Continuity since the parametric function f is not necessarily continuous in the productivity profile. All of the other compensation rules satisfy Continuity, except for the Individual Contribution.

Example 1. The Individual Contribution rule violates Continuity. Let $I = T = \{1, 2\}$. Let $p_1 = p_2 = (3, 1)$. Let $p_2(n) = (3 - \frac{1}{n}, 1)$ be a sequence of productivity profiles for individual 2, and note $p_2(n) \rightarrow p_2$. Set $p = (p_1, p_2)$ and $p(n) = (p_1, p_2(n))$ for every n . Then $IC(I, T, p(n)) = (3, 1)$ for every n , but $IC(I, T, p) = (2, 2)$.

4.2.2 Boundedness

The next axiom places bounds on how much compensation a worker can receive. For this axiom, we define $p_i^{\min} := \min_{t \in T} p_i^t$.

Boundedness. For every (I, T, p) and for every $i \in I$, we have $p_i^{\min} \leq R_i(I, T, p) \leq p_i^{\max}$.

Since p_i^{\min} is the absolute lowest amount i can produce, there is no disputing that they contribute at least p_i^{\min} . Similarly, i cannot contribute more than p_i^{\max} . Boundedness thus restricts i 's compensation to be between these amounts. Among

the rules that we consider, only the Individual Contribution and Shapley Value rules satisfy Boundedness. A Parametric rule Par^f would satisfy Boundedness if there existed $0 < a < b$ such that $f(p_0, a) = p_0^{\min}$ and $f(p_0, b) = p_0^{\max}$ for every $p_0 \in \mathbb{R}_+^T$.

4.2.3 Symmetry and Order Preservation

Next we consider some axioms related to Symmetry. Imagine a scenario in which two individuals do not have exactly identical productivity profiles task for task, but when their respective productivity profiles are ordered from most to least productive, then they do look identical. One of these individuals may be more useful to the firm depending on the productivity profiles of the other workers, but this could potentially be either of these individuals. The next axiom states that such individuals should receive the same compensation.

π -Symmetry. For every (I, T, p) and for every $i, j \in I$, if there exists π a permutation⁶ of T such that $p_i^t = p_j^{\pi(t)}$ for every $t \in T$, then $R_i(I, T, p) = R_j(I, T, p)$.

Obviously, π -Symmetry implies Symmetry. The Egalitarian, Proportional to Average Productivity, and Proportional to Max Productivity rules satisfy π -Symmetry. The other rules do not.

The next axiom says that the ordering of compensation should coincide with the ordering of productivity profiles.

Order Preservation. For every (I, T, p) and for every $i, j \in I$, if $p_i \geq p_j$, then $R_i(I, T, p) \geq R_j(I, T, p)$.

Order Preservation implies Symmetry. All of our compensation rules satisfy Order Preservation, except for the Individual Contribution and Parametric rules.

Example 2. The Individual Contribution rule violates Order Preservation.

Let $I = T = \{1, 2\}$. Let $p_1 = (4, 1)$ and $p_2 = (5, 3)$. Then $p_2 > p_1$ and $IC(I, T, p) = (4, 3)$.

A Parametric rule Par^f would satisfy Order Preservation if f was monotone in the productivity profile.

We consider two stronger versions of Order Preservation that each specify when one individual's compensation is strictly more than another's.

Strict Order Preservation. For every (I, T, p) and for every $i, j \in I$, if $p_i > p_j$, then $R_i(I, T, p) > R_j(I, T, p)$.

⁶For any set X , a permutation of X is a bijective function $\pi : X \rightarrow X$.

Strong Order Preservation. For every (I, T, p) and for every $i, j \in I$, if $p_i \geq p_j$, then $R_i(I, T, p) > R_j(I, T, p)$.

Strong Order Preservation implies Strict Order Preservation. The Egalitarian, Individual Contribution, and Parametric rules satisfy neither axiom. Among our rules, only the Proportional to Average Productivity rule satisfies both axioms. The remaining rules satisfy Strict but not Strong Order Preservation.

Similar to π -Symmetry, the next axiom imposes the Order Preservation condition on permutations of the productivity profile.

π -Order Preservation. For every (I, T, p) and for every $i, j \in I$, if there exists π a permutation over T such that $p_i^t \geq p_j^{\pi(t)}$ for every $t \in T$, then $R_i(I, T, p) \geq R_j(I, T, p)$.

π -Order Preservation implies both Order Preservation and π -Symmetry. The Egalitarian, Proportional to Average Productivity, and Proportional to Max Productivity rules all satisfy π -Order Preservation, while the other rules do not.

4.2.4 Productivity Monotonicity

The next axioms, like IIP, explore how compensation changes when one individual's productivity changes.

Productivity Monotonicity. For every (I, T, p) and for every $i \in I$, if $p_i \geq \hat{p}_i$, then $R_i(I, T, p) \geq R_i(I, T, (p_{-i}, \hat{p}_i))$.

All of our compensation rules satisfy Productivity Monotonicity, except for the Individual Contribution, Proportional to Marginal Contribution, and Parametric rules. The following example demonstrates this for the Individual Contribution rule.

Example 3. The Individual Contribution rule violates Productivity Monotonicity. Continuing [Example 2](#), let $\hat{p}_2 = (4, 0)$. Then $p_2 > \hat{p}_2$ and $IC_2(I, T, (p_1, \hat{p}_2)) = 4 > 3 = IC_2(I, T, p)$.

A Parametric rule Par^f would satisfy Productivity Monotonicity if f was monotone in the productivity profile.

We consider two stronger versions of Productivity Monotonicity that each specify when an individual's compensation should strictly increase due to an increase in productivity.

Strict Productivity Monotonicity. For every (I, T, p) and for every $i \in I$, if $p_i > \hat{p}_i$, then $R_i(I, T, p) > R_i(I, T, (p_{-i}, \hat{p}_i))$.

Strong Productivity Monotonicity. For every (I, T, p) and for every $i \in I$, if $p_i \geq \hat{p}_i$, then $R_i(I, T, p) > R_i(I, T, (p_{-i}, \hat{p}_i))$.

Strong Productivity Monotonicity implies Strict Productivity Monotonicity. The Individual Contribution, Proportional to Marginal Contribution, and Parametric rules satisfy neither axiom. Among the rules we consider, only the Proportional to Average Productivity rule satisfies both axioms. The remaining rules satisfy Strict but not Strong Productivity Monotonicity.

4.2.5 Constant Productivity

The axioms in this section consider compensation problems in which an individual has constant productivity. For problem (I, T, p) , we say $i \in I$ has *constant productivity* $\alpha \in \mathbb{R}_+$ if $p_i^t = \alpha$ for every $t \in T$. When there is such an individual in a compensation problem, then there is no debate about what she adds to the firm's output. Our first axiom states that the individual's constant productivity should be her compensation.

Constant Productivity. For every (I, T, p) , if $i \in I$ has constant productivity α , then $R_i(I, T, p) = \alpha$.

Boundedness implies Constant Productivity. Of our rules, only the Individual Contribution and Shapley Value rules satisfy Constant Productivity.

The next axiom is weaker than Constant Productivity. We say (I, T, p) is a *trivial problem* if every individual has constant productivity. That is, for every $i \in I$, there exists $\alpha_i \in \mathbb{R}_+$ such that i has constant productivity α_i . In what follows, we will denote a trivial problem as $(I, T, (\alpha_i)_{i \in I})$. For a trivial problem, the assignment of tasks is insignificant and the overall contribution of each worker is unambiguous.

Trivialness. For every trivial problem $(I, T, (\alpha_i)_{i \in I})$, we have $R_i(I, T, (\alpha_i)_{i \in I}) = \alpha_i$ for every $i \in I$.

Obviously Constant Productivity implies Trivialness. Of our compensation rules, only the Egalitarian and Parametric rules do not satisfy Trivialness.

4.2.6 One Worker's Effect on the Group

Both Consistency and Balanced Impact concern how one worker's presence affects another worker's compensation. We consider a few more axioms along these lines.

For problem (I, T, p) , we say $i \in I$ is a *null worker* if $p_i^t = 0$ for every $t \in T$. Constant Productivity says that a null worker should get zero compensation. The next axiom says that a null worker should have no effect on the other workers.

Independence of Null Workers. For every (I, T, p) , if $i \in I$ is a null worker, then $R_{-i}(I, T, p) = R(I \setminus \{i\}, T, p_{-i})$.

Independence of Null Workers could be thought of as a very weak form of Consistency since it states that the compensation of a subgroup of workers should not change when one (very specific) worker is removed. Among our compensation rules, the Egalitarian, Marginal Egalitarian, and Parametric rules do not satisfy Independence of Null Workers, while the other rules do. A Parametric rule Par^f would satisfy Independence of Null Workers if f satisfied $f((0, \dots, 0), \lambda) = 0$ for every λ .

The next axiom states that workers should not be made worse off when the firm hires new workers.

No Harm from Hiring. For every (I, T, p) and for every $I' \subset I$, we have $R_{I'}(I, T, p) \geq R(I', T, p_{I'})$.

While No Harm from Hiring has normative appeal, unfortunately it is incompatible with Efficiency. This is because the output function y is generally submodular with respect to the set of workers. That is for any problem (I, T, p) , and for any bipartition $\{J, K\}$ of I ,⁷ we have

$$y(J, T, p_J) + y(K, T, p_K) \geq y(I, T, p).$$

Any problem in which the above inequality is strict would lead to a contradiction between Efficiency and No Harm from Hiring, as the following example illustrates.

Example 4. Efficiency and No Harm from Hiring are incompatible. Return to the compensation problem from [Example 2](#). Note that if R satisfies Efficiency, then $R(\{1\}, T, p_1) = 4$ and $R(\{2\}, T, p_2) = 5$. Thus No Harm from Hiring implies $R_1(I, T, p) \geq 4$ and $R_2(I, T, p) \geq 5$. But Efficiency implies $R_1(I, T, p) + R_2(I, T, p) = 7$, which is a contradiction.

Thus we have the following result.

Proposition 1. *No compensation rule satisfies Efficiency and No Harm from Hiring.*

A weaker condition requires that when someone is hired, the original workers are affected in the same direction.⁸

⁷A bipartition of a set A are subsets X and Y such that $X \cup Y = A$ and $X \cap Y = \emptyset$.

⁸Solidarity in Hiring is similar to the Population-and-Resource Monotonicity axiom introduced by [Chun \(1999\)](#) for the conflicting claims problem.

Solidarity in Hiring. For every (I, T, p) and for every $I' \subset I$, we have either $R_{I'}(I, T, p) \leq R(I', T, p_{I'})$ or $R_{I'}(I, T, p) \geq R(I', T, p_{I'})$.

The Individual Contribution, Proportional to Marginal Contribution, and Marginal Egalitarian rules do not satisfy Solidarity in Hiring. The following example demonstrates this for the Individual Contribution rule.

Example 5. The Individual Contribution rule violates Solidarity in Hiring. Let $I = T = \{1, 2, 3\}$ and $I' = \{1, 2\}$. Let $p_1 = (4, 1, 3)$, $p_2 = (4, 2, 1)$, and $p_3 = (1, 1, 4)$. Then $IC(I', T, p_{-3}) = (3, 4)$, while $IC_{I'}(I, T, p) = (4, 2)$.

All of our other rules satisfy Solidarity in Hiring. In particular, this is the only axiom that we consider — besides Efficiency and Symmetry, which are satisfied by all of our rules — that the Parametric rules generally satisfy.

4.2.7 Changing Tasks

Our next set of axioms concern changes in the set of tasks.

For problem (I, T, p) , we say $t \in T$ is a *null task* if $p_i^t = 0$ for every $i \in I$.

Independence of Null Tasks. For every (I, T, p) where $|T| \geq |I| + 1$, if $t \in T$ is a null task, then $R(I, T, p) = R(I, T \setminus \{t\}, p^{-t})$.

All of our compensation rules satisfy Independence of Null Tasks, except for the Individual Contribution and Parametric rules.

Example 6. The Individual Contribution rule violates Independence of Null Tasks. Let $I = \{1, 2\}$ and $T = \{1, 2, 3\}$. Let $p_1 = (2, 1, 0)$ and $p_2 = (1, 0, 0)$. Then $3 \in T$ is a null task, yet $IC(I, T, p) = (\frac{5}{3}, \frac{1}{3})$ and $IC(I, T \setminus \{3\}, p^{-3}) = (\frac{3}{2}, \frac{1}{2})$.

A Parametric rule Par^f would satisfy Independence of Null Tasks if f satisfied the following condition: Whenever $\hat{T} \subset T$, $p_0 \in \mathbb{R}_+^T$, $\hat{p}_0 \in \mathbb{R}_+^{\hat{T}}$, $p_0^t = \hat{p}_0^t$ for every $t \in \hat{T}$, and $p_0^t = 0$ for every $t \notin \hat{T}$, we have $f(p_0, \lambda) = f(\hat{p}_0, \lambda)$ for every λ .⁹

For problem (I, T, p) , let $T^*(I, T, p)$ denote the set of tasks that will be performed under some optimal assignment. I.e.

$$T^*(I, T, p) := \{a(i) \in T : a \in A^*(I, T, p) \text{ and } i \in I\}.$$

Independence of Unassigned Tasks. For every (I, T, p) , for every T' satisfying $T^*(I, T, p) \subset T' \subset T$, we have $R(I, T, p) = R(I, T', p^{T'})$.

⁹One example of such a parametric function is $f(p_0, \lambda) = \lambda \sum_{t \in T} p_0^t$.

Of our compensation rules, only the Proportional to Average Productivity and Parametric rules do not satisfy Independence of Unassigned Tasks. A Parametric rule Par^f would satisfy Independence of Unassigned Tasks if f satisfied $f(p_0, \lambda) = f(p_0^{\max}, \lambda)$ for every λ .

4.2.8 Additivity

Our final set of axioms impose additivity conditions with respect to the productivity matrix.

Additivity. For every $I, T \subset \mathcal{N}$ where $|I| \leq |T|$, for every $p, \hat{p} \in \mathbb{R}_+^{I \times T}$ satisfying $A^*(I, T, p) \cap A^*(I, T, \hat{p}) \neq \emptyset$, we have $R(I, T, p + \hat{p}) = R(I, T, p) + R(I, T, \hat{p})$.

The condition that $A^*(I, T, p) \cap A^*(I, T, \hat{p}) \neq \emptyset$ serves two purposes. First, when the two compensation problems share an optimal assignment of tasks, then it makes the additivity requirement more natural since each worker could do the same task across the different problems. Second, without this condition, the additivity requirement would conflict with Efficiency since we could have $y(I, T, p) + y(I, T, \hat{p}) > y(I, T, p + \hat{p})$.

Of our main compensation rules, only the Egalitarian and Proportional to Average Productivity rules satisfy Additivity. The following example demonstrates the negative result for the Individual Contribution rule.

Example 7. The Individual Contribution rule violates Additivity. Let $I = T = \{1, 2\}$. Let $p_1 = p_2 = (2, 1)$, $\hat{p}_1 = (1, 0)$, and $\hat{p}_2 = (0, 1)$. Note that the assignment $a(i) = i$ satisfies $a \in A^*(I, T, p) \cap A^*(I, T, \hat{p})$. Note also that $IC(I, T, p) = (\frac{3}{2}, \frac{3}{2})$ and $IC(I, T, \hat{p}) = (1, 1)$. However, $IC(I, T, p + \hat{p}) = (3, 2)$.

A Parametric rule Par^f would satisfy Additivity if f was additive with respect to the productivity profile. I.e. for every T , for every $p_0, \hat{p}_0 \in \mathbb{R}_+^T$, and for every λ , we have $f(p_0 + \hat{p}_0, \lambda) = f(p_0, \lambda) + f(\hat{p}_0, \lambda)$.

The following weakening imposes the additivity requirement only when the sets of optimal assignments exactly coincide.

Weak Additivity. For every $I, T \subset \mathcal{N}$ where $|I| \leq |T|$, for every $p, \hat{p} \in \mathbb{R}_+^{I \times T}$ satisfying $A^*(I, T, p) = A^*(I, T, \hat{p})$, we have $R(I, T, p + \hat{p}) = R(I, T, p) + R(I, T, \hat{p})$.

Obviously Additivity implies Weak Additivity. In addition to the Egalitarian and Proportional to Average Productivity rules, the Individual Contribution rule satisfies Weak Additivity, while our other rules do not. The following example demonstrates the negative result for the Shapley Value rule.

Example 8. The Shapley Value rule violates Weak Additivity. Let $I = T = \{1, 2\}$. Let $p_1 = (3, 0)$, $p_2 = (2, 1)$, $\hat{p}_1 = (1, 0)$, and $\hat{p}_2 = (0, 1)$. Note that the assignment $a^*(i) = i$ is the unique optimal assignment for both (I, T, p) and (I, T, \hat{p}) . Note also that $SV(I, T, p) = (\frac{5}{2}, \frac{3}{2})$ and $SV(I, T, \hat{p}) = (1, 1)$. However, $SV(I, T, p + \hat{p}) = (4, 2)$.

This result is in contrast to Shapley’s original characterization which employed an additivity requirement in the coalitional game setting ([Shapley, 1953](#)).

Our final axiom states that if productivity is scaled up by some factor, then compensation should scale up by the same factor.

Homogeneity. For every (I, T, p) and for every $\alpha > 0$, we have $R(I, T, \alpha p) = \alpha R(I, T, p)$.

It is not difficult to show that Continuity and Weak Additivity imply Homogeneity. Parametric rules do not generally satisfy Homogeneity. A Parametric rule Par^f would satisfy Homogeneity if f was homogeneous of degree one with respect to the productivity profile. All of our other compensation rules satisfy Homogeneity.

5 Discussion

Many of the simplifying assumptions in our model make the problem more tractable, but also point to paths of future research. For example, our production process rules out synergies that may exist between workers. Indeed, as pointed out above, the output function y is generally submodular with respect to the group of workers. While allowing for synergies would be an interesting extension of the problem, it would also present some challenges in formulating axioms. For example, the normative appeal of Consistency rests on the fact that much of the compensation problem remains constant when the group of workers shrinks. However, when an individual’s productivity profile is allowed to change when the group of workers changes, then the consistency property becomes less defensible.

Another important assumption is that workers have no control over their own productivity. However, if workers could control their output levels through costly effort, then the compensation rule could affect the amount produced. For example, a hospital may find that emergency room wait times change drastically depending on if they pay their doctors a fixed amount per shift (i.e. the Egalitarian rule) or if they pay according to the number of patients a doctor sees (i.e. the Individual Contribution rule).

Finally, our axiomatic analysis of compensation rules necessitates that the set of workers be fixed for a given problem. Thus, our analysis says nothing about how compensation rules are determined in a competitive environment in which workers are free to choose which firm they work for. An important question, therefore, is what compensation rules survive in equilibrium when firms compete for workers.

Appendix

	E	IC	SV	PAv	P^{\max}	P^{Δ}	E^{Δ}	Par^f
Efficiency	+	+	+	+	+	+	+	+
Continuity	+	- ^[1]	+	+	+	+	+	±
Boundedness	-	+	+ ^[2]	- ^[3]	- ^[3]	- ^[3]	- ^[3]	±
Symmetry	+	+	+	+	+	+	+	+
π -Symmetry	+	- ^[4]	- ^[4]	+	+	- ^[4]	- ^[4]	±
Order Preservation	+	- ^[5]	+ ^[6]	+	+	+	+	±
Strict Order Preservation	-	- ^[5]	+ ^[7]	+	+	+	+	±
Strong Order Preservation	-	- ^[5]	- ^[8]	+	- ^[8]	- ^[8]	- ^[8]	±
π -Order Preservation	+	- ^[4]	- ^[4]	+	+	- ^[4]	- ^[4]	±
IIP	+	- ^[9]	- ^[9]	- ^[9]	- ^[9]	- ^[9]	- ^[9]	- ^[9]
Productivity Mono.	+	- ^[10]	+ ^[11]	+	+	- ^[12]	+ ^[13]	±
Strict Productivity Mono.	+	- ^[10]	+ ^[14]	+	+	- ^[12]	+ ^[15]	±
Strong Productivity Mono.	-	- ^[10]	- ^[16]	+	- ^[16]	- ^[16]	- ^[16]	±
Constant Productivity	-	+	+ ^[2]	- ^[3]	- ^[3]	- ^[3]	- ^[3]	±
Trivialness	-	+	+ ^[2]	+	+	+	+	±
Consistency	- ^[17]	+ ^[18]	- ^[17]	- ^[17]	- ^[17]	- ^[17]	- ^[17]	- ^[17]
Balanced Impact	- ^[19]	- ^[19]	+	- ^[19]	- ^[19]	- ^[19]	- ^[19]	- ^[19]
Ind. Null Workers	-	+ ^[20]	+ ^[21]	+	+	+	-	±
No Harm from Hiring	- ^[22]	- ^[22]	- ^[22]	- ^[22]	- ^[22]	- ^[22]	- ^[22]	- ^[22]
Solidarity in Hiring	+ ^[23]	- ^[24]	+ ^[25]	+ ^[23]	+ ^[23]	- ^[26]	- ^[26]	+ ^[23]
Ind. Null Tasks	+	- ^[27]	+	+	+	+	+	±
Ind. Unassigned Tasks	+	+ ^[28]	+	- ^[29]	+	+	+	±
Additivity	+ ^[30]	- ^[31]	- ^[32]	+	- ^[33]	- ^[33]	- ^[33]	±
Weak Additivity	+ ^[30]	+ ^[34]	- ^[32]	+	- ^[33]	- ^[33]	- ^[33]	±
Homogeneity	+	+	+	+	+	+	+	±

Table 2: Reproduction of Table 1 with references. Justification for a result is found by matching the reference number to the numbered item in the accompanying list.

Table 1 is reproduced in Table 2 with references. The number next to a result references a justification for that result in the numbered list below. Many results are straightforward and thus left as an exercise to the reader.

1. This was shown in [Example 1](#).
2. The result follows easily from the following lemma.

Lemma 1. For every (I, T, p) , $p_i^{\min} \leq \Delta p_i \leq p_i^{\max}$.

Proof. Fix the problem (I, T, p) . Obviously $\Delta p_i \leq p_i^{\max}$ since $p_i^t \leq p_i^{\max}$ for every $t \in T$.

Moving from the problem $(I \setminus \{i\}, T, p_{-i})$ to the problem (I, T, p) , we can always assign i a task $t \in T \setminus a(I \setminus \{i\})$ for some $a \in A^*(I \setminus \{i\}, T, p_{-i})$. This would increase output to $y(I \setminus \{i\}, T, p_{-i}) + p_i^t$. Hence,

$$y(I, T, p) \geq y(I \setminus \{i\}, T, p_{-i}) + p_i^t$$

which implies $\Delta p_i \geq p_i^t$. Finally, since $p_i^t \geq p_i^{\min}$, we get the result. \square

3. The negative result is demonstrated by the following example. Let $I = T = \{1, 2, 3\}$. Let $p_1 = (1, 1, 1)$, $p_2 = (2, 1, 0)$, and $p_3 = (2, 0, 0)$. Then $P_1^{Av}(I, T, p) = \frac{3}{2}$, $P_1^{\max}(I, T, p) = \frac{4}{5}$, and $P_1^\Delta(I, T, p) = E_1^\Delta(I, T, p) = \frac{4}{3}$, violating Boundedness and Constant Productivity.
4. The negative results are demonstrated by the following example. Let $I = T = \{1, 2, 3\}$. Let $p_1 = (2, 1, 1)$, $p_2 = (1, 2, 1)$, and $p_3 = (3, 1, 1)$. Note that p_2 is a permutation of p_1 . The indicated rules compensate as follows:

$$\begin{aligned} IC(I, T, p) &= (1, 2, 3), & SV(I, T, p) &= \left(\frac{3}{2}, 2, \frac{5}{2}\right), \\ P^\Delta(I, T, p) &= \left(\frac{6}{5}, \frac{12}{5}, \frac{12}{5}\right), & E^\Delta(I, T, p) &= \left(\frac{4}{3}, \frac{7}{3}, \frac{7}{3}\right). \end{aligned}$$

5. This was shown in [Example 2](#).
6. This can be shown with the help of the following lemma.

Lemma 2. *For any (I, T, p) where $|T| \geq |I| + 1$, for any $i, j \notin I$ ($i = j$ is allowed), for any $p_i, p_j \in \mathbb{R}_+^T$:*

- (i) *If $p_i \geq p_j$, then $y(I \cup \{i\}, T, (p, p_i)) \geq y(I \cup \{j\}, T, (p, p_j))$.*
- (ii) *If $p_i > p_j$, then $y(I \cup \{i\}, T, (p, p_i)) > y(I \cup \{j\}, T, (p, p_j))$.*

Proof. We show the proof for part (i). Let $a \in A^*(I \cup \{j\}, T, (p, p_j))$. Since $p_i \geq p_j$, we must have $p_i^{a(j)} \geq p_j^{a(j)}$, and hence

$$\sum_{k \in I \cup \{i\}} p_k^{a(k)} \geq \sum_{k \in I \cup \{j\}} p_k^{a(k)}.$$

But by definition, $y(I \cup \{i\}, T, (p, p_i))$ is weakly larger than the left-hand side of this inequality while $y(I \cup \{j\}, T, (p, p_j))$ is equal to the right-hand side. \square

To show that the Shapley Value rule satisfies Order Preservation, fix (I, T, p) and $i, j \in I$. Assume $p_i \geq p_j$. Note that for any $J \subset I \setminus \{i, j\}$, Lemma 2(i) implies

$$y(J \cup \{i\}, T, p_{J \cup \{i\}}) \geq y(J \cup \{j\}, T, p_{J \cup \{j\}}),$$

and thus

$$y(J \cup \{i\}, T, p_{J \cup \{i\}}) - y(J, T, p_J) \geq y(J \cup \{j\}, T, p_{J \cup \{j\}}) - y(J, T, p_J)$$

and

$$\begin{aligned} y(J \cup \{i, j\}, T, p_{J \cup \{i, j\}}) - y(J \cup \{j\}, T, p_{J \cup \{j\}}) \\ \geq y(J \cup \{i, j\}, T, p_{J \cup \{i, j\}}) - y(J \cup \{i\}, T, p_{J \cup \{i\}}). \end{aligned}$$

Since this holds for any $J \subset I \setminus \{i, j\}$, we must have $SV_i(I, T, p) \geq SV_j(I, T, p)$.

7. To show that the Shapley Value satisfies Strict Order Preservation, simply adapt the argument in [item 6](#) above by invoking [Lemma 2\(ii\)](#) and switching weak inequalities with strict inequalities.
8. The negative result is demonstrated by the following example. Let $I = T = \{1, 2\}$. Let $p_1 = (2, 1)$ and $p_2 = (2, 0)$. Then $p_1 \geq p_2$. But $R_1(I, T, p) = R_2(I, T, p) = \frac{3}{2}$ for $R = SV, P^{\max}, P^\Delta, E^\Delta$, which violates Strong Order Preservation.
9. Since Efficiency and Symmetry are satisfied, the negative result is implied by [Theorem 1](#).
10. This was shown in [Example 3](#).
11. To show that the Shapley Value rule satisfies Productivity Monotonicity, fix (I, T, p) and $i \in I$. Let \hat{p}_i satisfy $p_i \geq \hat{p}_i$. Note that for any $J \subset I \setminus \{i\}$, [Lemma 2\(i\)](#) implies

$$y(J \cup \{i\}, T, p_{J \cup \{i\}}) \geq y(J \cup \{i\}, T, (p_J, \hat{p}_i)),$$

and thus

$$y(J \cup \{i\}, T, p_{J \cup \{i\}}) - y(J, T, p_J) \geq y(J \cup \{i\}, T, (p_J, \hat{p}_i)) - y(J, T, p_J).$$

Since this holds for any $J \subset I \setminus \{i\}$, we must have $SV_i(I, T, p) \geq SV_i(I, T, (p_{-i}, \hat{p}_i))$.

12. The negative result is demonstrated by the following example. Let $I = T = \{1, 2\}$. Let $p_1 = (186, 110)$, $\hat{p}_1 = (185, 100)$, and $p_2 = (100, 0)$. Then $p_1 > \hat{p}_1$, $P_1^\Delta(I, T, p) \approx 172.39$, and $P_1^\Delta(I, T, (\hat{p}_1, p_2)) \approx 173.91$.
13. Note that for any (I, T, p) and $i \in I$,

$$E_i^\Delta(I, T, p) = \frac{1}{|I|} \left[y(I, T, p) + \sum_{j \neq i} y(I \setminus \{j\}, T, p_{-j}) \right] - \frac{|I| - 1}{|I|} y(I \setminus \{i\}, T, p_{-i}).$$

Now fix (I, T, p) and $i \in I$. Let \hat{p}_i satisfy $p_i \geq \hat{p}_i$. Set $\hat{p} = (p_{-i}, \hat{p}_i)$. Note that [Lemma 2\(i\)](#) implies

$$y(I, T, p) \geq y(I, T, \hat{p})$$

and

$$y(I \setminus \{j\}, T, p_{-j}) \geq y(I \setminus \{j\}, T, \hat{p}_{-j})$$

for every $j \in I$ where $j \neq i$. Since $p_{-i} = \hat{p}_{-i}$, we then get

$$\begin{aligned} E_i^\Delta(I, T, p) &= \frac{1}{|I|} \left[y(I, T, p) + \sum_{j \neq i} y(I \setminus \{j\}, T, p_{-j}) \right] - \frac{|I| - 1}{|I|} y(I \setminus \{i\}, T, p_{-i}) \\ &\geq \frac{1}{|I|} \left[y(I, T, \hat{p}) + \sum_{j \neq i} y(I \setminus \{j\}, T, \hat{p}_{-j}) \right] - \frac{|I| - 1}{|I|} y(I \setminus \{i\}, T, \hat{p}_{-i}) \\ &= E_i^\Delta(I, T, \hat{p}). \end{aligned}$$

14. To show that the Shapley Value rule satisfies Strict Productivity Monotonicity, simply adapt the argument in [item 11](#) above by invoking [Lemma 2\(ii\)](#) and switching weak inequalities with strict inequalities.
15. To show that the Marginal Egalitarian rule satisfies Strict Productivity Monotonicity, simply adapt the argument in [item 13](#) above by invoking [Lemma 2\(ii\)](#) and switching weak inequalities with strict inequalities.
16. Continuing the example from [item 8](#), let $\hat{p}_2 = (2, 1)$. Then $\hat{p}_2 \geq p_2$, yet $R_2(I, T, p) = R_2(I, T, (p_1, \hat{p}_2)) = \frac{3}{2}$ for $R = SV, P^{\max}, P^\Delta, E^\Delta$, violating Strong Productivity Monotonicity.
17. Since Efficiency is satisfied, the negative result is implied by [Theorem 2](#).

18. Before showing that the Individual Contribution rule satisfies Consistency, we introduce some notation and establish some preliminary results.

Let $I, T \in \mathcal{N}$ satisfy $|I| \leq |T|$. For any assignment $a \in A(I, T)$ and for any $I' \subset I$, let $a|_{I'}$ denote the restriction of a to I' . In addition, let $I' \subset I$ and $T' \subset T$ satisfy $|I'| \leq |T'|$ and $|I \setminus I'| \leq |T \setminus T'|$. Then for $a' \in A(I', T')$ and $a \in A(I \setminus I', T \setminus T')$, let $a'I'a$ denote the assignment in $A(I, T)$ that assigns according to a' on I' and according to a on $I \setminus I'$.

Fix (I, T, p) and $I' \subset I$. Define

$$\mathcal{T} := \{T' \subset T : \exists a \in A^*(I, T, p) \text{ such that } a(I') = T'\}.$$

For every $T' \in \mathcal{T}$, define

$$B(T') := \{a \in A^*(I, T, p) : a(I') = T'\},$$

which must be nonempty by definition of \mathcal{T} .

Lemma 3. *For every $T' \in \mathcal{T}$,*

$$B(T') = \left\{ a'I'a \in A(I, T) : a' \in A^*(I', T', p_{I'}^{T'}) \text{ and } a \in A^*(I \setminus I', T \setminus T', p_{I \setminus I'}^{T \setminus T'}) \right\}.$$

Proof. Fix $T' \in \mathcal{T}$.

Choose $a \in B(T')$. Then by definition, $a(I') = T'$ and $a \in A^*(I, T, p)$. The former implies $a|_{I'} \in A(I', T')$, while the latter implies $\sum_{i \in I} p_i^{a(i)} \geq \sum_{i \in I} p_i^{\hat{a}(i)}$ for every $\hat{a} \in A(I, T)$. In particular, we must have

$$\sum_{i \in I'} p_i^{a(i)} + \sum_{i \in I \setminus I'} p_i^{a(i)} \geq \sum_{i \in I'} p_i^{\hat{a}(i)} + \sum_{i \in I \setminus I'} p_i^{a(i)}$$

for every $\hat{a} \in A(I', T')$. But then this implies $\sum_{i \in I'} p_i^{a(i)} \geq \sum_{i \in I'} p_i^{\hat{a}(i)}$ for every $\hat{a} \in A(I', T')$, or $a|_{I'} \in A^*(I', T', p_{I'}^{T'})$. Similar reasoning can show $a|_{I \setminus I'} \in A^*(I \setminus I', T \setminus T', p_{I \setminus I'}^{T \setminus T'})$.

Going the other direction, choose $a' \in A^*(I', T', p_{I'}^{T'})$ and $a \in A^*(I \setminus I', T \setminus T', p_{I \setminus I'}^{T \setminus T'})$. Since $B(T')$ is nonempty, choose $a^* \in B(T')$. Then we have

$$\sum_{i \in I'} p_i^{a'(i)} \geq \sum_{i \in I'} p_i^{a^*(i)}$$

and

$$\sum_{i \in I \setminus I'} p_i^{a(i)} \geq \sum_{i \in I \setminus I'} p_i^{a^*(i)}.$$

But then

$$\sum_{i \in I'} p_i^{a'(i)} + \sum_{i \in I \setminus I'} p_i^{a(i)} \geq \sum_{i \in I} p_i^{a^*(i)},$$

which implies $a'I'a \in A^*(I, T, p)$ since $a^* \in A^*(I, T, p)$. Finally, note that $a'I'a(I') = a'(I') = T'$. Thus, we have shown $a'I'a \in B(T')$. \square

For every $T' \in \mathcal{T}$ and for every $a' \in A^*(I', T', p_{I'}^{T'})$, define

$$C(a'; T') := \{a \in A^*(I, T, p) : a|_{I'} = a'\}.$$

For fixed $T' \in \mathcal{T}$, [Lemma 3](#) implies $A^*(I', T', p_{I'}^{T'})$ is nonempty, and that $C(a'; T')$ is nonempty for every $a' \in A^*(I', T', p_{I'}^{T'})$.

Lemma 4. Fix $T' \in \mathcal{T}$. For every $a' \in A^*(I', T', p_{I'}^{T'})$,

$$|C(a'; T')| = |A^*(I \setminus I', T \setminus T', p_{I \setminus I'}^{T \setminus T'})|.$$

Proof. Fix $T' \in \mathcal{T}$. Choose $a' \in A^*(I', T', p_{I'}^{T'})$. We show that there is a bijection from $C(a'; T')$ to $A^*(I \setminus I', T \setminus T', p_{I \setminus I'}^{T \setminus T'})$. Namely, $a \mapsto a|_{I \setminus I'}$.

First, for $a \in C(a'; T')$, [Lemma 3](#) implies $a'|_{I \setminus I'} \in A^*(I \setminus I', T \setminus T', p_{I \setminus I'}^{T \setminus T'})$. Next, if $a, \hat{a} \in C(a'; T')$ satisfy $a|_{I \setminus I'} = \hat{a}|_{I \setminus I'}$, then since $a' = a|_{I'} = \hat{a}|_{I'}$, we must have $a = \hat{a}$. Finally, choose $\hat{a}' \in A^*(I \setminus I', T \setminus T', p_{I \setminus I'}^{T \setminus T'})$. Then [Lemma 3](#) implies that $a'I'\hat{a}' \in B(T')$ and therefore $a'I'\hat{a}' \in A^*(I, T, p)$. Since $a'I'\hat{a}'|_{I'} = a'$, we have established $a'I'\hat{a}' \in C(a'; T')$. \square

Now we are ready to show that the Individual Contribution rule satisfies Consistency. Fix $i \in I'$. It is sufficient to show

$$\sum_{a \in A^*(I, T, p)} p_i^{a(i)} = \sum_{a \in A^*(I, T, p)} \frac{1}{|A^*(I', a(I'), p_{I'}^{a(I')})|} \sum_{\hat{a} \in A^*(I', a(I'), p_{I'}^{a(I')})} p_i^{\hat{a}(i)}. \quad (1)$$

Note that

$$\mathcal{B} := \{B(T') : T' \in \mathcal{T}\}$$

is a partition of $A^*(I, T, p)$. In addition, if $T', T'' \in \mathcal{T}$ are distinct, then $B(T') \neq B(T'')$. Thus $T' \mapsto B(T')$ defines a bijection from \mathcal{T} to \mathcal{B} . Also, note that by

definition, $(I', a'(I'), p_{I'}^{a'(I')}) = (I', \hat{a}'(I'), p_{I'}^{\hat{a}'(I')})$ whenever a' and \hat{a}' are in the same cell of this partition. Thus the right-hand side of Equation 1 is equal to

$$\begin{aligned}
& \sum_{a \in A^*(I, T, p)} \frac{1}{|A^*(I', a(I'), p_{I'}^{a(I')})|} \sum_{a' \in A^*(I', a(I'), p_{I'}^{a(I')})} p_i^{a'(i)} \\
&= \sum_{B \in \mathcal{B}} \sum_{a \in B} \frac{1}{|A^*(I', a(I'), p_{I'}^{a(I')})|} \sum_{a' \in A^*(I', a(I'), p_{I'}^{a(I')})} p_i^{a'(i)} \\
&= \sum_{T' \in \mathcal{T}} \frac{|B(T')|}{|A^*(I', T', p_{I'}^{T'})|} \sum_{a' \in A^*(I', T', p_{I'}^{T'})} p_i^{a'(i)}. \tag{2}
\end{aligned}$$

Next, note that

$$\mathcal{C}(T') := \left\{ C(a'; T') : a' \in A^*(I', T', p_{I'}^{T'}) \right\}$$

is a partition of $B(T')$. In addition, if $a', \hat{a}' \in A^*(I', T', p_{I'}^{T'})$ are distinct, then $C(a'; T') \neq C(\hat{a}'; T')$. Thus $a' \mapsto C(a'; T')$ defines a bijection from $A^*(I', T', p_{I'}^{T'})$ to $\mathcal{C}(T')$. Thus the left-hand side of Equation 1 is equal to

$$\begin{aligned}
\sum_{a \in A^*(I, T, p)} p_i^{a(i)} &= \sum_{T' \in \mathcal{T}} \sum_{a' \in A^*(I', T', p_{I'}^{T'})} \sum_{a \in C(a'; T')} p_i^{a(i)} \\
&= \sum_{T' \in \mathcal{T}} \sum_{a' \in A^*(I', T', p_{I'}^{T'})} |C(a'; T')| p_i^{a'(i)}, \tag{3}
\end{aligned}$$

where the last equality follows from the fact that $p_i^{a(i)} = p_i^{a'(i)}$ for every $a \in C(a'; T')$.

[Lemma 3](#) implies

$$|B(T')| = |A^*(I', T', p_{I'}^{T'})| \times |A^*(I \setminus I', T \setminus T', p_{I \setminus I'}^{T \setminus T'})|,$$

while [Lemma 4](#) asserts

$$|C(a'; T')| = |A^*(I \setminus I', T \setminus T', p_{I \setminus I'}^{T \setminus T'})|.$$

This implies that Equation 1, as desired.

19. Since Efficiency is satisfied, the negative result is implied by [Theorem 3](#).

20. Fix problem (I, T, p) . Let $i \in I$ be a null worker. Set $I' = I \setminus \{i\}$ and $M = |T| - |I| + 1$. Then for $a' \in A(I', T)$ and $t \in T \setminus a'(I')$, let $a'I't$ denote the assignment in $A(I, T)$ that assigns according to a' on I' and assigns t to i .

Lemma 5. $A^*(I, T, p) = \{a'I't : a' \in A^*(I', T, p_{-i}), t \in T \setminus a'(I')\}$.

The proof is omitted as it is straightforward. One implication of [Lemma 5](#) is the following.

$$\begin{aligned} |A^*(I, T, p)| &= |\{a'I't : a' \in A^*(I', T, p_{-i}), t \in T \setminus a'(I')\}| \\ &= |A^*(I', T, p_{-i})|(|T| - |I'|) \\ &= |A^*(I', T, p_{-i})|M \end{aligned}$$

Thus for $j \in I'$, we have

$$\begin{aligned} IC_j(I, T, p) &= \frac{1}{|A^*(I, T, p)|} \sum_{a \in A^*(I, T, p)} p_j^{a(j)} \\ &= \frac{1}{|A^*(I', T, p_{-i})|M} \sum_{a' \in A^*(I', T, p_{-i})} \sum_{t \in T \setminus a'(I')} p_j^{a'I't(j)} \\ &= \frac{1}{|A^*(I', T, p_{-i})|M} \sum_{a' \in A^*(I', T, p_{-i})} M p_j^{a'(j)} \\ &= \frac{1}{|A^*(I', T, p_{-i})|} \sum_{a' \in A^*(I', T, p_{-i})} p_j^{a'(j)} \\ &= IC_j(I', T, p_{-i}). \end{aligned}$$

21. The following lemma will be useful. (The proof is omitted as it is obvious.)

Lemma 6. For any problem (I, T, p) , if $i \in I$ is a null worker, then

$$y(I, T, p) = y(I \setminus \{i\}, T, p_{-i}).$$

Now fix problem (I, T, p) and let $i \in I$ be a null worker. Fix $j \in I \setminus \{i\}$. Define the following sets:

$$\begin{aligned} \mathcal{I} &= \{J : J \subset I \setminus \{j\}\}, \\ \mathcal{I}_{-i} &= \{J : J \subset I \setminus \{i, j\}\}, \text{ and} \\ \mathcal{I}_{+i} &= \{J : J \in \mathcal{I} \text{ and } i \in J\}. \end{aligned}$$

Therefore, $\mathcal{I} = \mathcal{I}_{-i} \cup \mathcal{I}_{+i}$,

$$SV_j(I, T, p) = \sum_{J \in \mathcal{I}} \frac{|J|!(|I| - |J| - 1)!}{|I|!} [y(J \cup \{j\}, T, p_{J \cup \{j\}}) - y(J, T, p_J)],$$

and

$$SV_j(I \setminus \{i\}, T, p_{-i}) = \sum_{J \in \mathcal{I}_{-i}} \frac{|J|!(|I| - |J| - 2)!}{(|I| - 1)!} [y(J \cup \{j\}, T, p_{J \cup \{j\}}) - y(J, T, p_J)].$$

To establish the result, we must show $SV_j(I, T, p) = SV_j(I \setminus \{i\}, T, p_{-i})$.

Note that

$$\begin{aligned} SV_j(I, T, p) &= \sum_{J \in \mathcal{I}_{-i}} \frac{|J|!(|I| - |J| - 1)!}{|I|!} [y(J \cup \{j\}, T, p_{J \cup \{j\}}) - y(J, T, p_J)] \\ &\quad + \sum_{J' \in \mathcal{I}_{+i}} \frac{|J'|!(|I| - |J'| - 1)!}{|I|!} [y(J' \cup \{j\}, T, p_{J' \cup \{j\}}) - y(J', T, p_{J'})]. \end{aligned}$$

There is a bijective function from \mathcal{I}_{-i} to \mathcal{I}_{+i} , namely $J \mapsto J \cup \{i\}$. Since $|J \cup \{i\}| = |J| + 1$ for $J \in \mathcal{I}_{-i}$, the above equation becomes

$$\begin{aligned} SV_j(I, T, p) &= \sum_{J \in \mathcal{I}_{-i}} \left(\frac{|J|!(|I| - |J| - 1)!}{|I|!} [y(J \cup \{j\}, T, p_{J \cup \{j\}}) - y(J, T, p_J)] \right. \\ &\quad \left. + \frac{(|J| + 1)!(|I| - |J| - 2)!}{|I|!} [y(J \cup \{i, j\}, T, p_{J \cup \{i, j\}}) - y(J \cup \{i\}, T, p_{J \cup \{i\}})] \right). \end{aligned}$$

By [Lemma 6](#), $y(J \cup \{i, j\}, T, p_{J \cup \{i, j\}}) = y(J \cup \{j\}, T, p_{J \cup \{j\}})$ and $y(J \cup \{i\}, T, p_{J \cup \{i\}}) = y(J, T, p_J)$. Thus we have

$$\begin{aligned} SV_j(I, T, p) &= \sum_{J \in \mathcal{I}_{-i}} \left(\frac{|J|!(|I| - |J| - 1)!}{|I|!} + \frac{(|J| + 1)!(|I| - |J| - 2)!}{|I|!} \right) \\ &\quad \times [y(J \cup \{j\}, T, p_{J \cup \{j\}}) - y(J, T, p_J)] \\ &= \sum_{J \in \mathcal{I}_{-i}} \frac{|J|!(|I| - |J| - 2)!}{(|I| - 1)!} [y(J \cup \{j\}, T, p_{J \cup \{j\}}) - y(J, T, p_J)] \\ &= SV_j(I \setminus \{i\}, T, p_{-i}). \end{aligned}$$

22. Since Efficiency is satisfied, the negative result is implied by [Proposition 1](#).

23. We prove the result for the family of Parametric rules (of which the Egalitarian,

Proportional to Average Productivity, and Proportional to Max Productivity rules are members).

Let Par^f be a Parametric rule. Fix the problem (I, T, p) . Fix $I' \subset I$. Let λ satisfy $Par_i^f(I, T, p) = f(p_i, \lambda)$ for every $i \in I$. Let λ' satisfy $Par_i^f(I', T, p_{I'}) = f(p_i, \lambda')$ for every $i \in I'$. Either $\lambda \leq \lambda'$ or $\lambda \geq \lambda'$. If the former, then $Par_{I'}^f(I, T, p) \leq Par^f(I', T, p_{I'})$ since f is weakly monotone in λ . If the latter, then $Par_{I'}^f(I, T, p) \geq Par^f(I', T, p_{I'})$.

24. This was shown in [Example 5](#).

25. Fix the problem (I, T, p) . Fix $I' \subset I$ and $i \in I'$. Define the following sets:

$$\begin{aligned}\hat{I} &= I \setminus I', \\ \mathcal{I} &= \{J : J \subset I \setminus \{i\}\}, \\ \mathcal{I}' &= \{J : J \subset I' \setminus \{i\}\}, \text{ and} \\ \hat{\mathcal{I}} &= \{J : J \subset \hat{I}\}.\end{aligned}$$

Then

$$\begin{aligned}SV_i(I, T, p) &= \sum_{J \in \mathcal{I}} \frac{|J|!(|I| - |J| - 1)!}{|I|!} [y(J \cup \{i\}, T, p_{J \cup \{i\}}) - y(J, T, p_J)] \\ &= \sum_{J' \in \mathcal{I}'} \sum_{\hat{J} \in \hat{\mathcal{I}}} \frac{(|J'| + |\hat{J}|)!(|I| - |J'| - |\hat{J}| - 1)!}{|I|!} \\ &\quad \times [y(J' \cup \hat{J} \cup \{i\}, T, p_{J' \cup \hat{J} \cup \{i\}}) - y(J' \cup \hat{J}, T, p_{J' \cup \hat{J}})]\end{aligned}$$

Because y is submodular (see [subsection 4.2.6](#)), this implies

$$\begin{aligned}SV_i(I, T, p) &\leq \sum_{J' \in \mathcal{I}'} [y(J' \cup \{i\}, T, p_{J' \cup \{i\}}) - y(J', T, p_{J'})] \\ &\quad \times \sum_{\hat{J} \in \hat{\mathcal{I}}} \frac{(|J'| + |\hat{J}|)!(|I| - |J'| - |\hat{J}| - 1)!}{|I|!}\end{aligned}\tag{4}$$

For fixed $J' \in \mathcal{I}'$,

$$\begin{aligned}
\sum_{\hat{J} \in \hat{\mathcal{I}}} \frac{(|J'| + |\hat{J}|)! (|I| - |J'| - |\hat{J}| - 1)!}{|I|!} &= \sum_{n=0}^{|\hat{I}|} \binom{|\hat{I}|}{n} \frac{(|J'| + n)! (|I| - |J'| - n - 1)!}{|I|!} \\
&= \frac{|\hat{I}|!}{|I|!} \sum_{n=0}^{|\hat{I}|} \frac{(|J'| + n)! (|I| - |J'| - n - 1)!}{n! (|\hat{I}| - n)!} \\
&= |J'|! (|I'| - |J'| - 1)! \frac{|\hat{I}|!}{|I|!} \\
&\quad \times \sum_{n=0}^{|\hat{I}|} \binom{|J'| + n}{n} \binom{|I| - |J'| - n - 1}{|\hat{I}| - n}
\end{aligned}$$

A generalization of Vandermonde's convolution (see [Gould, 1956](#)) implies

$$\sum_{n=0}^{|\hat{I}|} \binom{|J'| + n}{n} \binom{|I| - |J'| - n - 1}{|\hat{I}| - n} = \binom{|I|}{|\hat{I}|}$$

Thus we have

$$\sum_{\hat{J} \in \hat{\mathcal{I}}} \frac{(|J'| + |\hat{J}|)! (|I| - |J'| - |\hat{J}| - 1)!}{|I|!} = \frac{|J'|! (|I'| - |J'| - 1)!}{|I'|},$$

which means that Equation 4 implies

$$\begin{aligned}
SV_i(I, T, p) &\leq \sum_{J' \in \mathcal{I}'} \frac{|J'|! (|I'| - |J'| - 1)!}{|I'|} [y(J' \cup \{i\}, T, p_{J' \cup \{i\}}) - y(J', T, p_{J'})] \\
&= SV_i(I', T, p_{I'}).
\end{aligned}$$

26. Continuing the example from [item 3](#), note $P^\Delta(I, T, p) = E^\Delta(I, T, p) = (\frac{4}{3}, \frac{4}{3})$. Let $I' = \{1, 2\}$. Then $P_1^\Delta(I', T, p_{I'}) = E_1^\Delta(I, T, p) = 1$ and $P_2^\Delta(I', T, p_{I'}) = E_2^\Delta(I, T, p) = 2$, which violates Solidarity in Hiring.
27. This was shown in [Example 6](#).
28. Note that for any problem (I, T, p) and for every T' satisfying $T^*(I, T, p) \subset T' \subset T$, we must have $A^*(I, T, p) = A^*(I, T', p^{T'})$. The result follows easily from this fact.
29. The negative result is demonstrated by the following example. Let $I = \{1, 2\}$

and $T = \{1, 2, 3\}$. Let $p_1 = (2, 0, 1)$ and $p_2 = (0, 1, 0)$. Then $P^{Av}(I, T, p) = (\frac{9}{4}, \frac{3}{4})$. But for $T' = T^*(I, T, p) = \{1, 2\}$, we have $P^{Av}(I, T', p^{T'}) = (2, 1)$.

30. The result follows easily from the following lemma.

Lemma 7. *For every $I, T \subset \mathcal{N}$ where $|I| \leq |T|$, for every $p, \hat{p} \in \mathbb{R}_+^{I \times T}$ satisfying $A^*(I, T, p) \cap A^*(I, T, \hat{p}) \neq \emptyset$, we have $y(I, T, p + \hat{p}) = y(I, T, p) + y(I, T, \hat{p})$ and $A^*(I, T, p + \hat{p}) = A^*(I, T, p) \cap A^*(I, T, \hat{p})$.*

Proof. Let $I, T \subset \mathcal{N}$ satisfy $|I| \leq |T|$. Let $p, \hat{p} \in \mathbb{R}_+^{I \times T}$ satisfy $A^*(I, T, p) \cap A^*(I, T, \hat{p}) \neq \emptyset$. Fix $a \in A^*(I, T, p) \cap A^*(I, T, \hat{p})$ and $\hat{a} \in A^*(I, T, p + \hat{p})$. Then by definition, we must have

$$\sum_{i \in I} (p + \hat{p})_i^{\hat{a}(i)} \geq \sum_{i \in I} (p + \hat{p})_i^{a(i)}$$

and

$$\sum_{i \in I} p_i^{\hat{a}(i)} + \sum_{i \in I} \hat{p}_i^{\hat{a}(i)} \leq \sum_{i \in I} p_i^{a(i)} + \sum_{i \in I} \hat{p}_i^{a(i)}.$$

Note that for each of the above inequalities, the left-hand sides are equal and the right-hand sides are equal. Thus

$$\sum_{i \in I} (p + \hat{p})_i^{\hat{a}(i)} = \sum_{i \in I} p_i^{a(i)} + \sum_{i \in I} \hat{p}_i^{a(i)},$$

$$\sum_{i \in I} (p + \hat{p})_i^{\hat{a}(i)} = \sum_{i \in I} (p + \hat{p})_i^{a(i)},$$

and

$$\sum_{i \in I} p_i^{\hat{a}(i)} + \sum_{i \in I} \hat{p}_i^{\hat{a}(i)} = \sum_{i \in I} p_i^{a(i)} + \sum_{i \in I} \hat{p}_i^{a(i)}.$$

The first equation implies $y(I, T, p + \hat{p}) = y(I, T, p) + y(I, T, \hat{p})$. The second equation implies $A^*(I, T, p + \hat{p}) \supset A^*(I, T, p) \cap A^*(I, T, \hat{p})$. The third equation implies $A^*(I, T, p + \hat{p}) \subset A^*(I, T, p) \cap A^*(I, T, \hat{p})$. \square

31. This was shown in [Example 7](#).

32. This was shown in [Example 8](#).

33. Continuing [Example 8](#), note that

$$P^{\max}(I, T, p) = (\frac{12}{5}, \frac{8}{5}), \quad P^\Delta(I, T, p) = (\frac{8}{3}, \frac{4}{3}), \quad E^\Delta(I, T, p) = (\frac{5}{2}, \frac{3}{2}),$$

while

$$P^{\max}(I, T, \hat{p}) = P^\Delta(I, T, \hat{p}) = E^\Delta(I, T, \hat{p}) = (1, 1)$$

and

$$P^{\max}(I, T, p + \hat{p}) = P^\Delta(I, T, p + \hat{p}) = E^\Delta(I, T, p + \hat{p}) = (4, 2).$$

34. Let $I, T \subset \mathcal{N}$ satisfy $|I| \leq |T|$, and let $p, \hat{p} \in \mathbb{R}_+^{I \times T}$ satisfy $A^*(I, T, p) = A^*(I, T, \hat{p})$. [Lemma 7](#) implies $A^*(I, T, p) = A^*(I, T, \hat{p}) = A^*(I, T, p + \hat{p})$. Then for $i \in I$,

$$\begin{aligned} IC_i(I, T, p + \hat{p}) &= \frac{1}{|A^*(I, T, p + \hat{p})|} \sum_{a \in A^*(I, T, p + \hat{p})} (p + \hat{p})_i^{a(i)} \\ &= \frac{1}{|A^*(I, T, p)|} \sum_{a \in A^*(I, T, p)} p_i^{a(i)} + \frac{1}{|A^*(I, T, \hat{p})|} \sum_{a \in A^*(I, T, \hat{p})} \hat{p}_i^{a(i)} \\ &= IC_i(I, T, p) + IC_i(I, T, \hat{p}). \end{aligned}$$

References

- Aumann, Robert J. and Michael Maschler (1985), “Game theoretic analysis of a bankruptcy problem from the Talmud.” *Journal of Economic Theory*, 36, 195–213.
- Bergantiños, Gustavo and Juan D. Moreno-Ternero (2020), “Sharing the revenues from broadcasting sport events.” *Management Science*, 66, 2417–2431.
- Chun, Youngsub (1999), “Equivalence of axioms for bankruptcy problems.” *International Journal of Game Theory*, 28, 511–520.
- Gihleb, Rania, Rachel Landsman, and Lise Vesterlund (2020), “The effect of negotiation on securing equal pay for equal work.” Unpublished.
- Ginsburgh, Victor and Israel Zang (2003), “The museum pass game and its value.” *Games and Economic Behavior*, 43, 322–325.
- Gould, Henry W. (1956), “Some generalizations of Vandermonde’s convolution.” *The American Mathematical Monthly*, 63, 84–91.
- Hart, Sergiu and Andreu Mas-Colell (1989), “Potential, value, and consistency.” *Econometrica*, 589–614.
- Hougaard, Jens Leth, Juan D. Moreno-Ternero, Mich Tvede, and Lars Peter Østerdal (2017), “Sharing the proceeds from a hierarchical venture.” *Games and Economic Behavior*, 102, 98–110.
- Lensberg, Terje (1987), “Stability and collective rationality.” *Econometrica*, 55, 935–961.
- Myerson, Roger B. (1980), “Conference structures and fair allocation rules.” *International Journal of Game Theory*, 9, 169–182.
- Sasaki, Hiroo and Manabu Toda (1992), “Consistency and characterization of the core of two-sided matching problems.” *Journal of Economic Theory*, 56, 218–227.
- Shapley, Lloyd S. (1953), “A value for n-person games.” In *Contributions to the Theory of Games* (Harold William Kuhn and Albert William Tucker, eds.), volume 2, 307–317, Princeton University Press.

Thomson, William (2011), “Consistency and its converse: an introduction.” *Review of Economic Design*, 15, 257–291.

Thomson, William (2013), “Consistent allocation rules.” Manuscript, University of Rochester.

Young, H. Peyton (1987), “On dividing an amount according to individual claims or liabilities.” *Mathematics of Operations Research*, 12, 398–414.