

Limits of Personalization: Prophet Inequalities for Revenue-Ordered Assortments

Guillermo Gallego*

Gerardo Berbeglia[†]

December 14, 2023

Abstract

Consider a clairvoyant firm that knows the products' valuations of each arriving consumer and offers them only the most profitable product they are willing to buy. How much more can such a firm make relative to a firm that offers all consumers the assortment that maximizes expected revenues? We show that for general discrete choice models, the ratio can be exponential in the number of products, but at most equal to the number of products for random utility models. We show that the ratio is at most 2 for the α -shaken multinomial logit (α -MNL) which includes the MNL and the general attraction model (GAM) as special cases, and in fact works for all models with independent value gaps. We also provide sufficient conditions for the ratio of at most 2 to hold for the latent class MNL, and in fact show that in the limit as the coefficient of variation of the utilities goes to infinity the bound is at most 1.5. For all of these cases the revenue-ordered heuristic yields the stated guarantees relevant to the clairvoyant firm.

1 Introduction

One key managerial decision faced by retailers is to determine which products to offer. This problem is known as *assortment optimization*. An important difference between brick and mortar stores and online selling platforms is that the latter have considerable more flexibility. Assortments offered by brick and mortar store are of a more strategic nature as they are designed to show the products in an attractive way and to lure consumers into the store. Changing the offered assortment requires reorganizing the store and to have actual inventory to display as well as a backroom to

*Industrial Engineering and Decision Analytics Hong Kong University of Science and Technology, Kowloon, Hong Kong, ggallego@ust.hk. Supported by RGC project 16211619.

[†]Melbourne Business School, The University of Melbourne, Australia, g.berbeglia@mbs.edu.

hide the products that the store currently does not desire to offer. In contrast, an online platform can make instant changes depending on the information it gathers about consumers. The platform may gather information about the consumers' location and search keywords and then decide what products to display in real-time. This has led online firms to create consumer segments based on such information and solve an assortment optimization problem for each segment. Several papers addressed personalized assortment optimization policies and study their benefits and limitations (see, e.g. Golrezaei et al. [2014], Bernstein et al. [2015], El Housni and Topaloglu [2021]).

As e-commerce firms collect more detailed personal information about web searches, click-through paths and past purchases, they become more able to create segments of size one and truly offer personalized assortments and personalized prices. This has raised the concern of public and policy makers (see, Tucker [2014], Goldfarb and Tucker [2012]) and to welfare studies of personalized assortments and personalized pricing (see e.g. Ichihashi [2020]).

As a result, it is important not only for firms but also for policy makers, to understand the impact of personalization when it is taken to a very high degree. In this paper, we take a first step in this direction by asking how much more a clairvoyant firm can make in expected revenues relative to a traditional firm that does not personalize assortments. By a clairvoyant firm we mean one that has access (in real-time) to the exact product utilities of each arriving consumer. Although firms may never develop the power to read consumer minds, the analysis of this extreme case is useful since it provides a quantifiable limit to the firm's benefits of doing personalization. Moreover, the resulting upper bounds are elegant, tight, and, for some families of choice models, only a constant factor away from the revenue of a firm that doesn't do any personalization.

The bounds also open possibilities to the development of new heuristics and to the study of the worst case performance of known heuristics. We show for instance that, under any latent-class MNL (LC-MNL) model, a clairvoyant firm cannot earn more than twice as much as a firm who personalizes assortments for each consumer segment. From a methodological side we make a connection with the literature about prophet's inequalities.

Our main contributions include the following:

- We show that the basic prophet inequality applies to discrete choice models for which the value gap between the products and the outside alternative are independent. This implies that for those models revenue-ordered assortments makes at least half in expected revenues as the clairvoyant firm.

- We show that for the class of random utility models a clairvoyant firm can earn up to n -times as much as a traditional firm that offers a single assortment to all consumers. The bound is tight even when restricted to the sub-class of Markov Chain models.
- While the standard theory does not apply to the MNL, we develop technical results that allow us to show that the prophet inequality holds for the MNL and is tight, so a clairvoyant firm facing an MNL model can obtain at most twice as much as a firm that offers the same assortment to all consumers.
- We introduce the α -shaken MNL model, which includes the generalized attraction model (GAM) and show that the prophet inequality also holds and is tight for this class.
- We provide conditions under which the factor of 2 holds for the LC-MNL model.
- We show that a revenue-order heuristic is optimal for the LC-MNL model when the coefficient of variation of all of the utilities go to infinity, and that in this case a stronger version of the prophet inequality holds with factor $3/2$ instead of 2.
- We show that a clairvoyant firm can earn exponentially more than the TAOP for general discrete choice models.
- Extensions to pricing show that a prophet-like inequality holds for the MNL with factor $\exp(1) \approx 2.71828$ instead of 2.

1.1 Related literature

The literature on assortment optimization has increased dramatically during the last 15 years starting with the seminal paper of Talluri and Van Ryzin [2004] where the authors assume that consumer preferences can be described by an MNL model. Reviews of the subject can be found in Strauss et al. [2018], Den Boer [2015], and the recent book by Gallego and Topaloglu [2019]. The assortment optimization problem has been studied under different choice models (see, e.g. Blanchet et al. [2016] and Davis et al. [2014]). In addition, it has also been studied in different settings such as where the firm faces cardinality limitations on the offer sets and similar constraints (see e.g. Rusmevichientong et al. [2010], Désir et al. [2020], Sumida et al. [2021]) and in settings where inventory is limited (see e.g. Topaloglu [2009]).

While the benefits of consumer personalization has been recognized several decades ago (see, e.g. Surprenant and Solomon [1987]), it is only recently that researchers began to study personalized

assortment optimization problems. In these problems, consumers are divided into types, and each type follows a discrete choice model that has residual uncertainty. The objective is to choose a (possibly) different assortment to offer to each segment to maximize expected revenues. One of the earliest works in personalized assortments was carried out by Bernstein et al. [2015] who studied a finite-horizon setting in which consumers follow a mixed MNL model, demand is stationary, and the seller is able to observe the segment class of the incoming consumer. In their model, all products have the same revenue, products are limited in inventory, and the seller must choose a personalized assortment at each period. The authors provide structural results about the optimal policy and develop some heuristics. Chan and Farias [2009] studies a framework of stochastic depletion processes that contains the previous model but allows non-stationary demand and different product prices and showed that a myopic policy guarantees at least half of the revenue of the optimal control policy. Golrezaei et al. [2014] also extended the model of Bernstein et al. [2015] to non-stationary demand and allowing different prices and proposed a personalized assortment policy that achieves 50 percent of the optimal revenue even against an adversarial chosen demand. The authors showed that the bound is tight. Gallego et al. [2015a] considers a similar model but allows for product revenues to be dependent on the consumer segments. The authors propose online algorithms to offer personalized assortments that guarantee a factor of $(1 - \epsilon)$ of the optimal offline revenue (under complete information) where ϵ is the error in computing an optimal solution to the choice based linear program (CDLP). Bernstein et al. [2019] proposes an exploration-exploitation framework to learn consumer preferences and personalize assortments under a finite-horizon. They develop a dynamic clustering estimation algorithm that maps customer segments to clusters. In a case study, the authors show that the clustering policy increased transactions by more than 37% with respect to learning and treating each consumer segment separately. Kallus and Udell [2020], who considers a similar framework, argues that the amount of data required to estimate a LC-MNL model is orders of magnitude larger than the data available in practice. To overcome this issue, they impose that the parameter matrix associated to the LC-MNL has a low rank and showed that the model can be learned quickly. They also showed that an exploration-exploitation algorithm that is rank aware and does assortment personalization has much lower regret with respect to those who ignore the rank structure. Cheung and Simchi-Levi [2017] studies another exploration-exploitation setting in which each consumer follows its own MNL model according to their observable attributes. They develop a Thompson sampling based policy to personalize assortments and prove regret bounds with respect to the optimal policy. Jagabathula et al. [2020] developed algorithms

to perform personalized promotions in real-time. The authors consider a choice model in which consumers have a partial order among the products which is combined with an MNL. They develop a MILP which, for an incoming consumer, would personalize the assortment of products offered at a fixed discounted price. Chen et al. [2021] consider a learning problem where a firm uses transactions to personalize prices or assortments. The authors developed a unified logit modeling framework in which products and consumers have a feature vector that lie in a multi-dimensional real space. The nominal value of a product to a given consumer is a linear function of the product and consumer features and the error terms follow a Gumbel distribution. They establish finite-sample convergence guarantees that are later traduced into out-of-sample performance bounds.

A personalized assortment may reveal private customer data about the consumer to third-parties. Recently, Lei et al. [2020] considers the personalized assortment optimization problem when the firm must ensure that the assortment policy doesn't reveal private information using the differential privacy framework [Dwork, 2006]. Berbeglia et al. [2021b] provides tight revenue guarantees on the performance of the well-known revenue-ordered assortment strategy with respect to the optimal personalized assortment solution. Their result holds for regular choice models (which includes all RUMs) and works even under *personalized refined assortment optimization* where the firm may reduce the product utilities to some consumer segments. El Housni and Topaloglu [2021] studies a two-stage personalized assortment optimization problem with capacity constraint under the LC-MNL model. In their model, consumers follow a LC-MNL and the firm is able to observe the segment of the incoming consumer to customize the final assortment offered. After proving that the problem is NP-hard, they developed an efficient algorithm that guarantees $\Omega(\frac{1}{\log(m)})$ -fraction of the optimal revenue where m is the number of segments. We strengthen that result and show that the same revenue guarantee holds with respect to a clairvoyant firm (see Section 5.4). More recently, Udhwani [2021] provided a $(0.5-\epsilon)$ -approximation algorithm for the same problem.

Many researchers have studied settings where the firm can customize product prices. One key advantage of a personalized assortment policy with respect to personalized pricing is that it is easier to implement as there is no need to calibrate a price-aware discrete choice model. In addition, personalized pricing is sometimes banned by law¹ and it is generally perceived as an unfair practice [Haws and Bearden, 2006]. A personalized assortment strategy can better deal with those

¹For example, Tinder settled a class action lawsuit for \$17.3 million for charging higher prices to people over 30 years old. URL: <https://www.theverge.com/2019/1/25/18197575/tinder-plus-age-discrimination-lawsuit-settlement-super-likes>

issues. For instance, a firm doing personalized assortments may simply personalize the products that appear at a prominent position (e.g. in the first page of results) but allow all consumers see the same set of products if they keep browsing down. Although the offer set is actually the same for all consumers, this policy has a similar effect in consumers as personalized assortments [Abeliuk et al., 2016, Gallego et al., 2020, Aouad and Segev, 2021, Berbeglia et al., 2021a]. The reader interested in personalized pricing is referred to Elmachtoub et al. [2021], Chen et al. [2020] and Gallego and Berbeglia [2021] and references therein.

2 Assortment optimization and the basic prophet inequality

Let $N := \{1, \dots, n\}$ denote a set of products. For any subset $S \subset N$, let $S_+ := S \cup \{0\}$ where 0 is an outside option that is always available to consumers. A discrete choice model \mathcal{P} gives probabilities $\mathcal{P}(i, S)$ for every $S \subset N$ and every $i \in S_+$ so $\mathcal{P}(i, S) \geq 0$ and $\sum_{i \in S_+} \mathcal{P}(i, S) = 1$ for all $S \subset N$.

A discrete choice model is a random utility model (RUM) if

$$\mathcal{P}(i, S) := P(U_i \geq U_j \ \forall j \in S_+), \quad i \in S_+, \quad S \subset N$$

for some random utilities $U_i, i \in N_+$. RUMs can be also characterized by a distribution over preference ordering. In that setting, an arriving consumer draws a preference ordering and identifies his highest ranked product in the offered assortment. If that product ranks higher than the outside alternative, the product is purchased. Otherwise the consumer selects the outside alternative.

Let r_i be the revenue² associated with the sale of product $i \in N$. The $r_i, i \in N$ are assumed to be exogenous and positive real numbers. We further assume without loss of generality that the products are sorted in decreasing order of their revenues, so $r_1 \geq \dots \geq r_n > 0$. For convenience we also define $r_0 := 0$.

The expected revenue associated with assortment S is given by

$$R(S) := \sum_{i \in S} r_i \mathcal{P}(i, S) \quad S \subset N.$$

Revenue-ordered assortments are of the form $S(\tau) := \{i \in N : r_i > \tau\}$; we denote by $\mathcal{R}^\circ := \max_{\tau > 0} R(S(\tau))$ the optimal expected revenue among revenue-ordered assortments. Given our sorting convention, an optimal revenue-ordered assortment is therefore of the form $S_i := \{1, \dots, i\}$ for some $i \in N$.

²The revenues should be interpreted as profit contributions when the unit costs are positive.

The problem of finding an assortment to maximize $\mathcal{R}(S)$ is known as the traditional assortment optimization problem (TAOP). We will denote the optimal expected revenue by

$$\mathcal{R}^* := \max_{S \subseteq N} \mathcal{R}(S)$$

and an optimal assortment by $S^* \in \arg \max_S \mathcal{R}(S)$. The TAOP is in NP-hard, even within the class of RUMs, although polynomial algorithms exist for some RUMs. We call a firm that faces the TAOP a TAOP-firm (or traditional firm) to distinguish it from firms that have additional information that allows them to personalize assortments.

We will next explore the assortment optimization problem for a clairvoyant firm in the context of RUMs. For a RUM model, a clairvoyant firm is one that is able to observe the realization of the random utilities $U_i, i \in N_+$ for each arriving consumer. The clairvoyant firm can then maximize its expected revenue by offering the lowest index product that is preferred to the outside alternative. More precisely, the clairvoyant firm observes the binary random variables $B_i, i \in N$, where B_i takes value one if the value gap $U_i - U_0$ is positive and zero otherwise. If $\sum_{i \in N} B_i > 0$ then the consumer is willing to buy and it is optimal for the clairvoyant firm to offer product $i(B) = \min\{i \in N : B_i = 1\}$, as this is the highest revenue product the consumer is willing to buy. Letting $i(B) := 0$ if $\sum_{i \in N} B_i = 0$, the clairvoyant firm earns $r_{i(B)}$, so

$$\bar{\mathcal{R}} := E[r_{i(B)}] = \sum_{i \in N} r_i \Pr(i(B) = i)$$

is the maximum expected revenue that a clairvoyant firm can make for RUMs. We remark that under a RUM, the clairvoyant can also earn $\bar{\mathcal{R}}$ by offering the revenue ordered set $S_{i(B)} = \{1, \dots, i(B)\}$ when $i(B) > 0$ and $S_0 := \emptyset$ otherwise. This because the consumer always selects product $i(B)$ when $S_{i(B)}$ is offered. Consequently, for RUMs it is optimal for the clairvoyant firm to offer a B -adapted revenue-ordered policy.

Extending the concept of the clairvoyant firm beyond the class of RUMs leads to subtle issues that are addressed in Section 5, so we proceed here without further notice within the class of regular \mathcal{P} models for which $E[\bar{\mathcal{R}}] = E[r_{i(B)}]$, which includes all RUMs.

The reader may wonder whether a non-clairvoyant firm can earn $\bar{\mathcal{R}}$ by offering sequential assortments rather than a single assortment as in the TAOP. This is indeed the case when consumers follow a persistent-satisfying search policy [Gao et al., 2021]. A consumer is said to follow a satisfying policy if the consumer makes a purchase as soon as she sees a product whose utility exceeds that of the outside alternative. A consumer that follows a satisfying policy is said to be persistent if she

continues examining products until she either finds a satisfying product or exhausts the product list. Suppose that the firm offers the products one-by-one in the order $1, 2, \dots, n$ to consumers that follow a persistent-satisfying search policy. Such a firm earns $r_1 B_1 + \sum_{i=2}^n r_i B_i \prod_{j=1}^{i-1} (1 - B_j)$. The expected earnings are therefore $E[r_1 B_1 + \sum_{i=2}^n r_i B_i \prod_{j=1}^{i-1} (1 - B_j)] = \sum_{i \in N} r_i \Pr(i(B) = i) = \bar{\mathcal{R}}$ equal to that of the clairvoyant firm.

Consider now the case of independent $B_i, i \in N$, and think of the random variables $X_i := r_i B_i, i \in N$ as independent rewards of the prophet problem (see, e.g. Lucier [2017]). In the prophet problem, the decision maker sees the X_i s, one at a time, in a given order, say $\sigma(i) \ i \in N$, where σ is a permutation of N . Upon observing $X_{\sigma(i)}$ she decides whether to take the reward $X_{\sigma(i)}$ or move on to product $\sigma(i+1)$ without recourse. Krengel and Sucheston (1978, 1977) show that there exists a heuristic for the decision maker that yields at least half of the expected reward that can be earned by a prophet that knows the realizations of the $X_i, i \in N$. The heuristic is in the form of a threshold policy, where the decision maker selects the first product with reward exceeding the threshold. The threshold is typically the median of the reward that the prophet can earn.

One may wonder whether prophet inequalities for independent $B_i, i \in N$ apply to assortment optimization. The answer is yes, but the argument is a bit nuanced as there are differences between the two problems. First, in the prophet problem there is a single decision maker. Second, in the prophet problem the items are seen sequentially and the decision maker has no recourse. In contrast, there are two players in the TAOP, the firm and the consumers. Moreover, consumers are offered an assortment from which they can pick the best product. In spite of these differences we can make two observations that lead to the desired result, namely that the prophet inequality for independent $B_i, i \in N$ applies to assortment optimization. First, the expected reward of the prophet and the expected revenue of the clairvoyant firm are both equal since $E[\max_{i \in N} X_i] = E[r_{i(B)}]$.

Second, for the threshold policy τ in the prophet problem, there is a corresponding revenue-ordered assortment $S(\tau)$. We claim that $R(S(\tau))$ is at least as large as the expected reward of the threshold policy under the worst possible ordering. Notice that the worst possible ordering for the decision maker is from the lowest to the highest $r_i, i \in N$. If product i selected by the decision maker then $X_i > \tau$, so $B_i = 1$ and $r_i > \tau$, implying that $i \in S(\tau)$. Moreover, $B_j = 0$ for all $j \in S(\tau)$ with $r_j < r_i$, so a consumer offered $S(\tau)$ would either buy $i \in S(\tau)$ or another product in $S(\tau)$ with $r_j > r_i$. This shows that the firm offering assortment $S(\tau)$ earns at least as much as the decision maker using threshold τ who sees the products in $S(\tau)$, one-by-one in increasing order of revenues. Since the prophet inequality asserts that even under the worst ordering the decision

maker earns at least $0.5\bar{\mathcal{R}}$ it follows that $\bar{\mathcal{R}} \leq 2R(S(\tau))$ which implies that $\bar{\mathcal{R}} \leq 2\mathcal{R}^o \leq 2\mathcal{R}^*$. We summarize this corollary to the prophet inequality theorem of Krenzel and Sucheston [1978] in the next Proposition.³

Proposition 1. *The prophet inequality applies to the assortment optimization problem with independent $B_i, i \in N$, implying that*

$$\bar{\mathcal{R}} \leq 2\mathcal{R}^o \leq 2\mathcal{R}^*. \quad (1)$$

Proposition 1 applies directly to RUMs where the value gaps $U_i - U_0, i \in N$ are independent random variables, e.g., independent $U_i, i \in N$ and deterministic U_0 , as in the model studied by [Wang, 2021] where the $U_i, i \in N$ are independent Gumbel random variables with location parameter u_i and scale parameter 1, and U_0 is zero with probability one. Wang [2021] shows that the resulting assortment optimization problem is NP-hard. By Proposition 1 the revenue-ordered heuristic has expected revenues that are at least one half of $\bar{\mathcal{R}}$ and therefore of \mathcal{R}^* .

The random variables $B_i, i \in N$ are assumed to be *independent* in the random consideration set (RCS) model [Manzini and Mariotti, 2014], where the last-choice probabilities correspond to the so-called attention probabilities. The assortment optimization problem for the RCS model was first considered by Gallego and Li [2017], who proved that revenue-ordered heuristic has a 1/2 performance guarantee. By Theorem 2 the revenue-ordered heuristic yields at least half of the expected profits of the clairvoyant firm strengthening their result.

A slightly weaker assumption than independence is that the partial sums $T_j := \sum_{i=1}^j (B_i - E[B_i]), j \in N$ form a martingale, or equivalently that the $B_i - E[B_i], i \in N$ s are martingale differences. The proof of this extension is based on the Azuma-Hoeffding inequality [Azuma, 1967].

For most RUMs, the variables $B_i, i \in N$, are positively correlated. This is true, for example when the $U_i, i \in N_+$ are non-trivial independent random variables as in the MNL. Unfortunately, very little is known about how to obtain prophet inequalities with positive correlations [Rinott and Samuel-Cahn, 1992, Immorlica et al., 2020]. In fact, the following result shows that it is not possible to extend (1) to all RUMs.

Theorem 1. *For all RUMs*

$$\bar{\mathcal{R}} \leq n\mathcal{R}^o \leq n\mathcal{R}^* \quad (2)$$

Moreover, the upper bound is tight even within the class of Markov chain models.

³All missing proofs can be found in the Appendix.

3 Prophet inequalities for the MNL and the α -MNL models

In this section we establish sufficient conditions for the prophet inequality (1) to hold and show that the sufficient conditions apply to the MNL as well as to the generalized attraction model (GAM) [Gallego et al., 2015b].

To establish the conditions we need to introduce notation for the multinomial logit (MNL) model. Under the MNL model, the random utilities $U_i, i \in N_+$ are independent Gumbel random variables with scale parameter 1 and location parameters $u_i, i \in N$ and $u_0 = 0$. Let $v_i = \exp(u_i), i \in N_+$ and let $v = (v_i)_{i \in N}$ be the vector of the products' attraction values. The choice probabilities for the MNL are given by

$$\mathcal{M}(i, S) := \frac{v_i}{1 + V(S)} \quad i \in S_+, \quad S \subset N$$

where for any $S \subset N$, let $V(S) := \sum_{j \in S} v_j$.

We will write $\mathcal{M}_v(i, S), \mathcal{R}_v^*$ and $\bar{\mathcal{R}}_v$ to emphasize the dependence of these quantities on the attraction vector v . It can be shown that $\mathcal{R}_v^* > 0$ is the unique root of the equation $\sum_{i \in N} v_i(r_i - \tau)^+ = \tau$, and that the revenue-ordered assortment $S_v^* := S(\mathcal{R}_v^*)$ is optimal for the TAOP for an MNL with attraction vector v .

The following result provides an upper bound on $\bar{\mathcal{R}}$ and a lower-bound on \mathcal{R}^* that sometimes can be combined to yield (1).

Theorem 2. *Let \mathcal{P} be any discrete choice model for which $\bar{\mathcal{R}} = E[r_{i(B)}] = E[\max_{i \in N} X_i]$, let ω be the vector of last-choice probabilities corresponding to \mathcal{P} , with components $\omega_i = \mathcal{P}(i, \{i\}), i \in N$. Then*

$$\bar{\mathcal{R}} \leq 2\mathcal{R}_\omega^*.$$

Moreover, if \mathcal{P} satisfies

$$\mathcal{P}(i, S_a^*) \geq a_i \mathcal{P}(0, S_a^*) \quad \forall i \in S_a^* := \{i \in N : r_i > \mathcal{R}_a^*\} \quad (3)$$

for any vector a , then $\mathcal{R}_a^* \leq R(S_a^*) \leq \mathcal{R}^o$. In particular, if (3) holds for $a = \omega$, then the prophet inequality holds for \mathcal{P} as

$$\mathcal{R}^o \leq \bar{\mathcal{R}} \leq 2\mathcal{R}_\omega^* \leq 2\mathcal{R}^o.$$

Proof. Notice that $(X_i - \tau)^+ = (r_i B_i - \tau)^+ = B_i(r_i - \tau)^+$. It follows that $E[(r_i B_i - \tau)^+] = \omega_i(r_i - \tau)^+$

for all $i \in N$, so by the Lai-Robbins upper bound

$$\begin{aligned}\bar{\mathcal{R}} &= E[\max_{i \in N} X_i] \\ &\leq \tau + \sum_{i \in N} E[(X_i - \tau)^+] \\ &= \tau + \sum_{i \in N} \omega_i(r_i - \tau)^+\end{aligned}$$

Since \mathcal{R}_ω^* is the root of the equation $\sum_{i \in N} \omega_i(r_i - \tau)^+ = \tau$, we have

$$\bar{\mathcal{R}} \leq \mathcal{R}_\omega^* + \sum_{i \in N} \omega_i(r_i - \mathcal{R}_\omega^*)^+ = 2\mathcal{R}_\omega^*.$$

Multiplying both sides of condition (3) by $(r_i - \mathcal{R}_a^*)$ and adding over $i \in S_a^*$ we obtain

$$\sum_{i \in S_a^*} (r_i - \mathcal{R}_a^*) \mathcal{P}(i, S_a^*) \geq \mathcal{P}(0, S_a^*) \sum_{i \in S_a^*} (r_i - \mathcal{R}_a^*) a_i = \mathcal{P}(0, S_a^*) \sum_{i \in N} (r_i - \mathcal{R}_a^*)^+ a_i = \mathcal{P}(0, S_a^*) \mathcal{R}_a^*$$

where the last equality follows since \mathcal{R}_a^* is the root of $\sum_{i \in N} (r_i - \tau)^+ a_i = \tau$. Moving the terms involving \mathcal{R}_a^* to the right we obtain

$$R(S_a^*) = \sum_{i \in S_a^*} r_i \mathcal{P}(i, S_a^*) \geq \mathcal{R}_a^* \cdot \left[\mathcal{P}(0, S_a^*) + \sum_{i \in S_a^*} \mathcal{P}(i, S_a^*) \right] = \mathcal{R}_a^*.$$

Since S_a^* is a revenue-ordered assortment it follows that

$$\mathcal{R}_a^* \leq \mathcal{R}(S_a^*) \leq \mathcal{R}^o \leq \mathcal{R}^*.$$

Clearly if condition (3) holds for ω for a \mathcal{P} with $\bar{\mathcal{R}} = E[\max_{i \in N} X_i]$, then $\mathcal{R}^o \leq \bar{\mathcal{R}} \leq 2\mathcal{R}_\omega^* \leq 2\mathcal{R}^o$ on account of $\mathcal{R}_\omega^* \leq \mathcal{R}^o$, so the prophet inequality holds. \square

We remark that the upper bound holds generally while the lower bound may or may not hold at $a = \omega$. When it does, it provides an easy to check guarantee of the prophet inequality (1). Of course, one can always compute \mathcal{R}^o and declare that (1) holds whenever $\mathcal{R}^o \geq \mathcal{R}_\omega^*$, but this method is not directly useful to establish general results.

Our first application of Theorem 2 yields the prophet inequality for the MNL model.

Theorem 3. *The prophet inequality (1) holds and is tight for the MNL model.*

Proof. We first show that \mathcal{R}_v^* is increasing in v . Recall that \mathcal{R}_v^* is the root of $\sum_{i \in N} v_i(r_i - \tau)^+ = \tau$. Suppose that $u \geq v$, then the $\sum_{i \in N} u_i(r_i - \mathcal{R}_v^*)^+ \geq \mathcal{R}_v^*$, so the root \mathcal{R}_u^* of the equation $\sum_{i \in N} u_i(r_i - \tau)^+ = \tau$ must be at least as large as \mathcal{R}_v^* . For the MNL we have

$$\omega_i = \mathcal{M}(i, \{i\}) = \frac{v_i}{1 + v_i} \leq v_i = \frac{\mathcal{P}(i, S)}{\mathcal{P}(0, S)} \quad \forall \quad i \in S \subset N,$$

so condition (3) holds for $a = \omega$ for all $i \in S$ and for all $S \subset N$. Consequently, by Theorem 2 we have $\mathcal{R}_v^* \leq \bar{\mathcal{R}}_v \leq 2\mathcal{R}_\omega^* \leq 2\mathcal{R}_v^*$, where the last inequality follows since $\mathcal{R}_\omega^* \leq \mathcal{R}_v^*$ on account of Theorem 2 and $\omega \leq v$. To see that the bound is tight consider an MNL with $n = 2$, $r_1 = 1$ and $r_2 = r_1\mathcal{M}(1, \{1\}) = v_1/(1 + v_1)$. Then, $S^* = \{1\}$ and $\mathcal{R}^* = r_2$ while

$$\bar{\mathcal{R}} = [1 + \mathcal{M}(0, S_1)\mathcal{M}(2, S_2)]\mathcal{R}^*.$$

Consequently,

$$\frac{\bar{\mathcal{R}}}{\mathcal{R}^*} = 1 + \frac{1}{1 + v_1} \frac{v_2}{1 + v_1 + v_2} \rightarrow 2$$

as $v_1 \downarrow 0$ and $v_2 \rightarrow \infty$. □

We say that a choice model is an α -MNL, or an α -shaken MNL for a vector $\alpha = (\alpha_i)_{i \in N}$ of non-negative numbers, if the choice probabilities are given by:

$$\mathcal{P}(i, S) := \alpha_i \mathcal{M}(i, S) \quad \forall S \subset N, \quad \forall i \in S$$

and

$$\mathcal{P}(0, S) := 1 - \sum_{i \in S} \mathcal{P}(i, S), \quad \forall S \subset N$$

where $\mathcal{M}(i, S)$ are the choice probabilities of some MNL model with a product attraction vector v . We require that α satisfies the condition: $\sum_{i \in N} (\alpha_i - 1)^+ v_i \leq 1$. The reader can verify that $\mathcal{P}(0, S) \geq 0$ for all $S \subset N$ so the model is well defined.

The expected revenue for an α -MNL model is given by

$$R(S) = \sum_{i \in S} r_i \mathcal{P}(i, S) = \sum_{i \in S} r_i \alpha_i \mathcal{M}(i, S)$$

is equivalent to the expected revenue of an MNL model with transformed revenues $r_i \leftarrow r_i \alpha_i$. It is easy to see that the GAM is a special case of the α -MNL model with all $\alpha_i \geq 1$, which satisfies the condition $\sum_{i \in N} (\alpha_i - 1)^+ v_i \leq 1$. The clairvoyant firm can solve this problem by transforming the revenues as above, and by re-sorting the products so that the transformed revenues are decreasing. Applying Theorem 3 to the transformed problem we see that the prophet inequality holds and is tight for the α -MNL model. We remark that it is possible to show that $\bar{\mathcal{R}} \leq 2\mathcal{R}^\circ$ under mild conditions where \mathcal{R}° represents the expected revenue of the best revenue-ordered heuristic based on the original decreasing order of the r_i s.

For any choice model, let $\lambda_i := \mathcal{P}(i, N)$, $i \in N$ be the vector of first-choice probabilities. We end this section with MNL-type lower and upper bound on \mathcal{R}^* that apply to all regular discrete choice models and is based only on the first-choice and last-choice probabilities.

Theorem 4. *If \mathcal{P} is a regular choice model, then $\mathcal{R}_a^* \leq \mathcal{R}^* \leq \mathcal{R}_b^*$ holds for vectors a and b given by*

$$a_i := \lambda_i / (1 - \omega_i) \quad \text{and} \quad b_i := \omega_i / \lambda_0 \quad \forall \quad i \in N.$$

Moreover, the following condition

$$a_i \mathcal{P}(0, S) \leq \mathcal{P}(i, S) \leq b_i \mathcal{P}(0, S) \quad \forall \quad i \in S \quad \forall \quad S \subset N, \quad (4)$$

holds.

Theorem 4 gives readily computable bounds based on just the first and last-choice probabilities for all regular choice models. The upper bound \mathcal{R}_b^* can be either weaker or stronger than $2\mathcal{R}_\omega^*$. Stronger bounds can be obtained by limiting the sets for which condition (4) applies. As an example, $\mathcal{R}^* \leq \mathcal{R}_b^*$ for any vector b satisfying $\mathcal{P}(i, S^*) \geq b_i \mathcal{P}(0, S^*)$ for all $i \in S^*$.

While Theorem 4 is silent about the clairvoyant firm, it is useful in providing bounds for the revenue-order heuristic for the TAOP as it guarantees an ϕ -approximation $\mathcal{R}^* \leq \phi \mathcal{R}^o$ for any ϕ satisfying $a_i \geq \phi b_i$ for all $i \in N$, and in particular for

$$\phi = \max_{i \in N} \frac{\omega_i (1 - \omega_i)}{\lambda_i \lambda_0} \leq \max_{i \in N} \frac{\omega_i}{\lambda_i} \frac{1}{\lambda_0}.$$

4 The latent class MNL

Since any RUM can be approximated arbitrarily close by a latent class MNL (LC-MNL) model [Chierichetti et al., 2018], Theorem 1 shows that there is no hope for a general prophet inequality for the LC-MNL. Nevertheless, we are able to prove some interesting results for this class. A latent-class MNL (LC-MNL) model given by

$$\mathcal{P}(i, S) := \sum_{j \in M} \theta_j \mathcal{M}_j(i, S) \quad \forall \quad i \in S$$

where θ_j is the probability that an arriving consumer is of type j , $\sum_{j \in M} \theta_j = 1$, and

$$\mathcal{M}_j(i, S) = \frac{v_{ij}}{1 + V_j(S)} \quad \forall \quad i \in S, \quad \forall \quad S \subset N$$

is an MNL with attraction vector $v_{ij}, i \in N$, and $V_j(S) := \sum_{k \in S} v_{kj}$.

For the LC-MNL, the condition $\mathcal{P}(i, S)/\mathcal{P}(0, S) \geq a_i, i \in S$ is equivalent to

$$\sum_{j \in M} \theta_j (v_{ij} - a_i) \mathcal{M}_j(0, S) \geq 0 \quad \forall i \in S. \quad (5)$$

A natural candidates for a is the vector of last-choice probabilities with components

$$\omega_i = \mathcal{P}(i, \{i\}) = \sum_{j \in M} \theta_j \mathcal{M}_j(i, \{i\}) = \sum_{j \in M} \theta_j \omega_{ij}, i \in N$$

where $\omega_{ij} = v_{ij}/(1 + v_{ij})$, and a natural candidate for S is S_ω^* . We remark that condition (5) can be checked very efficiently for ω as it merely requires computing ω , \mathcal{R}_ω^* and S_ω^* and verifying whether or not it holds.

Proposition 2. *Consider the LC-MNL model. If condition (5) holds for $a = \omega$ for the assortment $S_\omega^* = S(\mathcal{R}_\omega^*)$, then the prophet inequality (1) holds.*

Proof. Let $S_\omega^* = \{i \in N : r_i > \mathcal{R}_\omega^*\}$ since condition (5) holds for $a = \omega$ and $S = S_\omega^*$, it follows from Theorem 2 that $\mathcal{R}_\omega^* \leq \mathcal{R}^o \leq \mathcal{R}^*$. The upper bound $\bar{\mathcal{R}} \leq 2\mathcal{R}_\omega^*$ also follows from Theorem 2 since the LC-MNL is a RUM. \square

We next take a deeper dive into the structure of the LC-MNL in an attempt to try to predict how valuable it may be for the firm to know the consumer type $j \in M$ and its associated mean utilities, and the additional value of knowing the full realization of the utilities of each arriving consumer. In the process we will show that condition (5) holds with probability one in some regimes, and so with probability one, the prophet inequality (1) holds.

We assume without loss of generality that the random utilities, $U_{ij}, i \in N$ have independent Gumbel distribution with location parameter u_{ij} and scale parameter 1 for each $j \in M$. We further assume without loss of generality that utilities are normalized so that $u_{0j} = 0$ for all $j \in M$. To study the effect of the coefficient of variation on the value of information, we will consider the model $u_{ij} = a_{ij}/\beta$ for some real numbers $a_{ij}, i \in N, j \in M$ and a scalar $\beta > 0$. Then the coefficient of variation of $U_{ij}, i \in N$ is given by $\beta\pi/u_{ij}\sqrt{6}$.

When β is large the coefficients of variation are all large and the signal u_{ij} may be swamped by the noise. As a result, we expect that the ability to identify the consumer types to be of little value compared to knowing the noise $U_{ij} - u_{ij}$. Let $\mathcal{R}^*(\beta)$ and $\bar{\mathcal{R}}(\beta)$ be the optimal expected revenues, respectively for the TAOP and the clairvoyant firm. Also, let e be the vector of ones. The next result shows that a stronger form of the prophet inequality holds in the limit as $\beta \rightarrow \infty$.

Theorem 5. *The prophet inequality (1) holds as $\beta \rightarrow \infty$. Moreover, the stronger bound holds:*

$$\mathcal{R}_e^* = \lim_{\beta \rightarrow \infty} \mathcal{R}^*(\beta) \leq \lim_{\beta \rightarrow \infty} \bar{\mathcal{R}}(\beta) = \bar{\mathcal{R}}_e \leq 1.5\mathcal{R}_e^*.$$

Proof. We will first show that $\mathcal{P}(i, S) \rightarrow \mathcal{M}_e(i, S) = 1/(1 + |S|)$ for all $i \in S_+$ and all $S \subset N$. Notice that for $i \in S$,

$$\mathcal{P}_j(i, S) = \frac{\exp(a_{ij}/\beta)}{1 + \sum_{k \in S} \exp(a_{kj}/\beta)} \rightarrow \frac{1}{1 + |S|}$$

as $\beta \rightarrow \infty$ as $\exp(a_{kj}/\beta) \rightarrow \exp(0) = 1$ for all $k \in S$. Consequently,

$$\mathcal{P}(i, S) = \sum_{j \in M} \theta_j \mathcal{P}_j(i, S) \rightarrow \frac{1}{1 + |S|} = \mathcal{M}_e(i, S) \quad i \in S$$

as claimed. This shows that in the limit the LC-MNL model is just an MNL model with $v = e$, so the optimal expected revenue for the TAOP is \mathcal{R}_e^* and the optimal expected revenue for the clairvoyant firm is $\bar{\mathcal{R}}_e$. From this we see that $\bar{\mathcal{R}}_e \leq 2\mathcal{R}_{e/2}^* \leq 2\mathcal{R}_e^*$ since \mathcal{R}_v^* is increasing in v , showing that the prophet inequality (1) holds.

We next sketch the proof of the stronger 3/2 bound. Recall that \mathcal{R}_e^* is the root of $\sum_{i \in N} (r_i - \tau)^+ = \tau$. To compute $\bar{\mathcal{R}}$ we use the formula

$$\bar{\mathcal{R}}_v = \sum_{i \in N} r_i \mathcal{P}(i(B) = i) = \sum_{i \in N} r_i \mathcal{M}_v(0, S_{i-1}) \mathcal{M}_v(i, S_i)$$

which follows from a result in Beggs and Cardell (1981). When applied to $v = e$ we see that $\bar{\mathcal{R}}_e = \sum_{i \in N} r_i / i(i+1)$. Set $r_1 = 2$ and consider the case $n = 2$ with $r_2 = r \in [0, 2]$. The reader can verify that $\mathcal{R}_e^* = \max(1, (2+r)/3)$ and $\bar{\mathcal{R}}_e = 2/2 + r/6$ and that the worst case ratio is attained at $r = 1$, so $\mathcal{R}_e^* = 1$ and $\bar{\mathcal{R}}_e = 1 + 1/6$ for $n = 2$. An easy induction reveals that for general n the worst case is $r_1 = 2$ and $r_i = 1$ for $i \in \{2, \dots, n\}$ so $\mathcal{R}_e^* = 1$ and $\bar{\mathcal{R}}_e = 1/2 + \sum_{i=1}^n 1/i(i+1)$. Another easy induction shows that $\sum_{i=1}^n 1/i(i+1) = n/(n+1)$, so the worst cost ratio is $1/2 + n/(n+1) \rightarrow 3/2$ as $n \rightarrow \infty$. \square

At a high level, our analysis shows that a stronger form of the prophet inequality (1) holds for the LC-MNL model when β is high, or equivalently when the coefficient of variation is high. Our model extends to the case where each customer segment has a different $\beta_j, j \in M$ as long as all of the $\beta_j \rightarrow \infty$. In practice, it does not take a very large β for $\mathcal{R}^*(\beta)$ and $\bar{\mathcal{R}}(\beta)$ to be well approximated by \mathcal{R}_e^* and $\bar{\mathcal{R}}_e$. Also the sharper bound of 3/2 explains why for high β the worst case is always below 1.5 in our computational experiments.

In contrast, when β is small the signal u_{ij} is significant relative to the noise and in the extreme case when $\beta \downarrow 0$, the choice model becomes a convex combination of maximum utility models, so knowing the types is as good as knowing the realizations of the random variables. In the limit, a firm that can personalize assortments should make as much as the clairvoyant firm, which can be up to n times more than a TAOP-firm as shown in Theorem 1.

We now provide some weaker forms of the prophet inequality for the LC-MNL for cases where condition (5) fails. Let ϕ be the largest real number such that

$$\sum_{j \in M} \theta_j (v_{ij} - \phi \omega_i) \mathcal{M}_j(0, S) \geq 0 \quad \forall i \in S_{\phi\omega}^*.$$

Notice that the inequality holds strictly at $\phi = 0$ and fails by assumption at $\phi = 1$. Thus, $\phi \in (0, 1)$.

Theorem 6. *For all LC-MNL for which condition (5) fails, there is a $\phi \in (0, 1)$ such that*

$$\frac{\bar{\mathcal{R}}}{\mathcal{R}^o} \leq \frac{2}{\phi}.$$

Proof. Theorem 2 applied to $a = \phi\omega$ and $S_{\phi\omega}^*$ yields

$$\mathcal{R}_{\phi\omega}^* \leq \mathcal{R}^o \leq \mathcal{R}^* \leq \bar{\mathcal{R}} \leq 2\mathcal{R}_{\omega}^*.$$

It is easy to see that for any $\alpha \geq 1$, $\mathcal{R}_{\alpha v}^* \leq \alpha \mathcal{R}_v^*$. Applying this inequality to $\alpha = \phi^{-1}$ and $v = \phi\omega$, we obtain $2\mathcal{R}_{\omega}^* \leq 2\mathcal{R}_{\phi\omega}^*/\phi \leq 2\mathcal{R}^o/\phi$. \square

We end this section by considering the personalized assortment problem for the LC-MNL, so the firm can identify the classes (but not their residual uncertainty) and is allowed to personalize the assortments for each class. Such a firm earns

$$\sum_{j \in M} \theta_j \mathcal{R}_j^* \leq \sum_{j \in M} \theta_j \bar{\mathcal{R}}_j = \bar{\mathcal{R}} \leq 2 \sum_{j \in M} \theta_j \mathcal{R}_j^*,$$

where the second inequality follows from Theorem 3. This shows that a personalized assortment for the LC-MNL earns at least half as much as expected revenue of a clairvoyant firm.

4.1 Computational Results

We performed a series of computational experiments to see the performance of traditional assortment optimization, personalized assortment optimization and clairvoyant revenues relative to revenue-ordered assortment under the LC-MNL model.

The utility of product $i \in N$ to market segment $j \in M$ is of the form $U_{ij} = u_{ij} + \epsilon_{ij}$ where $u_{ij} = a_{ij}/\beta$ is the deterministic part of the utility and $\epsilon_{ij}, i \in N_+$ are standard Gumbel random variables with mean zero and variance $\pi^2/6$, corresponding to scale parameter 1 and location parameter $-\gamma$ where γ is the Euler's constant. In our experiments, the product revenues are chosen uniformly between 1 and 10^4 . For each value n and value m reported, we generated 300 random instances

⁴We fix the cheapest product to 1 and the most expensive to 10.

with n products and m segments. For each instance, the $a_{ij}, i \in N_+$ are chosen randomly following a procedure proposed by Rusmevichientong et al. [2014]⁵ and $\theta \in (0, 1]$. We report experiments based on four values of θ : 0.02 (fig. 1); 0.2 (fig. 2); 2 (fig. 3), and 20 (fig. 4). For each of those four scenarios, we calculate the revenue obtained under TAOP; personalized TAOP (p-TAOP)⁶; and the clairvoyant profits ($\bar{\mathcal{R}}$) as a percentage of the revenue obtained using revenue-ordered assortments heuristic under traditional assortment optimization. Each figure reports the average and maximum percentage across the 300 instances.

One can observe that clairvoyant revenues, on average, are between 0.5% to 19% higher than those obtained under revenue-ordered assortments. We can also see that there is not even a single instance in which the clairvoyant revenue exceeded revenue-ordered by more than twice. We find this somewhat surprising. Previous experimental work have shown that revenue-ordered assortments are surprisingly good at approximating the optimal assortment revenue (TAOP) under the LC-MNL [Rusmevichientong et al., 2014]. Our computational experiments push those results even further showing that revenue assortment performs well even against a clairvoyant firm. We also tested whether the instances satisfied the condition of Proposition 2 that would guarantee $\bar{\mathcal{R}} \leq 2\mathcal{R}^\circ$. Overall, the percentage of the instances that satisfied this condition was 38.7%, 51%, 99.99% and 99.99% for scenario 1, 2, 3, and 4 respectively.

Another observation is about how the performances are affected by the value β . For large β the optimal revenue under TAOP as well as under p-TAOP gets closer to that obtained under revenue-ordered. On the other hand, the opposite happens to the clairvoyant revenue: as β increases the clairvoyant revenue gets higher relative to revenue-ordered. In particular, when $\beta = 0.02$ (fig 1) personalized assortment revenue and clairvoyant revenues are very similar. For example, the maximum average revenue is 110.8% for p-TAOP and 111.4% for the clairvoyant firm. On the other extreme, when $\beta = 20$ (fig 4), the maximum average revenue is only 100%! for p-TAOP but it is 119% for the clairvoyant firm. This is consistent with Theorem 5.

⁵Specifically, a_{ij} (which represents the nominal utility of product i in segment j in their paper), is defined as zero in case $i = 0$, otherwise $a_{ij} := \ln((1 - \sigma_i)\ell_{ij}/n)$ with probability $p = 0.5$ and $a_{ij} := \ln((1 + \sigma_i)\ell_{ij}/n)$ in the other case. The values ℓ_{ij} and σ_i are realizations from a uniform distribution $(0, 10]$ and $(0, 1]$ respectively.

⁶This is the optimal revenue obtained when the firm can offer a personalized assortment to each consumer segment. Namely, $R^{p-TAOP} := \sum_{j=1}^m w_j R_j(S_j^*)$ where S_j^* is an optimal assortment to segment j , w_j is the segment j weight and $R_j(S)$ is the revenue obtained from segment j when offered assortment S . See Section 5.3




Figure 1: Scenario 1: $\beta = 0.02$. Performance of TAOP, personalized TAOP and a clairvoyant as a percentage of revenue-ordered profits under the LC-MNL model. For each value of n and m , we performed 300 experiments.




Figure 2: Scenario 2: $\beta = 0.2$. Performance of TAOP, personalized TAOP and a clairvoyant as a percentage of revenue-ordered profits under the LC-MNL model. For each value of n and m , we performed 300 experiments.




Figure 3: Scenario 3: $\beta = 2$. Performance of TAOP, personalized TAOP and a clairvoyant as a percentage of revenue-ordered profits under the LC-MNL model. For each value of n and m , we performed 300 experiments.




Figure 4: Scenario 4: $\beta = 20$. Performance of TAOP, personalized TAOP and a clairvoyant as a percentage of revenue-ordered profits under the LC-MNL model. For each value of n and m , we performed 300 experiments.

5 Discussion

We have shown that a clairvoyant firm can make no more than twice as much as the best revenue-ordered assortment for the MNL and, more broadly, for the α -shaken MNL. We have shown also that the bound of two holds for some cases of the LC-MNL and that an even sharper bound holds when the coefficient of variation of all the products is large. Our computational results for the LC-MNL model show that revenue-ordered assortments does remarkably well even against a clairvoyant firm. On the flip side, we have also shown that for general RUMs the clairvoyant firm can make up to n times as much as the non-clairvoyant firm even within the class of Markov Chain models. We now discuss some extensions to our model as well as some further ramifications.

5.1 Consumer Surplus

Intuitively a firm that can read the minds of individuals will be able to extract more of their surplus. This intuition may alert regulators that worry that e-commerce firms may be able to improve their profits and reduce consumer surplus by getting into the minds of consumers. This intuition is correct when clairvoyant firms can do personalized pricing. For assortments, that have exogenous prices, the situation is more subtle. While it is possible to construct examples where the consumer surplus suffers significantly, it is also possible to construct examples where the consumer is better off with a clairvoyant firm. This is indeed true in all of the worst cases examples analyzed in the paper. These worst cases include the construction provided in the proof Theorem 1 to show that the clairvoyant firm can make n times more than the TAOP-firm. It is also true for the tight worst case example of the MNL model (Theorem 3) and for the 1.5 bound for the uniform MNL model with $v = e$ (Theorem 5). In all of these cases, the TAOP firm offers $S^* = \{1\}$, so the consumer makes a purchase if and only if $B_1 = 1$ in which case the clairvoyant firm will also make the same amount. However, when $B_1 = 0$ the consumer walks away without purchasing under the TAOP while the firm offers $S_{i(B)}$ for some $i(B) > 1$ as long as there is a product with a positive value gap. In other words, the clairvoyant firm is able to offer a lower revenue product when the consumer rejects the only product that the TAOP firm is willing to offer. More research about the impact of clairvoyant firms in the context of assortment optimization is needed but is beyond the scope of this paper.

5.2 Expected revenues for clairvoyant firms beyond the RUM

For regular discrete choice models that are outside the class of RUMs we need a different definition of what we mean for a firm to be clairvoyant. A reasonable definition is to say that a firm is clairvoyant if it knows for any assortment $S \subset N$, the product in S_+ that each arriving consumer will select. In other words, the clairvoyant firm can decompose $\mathcal{P}(i, S)$ into a convex combination of deterministic discrete choice models and personalize the assortments for each consumer type. More precisely, the clairvoyant firm can decompose \mathcal{P} as

$$\mathcal{P}(i, S) = \sum_{j \in M} \theta_j \mathcal{P}_j(i, S),$$

where $\theta_j > 0$, $\sum_{j \in M} \theta_j = 1$, with $\mathcal{P}_j(i, S) \in \{0, 1\}$ for all $i \in S_+$, for all $S \subset N$ and all $j \in M$. Let $R_j(S) := \sum_{i \in S} r_i \mathcal{P}_j(i, S)$, $\mathcal{R}_j^* = \max_{S \subset N} R_j(S)$ and $S_j^* \in \arg \max R_j(S)$. The clairvoyant firm then offers assortment S_j^* to type $j \in M$ and earns

$$\bar{\mathcal{R}} := \sum_{j \in M} \theta_j \mathcal{R}_j^*.$$

For discrete choice models that are not RUMs we can define Bernoulli random variables $B_i, i \in N$ by setting $B_i = 1$ if the consumer selects product i when assortment $\{i\}$ is offered and $B_i = 0$ otherwise. The question is whether $\bar{\mathcal{R}} = E[r_{i(B)}]$ holds for regular choice models. The next examples shows that (i) the decomposition of \mathcal{P} may not be unique and that (ii) it is possible for $\bar{\mathcal{R}} > E[r_{i(B)}]$ within the class regular choice models.

Example 1. Let $N = \{1, 2\}$ and consider the choice model $\mathcal{P}(i, S)$ given by

$$\mathcal{P}(1, \{1\}) = \mathcal{P}_1(2, \{2\}) = \mathcal{P}(1, \{1, 2\}) = \mathcal{P}(2, \{1, 2\}) = 0.5$$

corresponding to the independent demand model where each offer product is selected with probability 0.5 independent of what other products are offered. One possible decomposition of $\mathcal{P}(i, S)$ into two equally likely deterministic choice models given by:

$$\mathcal{P}_1(1, \{1\}) = 1, \mathcal{P}_1(2, \{2\}) = 0, \quad \text{and} \quad \mathcal{P}_1(1, \{1, 2\}) = 1,$$

and

$$\mathcal{P}_2(1, \{1\}) = 0, \mathcal{P}_2(2, \{2\}) = 1, \quad \text{and} \quad \mathcal{P}_2(2, \{1, 2\}) = 1.$$

In this decomposition each of the deterministic choice models is regular. For this decomposition $\mathcal{R}_j^* = r_j$ for $j \in M = N$. The reader can verify that in this case $\bar{\mathcal{R}} = E[r_{i(B)}] = 0.5(r_1 + r_2)$.

A second decomposition of \mathcal{P} is given by the following two equally likely deterministic choice models:

$$\mathcal{P}_1(1, \{1\}) = 0, \mathcal{P}_1(2, \{2\}) = 1, \quad \text{and} \quad \mathcal{P}_1(1, \{1, 2\}) = 1,$$

and

$$\mathcal{P}_2(1, \{1\}) = 1, \mathcal{P}_2(2, \{2\}) = 0, \quad \text{and} \quad \mathcal{P}_2(2, \{1, 2\}) = 1.$$

In this case, the deterministic choice models are not regular. It is easy to see that $\mathcal{R}_j^* = r_1$ for $j \in M$ with assortment $S_1^* = \{1, 2\}$ and $S_2^* = \{1\}$ resulting in $\bar{\mathcal{R}} = r_1 > E[r_{i(B)}]$ if $r_1 > r_2$.

Our next result shows that for general choice models the clairvoyant firm can make exponentially more than a TAOP-firm.

Theorem 7. *For general discrete choice models, the clairvoyant firm can make exponentially more than the TAOP-firm.*

It is possible to show that if the decomposition of \mathcal{P} used by the clairvoyant firm is a convex combination of deterministic choice models, each of which is regular, then $\bar{\mathcal{R}} = E[r_{i(B)}]$. The caveat is that a regular deterministic choice model is equivalent to the choice model for a given preference list, so such a decomposition makes \mathcal{P} a convex combination of preference lists which implies that \mathcal{P} is a RUM!

A slight generalization for which $\bar{\mathcal{R}} = E[r_{i(B)}]$ is if \mathcal{P} decomposes uniquely into weakly-regular deterministic choice models. Under such a decomposition $\mathcal{P}(i, S)$ is decreasing in S for all $i \in S$, but the behavior is not imposed on $\mathcal{P}(0, S)$. As an example, consider the deterministic choice model for $N = \{1, 2\}$ defined by $\mathcal{P}(1, \{1\}) = 1$ and $\mathcal{P}(2, \{2\}) = \mathcal{P}(1, \{1, 2\}) = \mathcal{P}(2, \{1, 2\}) = 0$. Then $\mathcal{P}(i, S)$ is decreasing in S for $i = 1, 2$, but $\mathcal{P}(0, S)$ is not. In addition, there may be other regular choice models that admit a decomposition into non-regular deterministic choice models while preserving $\bar{\mathcal{R}} = E[r_{i(B)}]$. As an example, there may be products $i > i(B) \geq 1$ that are rejected when offered by themselves, but selected when offered with other products. This makes the deterministic choice model irregular. However, this does not change the optimality of offering product $i(B)$, so $\bar{\mathcal{R}} = E[r_{i(B)}]$. In essence all our results hold for the class \mathcal{S} of regular choice models with a clairvoyant decomposition for which $\bar{\mathcal{R}} = E[r_{i(B)}]$, even if the components of the decomposition are not themselves regular.

5.3 Personalized assortments

Often a discrete choice model is used to represent choices of heterogeneous consumer types as if of the form $\mathcal{P}(i, S) = \sum_{j \in M} \theta_j \mathcal{P}_j(i, S)$ where $\mathcal{P}_j(i, S)$ is the discrete choice model corresponding to type j consumers, with $\theta_j > 0$ and $\sum_{j \in M} \theta_j = 1$. The firm's expected revenue for a given assortment is $R(S) = \sum_{j \in M} \theta_j R_j(S)$ where $R_j(S) = \sum_{i \in S} r_i \mathcal{P}_j(i, S)$. With a slight abuse of notation⁷ we let $\mathcal{R}_j^* = \arg \max_{S \subset N} R_j(S)$ denote the maximum expected revenue that can be earned from type $j \in M$ consumers. We call a firm that can personalize assortments a p-TAOP firm to distinguish it from TAOP and clairvoyant firms. Let $\mathcal{R}^{p-TAOP} := \sum_{j \in M} \theta_j \mathcal{R}_j^*$. Clearly a p-TAOP firm can earn higher expected revenues than a TAOP firm. The p-TAOP has been the subject of recent attention, see e.g. El Housni and Topaloglu [2021], Chen et al. [2021]) and is also related to the personalized refined assortment optimization problem (p-RAOP) introduced by Berbeglia et al. [2021b]. Under the RAOP a firm is allowed to make some products less attractive to avoid demand cannibalization. This is a more refined approach than simply removing such products as done in the TAOP. Likewise the p-RAOP performs as least as well as the p-TAOP. However, not even the p-RAOP can do as well as the clairvoyant firm as it still has to deal with some residual uncertainty. Consequently

Corollary 1. *For any vector a that satisfies condition (3) of Theorem 2 we have*

$$\mathcal{R}_a^* \leq \mathcal{R}^o \leq \mathcal{R}^* \leq \mathcal{R}^{p-taop} \leq \mathcal{R}^{p-raop} \leq \bar{\mathcal{R}} \leq 2\mathcal{R}_\omega^*$$

where \mathcal{R}^{p-raop} denotes the optimal expected of a p-RAOP firm. Moreover if $a = \omega$ then $\bar{\mathcal{R}} \leq 2\mathcal{R}^{p-taop}$.

Berbeglia et al. [2021b] also provided a revenue guarantee for revenue-ordered assortments in relation to \mathcal{R}^{p-raop} in settings where each consumer segment satisfies regularity. They showed that $\mathcal{R}^{p-raop} \leq (1 + \ln(r_1/r_n))\mathcal{R}^o$. Under any RUM, this bound also works with the clairvoyant firm (i.e. replacing \mathcal{R}^{p-raop} with $\bar{\mathcal{R}}$) since we can interpret each joint realization of the product utilities as a different consumer type⁸ and each of them satisfy the regularity condition. Therefore, we have that:

Theorem 8. *For every RUM,*

$$\mathcal{R}^{p-taop} \leq \mathcal{R}^{p-raop} \leq \bar{\mathcal{R}} \leq [1 + \ln(r_1/r_n)]\mathcal{R}^o.$$

⁷The distinction between $\mathcal{R}_j^*, j \in M$ and \mathcal{R}_v^* for a vector v should be clear from the context.

⁸In this case, there will be an infinite number of consumer types.

Since it is possible to construct examples where \mathcal{R}^* can be made as close as possible to $(1 + \ln(r_{\max}/r_{\min}))\mathcal{R}^o$ (see Berbeglia and Joret [2020]), the bound is tight.

Additionally, when we restrict to the LC-MNL model, we have that (i) $\mathcal{R}^{raop} \leq \mathcal{R}^{p-taop}$ for every such model; and (ii) $\frac{\mathcal{R}^{p-taop}}{\mathcal{R}^{taop}} \geq \min\{n, m\}$ for some LC-MNL models (see Berbeglia et al. [2021b]).

An even sharper upper bound on $\bar{\mathcal{R}}$ can be constructed as follows: Let

$$\tilde{\mathcal{R}}^j := \min_{\tau > 0} \left\{ \tau + \sum_{i \in N} (r_j - \tau)^+ \omega_{ij} \right\} \quad j \in M.$$

This is just an application of the best Lai-Robbins bound to consumer type $j \in M$. If the discrete choice model \mathcal{P}_j is regular, then

$$\bar{\mathcal{R}} \leq \sum_{j \in M} w_j \tilde{\mathcal{R}}^j \leq 2\bar{\mathcal{R}}_\omega.$$

5.4 A joint assortment and customization problem

Recently, El Housni and Topaloglu [2021] considered a joint assortment and customization problem under the LC-MNL model. This problem, called the *Customized Assortment Problem* (CAP), consists of two stages. In the first stage, the firm needs to select a subset T of at most k products. In the second stage, the firm observes the consumer segment $j \in M$ and chooses a personalized subset $S_j \subseteq T$ of products to offer. Thus, the CAP consists of the following optimization problem:

$$\mathcal{R}_{cap}^* = \max_{T \subseteq N, |T| \leq k} \sum_{j \in M} \theta_j \max_{S \subseteq T} \mathcal{R}_j(S)$$

where $\mathcal{R}_j(S) = \sum_{i \in S} \mathcal{M}_j(i, S) r_i$ denotes the expected revenue for segment j when we offer assortment S .

El Housni and Topaloglu [2021] proved that CAP is NP-hard⁹ and proposed a polynomial-time algorithm called *Augmented Greedy* that guarantees at least a $\Omega(1/(\ln(m)))$ -fraction of the optimal revenue. More recently, Udwani [2021] improved the revenue guarantees by constructing a $(0.5 - \epsilon)$ -approximation algorithm for the same problem.

A natural way to extend the CAP is to let the firm be a clairvoyant at the second stage so that it can customize the assortment offered to the specific individual rather than to the consumer segment. The *clairvoyant*-CAP is defined as follows:

⁹Finding an optimal assortment T is the hard problem since the second stage assortment S is simply a revenue-ordered assortment subset from T which can be quickly computed.

$$\mathcal{R}_{clairvoyant-cap}^* = \max_{T \subseteq N, |T| \leq k} \sum_{j \in M} \theta_j \bar{\mathcal{R}}_j(T)$$

where $\bar{\mathcal{R}}_j(T)$ denotes the expected revenue obtained by a clairvoyant firm with universe of products T that is faced by segment j consumers.

Clearly, $\mathcal{R}_{cap}^* \leq \mathcal{R}_{clairvoyant-cap}^*$. Combining some of our clairvoyant results with results from El Housni and Topaloglu [2021] and Udwani [2021] it is straightforward to show the following propositions.

Proposition 3. $\mathcal{R}_{clairvoyant-cap}^* \leq 2\mathcal{R}_{cap}^*$

Proof. Let T_{c-CAP}^* , T_{CAP}^* denote the optimal assortments chosen in the first stage for the *clairvoyant-CAP* and *CAP* respectively.

$$\begin{aligned} \mathcal{R}_{clairvoyant-cap}^* &= \sum_{j \in M} \theta_j \bar{\mathcal{R}}_j(T_{c-CAP}^*) \\ &\leq \sum_{j \in M} \theta_j \max_{S \subseteq T_{c-CAP}^*} 2 \cdot \mathcal{R}_j(S) \\ &\leq \sum_{j \in M} \theta_j \max_{S \subseteq T_{CAP}^*} 2 \cdot \mathcal{R}_j(S) \\ &= 2 \cdot \mathcal{R}_{cap}^* \end{aligned}$$

Above, the first inequality follows from Theorem 3 and the second inequality follows from the optimality of assortment T_{CAP}^* . \square

Proposition 4. *Clairvoyant-CAP is NP-hard.*

Proof. Observe that in the case where all products have the same prices, the clairvoyant expected revenue ($\mathcal{R}_{clairvoyant-cap}^*$), is the same as the CAP revenue (\mathcal{R}_{cap}^*). Since El Housni and Topaloglu [2021] proved that CAP is NP-hard even in the case where all revenues are the same, the result follows. \square

Given the NP-hardness result for *clairvoyant-CAP*, we are interested in approximation algorithms. We will consider algorithms to approximate *clairvoyant-CAP* that observe the consumer segment but not the Gumbel noises associated to each specific consumer. The following two propositions directly follow from Proposition 3 and the revenues guarantees obtained by El Housni and Topaloglu [2021] and Udwani [2021].

Proposition 5. *The Augmented-Greedy algorithm [El Housni and Topaloglu, 2021] provides an $\Omega(1/\ln(m))$ -approximation to clairvoyant-CAP.*

Proposition 6. *Algorithm 1 from Udwani [2021] provides a $(0.25-\epsilon)$ -approximation to clairvoyant-CAP.*

Similarly, one can show that when the number of segments m is fixed, *clairvoyant*-CAP has a $(1/2 - \epsilon)$ -approximation algorithm since El Housni and Topaloglu [2021] proved the existence of a FPTAS for CAP in this case.

5.5 Prices and Prophets

Consider now a clairvoyant firm that optimizes over prices. Suppose the firm observes the gross utilities $U_i, i \in N_+$. Let $U_N := \max_{i \in N} U_i$ and assume that $E[U_0] = 0$. It is optimal for the clairvoyant firm to price all products at $(U_N - U_0)^+$ and earn

$$\begin{aligned}\bar{\mathcal{R}} &= E[(U_N - U_0)^+] \\ &= E[\max(U_N, U_0)] - E[U_0] \\ &= E[\max(U_N, U_0)]\end{aligned}$$

on account of $E[U_0] = 0$.

On the other hand, a non-clairvoyant firm will obtain expected profit

$$\mathcal{R}^* = \max_r \sum_{i \in N} r_i \mathcal{P}(U_i - r_i \geq U_j - r_j, j \in N, j \neq i, \quad U_i - r_i \geq U_0).$$

Clearly $\mathcal{R}^* \leq \bar{\mathcal{R}}$. As usual we seek bounds for the ratio of $\bar{\mathcal{R}}$ to \mathcal{R}^* .

Proposition 7. *The ratio can be arbitrarily large.*

Proof. Suppose there is a single product with gross utility U and that $U_0 = 1$ almost surely. Suppose further that

$$\mathcal{P}(U > r) = \min(1, 1/r) \quad 0 < r \leq 1 + a$$

for some constant $a > 0$. The clairvoyant firm observes U and prices at $r = U$ obtaining expected profit $\bar{\mathcal{R}} = E[U] = (1 + \ln(1 + a))$. On the other hand, the non-clairvoyant firm obtains profit $\mathcal{R}^* = 1$ by using any price $r \in [1, 1 + a]$. The ratio is therefore $1 + \ln(1 + a)$ which can be made arbitrarily large as $a \rightarrow \infty$. \square

The next result shows that things are significantly better for the MNL model.

Proposition 8. *For the MNL model the ratio is at most $\exp(1)$, and the bound is tight.*

Proof. For the MNL,

$$\bar{\mathcal{R}} = \ln(1 + V(N)),$$

$$\mathcal{R}^* = \max_r \frac{rV(N)}{\exp(r) + V(N)}.$$

Consider any price r , then it is easy to show that r is optimal when $V(N) = (r - 1)\exp(r)$, and that for this $V(N)$, $\mathcal{R}^* = r - 1$. Since the optimal profit is positive, it must be that an optimal price is at least 1. Thus, it is enough to show that

$$r - 1 \geq \ln[1 + (r - 1)\exp(r)]/\exp(1)$$

holds for all $r > 1$, or equivalently that the function

$$g(r) := \exp(1)(r - 1) - \ln[1 + (r - 1)\exp(r)]$$

is non-negative for all $r > 1$. This follows because $g'(r) > 0$ and $g(1) = 0$. We see that the bound is tight in the limit as $r \downarrow 1$. \square

The result for the MNL readily extends to the LC-MNL problem if personalized pricing is allowed, so if \mathcal{R}^{p-taop} is the expected profit from personalized pricing, then $\bar{\mathcal{R}} \leq \exp(1)\mathcal{R}^{p-taop}$. Further more, we can obtain a worst case bound for \mathcal{R}^* relative to $\bar{\mathcal{R}}$ that is $\exp(1)$ times larger the worst-case bounds in Gallego and Berbeglia [2021] for \mathcal{R}^{p-taop} relative to \mathcal{R}^* .

Acknowledgments

The authors give thanks Wentao Lu and Zhuodong Tang for their insightful comments. We are also very grateful to Danny Segev for giving us very valuable comments and pointing out relevant references.

References

Andrés Abeliuk, Gerardo Berbeglia, Manuel Cebrian, and Pascal Van Hentenryck. Assortment optimization under a multinomial logit model with position bias and social influence. *4OR*, 14(1):57–75, 2016.

- Ali Aouad and Danny Segev. Display optimization for vertically differentiated locations under multinomial logit preferences. *Management Science*, 67(6):3519–3550, 2021.
- Kazuoki Azuma. Weighted sums of certain dependent random variables. *Tohoku Mathematical Journal, Second Series*, 19(3):357–367, 1967.
- Franco Berbeglia, Gerardo Berbeglia, and Pascal Van Hentenryck. Market segmentation in online platforms. *European Journal of Operational Research*, 295(3):1025–1041, 2021a.
- Gerardo Berbeglia and Gwenaél Joret. Assortment optimisation under a general discrete choice model: A tight analysis of revenue-ordered assortments. *Algorithmica*, 82(4):681–720, 2020.
- Gerardo Berbeglia, Alvaro Flores, and Guillermo Gallego. The refined assortment optimization problem. *arXiv preprint arXiv:2102.03043*, 2021b.
- Fernando Bernstein, A Gürhan Kök, and Lei Xie. Dynamic assortment customization with limited inventories. *Manufacturing & Service Operations Management*, 17(4):538–553, 2015.
- Fernando Bernstein, Sajad Modaresi, and Denis Sauré. A dynamic clustering approach to data-driven assortment personalization. *Management Science*, 65(5):2095–2115, 2019.
- Jose Blanchet, Guillermo Gallego, and Vineet Goyal. A markov chain approximation to choice modeling. *Operations Research*, 64(4):886–905, 2016.
- Carri W Chan and Vivek F Farias. Stochastic depletion problems: Effective myopic policies for a class of dynamic optimization problems. *Mathematics of Operations Research*, 34(2):333–350, 2009.
- Xi Chen, David Simchi-Levi, and Yining Wang. Privacy-preserving dynamic personalized pricing with demand learning. *Available at SSRN 3700474*, 2020.
- Xi Chen, Zachary Owen, Clark Pixton, and David Simchi-Levi. A statistical learning approach to personalization in revenue management. *Management Science*, 2021.
- Wang Chi Cheung and David Simchi-Levi. Thompson sampling for online personalized assortment optimization problems with multinomial logit choice models. *Available at SSRN 3075658*, 2017.
- Flavio Chierichetti, Ravi Kumar, and Andrew Tomkins. Discrete choice, permutations, and reconstruction. In *Proceedings of the Twenty-Ninth Annual ACM-SIAM Symposium on Discrete Algorithms*, pages 576–586. SIAM, 2018.

- James M Davis, Guillermo Gallego, and Huseyin Topaloglu. Assortment optimization under variants of the nested logit model. *Operations Research*, 62(2):250–273, 2014.
- Arnoud V Den Boer. Dynamic pricing and learning: historical origins, current research, and new directions. *Surveys in operations research and management science*, 20(1):1–18, 2015.
- Antoine Désir, Vineet Goyal, Danny Segev, and Chun Ye. Constrained assortment optimization under the markov chain-based choice model. *Management Science*, 66(2):698–721, 2020.
- Cynthia Dwork. Differential privacy. In *International Colloquium on Automata, Languages, and Programming*, pages 1–12. Springer, 2006.
- Omar El Housni and Huseyin Topaloglu. Joint assortment optimization and customization under a mixture of multinomial logit models: On the value of personalized assortments. *Available at SSRN 3830082*, 2021.
- Adam N Elmachoub, Vishal Gupta, and Michael L Hamilton. The value of personalized pricing. *Management Science*, 2021.
- Guillermo Gallego and Gerardo Berbeglia. Bounds and heuristics for multi-product personalized pricing. *Available at SSRN 3778409*, 2021.
- Guillermo Gallego and Anran Li. Attention, consideration then selection choice model. *Consideration then Selection Choice Model*, 2017.
- Guillermo Gallego and Huseyin Topaloglu. *Revenue management and pricing analytics*, volume 209. Springer, 2019.
- Guillermo Gallego, Anran Li, Van-Anh Truong, and Xinshang Wang. Online resource allocation with customer choice. *arXiv preprint arXiv:1511.01837*, 2015a.
- Guillermo Gallego, Richard Ratliff, and Sergey Shebalov. A general attraction model and sales-based linear program for network revenue management under customer choice. *Operations Research*, 63(1):212–232, 2015b.
- Guillermo Gallego, Anran Li, Van-Anh Truong, and Xinshang Wang. Approximation algorithms for product framing and pricing. *Operations Research*, 68(1):134–160, 2020.

- Pin Gao, Yuhang Ma, Ningyuan Chen, Guillermo Gallego, Anran Li, Paat Rusmevichientong, and Huseyin Topaloglu. Assortment optimization and pricing under the multinomial logit model with impatient customers: Sequential recommendation and selection. *Operations Research*, 2021.
- Avi Goldfarb and Catherine Tucker. Shifts in privacy concerns. *American Economic Review*, 102(3):349–53, 2012.
- Negin Golrezaei, Hamid Nazerzadeh, and Paat Rusmevichientong. Real-time optimization of personalized assortments. *Management Science*, 60(6):1532–1551, 2014.
- Kelly L Haws and William O Bearden. Dynamic pricing and consumer fairness perceptions. *Journal of Consumer Research*, 33(3):304–311, 2006.
- Shota Ichihashi. Online privacy and information disclosure by consumers. *American Economic Review*, 110(2):569–95, 2020.
- Nicole Immorlica, Sahil Singla, and Bo Waggoner. Prophet inequalities with linear correlations and augmentations. In *Proceedings of the 21st ACM Conference on Economics and Computation*, pages 159–185, 2020.
- Srikanth Jagabathula, Dmitry Mitrofanov, and Gustavo Vulcano. Personalized retail promotions through a dag-based representation of customer preferences. *Available at SSRN 3258700*, 2020.
- Nathan Kallus and Madeleine Udell. Dynamic assortment personalization in high dimensions. *Operations Research*, 68(4):1020–1037, 2020.
- Ulrich Krengel and Louis Sucheston. Semiamarts and finite values. *Bulletin of the American Mathematical Society*, 83(4):745–747, 1977.
- Ulrich Krengel and Louis Sucheston. On semiamarts, amarts, and processes with finite value. *Probability on Banach spaces*, 4:197–266, 1978.
- Yanzhe Murray Lei, Sentao Miao, and Ruslan Momot. Privacy-preserving personalized revenue management. *Sentao and Momot, Ruslan, Privacy-Preserving Personalized Revenue Management (October 3, 2020)*, 2020.
- Brendan Lucier. An economic view of prophet inequalities. *ACM SIGecom Exchanges*, 16(1):24–47, 2017.

- Paola Manzini and Marco Mariotti. Stochastic choice and consideration sets. *Econometrica*, 82(3): 1153–1176, 2014.
- Yosef Rinott and Ester Samuel-Cahn. Optimal stopping values and prophet inequalities for some dependent random variables. *Lecture Notes-Monograph Series*, pages 343–358, 1992.
- Paat Rusmevichientong, Zuo-Jun Max Shen, and David B Shmoys. Dynamic assortment optimization with a multinomial logit choice model and capacity constraint. *Operations Research*, 58(6): 1666–1680, 2010.
- Paat Rusmevichientong, David Shmoys, Chaoxu Tong, and Huseyin Topaloglu. Assortment optimization under the multinomial logit model with random choice parameters. *Production and Operations Management*, 23(11):2023–2039, 2014.
- Arne K Strauss, Robert Klein, and Claudius Steinhardt. A review of choice-based revenue management: Theory and methods. *European Journal of Operational Research*, 271(2):375–387, 2018.
- Mika Sumida, Guillermo Gallego, Paat Rusmevichientong, Huseyin Topaloglu, and James Davis. Revenue-utility tradeoff in assortment optimization under the multinomial logit model with totally unimodular constraints. *Management Science*, 67(5):2845–2869, 2021.
- Carol F Surprenant and Michael R Solomon. Predictability and personalization in the service encounter. *Journal of Marketing*, 51(2):86–96, 1987.
- Kalyan Talluri and Garrett Van Ryzin. Revenue management under a general discrete choice model of consumer behavior. *Management Science*, 50(1):15–33, 2004.
- Huseyin Topaloglu. Using lagrangian relaxation to compute capacity-dependent bid prices in network revenue management. *Operations Research*, 57(3):637–649, 2009.
- Catherine E Tucker. Social networks, personalized advertising, and privacy controls. *Journal of Marketing Research*, 51(5):546–562, 2014.
- Rajan Udwani. Submodular order functions and assortment optimization. *arXiv preprint arXiv:2107.02743*, 2021.
- Ruxian Wang. What is the impact of nonrandomness on random choice models? *Manufacturing & Service Operations Management*, 2021.

6 Appendix

Proof. (Proposition 1) The proof is based on the classical prophet inequality and given here mostly to show that revenue assortments guarantee at least half of the optimal expected revenue of the clairvoyant firm. The prophet inequality guarantees that there is a threshold, say τ , such that the expected revenue of the decision maker who selects the first product with reward at least τ , obtains a reward at least $0.5E[\max_{i \in N} X_i] = 0.5\bar{\mathcal{R}}$, when the X_i s are independent. The prophet inequality holds in particular for the case $X_i := r_i B_i$ with independent $B_i, i \in N$.

We remark that the result is independent of the order in which the decision maker considers the product, and holds in particular if the decision maker sees the products in the order $n, n-1, \dots, 1$ and buys the first product, in this order whose reward exceeds the threshold. By doing this the decision maker selects the lowest revenue product that exceeds the threshold. In contrast, if a non-clairvoyant firm offers the revenue-ordered assortment with threshold τ , the consumer can select any of the products in this that is preferred to the outside alternative and may either select the same product as the decision maker or a more expensive one.

More formally, let $L(\tau)$ denote the expected revenue that the decision maker obtains from selecting the first product whose reward exceeds τ when the products are presented in the order $n, n-1, \dots, 1$. This means that the decision maker obtains the smallest possible reward among all of those with reward exceeding τ . From the classic prophet inequality we know that $L(\tau) \geq 0.5\bar{\mathcal{R}}$.

Consider now the assortment $S(\tau) = \{i \in N : r_i > \tau\}$ and $R(S(\tau))$ the expected reward from a firm offering assortment $S(\tau)$. We will show that $R(S(\tau)) \geq L(\tau) \geq 0.5\bar{\mathcal{R}}$, implying that $\mathcal{R}^o \geq 0.5\bar{\mathcal{R}}$.

More precisely, we want to show that

$$L(S) = \sum_{i \in S(\tau)} r_i \mathcal{P}(B_i = 1, B_j = 0 \quad \forall j > i, j \in S(\tau)) \leq R(S(\tau)).$$

To justify the first equality notice that $X_i = r_i B_i > \tau$ only if $B_i = 1$ and $r_i > \tau$, so only the products in $S(\tau)$ can be selected by the decision maker using threshold policy τ . Second, product i will be selected only when $B_i = 1$ and there is no other product $j > i$ (with lower reward than i) with $B_j = 1$. Thus i is selected only if $B_i = 1, B_j = 0 \quad \forall j > i, j \in S(\tau)$.

For a firm offering assortment $S(\tau)$, the consumer can select any of the products $k \in S(\tau)$ with $B_k = 1$. We claim that the revenue of such product is at least as much as the revenue obtained by the decision maker. To see this, suppose that the decision maker selects product i , so $B_i = 1$ and $B_j = 0, j > i, j \in S(\tau)$, so the consumer can only select from $k \in S(\tau), B_k = 1, k \leq i$. This is a

non-empty set with associated revenues $r_k \geq r_i$. Taking expectation over all sample paths we see that $L(\tau) \leq R(S(\tau))$ completing the proof. \square

Proof. (Theorem 1) Let \mathcal{P} be an arbitrary RUM. As usual, we assume that the revenues are decreasing in i . By regularity, if a firm offers the best revenue-ordered assortment, say $S_{i^*} \in \arg \max_{S_i} \sum_{j \leq i} r_j \mathcal{P}(j, S_i) = \mathcal{R}^o$, we have that $\mathcal{R}^o = R(S_{i^*}) \geq \max_{i \in N} r_i \mathcal{P}(i, \{i\}) = \max_{i \in N} r_i \omega_i$. Thus, a non-clairvoyant firm applying revenue-ordered assortments can make at least $\max_{i \in N} r_i \omega_i$. Clearly $\mathcal{R}^o \leq \mathcal{R}^* \leq \bar{\mathcal{R}}$ as the clairvoyant firm can make at least as much in revenues in every sample path. Then

$$\begin{aligned} \bar{\mathcal{R}} &= E[r_{i(B)}] \\ &= \sum_{i \in N} r_i \mathcal{P}(i(B) = 1) \\ &\leq \sum_{i \in N} r_i \mathcal{P}(B_i = 1) \\ &= \sum_{i \in N} r_i \omega_i \\ &\leq n \max_{i \in N} r_i \omega_i, \end{aligned}$$

where the first inequality follows since for all $i \in N$, the event $i(B) = i$ implies the event $B_i = 1$ and therefore $\mathcal{P}(i(B) = 1) \leq \mathcal{P}(B_i = 1)$. The third inequality is straightforward. This establishes that

$$\bar{\mathcal{R}} \leq n \max_{i \in N} r_i \omega_i \leq n \mathcal{R}^o \leq n \mathcal{R}^*$$

To see that there are examples in which $\mathcal{R}^* = \mathcal{R}^o$ and the bound $\bar{\mathcal{R}} \leq n \mathcal{R}^*$ is tight, we first consider a RUM model with deterministic utilities $U_i = u_i, i \in N$, and assume that $u_1 < u_2 < \dots < u_n$ so the preference order is $1 \prec \dots \prec n$. Let U_0 be a random variable with cumulative distribution $F(x) = \mathcal{P}(U_0 \leq x)$. Then

$$\omega_i = \mathcal{P}(U_i \geq U_0) = \mathcal{P}(U_0 \leq u_i) = F(u_i) \quad \forall \quad i \in N.$$

Moreover, $U_0 \leq u_i$ implies $U_0 \leq u_j$ for all $j > i$ so the utilities are strongly dependent. Given any set $S \subset N$, let $i(S) = \max\{i \in S\}$. If $U_0 > u_{i(S)}$ the consumer walks away, otherwise the consumer buys choice $i(S)$. Consequently, $\mathcal{P}(i, S) = \omega_i$ if $i = i(S)$ and is zero otherwise.

Clearly, $\mathcal{R}^o = \mathcal{R}^* = \max_{i \in N} r_i \omega_i$ is the expected revenue for the firm. It is optimal for the clairvoyant firm to offer choice set $\{i\}$ when $u_{i-1} < U_0 \leq u_i$ as r_i is the highest revenue he can get

in this case. The prophet therefore earns

$$\bar{\mathcal{R}} = \sum_{i \in N} r_i (F(u_i) - F(u_{i-1})) = \sum_{i \in N} r_i (\omega_i - \omega_{i-1}).$$

Suppose that the revenues are given by $r_i = \omega_1 / \omega_i, i \in N$. Since $\omega_i = F(u_i)$ is increasing in i , we see that r_i is decreasing in $i \in N$. Since $r_i \omega_i = \omega_1$ for all $i \in N$ it follows that $\mathcal{R}^o = \mathcal{R}^* = \omega_1$ while

$$\begin{aligned} \bar{\mathcal{R}} &= \sum_{i \in N} r_i (\omega_i - \omega_{i-1}) \\ &= \sum_{i \in N} \frac{\omega_1}{\omega_i} (\omega_i - \omega_{i-1}) \\ &= \sum_{i \in N} \omega_1 \left(1 - \frac{\omega_{i-1}}{\omega_i}\right). \end{aligned}$$

Set $\omega_i := \epsilon^n (\epsilon^{-i} - 1)$. Then ω_i is increasing in i with $\omega_n = 1 - \epsilon^n < 1$. Then

$$\begin{aligned} \frac{\bar{\mathcal{R}}}{\mathcal{R}^*} &= \sum_{i \in N} \left(1 - \frac{\omega_{i-1}}{\omega_i}\right) \\ &= \sum_{i \in N} \frac{1 - \epsilon^i}{1 - \epsilon} \end{aligned}$$

with the sum converging to n as $\epsilon \rightarrow \infty$.

We next show that the RUM model constructed above can also be represented by an instance of the Markov chain model. To see this, consider a Markov chain model in which consumers visit the products following the order $(n, n-1, \dots, 1)$ but may leave without purchase at any time. Thus, the transition probabilities satisfy $\rho_{ij} = 0$ if $j \neq i-1$ for all $i = n, n-1, \dots, 2$. Let the first-choice probabilities be given by $\lambda_i = 0$ for all $i = 1, 2, \dots, n-1$, and $\lambda_n = F(u_n)$. The transition matrix is given by $\rho_{i,i-1} = \frac{F(u_{i-1})}{F(u_i)}$ then, if $i = i(S)$,

$$\mathcal{P}(i, S) = F(u_n) \prod_{j=n}^{i+1} \rho_{j,j-1} = F(u_i) = \omega_i$$

and $\mathcal{P}(i, S) = 0$ otherwise, as desired. Then $\mathcal{R}^* = \max_{i \in N} r_i \omega_i$ and $\bar{\mathcal{R}} = \sum_{i \in N} r_i (F(u_i) - F(u_{i-1})) = \sum_{i \in N} r_i (\omega_i - \omega_{i-1})$.

□

Proof. (Theorem 4) By regularity,

$$\frac{\mathcal{P}(i, S)}{\mathcal{P}(0, S)} \geq \frac{\mathcal{P}(i, S)}{\mathcal{P}(0, \{i\})} \geq \frac{\mathcal{P}(i, N)}{\mathcal{P}(0, \{i\})} = \frac{\lambda_i}{1 - \omega_i} = a_i.$$

Similarly,

$$\frac{\mathcal{P}(i, S)}{\mathcal{P}(0, S)} \leq \frac{\mathcal{P}(i, \{i\})}{\mathcal{P}(0, S)} \leq \frac{\mathcal{P}(i, \{i\})}{\mathcal{P}(0, N)} = \frac{\omega_i}{\lambda_0} = b_i.$$

From Theorem 2 we know that condition (3) holds at S_a^* so $\mathcal{R}_a^* \leq R(S_a^*)$. Since S_a^* is a revenue ordered assortment, it follows that $\mathcal{R}_a^* \leq \mathcal{R}^o \leq \mathcal{R}^*$.

We also know that (32) holds at S^* . Consequently

$$\mathcal{R}^* = \sum_{i \in S^*} (r_i - \mathcal{R}^*) \frac{\mathcal{P}(i, S^*)}{\mathcal{P}(0, S^*)} \leq \sum_{i \in N} (r_i - \mathcal{R}^*)^+ b_i$$

so \mathcal{R}^* is to the left of the root, \mathcal{R}_b^* , of $\tau = \sum_{i \in N} (r_i - \tau)^+$, implying that $\mathcal{R}^* \leq \mathcal{R}_b^*$. \square

Proof. (Theorem 7) To see that the bound can be exponentially large for general discrete choice models, consider a setting in which every product has a revenue equal to 1. Let Ω be the set of $m = 2^n - 1$ consumer types. Suppose that for each consumer type $j \in \Omega$ there is a distinct non-empty assortment, say $S_j \subset N, j \in \Omega$. The discrete choice model for type j consumer is such that $\mathcal{P}_j(i, S) = 0$ for all $i \in S$ if $S \neq S_j$ so the type j consumer walks away without purchasing unless $S = S_j$. Moreover, $\sum_{i \in S_j} \mathcal{P}_j(i, S_j) = 1$, so the type j consumers always purchase a product in S_j .

For any non-empty assortment S , the choice model is given by

$$\mathcal{P}(i, S) = \sum_{j \in \Omega} \frac{1}{m} \mathcal{P}_j(i, S)$$

Since $S = S_j$ for exactly one j , it follows that if $S = S_j$ then

$$\mathcal{P}(i, S_j) = \frac{1}{m} \mathcal{P}_j(i, S_j)$$

and therefore

$$\mathcal{R}(S_j) = \sum_{i \in S_j} \mathcal{P}(i, S_j) = \frac{1}{m} \sum_{i \in S_j} \mathcal{P}_j(i, S_j) = \frac{1}{m} \quad \forall \quad j \in \Omega,$$

so $\mathcal{R}(S) = 1/m$ for all $S \subset N, S \neq \emptyset$. Consequently,

$$\mathcal{R}^* = \max_{j \in \Omega} \mathcal{R}(S) = \frac{1}{m}.$$

Faced with this choice model, the clairvoyant firm would know the type j of an arriving customer and would offer assortment S_j to consumer j . The consumer would then buy with probability one resulting in

$$\begin{aligned} \bar{\mathcal{R}} &= \sum_{j \in \Omega} \frac{1}{m} \sum_{i \in S_j} \mathcal{P}_j(i, S_j) \\ &= \sum_{j \in \Omega} \frac{1}{m} \cdot 1 = 1. \end{aligned}$$

The ratio $\bar{\mathcal{R}}/\mathcal{R}^* = m = 2^n - 1$ is therefore exponentially large. \square