

Max/Min Puzzles in Geometry II[†]

James M Parks
 Dept. of Math.
 SUNY Potsdam
 Potsdam, NY
parksjm@potsdam.edu
 January 20, 2022

Abstract. In this paper we continue the investigation of finding the max/min polygons which can be inscribed in a given triangle. Here we are concerned with equilateral triangles. This may seem uninteresting or benign at first, but there are some surprises later.

Recall an *inscribed polygon in a given triangle* is a polygon which has all of its vertices on the triangle [3]. Fig. 1 shows two examples of inscribed equilateral triangles in $\triangle ABC$ [4].




Figure 1

The use of *Sketchpad** will be evident throughout the paper.

The first Puzzle is a quick investigation of equilateral triangles (*ET* for short).

Puzzle 1. If the sides of the *ET* $\triangle XYZ$ have known length s , determine the height h , and the area of $\triangle XYZ$, denoted by (XYZ) .

If the height h of *ET* $\triangle XYZ$ is known, determine the length of the side s , and the area (XYZ) .




Figure 2

Hint: The left and right hand sides of $\triangle XYZ$ are 30° - 60° - 90° triangles with sides $s/2$, s , and $h = s\sqrt{3}/2$.

Thus $(XYZ) = hs/2 = s^2\sqrt{3}/4$.

On the other hand, given h , the ratios $h/\sqrt{3} = s/2$ hold, by the above observation, hence $s = 2h\sqrt{3}/3$, and $(XYZ) = h^2\sqrt{3}/3$.

Puzzle 2. Show an inscribed *ET* of largest area in $\triangle ABC$, always share at least one vertex with $\triangle ABC$.




Figure 3a

Figure 3b

By trial and error it can be shown that there are only two ways an *ET* of maximum area will fit in a given $\triangle ABC$. With its base on one side of the triangle and its upper vertex coinciding with the upper vertex of the given triangle, Fig. 3a, or with its base on one side of the triangle and at least one of its base vertices coinciding with one of the base vertices of the given triangle, Fig. 3b.

That one side of the largest *ET* must be on a side of the triangle is well known [5].

[†]Some of this material appeared in [4].

*All graphs were made with *Sketchpad* v5.10 BETA.

Observe that if the base angles of a side of $\triangle ABC$ are both greater than 60° , then there is no inscribed ET possible on that side (look at examples, or see Fig. 11).

In Fig. 3a notice that both base angles of $\triangle ABC$ are less than 60° , so the area of the largest ET for this side is determined by the height h of $\triangle ABC$. From *Puzzle 1*, $(ABC) = h^2\sqrt{3}/3$.

In Fig. 3b base angle B of $\triangle ABC$ is greater than 60° , and base angle A is less than 60° , so it will take some additional calculating to compute the area of the largest ET for that side of $\triangle ABC$ (see *Puzzles 3 & 4*).

Since we are looking for the inscribed ET of maximum area, if we can determine the largest ET for each side of the given triangle, then *the largest of these three is called the **max inscribed ET** of the triangle, and the smallest of these 3 is called the **min inscribed ET** of the triangle.*

By the results in *Puzzle 2* we know exactly where to look for the *max* and *min ETs*. We will see below that this makes our search much easier.

Consider an example, *Puzzle 3*, which illustrates Fig. 3b.

Puzzle 3. Let $\triangle ABC$ be the given triangle in Fig. 4 with $\alpha = 45^\circ$, $\beta = 75^\circ$, $\gamma = 60^\circ$, and side a of length 2. If $\triangle BDE$ is the largest ET with base EB on side AB , and D on side AC . Compute s , the length of the side of $\triangle BDE$, and the exact area of $\triangle BDE$. Is $\triangle BDE$ the max inscribed ET in $\triangle ABC$?

Hint: Drop a perpendicular from B to AC at M .

Then $\triangle BMC$ is a 30° - 60° - 90° triangle with $BM = \sqrt{3}$.

This means that $c = \sqrt{6}$, since $\triangle ABM$ is a 45° - 45° - 90° triangle.

By the Law of Sines, $s = \sqrt{6}\sin 45^\circ / \sin 75^\circ$, since angle $BDA = 75^\circ$.

Hence $(BDE) = s^2\sqrt{3}/4 \sim 1.392$.

For sides a , b construct a point F on AC such that $|FC| = 2$.

Then $\triangle BCF$ is an ET which is the largest ET on both sides a and b , and

$(BCF) = \sqrt{3} \sim 1.732$, by *Puzzle 1*.

So $\triangle BCF$ is the *max ET* in $\triangle ABC$.




Figure 4

The key to solving *Puzzle 3* was knowing that $\gamma = 60^\circ$. But what if $\gamma \neq 60^\circ$? How do we compute the area of $\triangle BDE$ in this case? Here's a way to compute the area of such an ET , Fig. 5.

Puzzle 4. Compute the area of the largest inscribed ET on side c of $\triangle ABC$, when $\alpha < 60^\circ$, and $\beta > 60^\circ$.

Hint: By the Exterior Angle Theorem, angle $CDB = 60^\circ + \alpha$.

By the Law of Sines, $s = a\sin\gamma / \sin(60^\circ + \alpha)$.

But if h_b is the altitude of B to AC , then $\sin\gamma = h_b/a$, so $s = h_b / \sin(60^\circ + \alpha)$.

So by *Puzzle 1*, $(BDE) = (h_b / \sin(60^\circ + \alpha))^2 \sqrt{3}/4$.




Figure 5

We will now determine the location of the max and min ETs for all triangles.

Also, assume from here on that $\triangle ABC$ is scalene, and in particular

$\alpha > \beta > \gamma$ iff $a > b > c$, [2, Vol.1, Props. 18, 19].

By symmetry, any result we get under these assumptions will also hold for a triangle reflected about the vertical line through the mid-point of the base AB . So we need only consider those triangles with upper vertex C to the left of this vertical line. If C is on this line, then $\triangle ABC$ is an isosceles triangle, which is a much simpler case to work with.

In the chart in Fig. 6, there is a list of examples generated on *GSP*.

The ratio of the area of the *ET* to the area of $\triangle ABC$ is listed in the right-hand column, marked *Ratios*, as this makes it easier to compare the sizes of the areas of the *ETs*.

The bold **x** marks the side *a*, *b*, *c*, where the *max ET* is found, and the italic *x* marks the side where the *min ET* is found.

There are several patterns which can be observed here.

The general results are given in *Puzzle 5*. In each part of *Puzzle 5* an example(s) of triangles from this chart is given.

Puzzle 5. Given $\triangle ABC$, suppose the sides satisfy $a > b > c$.

Show that the *max ET* is always on the long side *a* (*a* and *c*, when $\beta = 60^\circ$), and the *min ET* is on:

A. side *c*, when $120^\circ < \alpha$; and sides *b* and *c*, when $\alpha = 120^\circ$;

B. side *b*, when $60^\circ < \alpha < 120^\circ$, and $\beta < 60^\circ$;

C. side *b*, when $60^\circ \leq \beta$.

In Figures 7 - 10, notice that all 3 largest *ETs* (2 *ETs* coincide in Fig. 10) have vertex *A* in common. Then *ET* $\triangle GHA$, on the long side *a*, is the *max ET*, since *JA* and *FA* are interior to it (a consequence of Euclid Prop. 19 [2]. Since $\triangle GHA$ and $\triangle AEF$ coincide when $\beta = 60^\circ$, Fig. 10, the *max ET* is on both the long side *a* and the short side *c* for this case.

If $\beta > 60^\circ$, Fig. 10, then $\alpha > \beta > 60^\circ$, and $m\angle JAB > m\angle IBA$.

So $|HI| > |JA|$, by Euclid Prop. 19 [2], and $\triangle GHI$ is the *max ET* on the long side *a*.

These results coincide with what is observed in the chart, Fig. 6.

A. Fig. 7 shows a 130° - 30° - 20° triangle with *ET* $\triangle GHA$ on the long side *a*, which is clearly the *max ET*. If you compare $|AJ|$ and $|AF|$ you will discover that $\triangle AEF$ is the *min ET*.

For the general case for $\alpha > 120^\circ$, since $m\angle CAJ = 60^\circ = m\angle FAB$, it follows that $m\angle AJC > m\angle AFB$. So, in $\triangle AJF$, $s_b = |JA| > |FA| = s_c$, and the *min ET* is on the short side *c*.




Figure 7




Figure 8

Fig. 8 shows a 120° - 35° - 25° triangle with the *max ET*, $\triangle GHA$, on the long side *a*.

From part **A.** above, it follows that $\triangle GHA$ is larger than the other two *ETs*, and that $\triangle AEF$ and $\triangle JKA$ are congruent.

For a general argument, if $\alpha = 120^\circ$, then $s_b = |JA| = |FA| = s_c$, so $\triangle AEF$ and $\triangle AJK$ are congruent, and the *min ET* is on both the short side *c*, and the middle side *b*.

B. In the 110° - 40° - 30° triangle, Fig. 9, the area of the *min ET*, $\triangle AJK$ on side *b*, is less in area than that of *ET* $\triangle AEF$ on side *c*, which is less in area than the *max ET* $\triangle GHA$ on side *a*, by comparing sides *AG*, *AF*, and *AJ*.

For a formal argument, the situation is similar to part **A.**, since $m\angle CAJ = 60^\circ = m\angle FAB$, so we have $m\angle AJC > m\angle AFB$. In $\triangle AJF$ it follows that $s_b = |JA| < |FA| = s_c$, and $\triangle AJK$ is the *min ET* on the middle side *b*.




Figure 9

Angles	Sides: long/middle/short			Ratios
$\alpha - \beta - \gamma$	a	b	c	
70-65-45		x		0.638
"	x			0.677
80-65-35		x		0.461
"	x			0.547
90-70-20		x		0.288
"	x			0.327
90-80-10		x		0.168
"	x			0.173
75-60-45		x		0.589
"	x			0.732
90-60-30		x		0.378
"	x		x	0.500
100-60-20		x		0.265
"	x		x	0.348
90-50-40		x		0.437
"	x			0.569
110-40-30		x		0.297
"	x			0.395
120-35-25		x	x	0.243
"	x			0.325
130-30-20			x	0.193
"	x			0.258
140-25-15			x	0.150
"	x			0.193

Figure 6

C. In the $75^\circ\text{-}60^\circ\text{-}45^\circ$ triangle Fig. 10, the *ETs* on sides c and a coincide, and have sides of length c , while the *ET* ΔAJK has side $s_b < c$.

In general, if $\beta = 60^\circ$, then ΔAEF and ΔGHA coincide. As AJ is interior to ΔAEF , $s_b = |JA| < |AE| = s_c = c$. This means the *min ET* is ΔAJK on the middle side b .

In the $70^\circ\text{-}65^\circ\text{-}45^\circ$ triangle, Fig.11, the length of the side of the *min ET*, ΔAJK on side b , is less than that of the *max ET* ΔGHI on side a , by comparing $|AJ|$ and $|IB|$.

For the general argument, suppose $\beta > 60^\circ$, then $\alpha > \beta > 60^\circ$, and by subtracting 60° from α and β it follows that $m\angle JAB > m\angle IBA$. This means $s_a = |HI| > |JA| = s_b$, and ΔJKA is the *min ET* on the middle side b . There is no *ET* on side c in this case, as the base angles are greater than 60° .




Figure 10

Figure 11

In Fig. 12 the graphs of the regions which correspond to Puzzles 5A, 5B, and 5C, are shown. The regions are labeled with the puzzle letter. A typical triangle is shown with vertex C in the region B . Ignoring isosceles triangles, the dashed lines in red and green are off limits, as is the white circular area (recall it is assumed that $a > b > c$).

If *ETs* of largest area on side c are allowed, when vertex C is in region C , there is a *wedged ET* (*WET* for short) [1], [4]. These are not inscribed *ETs* as defined above, since they do not have all 3 vertices on ΔABC , but they are the largest *ETs* on side c .

The term *wedged* is borrowed from Calabi [1].




Figure 12

The *new* results under this change will happen in **Puzzle 5C**, for then a *WET* on the base side c of the triangle can be included, see Figures 11, 13.

5C.1. Let ΔABC satisfy $60^\circ \leq \beta < 80^\circ$, $60^\circ < \alpha < 90^\circ$, and $\alpha + \beta/2 < 120^\circ$. Then the *max WET* is on the short side c , and the *min WET* is on the middle side b .

5C.2. In ΔABC , if we assume:

- i.) $60^\circ < \beta < 80^\circ < \alpha < 90^\circ$, $\alpha/2 + \beta < 120^\circ$, and $\alpha + \beta/2 \geq 120^\circ$, then the *min WET* is on the middle side b , and the *max WET* is on both the short side c and the long side a , when $\alpha + \beta/2 = 120^\circ$, and on the long side a , when $\alpha + \beta/2 > 120^\circ$.
- ii.) $75^\circ < \beta < 90^\circ$, $80^\circ < \alpha < 90^\circ$, and $\alpha/2 + \beta \geq 120^\circ$, then the *max WET* is on the long side a , and the *min WET* is on the short side c , when $\alpha/2 + \beta > 120^\circ$; and on the short side c and the middle side b , when $\alpha/2 + \beta = 120^\circ$.

5C.3. In $\triangle ABC$, if $60^\circ < \beta < 90^\circ < \alpha$, then the max WET is on the long side a , and the min WET is on:
i.) the middle side b , when $\alpha/2 + \beta < 120^\circ$, and on the short side c and the middle side b , when $\alpha/2 + \beta = 120^\circ$,
ii.) the short side c , when $\alpha/2 + \beta > 120^\circ$.

As might be expected, the arguments for these results are a little more involved than those given for Puzzles **5A**, **5B**, and **5C** above.

The following is an example of an argument for result **5C.2i**.

Suppose $60^\circ < \beta < 80^\circ < \alpha < 90^\circ$, $\alpha/2 + \beta < 120^\circ$, $\alpha + \beta/2 = 120^\circ$, and $20^\circ < \gamma < 30^\circ$, by the boundaries of the subregion. This means $90^\circ < m\angle AEC = m\angle BGC < 100^\circ$. Since $\beta < \alpha$, $m\angle EAB > m\angle GBA$, and $|GB| > |AE|$. So $\triangle BHG$ is a possible max WET on side a , and $\triangle AEF$ is a possible min WET on side b .

Let BJ be the angle bisector of β , J on CA , Fig. 13. Then $m\angle AJB = 60^\circ$, since $\alpha + \beta/2 = 120^\circ$. This also means $\gamma + \beta/2 = 60^\circ$, by the Ext. Angle Th., so $m\angle CJB = 120^\circ = m\angle CHG$, and $m\angle CGH = \beta/2$. But then $m\angle AGB = \alpha$, since $\alpha + \beta/2 = 120^\circ$, so $\triangle ABG$ is isosceles, and $c = |GB|$. Therefore $\triangle ABD$ and $\triangle BHG$ are max WETs on sides c and a , resp., and $\triangle AEF$ is the min WET on side b .




Figure 13

On the other hand, if $60^\circ < \beta < 80^\circ < \alpha < 90^\circ$, $\alpha/2 + \beta < 120^\circ$, and $\alpha + \beta/2 > 120^\circ$, then $15^\circ < \gamma < 30^\circ$ (check the conditions for $\alpha = 90^\circ$), and as above $\triangle CAE$ and $\triangle CBG$ are similar, so $m\angle AGB = m\angle AEB$. Then $\alpha > \beta$ implies $\alpha + \beta/2 > \alpha/2 + \beta$, $m\angle EAB > m\angle GBA$, and $m\angle AEB > \beta$, so $|GB| > c > |AE|$. This means that $\triangle BHG$ is the max WET on side a and $\triangle AEF$ is the min WET on side b .

The argument for **5C.2ii** is analogous, but the angle α is bisected instead of angle β in this case. Also, a similar argument can be used in **5C.3**.

The other cases for isosceles triangles with central angle less than 90° are contained in results **5C.1**, and **5C.2ii**.

These new results for Part **5C** divide region **C** into subregions which correspond to each new result, Fig. 14.

The subregion **C.2i** is of particular interest, as two of the boundaries are the graphs of cubic equations, determined by the conditions on the angles in that part.

In region **C.2ii**, if we have $\alpha/2 + \beta = 120^\circ$, then $\gamma = 60^\circ - \alpha/2$, so by the law of sines, if $c = 1$, then

$$b = \sin\beta/\sin\gamma = \sin(120^\circ - \alpha/2)/\sin(60^\circ - \alpha/2) = \sin(60^\circ + \alpha/2)/\sin(60^\circ - \alpha/2), [2].$$

This is equivalent to the polar coordinate equation

$$r = \sin(60^\circ + \theta/2)/\sin(60^\circ - \theta/2), \text{ for } 80^\circ < \theta < 90^\circ,$$

where $A = (0, 0)$ is the polar pole, $B = (1, 0)$, $\theta = \alpha$, and AB is on the polar axis.

Changing this equation to rectangular coordinates by the usual method, determines the associated cubic equation:

$$\sqrt{3}x^3 + x^2(y - 2\sqrt{3}) + \sqrt{3}x(y^2 + 1) + y^3 - 2\sqrt{3}y^2 - y = 0.$$

The graph of this curve (green) is the lower bound of region **C.2ii** and the upper bound of region **C.2i**.




Figure 14

Similarly, the lower bound of region **C.2i** which is the upper bound of region **C.1** satisfies the condition $\alpha + \beta/2 = 120^\circ$, so $\gamma = 60^\circ - \beta/2$. By the law of sines, if $c = 1$, then

$$b = \sin\beta/\sin\gamma = \sin(240^\circ - 2\alpha)/\sin(\alpha - 60^\circ).$$

The corresponding polar coordinates equation is $r = \sin(240^\circ - 2\theta)/\sin(\theta - 60^\circ)$, for $80^\circ < \theta < 90^\circ$.

In rectangular coordinates this corresponds to the cubic equation:

$$\sqrt{3}x^3 - x^2(y + \sqrt{3}) + x(\sqrt{3}y^2 + 2y) + \sqrt{3}y^2 - y^3 = 0.$$

The graph of this curve (blue) is the lower bound of region **C.2i**, and the upper bound of region **C.1**.

The two cubic curves are symmetric about the vertical line through points D and I . The point labeled I is the upper vertex of the “Calabi” triangle in Puzzle 6, and also a point where the 2 cubics intersect [4].

It is obvious if $\triangle ABC$ is itself an *ET*, then all inscribed *ETs* of largest area will coincide with $\triangle ABC$. From our analysis above this is the only triangle where the 3 largest inscribed *ETs* are equal.

However, if *WETs* are admitted, then a new possibility exists, Fig. 15.

Puzzle 6. If $\triangle ABC$ is isosceles with base angles of 80° , show that the largest *WETs* on sides a , b , and c are congruent.

Hint: If $\alpha = \beta = 80^\circ$, then $\gamma = m\angle EAB = m\angle GBA = 20^\circ$.

So, $m\angle AEB = m\angle BGA = 80^\circ$.

Then, triangles $\triangle ABE$ and $\triangle ABG$ are isosceles, $|GB| = c = |AE|$, and all 3 largest *WETs* $\triangle ABD$, $\triangle AEF$, and $\triangle BGH$, are congruent, Fig. 15.




Figure 15

References

1. E. Calabi, *Outline of Proof Regarding Squares Wedged in Triangles*, <http://www.mit.edu/~sfinch/calabi.html>
2. T. Heath, *EUCLID, The Thirteen Books of THE ELEMENTS*, Vol. 1, 2nd ed., Dover, 1956.
3. J. Parks, *Max/Min Puzzles in Geometry*, arXiv: 2201.02050v3.
4. _____, *Inscribing ETs in Triangles*, NYSMTJ, Vol. 63, No. 2, 2013.
5. K. A. Post, *Triangle in a triangle: on a problem of Steinhaus*, Geom. Dedicata 45 (93) 115-20.