

The use of Semantic Technologies in Computer Science Curriculum: A Systematic Review

Yixin Cheng

Yixin.Cheng@anu.edu.au
The Australian National University
Canberra, Australia

Bernardo Pereira Nunes

Bernardo.Nunes@anu.edu.au
The Australian National University
Canberra, Australia

Abstract

Semantic technologies are evolving and being applied in several research areas, including the education domain. This paper presents the outcomes of a systematic review carried out to provide an overview of the application of semantic technologies in the context of the Computer Science curriculum and discuss the limitations in this field whilst offering insights for future research. A total of 4,510 studies were reviewed, and 37 were analysed and reported. As a result, while semantic technologies have been increasingly used to develop Computer Science curricula, the alignment of ontologies and accurate curricula assessment appears to be the most significant limitations to the widespread adoption of such technologies.

CCS Concepts: • **General and reference** → **Surveys and overviews**; • **Social and professional topics** → **Model curricula**; • **Computing methodologies** → **Ontology engineering**.

Keywords: Semantic Technologies, Computer Science Curriculum, Systematic Review

1 Introduction

The Semantic Web (SW) is a decentralised global information space for sharing machine-readable data with minimal interoperability and integration costs [18, 49]. It aims at enabling machines to understand and answer the requests of people and machines through several standards and technologies¹. For instance, the Resource Description Framework (RDF) is the standard data model to represent information² [21] whereas the Web Ontology Language (OWL) is the standard language for defining vocabularies/ontologies on the Web [3].

Ontologies — *a formal representation of the shared knowledge of a domain* [38] — are one of the core technologies of the Semantic Web. Analogous to the concept of ontologies is the concept of curriculum in the educational domain. Cox [8], for example, defines a curriculum as a selection and organisation of knowledge for educational purposes used to represent the shared agreement on what learners should know in different stages of life. Another definition is provided by Chung and Kim in [7] where they state that a

curriculum is a course blueprint designed to guide students' learning [7] through a planned sequence of subjects [31]. As a technology, ontologies can support curriculum design by representing domain knowledge for educational purposes. Cassel et al. [6], for instance, proposed the ontology of computing to support the development of a Computer Science curriculum while Wang et al. [47] proposed the computer course architectural ontology system.

This paper presents a systematic review on the use of semantic technologies in the context of Computer Science Education. We review existing initiatives using semantic technologies for curriculum design as well as the key challenges for their widespread adoption. The following research question guided the development of this work:

- What are the semantic technologies used in the context of Computer Science curriculum?

A total of 4,510 papers were retrieved from mainstream digital libraries and, after detailed analysis, 37 papers were found to be relevant. The reviewed articles focus on the use of ontologies and semantic technologies for curriculum design, curriculum interoperability and analysis. Here, we report on the tools/frameworks, datasets, vocabularies/ontologies, as well as the challenges of using and adopting semantic technologies in curriculum design in Computer Science to leverage new research opportunities.

The remainder of this paper is structured as follows: Section 2 reviews closely related surveys to semantic technologies in Education. Section 3 describes the research methodology used to carry out this systematic review. Section 4 provides an overview of employing semantic technologies in Computer Science curriculum. Section 5 discusses the challenges and, finally, Section 6 concludes the paper.

2 Related Work

Krieger and Rösner [22] present a comprehensive review of the effects and applications of semantic technologies in e-learning. They discuss the construction of models with educational ontologies where they provide an ontology-wise overview in a Web-based educational environment. According to their work, the educational semantic web services include adaptive learning and e-assessment. Finally, they raise a few issues of adopting semantic technologies for data integration such as trust and credibility in data from multiple sources.

¹<https://www.w3.org/standards/semanticweb/>

²<https://www.w3.org/TR/rdf-concepts/>

Another relevant survey was conducted by Pereira et al. [37], where they reviewed various applications of Linked Data in the context of Education, including datasets, tools and common vocabularies/ontologies. They also identified the challenges in each stage of the process and provided an overview of the development in that area.

In another survey, Navarrete and Lujan-Mora [28] focused on the use of Linked Data to enrich Open Educational Resources (OER). Their study described how OER Web sites can adopt the Linked Data principles through the 5-star deployment scheme to enhance discovery, retrieval, reuse and remix of OERs.

Regarding ontology-related studies, Stancin et al. [43] surveyed ontologies used in educational contexts. Their survey is a valuable contribution to curriculum modelling and management describing learning domains, educational data and e-learning services using ontologies. They also provide a clear definition of the term ontology along with traditional methodologies for their creation in the field of Education. Likewise, Tapia-Leon et al. [45] surveyed the application of ontologies in Higher Education institutions and proposed guidelines for ontology creation.

Despite the contributions presented in previous studies, semantic technologies in Curriculum Design, specifically applied to Computer Science, have not yet been thoroughly investigated. This paper fills the gap in the literature by systematically reviewing the usage of semantic technologies applied to Computer Science Curriculum Design.

3 Research Methodology

This systematic review was conducted following the methodology defined by Kitchenham and Charters [4]. The method is composed of three main steps: planning, conducting and reporting. The planning stage helps to identify existing research in the area of interest as well as build the research question. Our research question was created based on the PICOC method [4] and used to identify keywords and corresponding synonyms to build the search string to find relevant related works. The resulting search string is given below.

("computer science" OR "computer engineering" OR "informatics") AND ("curriculum" OR "course description" OR "learning outcomes" OR "curricula" OR "learning objects") AND ("semantic" OR "ontology" OR "linked data" OR "linked open data")

To include a paper in this systematic review, we defined the following inclusion criteria: (1) papers must have been written in English; (2) papers must be exclusively related to semantic technologies, Computer Science and curriculum; (3) papers must have four or more pages (i.e., full research papers); (4) papers must be accessible online; and, finally, (5) papers must be scientifically sound, present a clear methodology and conduct a proper evaluation for the proposed method, tool or model.




Figure 1. Paper Selection Process

Figure 1 shows the paper selection process in detail. Initially, 4,510 papers were retrieved using the ACM Digital Library³, IEEE Xplore Digital Library⁴, Springer⁵, Scopus⁶, ScienceDirect⁷ and Web of Science⁸ as digital libraries. The Springer digital library returned a total of 3,549 studies. The large number of papers returned by the Springer search mechanism led us to develop a simple crawling tool to help us in the process of including/rejecting papers in our systematic review. All the information returned by Springer was collected and stored in a relational database. After that, we were able to correctly query the Springer database and select the relevant papers for this systematic review.

We also applied the forward and backward snowballing method to this systematic review to identify relevant papers that were not retrieved by our query string. The backward snowballing method was used to collect relevant papers from the references of the final list of papers in Phase 1, whereas

³<https://dl.acm.org/>

⁴<https://ieeexplore.ieee.org/>

⁵<https://www.springer.com/>

⁶<https://www.scopus.com/>

⁷<https://www.sciencedirect.com/>

⁸<https://www.webofscience.com/>

the forward snowballing method was used to collect the papers that cited these papers [48]. Google Scholar⁹ was used in the forward snowballing method. In total, 37 studies were identified as relevant; most of the studies were published in the last few years, although no relevant paper has been published in 2022.

4 Semantic Technologies in Computer Science Curriculum Design

4.1 Tools/Frameworks

Protégé¹⁰ [18] is a popular open-source editor and framework for ontology construction, which several researchers have adopted to design curricula in Computer Science [16, 19, 25, 32, 41, 44, 46, 47]. Despite its wide adoption, Protégé still presents limitations in terms of the manipulation of ontological knowledge [44]. As an attempt to overcome this shortcoming, Asoke et al. [19] developed a curriculum design plug-in called OntoCD, allowing curriculum designers to customise curricula by loading a skeleton curriculum and a benchmark domain ontology. OntoCD is evaluated by designing a Computer Science degree curriculum using a benchmark domain ontology proposed by ACM and IEEE [1]. Moreover, Adelina and Jason [44] used Protégé to develop the Sunway University Computing Ontology (SUCO), an ontology-specific Application Programming Interface for curricula management system. They claim that, in response to the shortcoming with using the Protégé platform, the SUCO tool shows a higher level of ability to manipulate and extract knowledge in addition to functioning effectively if the ontology is processed as an eXtensible Markup Language (XML) format document.

Other specific ontology-based tools in curriculum management have also been developed, e.g., the CDIO framework [24]. CDIO was created to automatically adapt a given curriculum according to teaching objectives and content. Similarly, Maffei et al. [25] utilised CONALI ontology as a tool for representing the semantics behind the constructive alignment activities to design, synthesise and evaluate courses in different domains. Likewise, in Mandić’s study, the author presented a software platform¹¹ for comparing informatics teacher education curricula [26]. In Hedayati’s work, the authors used the curriculum Capability Maturity Model (CMM), which is a taxonomical model used for describing the organisation’s level of capability in the domain of software engineering [35], as the reference model to discuss an ontology-driven modelling to the culturally sensitive curriculum development process in the context of vocational ICT education in Afghanistan [16].

Finally, Vaquero et al. [46] used an experience-sharing tool to transform information into knowledge to improve

curriculum design called the “Set of Experience Knowledge Structure” (SOEKS) [40]. SOEKS is used as part of a process to collect, infer and manage explicit knowledge using ontologies and semantic reasoning to provide curriculum designers with different expert perspectives for curriculum design.

4.2 Datasets

One of the most popular datasets used to build ontologies or as benchmarks between Computer Science curricula is the open-access CS2013¹² [1]. This dataset results from the joint development sponsored by the ACM and IEEE Computer Society of a computing curriculum [38]. CS2013 has been widely adopted [2, 12, 16, 19, 31, 32] due to its international reach and curricula and pedagogical guidelines.

Similar to CS2013, the Thailand Qualification Framework for Higher Education (TQF: HEd) was developed by the Office of the Thailand Higher Education Commission to be used by all Higher Education Institutions (HEIs) in Thailand as a framework to enhance the quality of course curricula and enable academic mobility. The TQF: HEd guidelines have been used in terms of ontology development in several studies for Computer Science curriculum design [15, 31–33].

Other studies use self-created datasets [12, 16, 25, 47]. Specifically, in Wang’s work, the Ontology System for the Computer Course Architecture (OSCCA) was proposed based on a dataset created using course catalogues from top universities in China and network education Web sites [47]. In Maffei’s study, the authors experiment and evaluate the proposal based on the Engineering program at KTH Royal Institute of Technology in Stockholm, Sweden [25]. In Gubervic et al.’s work, the dataset used for comparing courses comes from the Faculty of Electrical Engineering and Computing at the University of Zagreb in Croatia and all universities from United States of America [14]. In Fiallos’s study, not only did the authors adopt CS2013 for domain ontologies modelling, but also the core Computational Sciences courses from the Escuela Superior Politécnica del Litoral (ESPOL¹³) in Ecuador were collected to compare semantic similarity between curricula. [12].

4.3 Knowledge Representation

RDF is used as the design standard for data interchange in the following studies [32, 38, 41]. In particular, Saquicela et al. [41] generated curriculum data in RDF format, creating and storing data in a repository when the ontological model has been defined and created.

Built on RDF and extended with additional vocabulary and semantics [27], OWL¹⁴ is a vocabulary used in many studies for representing and sharing knowledge on the Web [5, 25,

⁹<https://scholar.google.com/>

¹⁰<https://protege.stanford.edu/>

¹¹<http://www.pef.uns.ac.rs/InformaticsTeacherEducationCurriculum>

¹²<https://cs2013.org/>

¹³<https://www.espol.edu.ec/>

¹⁴<https://www.w3.org/OWL/>

26, 38, 46, 47]. Apart from OWL, two studies used XML¹⁵ due to implementation requirements of their researches [15, 44].

Body of Knowledge (BoK) is another method for representing knowledge, often using OWL. It offers a complete set of concepts, terms and activities for a professional domain [38]. BoK has been used in many studies [7, 15, 19, 31, 33, 45] for curriculum design, including Piedra and Caro [38] who used it based on the IEEE/ACM CS2013 ontology as “a specification of the content to be covered and a curriculum as an implementation”; Numtawong et al. [32] who used it to map different ontologies based on the ontology of TQF: HED; and, Barb and Kilicay-Ergin [5] who used BoK based on the Library of Congress Subject Headings¹⁶ to propose and evaluate an ontology for an Information Science curriculum.

4.4 Use of Semantic Technologies in Computer Science Curriculum Design

Semantic technologies have been found helpful in the context of curriculum design to (i) extract and analyse the relationship between concepts from learning materials; (ii) measure the similarity between courses/disciplines and their pre-requisites; and, (iii) create ontologies to enable course / curriculum analysis. These approaches mainly aim to enable academic mobility and curriculum interoperability across institutions [38].

Most approaches and tools use natural language processing techniques (e.g., NLTK¹⁷) to generate semantic descriptions for ontology creation [38, 45] based on extracted concepts and their relationships [47], find patterns in curricula [34] and compare them [20]. Analysis and comparison of concepts extracted are performed based on word [34], sentence [2, 12, 36] and concept network level [17, 31–33].

Lexical database of semantic relations such as WordNet¹⁸ [36] and Latent Semantic Analysis [10, 14] are also used to measure the similarity of courses/disciplines or define ontology mapping rules to establish dependency relationships between curricula. For performance reasons, these approaches are often combined with clustering [41], statistical methods [5, 34, 41], and established taxonomies, such as the Bloom Taxonomy, [23, 26] to measure course similarity.

5 Discussion

Semantic technologies have the potential to facilitate academic mobility, curriculum interoperability, program and course benchmarking, and the design of new curricula. However, despite its potential benefits, several challenges hamper its broad adoption in Computer Science and in other domains.

One of the challenges is to create domain-specific ontologies to represent all the areas of computing, as mentioned in [13]. The main challenges are that the existing ontologies for CS represent different structures for CS programs and courses as well as represent concepts in different depths and contexts. Ontology Alignment (OA) techniques to address these issues have been extensively proposed [15, 38], however, OA is still a research problem [9, 30]. Further investigation is required to understand the difference in CS curricula in different universities and how these differences can be used to enhance existing CS programs and curricula. Although Sekiya et al. [42] present a study where the top ten universities in the USA in 2015 uniformly covered topics in Computer Science using the CS2013 curriculum guidelines, “*there is no single correct ontology for any domain*” [29]. Therefore, multiple ontologies are required to account for the diversity and local needs of each CS program and course, HEI and country. We note, however, that reuse and modularity are important factors to be considered when building ontologies [39] and, although a list of Good Ontologies¹⁹ are available to assist ontology creators, many of the studies reviewed do not reuse them.

Other aspects to consider when building ontologies are maintainability and correctness [39]. An ontology must take into account changes and the correct interpretation of domain-specific concepts to avoid erroneous inferences and, therefore, impact the use of that ontology in a specific domain, e.g., in our context, hinder academic mobility and curricular interoperability. We recognise that this might be a difficult problem to solve as curriculum design are often based on cultural background and ideology.

Domain-specific semantic tools for curriculum design are lacking, while the use of multipurpose semantic tools can introduce errors into the process of creation (and alignment) of curriculum design, requiring manual verification [34], which makes the process less attractive and, therefore, less adoptable by HEIs. To exemplify this problem, consider the common Learning Outcomes creation/alignment task. Many curriculum creators rely on the hierarchical structure of Bloom’s Taxonomy (Remembering, Understanding, Applying, Analysing, Evaluating and Creating) [23], but representing or capturing each of these levels from textual descriptions by multipurpose semantic tools is hard [26, 36]. Future research on semantic reasoners is promising, as seen in [46].

For ontology creation, Protégé seems to be the standard tool (see Section 4.1). However, as it is not a tool for creating curricula, many studies have created extensions (and other tools) to facilitate the creation of curricula [19, 44]. Future research on ontology creation tools and curriculum design is required to elicit the requirements for an ontology creation tool for curriculum design.

¹⁵<https://www.w3.org/standards/xml/>

¹⁶<https://www.loc.gov/aba/cataloging/subject/>

¹⁷<https://www.nltk.org/>

¹⁸<https://wordnet.princeton.edu/>

¹⁹https://www.w3.org/wiki/Good_Ontologies

Another issue is related to the reproducibility of the proposed ontologies for CS curricula. Several studies [11, 24, 44, 46, 47] do not make their datasets available nor validate their approaches. We finalise this discussion with a call for reproducible research in this field. Ontologies and datasets must be available to take advantage of the benefits of semantic technologies.

6 Conclusion

This study presented a systematic review on semantic technologies applied in the context of Computer Science and Curriculum Design.

This paper addressed the most common topics covered in the literature, such as tools and frameworks used for curriculum design; datasets used to evaluate and propose Computer Science curricula; knowledge representation models to manage curriculum data; and the many uses of semantic technologies in the context of curriculum design.

Although there are common challenges faced in curriculum design using semantic technologies such as the efficiency of data processing and the evaluation and alignment of ontologies, the use of semantic technologies facilitates numerous improvements in academic activities (such as curricula design, mobility, interoperability and benchmarking). The literature reviewed are an initial but important step to allow the construction of CS curricula. However, to enable further adoption of semantic technologies, HEIs need to make their curricula available using semantic standards using frameworks and languages such as RDF and OWL.

References

- [1] ACM/IEEE-CS Joint Task Force on Computing Curricula. 2013. *Computer Science Curricula 2013*. Technical Report. ACM Press and IEEE Computer Society Press. <https://doi.org/10.1145/2534860>
- [2] Eiman Aeiad and Farid Meziane. 2016. Validating learning outcomes of an E-Learning system using NLP. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)* 9612 (2016), 292–300. https://doi.org/10.1007/978-3-319-41754-7_27
- [3] Pierre Allard and Sébastien Ferré. 2008. Dynamic Taxonomies for the Semantic Web. 382 – 386. <https://doi.org/10.1109/DEXA.2008.71>
- [4] Kitchenham BA and Stuart Charters. 2007. Guidelines for performing Systematic Literature Reviews in Software Engineering. 2 (01 2007).
- [5] Adrian S. Barb and Nil Kilicay-Ergin. 2020. Applications of Natural Language Techniques to Enhance Curricular Coherence. *Procedia Computer Science* 168 (2020), 88–96. <https://doi.org/10.1016/j.procs.2020.02.263> “Complex Adaptive Systems”Malvern, PennsylvaniaNovember 13-15, 2019.
- [6] Lillian N. Cassel, Gordon Davies, William Fone, Anneke Hacquebard, John Impagliazzo, Richard LeBlanc, Joyce Currie Little, Andrew McGettrick, and Michela Pedrona. 2007. The Computing Ontology: Application in Education. *SIGCSE Bull.* 39, 4 (Dec. 2007), 171–183. <https://doi.org/10.1145/1345375.1345439>
- [7] Hyun Sook Chung and Jung Min Kim. 2014. Semantic model of syllabus and learning ontology for intelligent learning system. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)* 8733 (2014), 175–183. https://doi.org/10.1007/978-3-319-11289-3_18
- [8] Cristián Cox. 2005. Cecilia Braslavsky and the Curriculum. *PROSPECTS* 35, 4 (2005), 415–427. <https://doi.org/10.1007/s11125-006-7258-9>
- [9] Jairo Francisco de Souza, Sean Wolfgang Matsui Siqueira, and Bernardo Pereira Nunes. 2020. A framework to aggregate multi-ple ontology matchers. *Int. J. Web Inf. Syst.* 16, 2 (2020), 151–169. <https://doi.org/10.1108/IJWIS-05-2019-0023>
- [10] Scott Deerwester, Susan T. Dumais, George W. Furnas, Thomas K. Landauer, and Richard Harshman. 1990. Indexing by Latent Semantic Analysis. *JOURNAL OF THE AMERICAN SOCIETY FOR INFORMATION SCIENCE* 41 (1990), 391–407.
- [11] Hilary Dexter and Ioan Davies. 2009. An ontology-based curriculum knowledgebase for managing complexity and. *Proceedings - 2009 9th IEEE International Conference on Advanced Learning Technologies, ICALT 2009* June (2009), 136–140. <https://doi.org/10.1109/ICALT.2009.85>
- [12] Angel Fiallos. 2018. Assisted curricula design based on generation of domain ontologies and the use of NLP techniques. *2017 IEEE 2nd Ecuador Technical Chapters Meeting, ETCM 2017* 2017-Janua (2018), 1–6. <https://doi.org/10.1109/ETCM.2017.8247474>
- [13] CC2020 Task Force. 2020. *Computing Curricula 2020: Paradigms for Global Computing Education*. Association for Computing Machinery, New York, NY, USA.
- [14] E. Guberovic, F. Turcinovic, Z. Relja, and I. Bosnic. 2018. In search of a syllabus: Comparing computer science courses. *2018 41st International Convention on Information and Communication Technology, Electronics and Microelectronics, MIPRO 2018 - Proceedings* (2018), 588–592. <https://doi.org/10.23919/MIPRO.2018.8400111>
- [15] Xingwei Hao, Xiangxu Meng, and Xu Cui. 2008. Knowledge Point Based Curriculum Developing and Learning Object Reusing. *Knowledge Creation Diffusion Utilization* (2008), 126–137.
- [16] Mohammad Hadi Hedayati and Laanpere Mart. 2016. Ontology-driven modeling for the culturally-sensitive curriculum development: A case study in the context of vocational ICT education in Afghanistan. *Proceedings of the 10th INDIACom; 2016 3rd International Conference on Computing for Sustainable Global Development, INDIACom 2016* Ontology 101 (2016), 928–932.
- [17] Wael H.Gomaa and Aly A. Fahmy. 2013. A Survey of Text Similarity Approaches. *International Journal of Computer Applications* 68, 13 (2013), 13–18. <https://doi.org/10.5120/11638-7118>
- [18] Muhammad Imran and R. I.M. Young. 2016. Reference ontologies for interoperability across multiple assembly systems. *International Journal of Production Research* 54, 18 (2016), 5381–5403. <https://doi.org/10.1080/00207543.2015.1087654>
- [19] Asoka S. Karunananda, Gihan M. Rajakaruna, and Shantha Jayalal. 2012. OntoCD - Ontological solution for curriculum development. *International Conference on Advances in ICT for Emerging Regions, ICTer 2012 - Conference Proceedings* (2012), 137–144. <https://doi.org/10.1109/ICTer.2012.6421412>
- [20] Kornraphop Kawintiranon, Peerapon Vateekul, Atiwong Suchato, and Proadpran Punyabukkana. 2016. Understanding knowledge areas in curriculum through text mining from course materials. In *2016 IEEE International Conference on Teaching, Assessment, and Learning for Engineering (TALE)*. 161–168. <https://doi.org/10.1109/TALE.2016.7851788>
- [21] Graham Klyne and Jeremy Carroll. 2006. Resource Description Framework (RDF): Concepts and Abstract Syntax. *World Wide Web Consortium* 10 (01 2006).
- [22] Katrin Krieger and Dietmar Rösner. 2011. Linked Data in E-Learning: A Survey. *Semantic Web 0 0* (2011), 1–9. <http://semantic-web-journal.org/sites/default/files/swj184.pdf>
- [23] Thomas J. Lasley. 2013. Bloom’s Taxonomy. <https://doi.org/10.4135/9781412957403.n51>
- [24] Ye Liang and Xiaojun Ma. 2012. Teaching reform of software engineering course. *ICCSE 2012 - Proceedings of 2012 7th International*

- Conference on Computer Science and Education Iccse* (2012), 1936–1939. <https://doi.org/10.1109/ICCSE.2012.6295452>
- [25] Antonio Maffei, Lorenzo Daghini, Andreas Archenti, and Niels Lohse. 2016. CONALI Ontology. A Framework for Design and Evaluation of Constructively Aligned Courses in Higher Education: Putting in Focus the Educational Goal Verbs. *Procedia CIRP* 50 (2016), 765–772. <https://doi.org/10.1016/j.procir.2016.06.004>
- [26] Milinko Mandić. 2018. Semantic web based software platform for curriculum harmonization*. *ACM International Conference Proceeding Series* (2018). <https://doi.org/10.1145/3227609.3227654>
- [27] Deborah L McGuinness and Frank van Harmelen. 2004. OWL Web Ontology Language Overview. *W3C recommendation* 10, February (2004). <http://www.w3.org/TR/owl-features/>
- [28] Rosa Navarrete and Sergio Lujan-Mora. 2015. Use of Linked Data to enhance Open Educational Resources. *2015 International Conference on Information Technology Based Higher Education and Training, ITHET 2015* (2015). <https://doi.org/10.1109/ITHET.2015.7218017>
- [29] N. Noy and Deborah McGuinness. 2001. Ontology Development 101: A Guide to Creating Your First Ontology. *Knowledge Systems Laboratory* 32 (01 2001).
- [30] Bernardo Pereira Nunes, Alexander Arturo Mera Caraballo, Marco Antonio Casanova, Besnik Fetahu, Luiz André P. Paes Leme, and Stefan Dietze. 2013. Complex Matching of RDF Datatype Properties. In *Database and Expert Systems Applications - 24th International Conference, DEXA 2013, Prague, Czech Republic, August 26-29, 2013. Proceedings, Part I (Lecture Notes in Computer Science, Vol. 8055)*, Hendrik Decker, Lenka Lhotská, Sebastian Link, Josef Basl, and A Min Tjoa (Eds.). Springer, 195–208. https://doi.org/10.1007/978-3-642-40285-2_18
- [31] Chayan Nuntawong, Chakkrit Snae Namahoot, and Michael Brückner. 2016. A web based cooperation tool for evaluating standardized curricula using ontology mapping. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)* 9929 LNCS (2016), 172–180. https://doi.org/10.1007/978-3-319-46771-9_23
- [32] Chayan Nuntawong, Chakkrit Snae Namahoot, and Michael Brückner. 2017. HOME: Hybrid ontology mapping evaluation tool for computer science curricula. *Journal of Telecommunication, Electronic and Computer Engineering* 9, 2-3 (2017), 61–65.
- [33] Chayan Nuntawong, Chakkrit Snae, and Michael Brückner. 2015. A Semantic Similarity Assessment Tool for Computer Science Subjects Using Extended Wu & Palmer’s Algorithm and Ontology. *Lecture Notes in Electrical Engineering* 339 (02 2015), 989–996. https://doi.org/10.1007/978-3-662-46578-3_118
- [34] Gerardo Orellana, Marcos Orellana, Victor Saquicela, Fernando Baculima, and Nelson Piedra. 2018. A text mining methodology to discover syllabi similarities among higher education institutions. *Proceedings - 3rd International Conference on Information Systems and Computer Science, INCISCOS 2018* 2018-Decem (2018), 261–268. <https://doi.org/10.1109/INCISCOS.2018.00045>
- [35] Mark Paulk, Bill Curtis, Mary Chrissis, and Charles Weber. 1993. *Capability Maturity Model for Software, Version 1.1*.
- [36] Atish Pawar and Vijay Mago. 2018. Similarity between learning outcomes from course objectives using semantic analysis, bloom’s taxonomy and corpus statistics. *arXiv* (2018). arXiv:1804.06333
- [37] Crystiam Kelle Pereira, Sean Wolfgang Matsui Siqueira, Bernardo Pereira Nunes, and Stefan Dietze. 2018. Linked Data in Education: A Survey and a Synthesis of Actual Research and Future Challenges. *IEEE Transactions on Learning Technologies* 11, 3 (2018), 400–412. <https://doi.org/10.1109/TLT.2017.2787659>
- [38] Nelson Piedra and Edmundo Tovar Caro. 2018. LOD-CS2013: Multi-learning through a semantic representation of IEEE computer science curricula. *IEEE Global Engineering Education Conference, EDUCON 2018-April* (2018), 1939–1948. <https://doi.org/10.1109/EDUCON.2018.8363473>
- [39] Alan L. Rector. 2002. Normalisation of ontology implementations : Towards modularity , re-use , and maintainability.
- [40] Cesar Sanin and Edward Szczerbicki. 2005. Set of experience: a knowledge structure for formal decision events. *Foundations of Control and Management Sciences* (2005), 95–113.
- [41] Victor Saquicela, Fernando Baculima, G. Orellana, Nelson Piedra, Marcos Orellana, and M. Espinoza. 2018. Similarity Detection among Academic Contents through Semantic Technologies and Text Mining. In *IWSW*.
- [42] Takayuki Sekiya, Yoshitatsu Matsuda, and Kazunori Yamaguchi. 2015. Curriculum Analysis of CS Departments Based on CS2013 by Simplified, Supervised LDA. In *Proceedings of the Fifth International Conference on Learning Analytics And Knowledge (Poughkeepsie, New York) (LAK '15)*. Association for Computing Machinery, New York, NY, USA, 330–339. <https://doi.org/10.1145/2723576.2723594>
- [43] Kristian Stancin, Patrizia Poscic, and Danijela Jaksic. 2020. Ontologies in education – state of the art. *Education and Information Technologies* 25, 6 (2020), 5301–5320. <https://doi.org/10.1007/s10639-020-10226-z>
- [44] Adelina Tang and Jason Hoh. 2013. Ontology-specific API for a curricula management system. *2013 2nd International Conference on E-Learning and E-Technologies in Education, ICEEE 2013* (2013), 294–297. <https://doi.org/10.1109/ICELeTE.2013.6644391>
- [45] Mariela Tapia-Leon, Abdón Carrera Rivera, Janneth Chicaiza, and Sergio Luján-Mora. 2018. Application of ontologies in higher education: A systematic mapping study. In *2018 IEEE Global Engineering Education Conference (EDUCON)*. 1344–1353. <https://doi.org/10.1109/EDUCON.2018.8363385>
- [46] Javier Vaquero, Carlos Toro, Juantxu Martín, and Andoni Aregita. 2009. Semantic Enhancement of the Course Curriculum Design Process. In *Proceedings of the 13th International Conference on Knowledge-Based and Intelligent Information and Engineering Systems: Part I (Santiago, Chile) (KES '09)*. Springer-Verlag, Berlin, Heidelberg, 269–276. https://doi.org/10.1007/978-3-642-04595-0_33
- [47] Yan Wang, Zhao Wang, Xuemei Hu, Tian Bai, Sen Yang, and Lan Huang. 2019. A Courses Ontology System for Computer Science Education. *2019 IEEE International Conference on Computer Science and Educational Informatization, CSEI 2019* 3 (2019), 251–254. <https://doi.org/10.1109/CSEI47661.2019.8938930>
- [48] Claes Wohlin. 2014. Guidelines for snowballing in systematic literature studies and a replication in software engineering. *ACM International Conference Proceeding Series* (2014). <https://doi.org/10.1145/2601248.2601268>
- [49] Xiaoyan Yu, Manas Tungare, Weiguo Fan, Manuel Pérez-Quiñones, Edward A. Fox, William Cameron, and Lillian Cassel. 2007. Using automatic metadata extraction to build a structured syllabus repository. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)* 4822 LNCS (2007), 337–346. https://doi.org/10.1007/978-3-540-77094-7_43