Reply to W. T. Kranz on "Explicit analytical solution for random close packing in d = 2 and d = 3"

Alessio Zaccone^{1,2*}

¹Department of Physics "A. Pontremoli", University of Milan, via Celoria 16, 20133 Milan, Italy. and ²Cavendish Laboratory, University of Cambridge, JJ Thomson Avenue, CB30HE Cambridge, U.K.

In a response to our paper [1], W. Till Kranz (WTK) [2], present some erroneous considerations, that are in contradiction with all the previous literature, and which can be summarized as follows. WTK, first of all, claims that our paper "contains mathematical flaws", which is not true since our original paper [1] is (i) mathematically correct (as anyone can easily verify) under the stated assumptions and (ii) all the assumptions are critically and carefully discussed in the paper.

WTK claims that "As the contact value $g(\sigma)$ of the pair correlation function g(r) diverges at close packing [2], Eq. (6) in Ref. [1] appears suspicious." It is of course true that the g(r) diverges at contact, this is well known from simulations, but this is not in contradiction with Eq. (6) in our paper [1]. As a matter of fact Eqs. (5)-(6) in our paper are fully consistent with Eq. (17) in [3] used by Torquato to effectively represent the divergence of the g(r) at contact, i.e. by means of a Dirac delta function which takes care of the *discrete* part of the probability distribution function.

After this, WKT introduces his own description of the short-range radial distribution function g(r) of the RCP, as follows:

$$g(r) = g_{sing}(r/\sigma) + g_{reg}(r/\sigma), \tag{1}$$

i.e. by splitting the q(r) into a singular (diverging) part and into a regular (non-diverging) part. WTK's choice is at odds not only with Eq. (5) in our paper, but, even more importantly, is inconsistent with Eq. (17) in the recent review by Torquato [3] which summarizes the state of the art in the field. In particular, we argue that the above equation proposed by WKT is incorrect because the correct splitting is not between "singular" and "regular", which has no meaning in terms of theory of probability distribution functions (pdfs), but rather between "discrete" and "continuous", as correctly argued in our paper [1] and by Torquato [3]. In the theory of pdfs the splitting between discrete and continuous parts is standard and discussed in most treatises on probability theory. WTK's splitting of the q(r) into singular and regular parts has no meaning, and is clearly erroneous, in terms of probability theory, because the q(r) is a pdf and thus cannot be singular (because obviously, as is well known,

it has to be normalized).

This erroneous assumption in WKT's Comment [2] invalidates the author's further results, which are based on it, and the claims about our paper.




Figure 1. The near-contact radial distribution function g(r) at random close packing in d = 3. The black curve represents numerical data adapted from [4], this is the *continuous* part of the g(r), according to [1, 3] (note that a slightly different exponent 0.4 was discovered in [5] and appears in agreement with replica theory [6]). The thick vertical arrow represents the Dirac delta in the *discrete* part of g(r) according to Eqs.(5)-(6) of Ref. [1] and Eq. (17) of Ref. [3]. This picture is also consistent with all the previous literature on the g(r) of random aggregates of spheres, e.g. [7] and [8].

In summary, the correct picture for the RCP's g(r) as a pdf, from both the point of view of probability theory and physical considerations, is schematized in Fig. 1. This picture is consistent with both the definition used in our paper [1], and that commonly accepted in the random packing literature [3], as well as with a number of previous works on the mathematical modelling of the near-contact part of the g(r) of random aggregates of spheres, e.g. [7] and [8].

^{*} alessio.zaccone@unimi.it

- [1] A. Zaccone, Phys. Rev. Lett. **128**, 028002 (2022).
- [2] W. T. Kranz, ArXiv preprint, https://arxiv.org/abs/2204.13901.
- [3] S. Torquato, J. Chem. Phys. **149**, 020901 (2018).
- [4] A. Donev, S. Torquato, and F. H. Stillinger, Phys. Rev. E 71, 011105 (2005).
- [5] E. Lerner, G. During, M. Wyart, Soft Matter 9, 8252-8263 (2013).
- [6] P. Charbonneau et al. J. Stat. Mech. P10009 (2014).
- [7] P. Dimon, et al. Phys. Rev. Lett. 57, 595 (1986).
- [8] M. Lattuada, H. Wu, M. Morbidelli, J. Colloid Interface Sci. 268, 106 (2003).