

floodlight - A HIGH-LEVEL, DATA-DRIVEN SPORTS ANALYTICS FRAMEWORK

 **Dominik Raabe***

Institute of Exercise, Training and Sport Informatics
German Sport University Cologne
dominik.raabe@dshs-koeln.de

 **Henrik Biermann**

Institute of Exercise, Training and Sport Informatics
German Sport University Cologne
h.biermann@dshs-koeln.de

 **Manuel Bassek**

Institute of Exercise, Training and Sport Informatics
German Sport University Cologne
m.bassek@dshs-koeln.de

 **Martin Wohlan**

Institute of Exercise, Training and Sport Informatics
German Sport University Cologne
m.wohlan@dshs-koeln.de

 **Rumena Komitova**

Institute of Exercise, Training and Sport Informatics
German Sport University Cologne
r.komitova@dshs-koeln.de

 **Robert Rein**

Institute of Exercise, Training and Sport Informatics
German Sport University Cologne
r.rein@dshs-koeln.de

 **Tobias Kuppens Groot**

Independent
tkuppensgroot@uni-osnabrueck.de

 **Daniel Memmert**

Institute of Exercise, Training and Sport Informatics
German Sport University Cologne
d.memmert@dshs-koeln.de

June 7, 2022

ABSTRACT

The present work introduces *floodlight*, an open source Python package built to support and automate team sport data analysis. It is specifically designed for the scientific analysis of spatiotemporal tracking data, event data, and game codes in disciplines such as match and performance analysis, exercise physiology, training science, and collective movement behavior analysis. It is completely provider- and sports-independent and includes a high-level interface suitable for programming beginners. The package includes routines for most aspects of the data analysis process, including dedicated data classes, file parsing functionality, public dataset APIs, pre-processing routines, common data models and several standard analysis algorithms previously used in the literature, as well as basic visualization functionality. The package is intended to make team sport data analysis more accessible to sport scientists, foster collaborations between sport and computer scientists, and strengthen the community's culture of open science and inclusion of previous works in future works.

1 Summary

The increase of available data has had a positive impact on the entire sports domain and especially sport science [Morgulev et al., 2018]. Two major data sources of relevance in this domain are spatiotemporal tracking data of athlete positions as well as manually annotated match event data [Stein et al., 2017, Memmert and Raabe, 2018]. These two data types are regularly collected by professional sport organizations in different team invasion games such as football, basketball, or handball [Memmert, 2021]. These data sources open up a whole range of new analysis possibilities across multiple (sub)disciplines in the field, including match and performance analysis, exercise physiology, training science, or collective movement behavior analysis. As an example, player tracking data has been used extensively to analyze physical [Castellano et al., 2014] as well as tactical [Rein and Memmert, 2016] performance in football.

*Corresponding Author




Figure 1: Positions of football players (left) and trajectories of handball players (right) from real-world match data as visualized with *floodlight*.

The *floodlight* Python package provides a framework to support and automate team sport data analysis. *floodlight* is constructed to process spatiotemporal tracking data, event data, and other game meta-information to support scientific performance analyses. *floodlight* was designed to provide a general yet flexible approach to performance analysis, while simultaneously providing a user-friendly high-level interface for users with basic programming skills. The package includes routines for most aspects of the data analysis process, including dedicated data classes, file parsing functionality, public dataset APIs, pre-processing routines, common data models and several standard analysis algorithms previously used in the literature, as well as basic visualization functionality.

Central to the package is a set of generalized, provider- and sports-independent core data structures based on *numpy* [Harris et al., 2020] and *pandas* [McKinney, 2010]. Each of these data structures are dedicated to one specific type of sports data, including spatiotemporal tracking data, event data, game codes (meta information such as ball possession information), pitch information regarding the embedding of data and playing surfaces into Cartesian coordinate systems, as well as team and player properties (such as frame-wise velocity or acceleration values). The data structures are designed with a focus on scientific computing, i.e., optimized for accessible and intuitive data manipulations as well as sensitive to performance by utilizing *numpy*'s view-, vectorization- and indexing techniques.

The core data classes allow internal storage and processing of sports data whilst decoupling from any format-specific requirements. Consequently, *floodlight* is built around these objects, comprising several elementary modules of the data processing pipeline. For data loading, the package provides parsing submodules with functions that dissect and map data from specific provider formats to core data structures (including providers such as Kinexon, Tracab, Stats Perform, StatsBomb, or DFL), which eliminates problems caused by the many, strongly varying data formats in use. Data loaders and mappers for available public datasets such as the EIGD-H dataset [Biermann et al., 2021] are additionally included. In terms of data processing, the package provides dedicated manipulation functionality such as spatial transformations helpful for spatial data synchronization or signal filters based on *scipy* [Virtanen et al., 2020]. For data inspection, basic visualization functionality based on the *matplotlib* package [Hunter, 2007] is included (see Figure 1).

The actual data analysis part is realized by a submodule providing several data models. These models provide a toolbox of domain-specific data analysis procedures from different subdomains such as exercise physiology, e.g., the metabolic power model [di Prampero and Osgnach, 2018], dynamical system approaches, e.g., approximate entropy [Pincus, 1991], or collective tactical behavior, e.g., centroid-based measures [Sampaio and Maças, 2012, Bourbousson et al., 2010]. All models follow the same syntax inspired by the *scikit-learn* package [Buitinck et al., 2013], where upon instantiation, a central fitting method is called with core data structures. Subsequently, required computations can be queried with additional class methods. This allows a consistent syntax and collection of similar measures into cohesive data models while limiting the repetition of basic calculations and allowing simple future extensions.

2 Statement of Need

Despite the increase in volume, the technical requirements for team sport data analysis have constantly remained high. This can be partially attributed to the complexity and heterogeneity of the data itself [Stein et al., 2017, Memmert and Raabe, 2018], but also to multiple practical and theoretical challenges. These include the necessity of complex file parsing procedures for provider-specific data formats, low compatibility across data providers, or differing standards for spatial or temporal resolution of data, often requiring specialized pre-processing routines. Meeting these challenges

typically requires massive and customized overhead programming in sports data analysis projects. At the same time, there hardly exist any general, proprietary or open source, software alternatives which can be used out of the box for scientific purposes. Existing software is either commercially driven (i.e., proprietary, limited to a specific data provider or focused on industrial applications), or task-specific (i.e., limited to a certain data source, data format, sport or subtask) which leaves the problem of adapting code to multiple different APIs within the analysis process.

These current constraints resulted in a situation where a typical analysis workflow requires the (re)implementation of each processing pipeline module in its entirety with respect to the specific project’s needs. For sport scientists who typically lack programming skills (which are usually not part of their formal training) this can become an insurmountable hurdle. As a consequence, advanced team sports data analyses remain inaccessible for large parts of the sport scientific community which poses a significant hindrance for future progress. Accordingly, the *floodlight* package was designed to specifically address this problem and significantly ease advanced analyses of sports data. *floodlight* automates standard data processing routines and provides a high-level interface accessible to users with just basic programming skills. The *floodlight* documentation contains several tutorials as well as an extensive compendium discussing the technical aspects of team sports data analysis to ensure easy access and understanding of the routines and their design choices. The tutorials increase the beginner-friendliness of *floodlight* and allow its usage in educational settings, e.g., for team sport data analytics courses.

Another hurdle faced by sports scientist relates to the current lack of collaboration and code sharing practices within the field. At present, sharing proposed data models or algorithms for analyses is the exception rather than the rule. In parts, the lack of sharing often stems from the proprietary nature of the raw data, but is further exacerbated by lack of data format gold standards. More generally, disciplines that employ team sports data analysis have reported a culture that contains very little replications and works incorporating previous findings [Herold et al., 2019], low applicability of research by practitioners [Bishop, 2008, Mackenzie and Cushion, 2013, Herold et al., 2019] and limited interdisciplinary approaches between computer and sport scientists [Rein and Memmert, 2016, Goes et al., 2021]. A major milestone in the process of meeting these challenges is to find feasible ways of sharing data and algorithms [Rein and Memmert, 2016]. The *floodlight* package can be seen as a first step in this direction with a toolbox-approach collecting common data manipulation and processing techniques.

floodlight will therefore be equally useful for sports scientists as well as computer scientists, working in academia or applied settings. The package will therefore serve to bring these users groups together and foster future interdisciplinary collaborations. Ideally, this will also promote further open source contributions that share advanced data processing algorithms in the domain and enable future work incorporating previous findings.

3 Example

The following code sample illustrates how *floodlight* reduces a typical performance analysis pipeline to just a few lines of code. In the example, one sample of data is queried from the public EIGD-H dataset, filtered, and the cumulative metabolic work of the home team is calculated for the entire segment of data:

```
from floodlight.io.datasets import EIGDDataset
from floodlight.transforms.filter import butterworth_lowpass
from floodlight.models.kinetics import MetabolicPowerModel

dataset = EIGDDataset()
home_team_data, away_team_data, ball_data = dataset.get()

home_team_data = butterworth_lowpass(home_team_data)

model = MetabolicPowerModel()
model.fit(home_team_data)
metabolic_power = model.cumulative_metabolic_power()
```

Acknowledgements

This project has received funding from the German Federal Ministry of Education and Research (BMBF) to the last author under grant number 01IS20021A.

Resources

More information on the project as well as source code and documentation can be found here:

Package hosting: <https://pypi.org/project/floodlight/>

Project source code: <https://github.com/floodlight-sports/floodlight>

Documentation: <https://floodlight.readthedocs.io>

References

- Elia Morgulev, Ofer H. Azar, and Ronnie Lidor. Sports analytics and the big-data era. *International Journal of Data Science and Analytics*, 5(4):213–222, June 2018. ISSN 2364-415X, 2364-4168. doi:10.1007/s41060-017-0093-7.
- Manuel Stein, Halldór Janetzko, Daniel Seebacher, Alexander Jäger, Manuel Nagel, Jürgen Hölsch, Sven Kosub, Tobias Schreck, Daniel Keim, and Michael Grossniklaus. How to Make Sense of Team Sport Data: From Acquisition to Data Modeling and Research Aspects. *Data*, 2(1):2, January 2017. ISSN 2306-5729. doi:10.3390/data2010002.
- Daniel Memmert and Dominik Raabe. *Data Analytics in Football: Positional Data Collection, Modelling and Analysis*. Routledge, London, 2018. ISBN 978-0-8153-8155-6. doi:10.4324/9781351210164.
- Daniel Memmert. *Match Analysis: How to Use Data in Professional Sport*. Routledge, New York, 2021. ISBN 978-1-00-316095-3. doi:10.4324/9781003160953.
- Julen Castellano, David Alvarez-Pastor, and Paul S. Bradley. Evaluation of research using computerised tracking systems (amisco® and prozone®) to analyse physical performance in elite soccer: A systematic review. *Sports Medicine*, 44(5):701–712, 2014. ISSN 4027901401. doi:10.1007/s40279-014-0144-3.
- Robert Rein and Daniel Memmert. Big data and tactical analysis in elite soccer: Future challenges and opportunities for sports science. *SpringerPlus*, 5(1):1410–1410, 2016. ISSN 1303-2968. doi:10.1186/s40064-016-3108-2.
- Charles R. Harris, K. Jarrod Millman, Stéfan J. van der Walt, Ralf Gommers, Pauli Virtanen, David Cournapeau, Eric Wieser, Julian Taylor, Sebastian Berg, Nathaniel J. Smith, Robert Kern, Matti Picus, Stephan Hoyer, Marten H. van Kerkwijk, Matthew Brett, Allan Haldane, Jaime Fernández del Río, Mark Wiebe, Pearu Peterson, Pierre Gérard-Marchant, Kevin Sheppard, Tyler Reddy, Warren Weckesser, Hameer Abbasi, Christoph Gohlke, and Travis E. Oliphant. Array programming with NumPy. *Nature*, 585(7825):357–362, September 2020. ISSN 0028-0836, 1476-4687. doi:10.1038/s41586-020-2649-2.
- Wes McKinney. Data Structures for Statistical Computing in Python. In *Python in Science Conference*, pages 56–61, Austin, Texas, 2010. doi:10.25080/Majora-92bf1922-00a.
- Henrik Biermann, Jonas Theiner, Manuel Bassek, Dominik Raabe, Daniel Memmert, and Ralph Ewerth. A Unified Taxonomy and Multimodal Dataset for Events in Invasion Games. In *Proceedings of the 4th International Workshop on Multimedia Content Analysis in Sports*, pages 1–10, Virtual Event China, October 2021. ACM. ISBN 978-1-4503-8670-8. doi:10.1145/3475722.3482792.
- Pauli Virtanen, Ralf Gommers, Travis E. Oliphant, Matt Haberland, Tyler Reddy, David Cournapeau, Evgeni Burovski, Pearu Peterson, Warren Weckesser, Jonathan Bright, Stéfan J. van der Walt, Matthew Brett, Joshua Wilson, K. Jarrod Millman, Nikolay Mayorov, Andrew R. J. Nelson, Eric Jones, Robert Kern, Eric Larson, C J Carey, İlhan Polat, Yu Feng, Eric W. Moore, Jake VanderPlas, Denis Laxalde, Josef Perktold, Robert Cimrman, Ian Henriksen, E. A. Quintero, Charles R. Harris, Anne M. Archibald, Antônio H. Ribeiro, Fabian Pedregosa, Paul van Mulbregt, SciPy 1.0 Contributors, Aditya Vijaykumar, Alessandro Pietro Bardelli, Alex Rothberg, Andreas Hilboll, Andreas Kloeckner, Anthony Scopatz, Antony Lee, Ariel Rokem, C. Nathan Woods, Chad Fulton, Charles Masson, Christian Högström, Clark Fitzgerald, David A. Nicholson, David R. Hagen, Dmitrii V. Pasechnik, Emanuele Olivetti, Eric Martin, Eric Wieser, Fabrice Silva, Felix Lenders, Florian Wilhelm, G. Young, Gavin A. Price, Gert-Ludwig Ingold, Gregory E. Allen, Gregory R. Lee, Hervé Audren, Irvin Probst, Jörg P. Dietrich, Jacob Silterra, James T Webber, Janko Slavič, Joel Nothman, Johannes Buchner, Johannes Kulick, Johannes L. Schönberger, José Vinícius de Miranda Cardoso, Joscha Reimer, Joseph Harrington, Juan Luis Cano Rodríguez, Juan Nunez-Iglesias, Justin Kuczynski, Kevin Tritz, Martin Thoma, Matthew Newville, Matthias Kümmerer, Maximilian Bolingbroke, Michael Tartre, Mikhail Pak, Nathaniel J. Smith, Nikolai Nowaczyk, Nikolay Shebanov, Oleksandr Pavlyk, Per A. Brodtkorb, Perry Lee, Robert T. McGibbon, Roman Feldbauer, Sam Lewis, Sam Tygier, Scott Sievert, Sebastiano Vigna, Stefan Peterson, Surhud More, Tadeusz Pudlik, Takuya Oshima, Thomas J. Pingel, Thomas P. Robitaille, Thomas Spura, Thouis R. Jones, Tim Cera, Tim Leslie, Tiziano Zito, Tom Krauss, Utkarsh Upadhyay, Yaroslav O. Halchenko, and Yoshiki Vázquez-Baeza. SciPy 1.0: Fundamental algorithms for scientific computing in Python. *Nature Methods*, 17(3):261–272, March 2020. ISSN 1548-7091, 1548-7105. doi:10.1038/s41592-019-0686-2.

- John D. Hunter. Matplotlib: A 2D Graphics Environment. *Computing in Science & Engineering*, 9(3):90–95, 2007. ISSN 1521-9615. doi:10.1109/MCSE.2007.55.
- Pietro di Prampero and Cristian Osgnach. Metabolic Power in Team Sports - Part 1: An Update. *International Journal of Sports Medicine*, 39(08):581–587, July 2018. ISSN 0172-4622, 1439-3964. doi:10.1055/a-0592-7660.
- Steve Pincus. Approximate entropy as a measure of system complexity. *Proceedings of the National Academy of Sciences*, 88(6):2297–2301, March 1991. ISSN 0027-8424, 1091-6490. doi:10.1073/pnas.88.6.2297.
- Jaime Sampaio and Vitor Maçãs. Measuring tactical behaviour in football. *International Journal of Sports Medicine*, 33(5):395–401, 2012. ISSN 1439-3964. doi:10.1055/s-0031-1301320.
- Jérôme Bourbousson, Carole Sève, and Tim McGarry. Space–time coordination dynamics in basketball: Part 2. The interaction between the two teams. *Journal of Sports Sciences*, 28(3):349–358, February 2010. ISSN 0264-0414, 1466-447X. doi:10.1080/02640410903503640.
- Lars Buitinck, Gilles Louppe, Mathieu Blondel, Fabian Pedregosa, Andreas Mueller, Olivier Grisel, Vlad Niculae, Peter Prettenhofer, Alexandre Gramfort, Jaques Grobler, Robert Layton, Jake Vanderplas, Arnaud Joly, Brian Holt, and Gaël Varoquaux. API design for machine learning software: Experiences from the scikit-learn project. 2013. doi:10.48550/ARXIV.1309.0238.
- Mat Herold, Floris Goes, Stephan Nopp, Pascal Bauer, Chris Thompson, and Tim Meyer. Machine learning in men’s professional football: Current applications and future directions for improving attacking play. *International Journal of Sports Science and Coaching*, 14(6):798–817, 2019. doi:10.1177/1747954119879350.
- David Bishop. An Applied Research Model for the Sport Sciences. *Sports Medicine*, 38(3):253–263, 2008. ISSN 0112-1642. doi:10.2165/00007256-200838030-00005.
- Rob Mackenzie and Chris Cushion. Performance analysis in football: A critical review and implications for future research. *Journal of Sports Sciences*, 31(6):639–676, 2013. ISSN 1466-447X. doi:10.1080/02640414.2012.746720.
- F. R. Goes, L. A. Meerhoff, M. J.O. Bueno, D. M. Rodrigues, F. A. Moura, M. S. Brink, M. T. Elferink-Gemser, A. J. Knobbe, S. A. Cunha, R. S. Torres, and K. A.P.M. Lemmink. Unlocking the potential of big data to support tactical performance analysis in professional soccer: A systematic review. *European Journal of Sport Science*, 21(4): 481–496, 2021. doi:10.1080/17461391.2020.1747552.