

# KONTSEVICH'S STAR-PRODUCT UP TO ORDER 7 FOR AFFINE POISSON BRACKETS: WHERE ARE THE RIEMANN ZETA VALUES?

R. BURING<sup>a</sup> AND A. V. KISELEV<sup>§,b</sup>

*Extract of the Ph.D thesis of R.B. Based on a series of talks and posters in Banff and Strasbourg.*

**ABSTRACT.** The Kontsevich star-product admits a well-defined restriction to the class of affine – in particular, linear – Poisson brackets; its graph expansion consists only of Kontsevich's graphs with in-degree  $\leq 1$  for aerial vertices. We obtain the formula  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  with harmonic propagators for the graph weights; we verify that all these weights satisfy the cyclic weight relations by Shoikhet–Felder–Willwacher, that they match the computations using the `kontsevint` software by Panzer, and that the resulting affine star-product is associative modulo  $\bar{o}(\hbar^7)$ .

We discover that the Riemann zeta value  $\zeta(3)^2/\pi^6$ , which enters the harmonic graph weights (up to rationals), actually disappears from the analytic formula of  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  because all the  $\mathbb{Q}$ -linear combinations of Kontsevich graphs near  $\zeta(3)^2/\pi^6$  represent differential consequences of the Jacobi identity for the affine Poisson bracket, hence their contribution vanishes.

Exploring the work of Kontsevich's Formality theorem, for both the full star-product (for generic Poisson structures) and the affine star-product (as well as its reduced version), we discover that the mechanism of associativity for the star-product up to  $\bar{o}(\hbar^6)$  is different from the mechanism at order 7. Namely, at lower orders the needed consequences of the Jacobi identity are immediately obtained from the associator  $\bmod \bar{o}(\hbar^6)$ , whereas at order  $\hbar^7$  and higher, some of the necessary differential consequences are reached from the Kontsevich graphs in the associator in strictly more than one step.

**Introduction.** Kontsevich's  $\star$ -product formula from [16] works for all Poisson structures on finite-dimensional affine manifolds. In particular, Poisson bracket's coefficients can be polynomial of arbitrary degree (which is well defined by the initial assumption that the Poisson manifold is affine). Examples of polynomial-coefficient Poisson brackets are natural and abundant: such are the linear Kirillov–Kostant structures on the duals

---

*Date:* 28 September 2022.

*2010 Mathematics Subject Classification.* 05C22, 53D55, 68R10, also 16Z05, 53D17, 81R60, 81Q30.

*Key words and phrases.* Kontsevich star-product, Kontsevich's directed graphs, deformation quantization, diagrammatic algebra, affine Poisson brackets, Kirillov–Kostant Poisson brackets, cyclic weight relations, harmonic propagators, computer algebra package, Riemann zeta values, computer assisted proof.

<sup>§</sup> Corresponding author. *E-mail:* A.V.Kiselev@rug.nl.

<sup>a</sup> *Address:* Institut für Mathematik, Johannes Gutenberg–Universität, Staudingerweg 9, D-55128 Mainz, Germany.

<sup>b</sup> *Address:* Bernoulli Institute for Mathematics, Computer Science and Artificial Intelligence, University of Groningen, P.O. Box 407, 9700 AK Groningen, The Netherlands.

$\mathfrak{g}^*$  of Lie algebras  $\mathfrak{g}$ , or affine Poisson brackets for mechanical systems in external fields, or Sklyanin's quadratic Poisson bracket and the log-symplectic bracket  $\{x, y\} = \frac{1}{2}xy$  for which  $x \star y = \exp(\hbar) y \star x$  is conjectured [17, §1.30], or, in fact, any bi-vector  $\mathcal{P}$  with polynomial coefficients on  $\mathbb{R}^2$ ; starting from dimension three, on  $\mathbb{R}^{d \geq 3} \ni \mathbf{x}$  one has the Nambu-determinant Poisson brackets,

$$\{f, g\}(\mathbf{x}) = \varrho(\mathbf{x}) \cdot \det \left( \partial(a_1, \dots, a_{d-2}, f, g) / \partial(x^1, \dots, x^d) \right), \quad (1)$$

for the derived Poisson bi-vectors  $\mathcal{P} = [\dots [\varrho(\mathbf{x}) \partial_{x^1} \wedge \dots \wedge \partial_{x^d}, a_1], \dots, a_{d-2}]$ . On  $\mathbb{R}^3$  with the inverse density  $\varrho$  and Casimir  $a_1 = a$ , *affine* Nambu-determinant Poisson brackets are produced by taking either  $\deg(\varrho) = 1$  and  $\deg(a) = 1$  or  $\deg(\varrho) = 0$  and  $\deg(a) = 2$ .

The problem of construction of (equivalents to) Kontsevich's star-product(s)  $\star_{\text{aff}}$  for linear or affine Poisson brackets was studied in the works by Gutt [12], Kathotia [13], Ben–Amar [2, 3], and others. The upper bound  $\deg(\mathcal{P}^{ij}) \leq 1$  upon the degree of Poisson bracket coefficients permits an explicit construction of the *affine* star-product expansion  $\star_{\text{aff}} \bmod \bar{o}(\hbar^k)$  for affine Poisson brackets. The graph expansion of  $\star_{\text{aff}}$  runs over the Kontsevich graphs (by their definition, built of wedges) with the bound  $\leq 1$  for the in-degree of aerial vertices, which are inhabited by copies of the linear or affine Poisson structure. By starting with two types of Kontsevich's graphs, namely the Bernoulli and loop graphs at every number  $n$  of aerial vertices (see Definition 2 on p. 18 below), one can calculate inductively the Kontsevich weights of all the other relevant graphs in that order  $n$ . The formulas – for us to verify, see Discussion on p. 17 in what follows – were available from the paper [2].

While some analytic formulas were known for calculation of particular graph weights or of the entire affine star-product  $\star_{\text{aff}} \bmod \bar{o}(\hbar^k)$ , these formulas always refer to a set of conventions and normalization postulates which are however not necessarily pronounced. In practice, every such reasoning needs verification, to let us be certain of absence of error. The certificate of associativity up to  $\bar{o}(\hbar^k)$  for Kontsevich's affine star-product  $\star_{\text{aff}} \bmod \bar{o}(\hbar^k)$  is what we presently do in this paper: we have  $k = 7$ .

We develop several methods to control the construction of affine star-product with harmonic propagators. The postulate of associativity is primary. We notice that for affine Poisson brackets and affine star-products, the Kontsevich graph language restricts to graphs with aerial vertex in-degree  $\leq 1$  *both* in the star-product formula and in the associator, so that graphs with at least one higher in-degree aerial vertex can be discarded.<sup>1</sup>

Secondly, we observe that the cyclic weight relations by Shoikhet–Felder–Willwacher (from [11, Appendix E]) form a *triangular* linear algebraic system with respect to the in-degree of aerial vertices. Consequently, these linear systems are well defined for the graph weights in  $k$ th order expansions  $\star_{\text{aff}} \bmod \bar{o}(\hbar^k)$  of the *affine* star-product. The

---

<sup>1</sup>In the Leibniz graphs, which encode differential consequences of the Jacobi identity, the in-degree of wedge tops is equally bounded by  $\leq 1$  but the in-degree of the trident vertex, standing for the Jacobiator  $\frac{1}{2}[\mathcal{P}, \mathcal{P}]$  of the bi-vector  $\mathcal{P}$ , must have the bound  $\leq 2$ . This higher in-degree is reworked into the previously stated bound  $\leq 1$  when the Jacobiator is expanded into its Kontsevich's graphs and the in-coming arrows spread by the Leibniz rule over the three pairs of internal vertices in the Jacobiator.

cyclic weight relations now constrain the Kontsevich graph weights in  $\star_{\text{aff}}$  by high rank systems for every  $k \geq 2$ .

Thirdly, we discover that the number of Kontsevich's graphs suitable for  $\star_{\text{aff}}$ , due to the in-degree bound  $\leq 1$  for aerial vertices, is exponentially less than the number of Kontsevich's graphs without such bound in the same expansion order  $\hbar^n$  of the full star-product  $\star \bmod \bar{o}(\hbar^k)$ : see Table 1.

TABLE 1. The count of admissible Kontsevich graphs in the  $\star$ -product.

$n$	1	2	3	4	5	6	7
# Kontsevich graphs, generated	1	6	44	475	6874	126750	2814225
# Kontsevich generated, nonzero	1	6	38	445	6488	122521	2744336
# Kontsevich generated, nonzero, diff. order $> 0$	1	4	30	331	4907	91694	2053511
# Kontsevich generated, nonzero, diff. order $> 0$ , connected	1	4	30	330	4893	91489	2049704
• of them, with in-degree(aerial vertices) $\leq 2$	1	4	30	265	2801	33690	451927
• of them, prime	1	3	24	215	2327	28649	391958
• of them, with in-degree(aerial vertices) $\leq 1$	1	4	14	51	161	542	1723
• of them, prime	1	3	8	23	59	171	477
# Kontsevich graphs ( $\text{coeff} \neq 0$ in $\star$ at $\hbar^n$ )	1	4	13	247	2356	66041	?
• of them, with in-degree(aerial vertices) $\leq 1$	1	4	6	35	84	334	958
# Cyclic weight relations	1	4	30	331	4907	91694	2053511
Corank of linear algebraic system	0	1	11	103	1561	?	?

This is true both before and after we know the Kontsevich graph weights (about a half of which equal zero at every order  $n$  in  $\star$  for  $4 \leq n \leq 7$ ). Table 1 reveals how small the problem is for  $\star_{\text{aff}} \bmod \bar{o}(\hbar^k)$ , compared with the task of finding the full star-product  $\star \bmod \bar{o}(\hbar^k)$  with harmonic propagators.

We combine the many known constraints upon the Kontsevich graph weights in  $\star_{\text{aff}}$ , and we make the postulate of associativity work by restricting the associator of  $\star_{\text{aff}}$  onto particular (classes of) affine Poisson brackets: e.g., onto generic affine bi-vectors  $\mathcal{P} = (\alpha x + \beta y + \gamma) \partial_x \wedge \partial_y$  on  $\mathbb{R}^2$  with Cartesian coordinates  $x$  and  $y$ , or on the Nambu-determinant Poisson brackets (1) on  $\mathbb{R}^3$  with  $\deg(\varrho, a) = (1, 1)$  or  $\deg(\varrho, a) = (0, 2)$ , etc.

To calculate the few remaining master-parameters for all the graph weights at  $\hbar^n$ , we use the `kontsevint` software by Panzer (freely accompanying the publication [1] by Banks–Panzer–Pym). In the end, we obtain the formula  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$ , by construction covering the subcase of linear Poisson brackets on the duals  $\mathfrak{g}^*$  of Lie algebras. This seventh order expansion  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$ , see Appendix A.1, contains the Kontsevich graph weights from the integral formula with harmonic propagators (as in [16]). Moreover, this is the authentic *gauge* of the affine star-product: indeed, the two-cycle digraph with wedges  $(0, 3), (1, 2)$  on two sinks 0, 1 and two aerial vertices 2, 3 is not gauged out.

---

The Riemann zeta values are known to appear in the graph weights of star-products. Kontsevich discovered this in [15]; Felder and Willwacher [11] found a graph at  $\hbar^7$  in  $\star$

such that its weight contains  $\zeta(3)^2/\pi^6$  up to rationals; Banks, Panzer, and Pym [1] studied in depth which (multiple) Riemann zeta values show up in the Kontsevich graph weights, and they wrote a computer program `kontsevint` (accompanying [1]) which expresses the weights in terms of the (un)known Riemann zeta values. The seventh order expansion of the affine star-product, which we report in Appendix A.1, contains  $\zeta(3)^2/\pi^6$  in the coefficients of many graphs, in particular the one considered by Felder and Willwacher. On the other hand, Ben Amar proved in [2, Corollary 7.7] that for polynomial functions, the bi-differential operator of Kontsevich's (affine) star-product for Poisson brackets on  $\mathfrak{g}^*$  can be calculated by using only graphs with rational weights. In other words, the (ir)rational values of Riemann zeta must be effectively absent from the formula of the affine star-product  $\star_{\text{aff}}$ . Yet by the above, the (ir)rational Riemann zeta values *are* nominally present in the affine star-product coefficients. We bring together these two claims by assimilating the entire  $\zeta(3)^2/\pi^6$ -part of the genuine Kontsevich affine star-product  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  with harmonic propagators into differential consequences of the Jacobi identity; in the graph expansion, these differential consequences are realized by Leibniz graphs with one trident vertex for the Jacobiator and possibly with other wedge tops for copies of the Poisson bi-vector. Let us emphasize that not only the  $\zeta(3)^2/\pi^6$ -part but more terms can be reduced at  $\hbar^{\leq 7}$  in the affine star-product; already at  $\hbar^3$  some coefficients are changed when one graph is eliminated. Thus we reduce the graph expansion from Appendix A.1 to a tiny, easily usable formula  $\star_{\text{aff}}^{\text{red}} \bmod \bar{o}(\hbar^7)$  in Appendix B based on the graph expansion in Appendix A.2. The resulting analytic expression is valid for any affine or linear Poisson bracket.<sup>2</sup> This short analytic formula  $\star_{\text{aff}}^{\text{red}} \bmod \bar{o}(\hbar^7)$  can be used at once in applications of deformation quantization in physics and other domains of mathematics such as Lie theory.

---

The third question which we answer in this paper is: How does the associativity work for the full star-product? We establish that the mechanism of star-product associativity from [16] starts working from order 7 onward differently from the orders 0, ..., 6. Namely, at low expansion orders the Leibniz graph realization of the associator, that is, an expression of the associator in terms of the Jacobi identity and its differential consequences, was obtained instantly from the Kontsevich graphs showing up in the associator after collecting similar terms. We observe that at order 7, this instant realization is no longer the case for the affine star-product; to achieve a sufficient set of Leibniz graphs, the first layer of neighbor Leibniz graphs must be taken into account. (See section 3 below and [7, 8] for the iterative scheme.) This effect persists at order 7 for the full star-product with generic Poisson structures. For the reduced affine star-product, the need of more layers for Leibniz graphs is even stronger.

In conclusion, the mechanism of Kontsevich's Formality theorem does require the use of Leibniz graphs which are *not* instantly recognized from the associator, for the star-product to be associative. The “invisible” Riemann zeta values act as the placeholders for Kontsevich's graphs in the star-product (and then for those Kontsevich's graphs in the associator which are used to build the Leibniz graphs certifying the associativity).

---

<sup>2</sup>The formula is provided in the authentic gauge: no gauge transform was applied to the affine star-product after the removal of identically zero part. The removed analytic expressions equal a linear differential operator acting on the Jacobiator of the Poisson bivector.

Our main results are summarized in the following set of propositions.

**1.** We verify the associativity up to  $\bar{o}(\hbar^6)$  for the full Kontsevich star-product, known modulo  $\bar{o}(\hbar^6)$  from Banks–Panzer–Pym [1] for arbitrary (non)linear Poisson brackets and arbitrary arguments, by realizing (every homogeneous tri-differential component of) the associator as a sum of Leibniz graphs from the 0th layer, that is the Leibniz graphs produced at once by contracting edges in the Kontsevich graphs from the associator (see Proposition 10 on p. 13).

**2.** The Kontsevich  $\star$ -product admits a restriction to the class of Poisson brackets with *affine* coefficients on finite-dimensional affine manifolds (e.g., such are the Kirillov–Kostant Poisson brackets on the duals of Lie algebras: their coefficients are strictly linear without constant terms). In Section 1, see Proposition 8 on p. 10 below, we obtain the expansion  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  of *affine* Kontsevich's star-product: in all the Kontsevich graphs in it the in-degrees of aerial vertices are bounded by  $\leq 1$ . The graph expansion  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  is contained in Appendix A.1; at  $\hbar^6$  and  $\hbar^7$ , the coefficients of many Kontsevich graphs in  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  contain  $\zeta(3)^2/\pi^6$  times a nonzero rational factor, plus a rational part.

**3.** We discover that in both the orders  $\hbar^6$  and  $\hbar^7$  in  $\star_{\text{aff}}$  with the harmonic graph weights, the entire coefficient of  $\zeta(3)^2/\pi^6$ , itself a  $\mathbb{Q}$ -linear combination of Kontsevich graphs, assimilates into a linear combination of Leibniz graphs (doing so at once, without need of the 1st layer of Leibniz graphs). In consequence, whenever the affine star-product  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  is restricted to an arbitrary affine Poisson structure, the constant  $\zeta(3)^2/\pi^6$  does not appear at all in the resulting analytic expression. In fact, more terms in  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  can be absorbed into Leibniz graphs. Namely, in section 2 we obtain and in Appendix A.2 we list the affine Kontsevich graph expansion  $\star_{\text{aff}}^{\text{red}} \bmod \bar{o}(\hbar^7)$ , at once excluding the part which is now known to vanish identically: there remain only 326 nonzero rational coefficients of Kontsevich graphs (at all orders, up to  $\hbar^7$ ), in contrast with the original graph expansion of the Kontsevich star-product  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  in which the Kontsevich integral formula yields 1423 nonzero  $\mathbb{Q}$ -linear combinations of 1 and  $\zeta(3)^2/\pi^6$  for the Kontsevich graph coefficients.<sup>3</sup>

**4.** We verify the associativity up to  $\bar{o}(\hbar^7)$  of the affine Kontsevich star-product, known modulo  $\bar{o}(\hbar^7)$  for arbitrary affine Poisson brackets and arbitrary arguments, by realizing (every homogeneous tri-differential component of) the associator as a sum of Leibniz graphs. We establish that for the tri-differential orders  $\{(3, 3, 2), (2, 3, 3), (3, 2, 3), (2, 4, 2)\}$ , the 0th layer of Leibniz graphs is not enough for any such factorization to exist, yet solutions appear in presence of the 1st layer of Leibniz graphs in each of the four exceptional cases; see Proposition 11 on p. 14 below, and see the *Proof scheme (for the reduced affine star-product  $\star_{\text{aff}}^{\text{red}} \bmod \bar{o}(\hbar^7)$ )* on p. 15 specifically about the properties of the associator for the reduced affine star-product  $\star_{\text{aff}}^{\text{red}} \bmod \bar{o}(\hbar^7)$  with only rational coefficients. We finally deduce that the indispensability of the first layer of Leibniz graphs is such that it carries on to any factorization of the associator at  $\hbar^7$  for the full star-product modulo  $\bar{o}(\hbar^7)$ ; see Proposition 12 on p. 16.

---

<sup>3</sup>In the above reduction of  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  none of the Kontsevich graph weights was altered or were redefined; the reduction of the number of terms which effectively contribute to the star-product of functions and to its associator is due to a revealed property of those graphs and their Kontsevich weights.

This paper is structured as follows. In section 1 we list practical methods to constrain the coefficients of Kontsevich's graphs in (affine) star-product expansion and we obtain the graph encoding of the seventh order expansion  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  of the affine star-product with harmonic propagators. In section 2 we reduce this affine star-product by making use of the Jacobi identity, so that for each Poisson bracket with linear or affine coefficients, the resulting formula of  $\star_{\text{aff}}^{\text{red}} \bmod \bar{o}(\hbar^7)$  remains the same as it was before reduction; the much-shortened graph encoding and the ready-to-use short analytic formula  $\star_{\text{aff}}^{\text{red}} \bmod \bar{o}(\hbar^7)$  are given in Appendices A.2 and B respectively. In section 3 we discover that Kontsevich's mechanism of associativity for the full or affine star-product works differently at orders  $0, \dots, 6$  against orders seven and higher. The difference is this: at low orders the vanishing of the associator thanks to the Jacobi identity is immediately recognizable, whereas starting from order 7, it can take several steps to accumulate all the needed Leibniz graphs (with the Jacobiator) to represent higher order terms of the associator for the star-product. The paper concludes with a reference to the earlier work of Ben Amar about the Kontsevich star-products for linear Poisson structures; we compare the old predicted values of weights for some graphs such as the Bernoulli graphs with the true values now obtained and cross-verified by a combination of methods.<sup>4</sup>

## 1. THE KONTSEVICH STAR-PRODUCT WITH HARMONIC PROPAGATORS FOR AFFINE POISSON BRACKETS: EXPANSION $\star_{\text{AFF}} \bmod \bar{o}(\hbar^7)$

To find the weights of Kontsevich's graphs in the affine star-product, we use the same strategy as in [8] now implemented in `gcaops` [4]. We extend the set of constraints upon the graph coefficients by several useful lemmas, and simultaneously, we reduce the problem by filtering sums of graphs by maximal in-degree of their aerial vertices, also during insertion of a Kontsevich graph into a sink of another Kontsevich graph when the associator is formed.

**1.1. Sources of constraints for the Kontsevich graph weights.** Let us summarize the methods to constrain weights of Kontsevich graphs in the affine star-product modulo  $\bar{o}(\hbar^k)$ .

**Lemma 1.** Under a relabeling of aerial vertices, the weight  $w(\Gamma)$  of a Kontsevich graph  $\Gamma$  does not change. (Hence, a choice of labeling can be arbitrary.) Under a swap of ordering  $L \rightleftarrows R$  of outgoing edges at an aerial vertex of a Kontsevich graphs, its weight changes sign. (Hence, the weight of a zero graph vanishes, see [8, Example 5].)

**Lemma 2.** For the normalization of Kontsevich graph weights as in [8], where we set  $w(\Gamma) = (\prod_{k=1}^n \# \text{Star}(v_k)!) W_\Gamma$  with respect to the Kontsevich formula  $W_\Gamma$  for graphs on  $n$  aerial vertices  $v_1, \dots, v_n$ , the weight of a composite Kontsevich graph  $\Gamma = \Gamma_1 \times \Gamma_2$  on  $n = n_1 + n_2$  aerial vertices is (by the graph weights' multiplicativity) equal to the product of the weights:  $w(\Gamma) = w(\Gamma_1) \cdot w(\Gamma_2)$ .

The multiplicativity of weights yields (inhomogenous) linear relations for the weights of composite graphs at order  $n$  as soon as the weights of graphs at lower orders  $k < n$  are known.

---

<sup>4</sup>NB: There are two opposite sign conventions for the first Bernoulli number.

**Lemma 3.** Upon flipping a Kontsevich graph on  $n$  aerial vertices, i.e. interchanging the two sinks, its weight is multiplied by  $(-1)^n$ .

**Lemma 4.** The Shoikhet–Felder–Willwacher cyclic weight relations from [11, Appendix E] restrict to the subset of *affine* graphs, which are selected in the set of all Kontsevich graphs by the bound, in-degree  $\leq 1$ , for aerial vertices.

*Proof.* Re-directing edges – now, to ground vertices – does not increase the in-degree of aerial vertices, neither does so a cyclic permutation of the ground vertices. Hence the linear algebraic system of Shoikhet–Felder–Willwacher cyclic weight relations is triangular, filtered by the bounds for aerial vertex in-degrees.  $\square$

**Definition 1.** A Kontsevich graph with an “eye-on-ground” is a Kontsevich graph containing a 2-cycle between aerial vertices such that both vertices in the 2-cycle are connected to the same ground vertex.

**Example 1** (see [8, Example 26]). Here is an example of a Kontsevich graph with an

eye-on-ground:  From [8, Example 26] we know that its weight  $w_{-3-8}$  vanishes.

**Lemma 5.** The weight of a Kontsevich graph on two ground vertices with an “eye on ground” vanishes.

For example, we directly verify this for all Kontsevich graphs on  $n \leq 6$  aerial vertices by using Panzer's `kontsevint` software.

*Proof.* This is readily seen from the count of dimensions. Consider the “eye-on-ground” subgraph with two aerial vertices, one sink, and four edges. The number of angles between an outgoing edge and  $i\infty$  equals four, with as many differentials of these four angles. By using the affine group, move the sink to 0 on the real line. The two aerial vertices remain inside the hyperbolic upper half-plane. Rescale the entire picture such that (at least) one aerial vertex is at height  $y = 1$ .<sup>5</sup> The remaining parameters are: the  $x$ -coordinate of the ( $y = 1$ )-vertex and Cartesian coordinates  $(x, y)$  of the other vertex. But the four angles for the outgoing edges within this subgraph, hence their differentials, are completely determined by the (differentials of the) three parameters which we have just counted. The four-form expressed using three differentials vanishes, hence the integrand in Kontsevich's weight formula for the entire graph also vanishes, and so does the graph weight.  $\square$

**Lemma 6.** The weight of a disconnected graph vanishes.

Note that such graphs can consist of two components, each standing on one sink, but also e.g., of one component standing on two sinks and a purely aerial component.<sup>6</sup>

*Proof.* Again, this is seen by the count of dimensions. Using action by the affine group elements, bring the leftmost sink to the origin  $0 \in \mathbb{R}$  and rescale the graph picture in

---

<sup>5</sup>Or fix some of the remaining parameters otherwise, e.g., place an aerial vertex on a unit circle.

<sup>6</sup>Purely aerial components of graphs in Kontsevich's calculus correspond to the vacuum parts of Feynman diagrams.

the upper half-plane  $\mathbb{H}^2$  such that the  $y$ -coordinate of some aerial vertex is any given positive number. Now, in the other component(s) of the graph, i.e. in the subgraph(s) not connected with the sink in the origin, the angles between edges and  $i\infty$  – hence their differentials – stay invariant under local (to not hit a vertex of any other component) horizontal translations along  $\mathbb{R} = \partial\mathbb{H}^2$ . The  $x$ -coordinate  $x_0$  of a vertex in the movable component, parametrizing the entire component’s location, can be taken as one of the coordinates on the space  $C_{n,m}$  of vertex configurations. But, as said, for all the edges in this detached subgraph, the differentials in the respective angles in Kontsevich’s formula can only depend on the pairwise differences of the  $x$ -coordinates (and on the not yet fixed  $y$ -coordinates) of vertices; neither the constant  $x_0$  nor its differential occurs in the integrand. Consequently, the differentials of fewer parameters on the configuration space  $C_{n,m}$  show up in the top-degree form with the differentials of all the edge angles. By the pigeonhole principle, at least one differential of a parameter on  $C_{n,m}$  is repeated twice, hence the integrand is identically zero, and so is the entire graph weight.  $\square$

*Remark 1.* Connected *affine* Kontsevich graphs standing on both sinks cannot contain an “eye-on-ground”, due to the in-degree bound  $\leq 1$  for either aerial vertex in the 2-cycle. The “eye-on-ground” subpattern essentially works for Kontsevich graphs which are not affine, e.g. for quadratic Poisson brackets, see Example 1.

**Lemma 7.** The graph weight vanishes if the integrand vanishes in Kontsevich’s integral formula.<sup>7</sup>

The zero graphs, which can be affine, and the connected “eye-on-ground” graphs, which cannot be affine, are natural examples for the integrand to vanish.

*Remark 2.* Kontsevich conjectures in [17, §1.30] that for the quadratic log-symplectic Poisson bracket  $\{x, y\} = \frac{1}{2}xy$  on  $\mathbb{C}^2$ , its “quadratic” star-product – with in-degrees  $\leq 2$  for all aerial vertices of Kontsevich graphs in  $\star$  – satisfies the identity  $x \star y = \exp(\hbar)y \star x$  at all orders of expansion in  $\hbar$ . When one constructs (a quadratic or higher order) Kontsevich’s star-product with harmonic propagators, there are two options. The first option is to verify Kontsevich’s conjecture as soon as every next order of expansion is reached in the quadratic star-product. The other option is to *postulate* this conjecture and thus constrain the Kontsevich graph weights by more relations, so that the rank of the linear algebraic system is higher, the system is solved faster, and there remain fewer master-parameters. (But then, one must indicate that the Kontsevich graph weights were obtained modulo the unproven conjecture.)<sup>8</sup>

Finally, the postulate of associativity for the star-product puts restrictions on the graph weights appearing in it.

---

<sup>7</sup>More graphs can have weight equal to zero sporadically, that is, when the Kontsevich formula with a nonzero integrand integrates to zero for an agreed choice of the propagator (here, harmonic). Examples of such *neutral* graphs are found in [8, Figure 2 and Example 26].

<sup>8</sup>To the best of our knowledge, E. Panzer (2019) produced the seventh order formulas of  $x \star y$  and  $y \star x$  for the log-symplectic structure, that is, by using Kontsevich’s graphs with aerial vertex in-degrees  $\leq 2$  and with either sink’s in-degree  $\equiv 1$ ; up to  $\hbar^7$ , Kontsevich’s conjecture holds true. It is clear that while knowing the quadratic star-product of two coordinate functions, one does not yet have the quadratic star-product of two arbitrary arguments, nor can one certify its associativity. Therefore, the seventh order expansion of Kontsevich’s star-product for the log-symplectic Poisson bracket in particular and for arbitrary quadratic Poisson structures remains an open problem.

**Method 1.** The Kontsevich affine star-product  $\star_{\text{aff}}$  is associative for all Poisson structures  $P = (\alpha x + \beta y + \gamma) \partial_x \wedge \partial_y$  on  $\mathbb{R}^2$  with coordinates  $x, y$ . In particular, the differential operator  $A(f, g, h) = (f \star g) \star h - f \star (g \star h)$  mod  $\bar{o}(\hbar^7)$  acting on  $f \otimes g \otimes h \in C^\infty(\mathbb{R}^2)^{\otimes 3}$  has coefficients which vanish as polynomials in  $x, y, \alpha, \beta, \gamma$ .

In practice, Method 1 allowed us to determine two graph weights at  $\hbar^7$  in  $\star_{\text{aff}}$  after the application of all the aforementioned other methods (when the rank of the linear algebraic system was already high). Method 1 is not so powerful but fast.

**Method 2.** The Kontsevich affine star-product  $\star_{\text{aff}}$  is associative for all Nambu–Poisson structures  $P = [\varrho \partial_x \wedge \partial_y \wedge \partial_z, a]$  on  $\mathbb{R}^3$ , where  $(\varrho, a)$  are polynomials of degrees  $\deg(\varrho, a) = (1, 1)$  or  $(0, 2)$ . In particular, the differential operator  $A(f, g, h) = (f \star g) \star h - f \star (g \star h)$  mod  $\bar{o}(\hbar^7)$  acting on  $f \otimes g \otimes h \in C^\infty(\mathbb{R}^3)^{\otimes 3}$  has coefficients which vanish as polynomials in  $x, y, z$  and in the coefficients of polynomials  $\varrho$  and  $a$ .

In contrast with Method 1, Method 2 usually increases the rank a lot yet it is much slower.

*Remark 3.* When constructing star-products for polynomial Poisson brackets of a given (prescribed) degree, we can restrict the star-product ansatz and its associator to natural classes of polynomial Poisson brackets of that particular degree: e.g., by using the Nambu-determinant Poisson structures on  $\mathbb{R}^3$  with suitable degree polynomials  $\varrho, a$ . Likewise, when constructing the full star-product for generic Poisson brackets, one can increase the rank of the linear algebraic system upon the graph weights by using Method 3 from [8], that is, by restricting the  $\star$ -product ansatz and its associator to generic Nambu-determinant Poisson structures on  $\mathbb{R}^3$  and then dealing with differential polynomials in  $\varrho$  and  $a$ .

The master-parameters that remain are now calculated directly by using Panzer's program `kontsevint` for computation of Kontsevich's weights of graphs (see [1]).<sup>9</sup>

Independently, the graph weights can be calculated directly by applying the contour integral technique to the Kontsevich formula, see [8, Appendix A.1]; this method becomes increasingly difficult for Kontsevich graphs on many vertices; some intermediate steps are computer-assisted: integrals are evaluated symbolically or numerically.

So far, we summarized specific methods to obtain the values of weights for non-specific Kontsevich's graphs in the (affine, etc.) star-product ansatz. Still, for the Bernoulli and loop graphs showing up in the affine star-product for linear or affine Poisson brackets, Ben Amar developed a technique for calculation of their exact weight values (see [2, Corollary 7.7] and Discussion in this paper). The weights for these two classes of Kontsevich graphs serve a base in the inductive calculation of the affine star-product of two arbitrary polynomials.

*Remark 4.* The Formality theorem in [16] guarantees that the (affine or full) star-product is associative because its associator can be realized as the Kontsevich graph expansion for a sum of Leibniz graphs, each with the Jacobiator in a trident vertex

---

<sup>9</sup>The paper [1] contained a typo in the value of the weight for the affine graph on  $n = 7$  aerial vertices which Felder and Willwacher considered in [11] in the context of Riemann zeta. We detect that the correct weight of that graph is equal to  $\frac{13}{2903040} - \frac{1}{256}\zeta(3)^2/\pi^6$ ; see the erratum to [1].

(cf. footnote 1 on p 2). The weights of Leibniz graphs in the authentic factorization (which the Formality theorem suggests) themselves are determined by the Kontsevich integral formula, and they too satisfy the cyclic weight relations, now adapted to the Leibniz graphs on 3 sinks. These canonical Leibniz graph weight values and cyclic weight relations upon them can in hindsight constrain the coefficients of Kontsevich's graphs in the (affine) star-product ansatz. We say that the above would be *the strong solution* to the associator factorization problem. However, in this paper it suffices for us to certify the associativity of  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  by realizing each tri-differential order part of its associator as a sum of Leibniz graphs, i.e. regardless of their Kontsevich's weights and of their constraint by the cyclic weight relations. In this way, we report a solution of the *weak* factorization problem for the verification of affine star-product associativity (see Remark 7 on p. 16 in section 3 below).

**1.2. The expansion  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  of Kontsevich's star-product for affine Poisson brackets: Riemann  $\zeta(3)^2/\pi^6$  still present.** For the class of Poisson brackets with *affine* coefficients (whose higher derivatives vanish identically), e.g., the Kirillov–Kostant linear brackets, we advance to the seventh order in the expansion of the Kontsevich  $\star$ -product.

Indeed, the restriction of Kontsevich's  $\star$ -product to the spaces of affine Poisson brackets is well defined: all the Kontsevich graphs in  $\star_{\text{aff}} \bmod \bar{o}(\hbar^n)$  and in its associator up to  $\bar{o}(\hbar^n)$  only have aerial vertices with in-degree  $\leq 1$ . The linear algebraic system of the Shoikhet–Felder–Willwacher cyclic weight relations is by construction triangular with respect to the weights of Kontsevich graphs (in  $\star$ ) with an overall bound for the in-degrees of aerial vertices. (The linear system of cyclic weight relations is also triangular with respect to the in-degrees of aerial vertices in the Leibniz graphs which can be used to express the associator via differential consequences of the Jacobi identity.)

**Proposition 8.** The encoding and analytic formula of Kontsevich's affine star-product  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  – in particular, for all the Kirillov–Kostant Poisson brackets, linear on the duals  $\mathfrak{g}^*$  of finite-dimensional Lie algebras – is given in Appendix A. There are 1423 nonzero Kontsevich weights of affine Kontsevich graphs in  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  near the terms at all orders  $\leq 7$  overall. The multiple zeta value  $\zeta(3)^2/\pi^6$  starts appearing in the weights at  $n \geq 6$  vertices.<sup>10</sup>

*Proof scheme.* The ansatz for  $\star_{\text{aff}} \bmod \bar{o}(\hbar^n)$  contains, at  $\hbar^7$ , 1731 affine Kontsevich graphs with in-degree  $\leq 1$  of aerial vertices; their Kontsevich weights are constrained by the elementary properties (such as mirror reflections, whence *basic* graphs), by the weights multiplicativity (whence the *prime* graphs), by the vanishing statements for the Kontsevich graphs which are disconnected over the sinks and for the Kontsevich graphs which contain a triangle subgraph standing on a sink, and by the cyclic weight relations: the corank of the merged linear algebraic system upon the 1731 unkowns equals 76. The restriction of the associator for  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  to a generic affine Poisson bracket  $P = (ax + by + c)\partial_x \wedge \partial_y$  on  $\mathbb{R}^2$  decreases the corank down to 74. The values of the 76 master parameters (themselves the weights of certain affine Kontsevich graphs

---

<sup>10</sup>The Kontsevich weight of the Felder–Willwacher affine graph from [11] equals  $\frac{13}{2903040} - \frac{1}{256}\zeta(3)^2/\pi^6$ , thus now correcting a typo in the `kontsevint` program description [1] by Banks–Panzer–Pym.

on  $n = 7$  aerial vertices in the affine star-product  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$ ) have been computed using the `kontsevint` program by Banks–Panzer–Pym; these values are listed in [5, Part I, §3.7, Cell 54].  $\square$

**Open problem 1.** Will there appear any previously unknown algebraic constraints upon the Riemann zeta values as one proceeds to higher order expansions of the Kontsevich (affine) star-product with harmonic propagators?

**Open problem 2.** Which other sub-patterns, besides the “eye-on-ground” lemma, guarantee the vanishing of the integrand of the Kontsevich graph weight?

## 2. THE REDUCED AFFINE STAR-PRODUCT $\star_{\text{AFF}}^{\text{RED}} \bmod \bar{o}(\hbar^7)$ : WHY THERE IS NO RIEMANN ZETA $\zeta(3)^2/\pi^6$ IN THE ANALYTIC FORMULA

Apparent from Appendix B with the analytic formula of  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  is the absence of  $\zeta(3)^2/\pi^6$ , which is nominally present in the graph expansion of Kontsevich's star-product with harmonic propagators (see Felder–Willwacher [11]).

**Claim 9.** All the instances of  $\zeta(3)^2/\pi^6$  disappear from  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  because the  $\mathbb{Q}$ -linear combinations of Kontsevich graphs near all  $\zeta(3)^2/\pi^6$  – and, moreover many other  $\mathbb{Q}$ -linear combinations of Kontsevich graphs in  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  – assimilate into the  $\mathbb{Q}$ -linear combinations of Leibniz graphs, so that the analytic formulae which these (or any) Leibniz graphs encode vanish identically due to the Jacobi identity for the affine Poisson bracket(s) at hand.

Let us explain how the much-reduced graph encoding  $\star_{\text{aff}}^{\text{red}} \bmod \bar{o}(\hbar^7)$  is obtained (see Appendix A.2); we emphasize that for every given affine Poisson bracket, the analytic formula encoded by the graph expansion of  $\star_{\text{aff}}^{\text{red}} \bmod \bar{o}(\hbar^7)$  is exactly the same as the formula which was produced from the original graph expansion  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$ , see Appendix A.1 for the affine star-product.

*Proof scheme.* To eliminate as much as possible from the affine star-product we pose an *unsolvable* problem: let us try to represent the entire graph encoding of the  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  as a linear combination of Leibniz graphs. (The impossible existence of a solution to this problem would mean that the affine star-product is identically zero up to order 7 for any affine Poisson bracket!) Having generated all the relevant Leibniz graphs on 2 sinks and with up to 6 aerial vertices (of which one vertex has out-degree three and the others (if any) two), and by taking a sum  $L$  of these Leibniz graphs with undetermined  $\mathbb{Q}[\zeta(3)^2/\pi^6]$ -coefficients, we construct the linear algebraic system

$$\star_{\text{aff}} - L = 0 \bmod \bar{o}(\hbar^7).$$

This linear system is now solved *approximately* by using the method `solve_right` from SageMath.<sup>11</sup>

The key idea is that by adding or subtracting any linear combination of Leibniz graphs, we do not alter the analytic formula which is encoded by the Kontsevich graph

---

<sup>11</sup>It can be expected that the method runs an iterative minimization of the quadratic potential  $\langle \mathbf{x}, A\mathbf{x} \rangle$  obtained from a linear system  $A\mathbf{x} = 0$ . The method stops at the potential's bottom  $x_0$  of the values of Leibniz graph coefficients. The computation is run over the extension  $\mathbb{Q}[\zeta(3)^2/\pi^6]$  of the field of rationals.

expansion of the star-product. By definition, we put  $\star_{\text{aff}}^{\text{red}} := \star_{\text{aff}} - L_0(x_0)$ , where we subtract the found solution  $L_0$  with the Leibniz graph coefficients  $x_0$  in it. We establish that the entire  $\mathbb{Q}$ -linear combination of Kontsevich's graphs near  $\zeta(3)^2/\pi^6$  in the original graph expansion  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  is absorbed into the sum  $L_0$  of Leibniz graphs. Moreover, not only the  $\zeta(3)^2/\pi^6$ -part of the affine star-product but also much of its part with rational coefficients is absorbed further into the Leibniz graphs combination over  $\mathbb{Q}[\zeta(3)^2/\pi^6]$ . In the reduced affine star-product  $\star_{\text{aff}}^{\text{red}} \bmod \bar{o}(\hbar^7)$ , there remain only 326 nonzero rational coefficients of Kontsevich graphs (at all orders, up to  $\hbar^7$ ): this reduced graph encoding is listed in Appendix A.2. We emphasize that for any given affine Poisson bracket, the analytic formula of the affine star-product seventh order expansion produced from the originally found graph expansion  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  is now exactly the same as the analytic formula obtained from the reduced expansion  $\star_{\text{aff}}^{\text{red}} \bmod \bar{o}(\hbar^7)$ ; the formula is given in Appendix B. By a straightforward calculation, we verify that the difference of two analytic formulas amounts to a linear differential operator acting on the Jacobiator of the affine Poisson structure.  $\square$

*Remark 5.* For linear star-products Ben Amar [2, Corollary 6.6] predicted that all the coefficients of Kontsevich's graphs in the expansion are rational numbers. On the other hand, the work of Banks–Panzer–Pym [1] suggests that the Kontsevich graph coefficients in a linear star-product take values in the extensions of  $\mathbb{Q}$  by suitable multiple zeta values. Our finding that affine star-product can be reduced by using Leibniz graphs brings together both statements: there is no contradiction between them.

**Open problem 3.** Why does the entire  $\zeta(3)^2/\pi^6$ -part of  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  assimilate into expressions which vanish due to the Jacobi identity? What is the mechanism of this effect within the proof of Formality theorem? Likewise, what is the “rational” part of the (affine) star-product which does not contribute to the analytic formula in the same way? Which Riemann zeta values will not ever show up in the resulting analytic formula of the affine star-product?

### 3. THE CONTRAST OF ASSOCIATIVITY MECHANISMS FOR THE FULL STAR-PRODUCT $\star \bmod \bar{o}(\hbar^6)$ AND FOR THE EXPANSION $\star \bmod \bar{o}(\hbar^k)$ IF $k \geq 7$

Formality theorem [16] guarantees not only the fact of existence of the star-product, but also its associativity due to the Jacobi identity for the Poisson bracket in the leading deformation term in  $\star$ . The associator for  $\star$  is representable as a linear differential operator acting on the Jacobiator. Moreover, this entire construction ascends to graphs. The star-product is built of wedges, so is the associator  $\text{Assoc}(\star(P)) = (f \star g) \star h - f \star (g \star h)$ ; the *Leibniz* graphs on  $\tilde{n}$  aerial vertices (and 3 sinks) are built from  $\tilde{n} - 1$  wedges for the bivector  $P$  and one trident for the Jacobiator of  $P$ . The coefficients of both the Kontsevich graphs in the star-product and Leibniz graphs in the sum to which the associator is equal are determined from Kontsevich's integral formula. But the use of that formula would be too laborious (and often difficult) if one wants to calculate the weight of every Kontsevich graph in the (affine) star-product and of every Leibniz graph that exists on  $\tilde{n}$  aerial vertices to certify the associativity. Therefore, the number of graphs for which such direct calculation is actually performed (if ever done at all)

must be reduced in advance as much as possible.<sup>12</sup> The first idea which we benefit from is to *not* consider those Leibniz graphs whose expansion –of Jacobiators into sums of Kontsevich's graphs, and of all the derivations acting on the Jacobiators by the Leibniz rule – does not reproduce any of the Kontsevich graphs in the associator itself, or any of the Kontsevich graphs which show up in the expansions of higher layers of the Leibniz graphs for the associator.<sup>13</sup> Secondly, the associator naturally splits into homogeneous orders with respect to the three sinks; so does the set of relevant Leibniz graphs. In earnest, the Leibniz graph weights defined by the Kontsevich integral formula would be constrained by the cyclic weight relations (and possibly by other relations which are not yet discovered), so that the weights are correlated for different tri-differential orders. We say that finding the values of Leibniz graph coefficients dictated by the Kontsevich integral formula yields *the* solution of the *strong* factorization problem for the associator of the star-product. Yet, to certify the associativity it suffices to find *a* realization of each tri-differential component as a weighted sum of Leibniz graphs regardless of any such realizations for other tri-differential orders, that is without imposing the known constraints upon the Leibniz graph weights. One big problem thus splits into many small subproblems, which are solved independently. The result is a solution to the *weak* factorization problem, which we report in this paper. Let us remember that the found values of Leibniz graph coefficients are then not necessarily equal to the Kontsevich integrals (times the rational factors which count the multiplicities).

**Proposition 10** (see Appendix D). The Kontsevich  $\star$ -product with the harmonic graph weights, known up to  $\bar{o}(\hbar^6)$  from Banks–Panzer–Pym (2018), is associative modulo  $\bar{o}(\hbar^6)$ : every tri-differential homogeneous component of the associator admits *some* realization by Leibniz graphs; to find such solution, the 0th layer of Leibniz graphs suffices for each of the tri-differential orders.

*Proof scheme.* The associativity of Kontsevich's  $\star$ -product up to  $\bar{o}(\hbar^4)$ , that is,

$$\text{Assoc}(\star(P))(f, g, h) \bmod \bar{o}(\hbar^4) = \diamond(P, [P, P])(f, g, h) \bmod \bar{o}(\hbar^4),$$

is the core of paper [8]; see also [5, Part I, §3.5.1]. Next, in [5, Part I, §3.5.1] we provide a realization of the component  $\sim \hbar^5$  in the associator  $\text{Assoc}(\star) \bmod \bar{o}(\hbar^5)$  in terms of the Leibniz graphs from the 0th layer, that is, by using the Leibniz graphs obtained at once by contracting edges between aerial vertices in the Kontsevich graphs from the associator.

<sup>12</sup>To avoid repetitions, we use the normal form of Leibniz graphs; it refers to the encoding of directed graphs in `nauty` [18] within `SageMath` [19] (see Appendix C for further discussion).

<sup>13</sup>The construction of layers of Leibniz graphs is as follows (see [7, 8, 5]): The 0th layer is obtained by contracting one internal edge in every Kontsevich graph in all possible ways. By expanding the 0th layer Leibniz graphs back to Kontsevich's graphs, one reproduces their original set, but new Kontsevich's graphs can be obtained. By repeating the above contraction-expansion procedure, one produces the 1st layer of Leibniz graphs and possibly a still larger set of Kontsevich's graphs (whose number is finite for a given number of aerial vertices). The construction of layers is iterated until saturation: see for example Table 1 in [7] in the context of Poisson bracket deformations. Even if the saturation requires layers to achieve, the resulting number of Leibniz graphs at hand is much smaller than the number of Leibniz graphs on equally many vertices. Moreover, in this paper running the algorithm until saturation is not obligatory; the first layer of Leibniz graph *neighbors* is already enough.

There are 105 homogeneous tri-differential order components at  $\hbar^6$  in the associator  $\text{Assoc}(\star) \bmod \bar{o}(\hbar^6)$ . We import the harmonic graph weights at  $\hbar^5$  and  $\hbar^6$  in  $\star \bmod \bar{o}(\hbar^6)$  from the `kontsevint` repository of E. Panzer (Oxford). At order  $\hbar^6$ , the weights of Kontsevich graphs in  $\star$  are expressed as  $\mathbb{Q}$ -linear combinations of 1 and  $\zeta(3)^2/\pi^6$ . In consequence, the coefficients of Kontsevich graphs in the associator at order  $\hbar^6$  are also  $\mathbb{Q}$ -linear combinations of that kind. Every tri-differential homogeneous component of the associator is thus split into the rational- and  $\zeta(3)^2/\pi^6$ -slice: either of the slices is a linear combination of Kontsevich's graphs with rational coefficients. The rational slices are met in all of the 105 tri-differential orders; we detect that in every such slice the Kontsevich graphs provide the 0th layer of Leibniz graphs which suffices to realize that sum of Kontsevich graphs as a linear combination of these Leibniz graphs. The  $\zeta(3)^2/\pi^6$ -slice is nontrivial in 28 tri-differential orders of the associator at  $\hbar^6$ ; here the Formality mechanism works as follows. For all but 6 tri-differential orders, the Kontsevich graphs from the linear combination near  $\zeta(3)^2/\pi^6$  suffice to provide the set of 0th layer Leibniz graphs which are enough for a solution of the factorization problem. The tri-differential orders  $\{(1, 1, 3), (3, 1, 1), (2, 1, 2), (1, 2, 2), (2, 2, 1), (1, 3, 1)\}$  are special: for a solution to appear, the sets of Kontsevich graphs from the rational and  $\zeta(3)^2/\pi^6$ -slices within that tri-differential order must be merged and then the union set is enough to provide a factorization of the  $\zeta(3)^2/\pi^6$ -slice by the 0th layer of Leibniz graphs. The corresponding computations are presented in Appendix D. We conclude that at order 6 for the full Kontsevich star-product, Kontsevich's Formality mechanism works as expected.  $\square$

The seventh order expansion of the Kontsevich star-product for arbitrary Poisson brackets is unknown (see Table 1 in the Introduction for the count of Kontsevich graphs at  $\hbar^7$ ). So far, we have obtained the *affine* star-product  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  under the assumption that the coefficients of the Poisson bracket are affine functions (e.g., linear on the affine base manifold). For example such are the Kirillov–Kostant Poisson brackets on the duals  $\mathfrak{g}^*$  of Lie algebras. We discover that the associativity mechanism for the affine star-product at  $\hbar^7$  differs from the mechanism which worked at lower orders of expansion in  $\hbar$  for the full star-product  $\star \bmod \bar{o}(\hbar^6)$ . Moreover, the new mechanism of associativity for  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  forces a new mechanism of associativity for the full star-product  $\star \bmod \bar{o}(\hbar^7)$  starting at order seven. The difference is the necessity of Leibniz graph layers beyond the 0th layer, which itself was enough at lower orders to build a solution of the weak problem for associator's factorization via the Jacobi identity.

**Proposition 11** (Cells 58–71 in [5, Part I, §3.7]). The affine Kontsevich star-product expansion  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  found in Proposition 8 above is associative modulo  $\bar{o}(\hbar^7)$ . Namely, (every homogeneous tri-differential component of) the associator  $(f \star_{\text{aff}} g) \star_{\text{aff}} h - f \star_{\text{aff}} (g \star_{\text{aff}} h) \bmod \bar{o}(\hbar^7)$  is realized as *some* sum of Leibniz graphs.

*Proof scheme.* With not yet specified undetermined coefficients of Kontsevich graphs at  $\hbar^7$  in the affine star-product  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$ , its associator's part at  $\hbar^7$  expands to 203 tri-differential order components. As soon as the weights of all the new Kontsevich graphs on  $n = 7$  aerial vertices are fixed by Proposition 8, the number of tri-differential orders  $(d_0, d_1, d_2)$  actually showing up at  $\hbar^7$  in the associator  $\mathbf{A}$  for  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  drops to 161. For all but four tri-differential order components  $\mathbf{A}_{d_0 d_1 d_2}$  in the associator  $\mathbf{A}$ , the 0th

layer of Leibniz graphs, which are obtained by contracting<sup>14</sup> one edge between aerial vertices in the Kontsevich graphs of every such tri-differential component  $A_{d_0 d_1 d_2}$ , is enough to provide a solution for the factorization problem,  $A_{d_0 d_1 d_2} = \diamondsuit_{d_0 d_1 d_2}(P, [P, P])$ , expressing that component by using differential consequences of the Jacobi identity (encoded by Leibniz graphs). We detect that for the tri-differential orders  $(d_0, d_1, d_2)$  in the set  $\{(3, 3, 2), (2, 3, 3), (3, 2, 3), (2, 4, 2)\}$ , the Leibniz graphs from the 0th layer are not enough to reach a solution  $\diamondsuit_{d_0 d_1 d_2}$ ; still a solution  $\diamondsuit_{d_0 d_1 d_2}$  appears in each of these four exceptional cases after we add the Leibniz graphs from the 1st layer (i.e. those graphs obtained by contraction of edges in the Kontsevich graph expansion of Leibniz graphs from the previous layer; see [7]). (There are 2294 Kontsevich graphs in  $A_{2,3,3}$ , producing 3584 Leibniz graphs in the respective 0th layer immediately after the edge contractions; the component  $A_{3,3,2}$  contains equally many Kontsevich graphs and the same number of Leibniz graphs in the 0th layer; the largest component  $A_{3,2,3}$  contains 2331 Kontsevich graphs and gives 3603 Leibniz graphs in the 0th layer; and finally  $A_{2,4,2}$  contains 1246 Kontsevich graphs and produces 2041 Leibniz graphs in the 0th layer.) In [5, Part I, §3.7.8] we generate a Leibniz graph factorization of all tri-differential components in the associator for  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  and we provide the data files of Leibniz graphs and their coefficients: see Appendix E on p. 62 below.  $\square$

The reduced affine star-product  $\star_{\text{aff}}^{\text{red}} \bmod \bar{o}(\hbar^7)$  is obtained from the affine star-product  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  by realizing the coefficient of  $\zeta(3)^2/\pi^6$  as the Kontsevich graph expansion of a linear combination of Leibniz graphs with rational coefficients and, now that this combination does not contribute to either the star-product or its associator when restricted to any affine Poisson structure, by discarding this part of  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  proportional to  $\zeta(3)^2/\pi^6$ . The same applies to many terms in the rational part of  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  which also assimilate to Leibniz graphs, see section 2. In the reduced affine star-product  $\star_{\text{aff}}^{\text{red}} \bmod \bar{o}(\hbar^7)$  there remain only 326 nonzero rational coefficients of Kontsevich graphs at  $\hbar^k$  for  $k = 0, \dots, 7$  (in contrast with 1423 nonzero (ir)rational coefficients at orders up to  $\hbar^7$  in  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$ ).

*Proof scheme (for the reduced affine star-product  $\star_{\text{aff}}^{\text{red}} \bmod \bar{o}(\hbar^7)$ ).* The associator for  $\star_{\text{aff}}^{\text{red}}$  contains 95 tri-differential orders at  $\hbar^6$  and 161 tri-differential orders at  $\hbar^7$ . We see that the associator  $\text{Assoc}(\star_{\text{aff}}^{\text{red}}) \bmod \bar{o}(\hbar^7)$  becomes much smaller than  $\text{Assoc}(\star_{\text{aff}}) \bmod \bar{o}(\hbar^7)$ , now containing only 29371 Kontsevich graphs instead of 59905. But the work of the associativity mechanism for  $\star_{\text{aff}}^{\text{red}}$  requires the use of the 1st layer of Leibniz graphs much more often than it already was for the affine star-product  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  before the reduction. Now, at orders  $\leq 7$  in  $\hbar$ , new Leibniz graphs from the layer(s) beyond the 0th are indispensable for the factorization of 114 out of 336 homogeneous tri-differential order components of the associator, see Appendix F where we list all these exceptional orders.  $\square$

*Remark 6.* We observe that the number  $\zeta(3)^2/\pi^6$ , not showing up in any restriction of the affine star-product  $f \star_{\text{aff}} g \bmod \bar{o}(\hbar^7)$  to an affine Poisson structure and any arguments  $f, g \in C^\infty(M)[[\hbar]]$ , acts in effect as a placeholder of the Kontsevich graphs which, by contributing to the associator and then creating the Leibniz graphs by edge


---

<sup>14</sup>Note that the Leibniz graphs in the 0th layer have vertices of in-degree  $\leq 2$  because they are obtained by the contraction of a single edge in the Kontsevich graphs with vertices of in-degree  $\leq 1$ .

contraction, provide almost all of the Leibniz graphs needed for a factorization of the associator for  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  via the Jacobi identity. When the  $\zeta(3)^2/\pi^6$ -part of  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  itself is eliminated by using the Jacobi identity for affine Poisson structures, the remaining  $\star_{\text{aff}}^{\text{red}} \bmod \bar{o}(\hbar^7)$  and its associator rely heavily on the use of higher layer(s) of Leibniz graphs for a factorization solution to be achieved.

**Proposition 12.** The 0th layer of Leibniz graphs is *not enough* to provide a factorization of the associator for the (either affine or full) Kontsevich star-product at order  $\hbar^7$ , whereas, according to Proposition 10 above, the 0th layer of Leibniz graphs *was enough* at order  $\hbar^6$  to factor the associator for the full star-product.

*Constructive proof.* Consider the Leibniz graph,



on three sinks  $0, 1, 2$ , with  $\tilde{n} = 6$  aerial vertices, and with edges  $[(3, 2), (3, 7), (4, 1), (4, 8), (5, 1), (5, 3), (6, 1), (6, 2), (6, 4), (7, 0), (7, 5), (8, 0), (8, 1)]$ . This Leibniz graph is needed for the factorization of the tri-differential component of order  $(2, 4, 2)$  at  $\hbar^7$  in the associator for  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$ . This graph appears only in the 1st layer of Leibniz graphs, not in the 0th layer, as we contract edges of Kontsevich's graphs on  $n = 7$  aerial vertices in the associator for  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$ , and as we expand the resulting Leibniz graphs to the old and possibly new Kontsevich graphs.<sup>15</sup> This Leibniz graph created in the 1st layer appears with coefficient  $2/135$  in an iteratively found factorization of the associator. The genuine Kontsevich weight of this Leibniz graph calculated by using the program *kontsevint* by E. Panzer is also nonzero:  $w(L_1) = -3/128 \cdot \frac{\zeta(3)^2}{\pi^6} + 31/725760$ . The actual coefficient of  $L_1$  in the *canonical* factorization of the associator, as guaranteed by the Formality Theorem, equals  $w(L_1)$  multiplied by some nonzero rational constant. The discrepancy between the found rational value in *some* solution and the (ir)rational value in Kontsevich's canonical solution is likely due to an identity between Leibniz graphs which expand to a zero sum of Kontsevich graphs (see [5, Part I, §3.5.2]). But anyway, based on this empiric evidence we conclude the proof.  $\square$

*Remark 7.* The above iterative scheme gives us *a* solution to the weak factorization problem: each tri-differential component  $A_{d_0 d_1 d_2}$  is factorized independently from the others, so that the coefficients of the Leibniz graphs are not yet constrained overall – over different components – by the Shoikhet–Felder–Willwacher cyclic weight relations and other relations. In particular, the above scheme does not guarantee that the found coefficients of Leibniz graphs are equal (up to the multiplicity and recalculation constants) to the genuine Kontsevich weights of those Leibniz graphs. The above scheme

<sup>15</sup>This Leibniz graph cannot originate from any Kontsevich graph in the associator itself — even with aerial vertex in-degree  $\geq 2$ . Namely, all candidate Kontsevich graphs are composite, with one of the factors having zero weight.

provides the necessary minimum number of layers of Leibniz graphs, whereas the calculation of Kontsevich's genuine weights of Leibniz graphs is sufficient to build a solution (the canonical one) for the associator factorization problem. We remember that there exist identities, i.e. sums of Leibniz graphs which expand to zero sums of Kontsevich graphs (here, in the associator); such identities could make unnecessary the use of a Leibniz graph with nonzero genuine weight from a (high number — in particular the last) layer. Hypothetically it might be that any solution needs the 0th and 1st layers, hence they are “necessary”, but Kontsevich's canonical solution stretches over the 0th, 1st and 2nd layers, thus they are “sufficient”. In conclusion, the above scheme does not guarantee that the genuine Kontsevich weight of a Leibniz graph in the known associator's factorization at order  $\hbar^7$  will definitely be equal (up to the multiplicity and recalculation constants) to this Leibniz graph's coefficient in a solution found using the last necessary layer.

**Open problem 4.** Over how many layers do the genuine Kontsevich's solutions of associator's factorization problem stretch? In particular what is the factorization — guaranteed by the Formality theorem — for orders 3,4,5,6,7, which we have considered so far using solutions of the weak factorization problem?

#### 4. CONCLUSION

We have studied the following questions:

- What is, and what can be the formula of Kontsevich's star-product up to order 7 for affine — in particular, for linear on  $\mathfrak{g}^*$  — Poisson brackets?
- Where are the Riemann zeta values — are they really present in the coefficients of Kontsevich's affine star-product?
- How does the associativity mechanism of Kontsevich's star-product work for generic or affine Poisson structures: namely, at order 7 of the expansion, is it the same or different from such mechanism at lower orders?

Now, this paper contains a short, ready-to-use formula of seventh order expansion for Kontsevich's star-product built for Poisson brackets with linear or affine coefficients (see Appendix B). We certify that this reduced affine star-product expansion  $\star_{\text{aff}}^{\text{red}} \bmod \bar{o}(\hbar^7)$  is associative up to  $\bar{o}(\hbar^7)$ . For every affine Poisson bracket, our formula expresses Kontsevich's original star-product [16] with harmonic propagators, in its authentic gauge.

**Open problem 5.** Make the reduced affine star-product formula shorter (i.e. smaller in size) by using gauge transformations.

#### 5. DISCUSSION

By combining various methods to constrain the weights of Kontsevich's graphs in a star-product, we make every such method work towards the verification of other methods. This not only reduces a risk of our error, but also allows us to spot errors in the earlier published work. For instance, we detect that the true value of the Kontsevich weight for the Felder–Willwacher graph [11] is  $w(\Gamma) = \frac{13}{2903040} - \frac{1}{256}\zeta(3)^2/\pi^6$ ; this graph shows up at  $\hbar^7$  in the affine star-product, and an expression with a sign mismatch was reported in [1]. (The `kontsevint` software by Panzer now confirms the true value, which we obtain.)

Likewise, we recall that for linear or affine Poisson brackets, the respective  $\star$ -product can be built iteratively, by starting with two explicit formulas for the weights of Bernoulli and loop graphs, using the method from [2, Proof of Corollary 7.7] by Ben Amar.

**Definition 2.** The *Bernoulli graph*  $\Gamma_n$  on two sinks 0, 1 and  $n$  aerial vertices  $2, \dots, n+1$  is a Kontsevich directed graph built of wedges:  $(2, 0), (2, 1)$  and  $(k+3, k+2), (k+3, 1)$  for  $0 \leq k < n-1$ .

- The *loop graph*  $\Gamma'_n$  on two sinks 0, 1 and  $n > 1$  aerial vertices  $2, \dots, n+1$  is a Kontsevich directed graph built of wedges:  $(2, 0), (2, 1+n)$  and  $(k+3, k+2), (k+3, 1)$  for  $0 \leq k < n-1$ .

Knowing the Kontsevich weights of Bernoulli and loop graphs one can calculate the star-product  $x^i \star g$  of a coordinate function  $x^i$  and an arbitrary second argument  $g$ .

**Lemma 13** ([13, Proposition 4.4.1], [3, Corollary 6.3]). The Kontsevich weight of Bernoulli graph is  $w(\Gamma_n) = B_n/(n!)^2$  and the weight of loop graph is  $w(\Gamma'_n) = \frac{1}{2}B_n/(n!)^2$ , where  $B_n$  is the  $n$ th Bernoulli number and the convention in Ben Amar's work [3] must be  $B_1 = +1/2$ .

In Table 2 we report the newly found values of the Bernoulli and loop graph weights (for  $1 \leq n \leq 7$  and  $2 \leq n \leq 7$  respectively).

TABLE 2. The weights of Bernoulli and loop graphs.

$n$	1	2	3	4	5	6	7
$w(\Gamma_n) = B_n/(n!)^2$	1/2	1/24	0	-1/17280	0	1/21772800	0
$w(\Gamma'_n) = \frac{1}{2}B_n/(n!)^2$	none	1/48	0	-1/34560	0	1/43545600	0

All the produced values are identically equal to Ben Amar's theoretical prediction, provided that  $B_1 = +1/2$  (which is the opposite of the current `SageMath` convention  $-1/2$ ).

*Acknowledgements.* The research of R.B. is supported by project 5020 at the Institute of Mathematics, Johannes Gutenberg–Universität Mainz and by CRC-326 grant GAUS “Geometry and Arithmetic of Uniformized Structures”. The travel of A.K. was partially supported by project 135110 at the Bernoulli Institute, University of Groningen. RB and AVK are grateful to the organizers of workshop “Lie groupoids, Poisson geometry, and differentiable Stacks” in Banff, Canada, 5–10 June, 2022. RB and AVK are grateful to the organizers of GROUP34 colloquium on group theoretical methods in Physics on 18–22 July 2022 in Strasbourg for a warm atmosphere during the meeting. RB thanks Erik Panzer for helpful discussions, for an invitation to the Isaac Newton Institute for Mathematical Sciences in Cambridge, and especially for the availability of `kontsevint` program for calculation of Kontsevich graph weights. RB thanks Marco Gualtieri and Henrique Bursztyn for discussions in Banff. This paper is extracted in part from the Ph.D. dissertation of R. Buring (October 2022, JGU Mainz). RB thanks the dissertation committee for evaluating this work.

## REFERENCES

- [1] Banks P., Panzer E., Pym B. (2020) Multiple zeta values in deformation quantization, *Invent. Math.* **222**:1, 79–159. (*Preprint arXiv:1812.11649 [q-alg]* – 71 p.) (2022) Correction to: Multiple zeta values in deformation quantization, *Invent. Math.* **229**, 449.
- [2] Ben Amar N. (2003) K-star Products on Dual of Lie Algebras, *J. Lie Theory* **13**, 329–357.
- [3] Ben Amar N. (2007) A comparison between Rieffel's and Kontsevich's deformation quantizations for linear Poisson tensors, *Pacific J. Math.* **229**:1, 1–24.
- [4] Buring R. (2022) gcaops software. <https://github.com/rburing/gcaops>
- [5] Buring R. (2022) The action of Kontsevich's graph complex on Poisson structures and star-products: an implementation. PhD dissertation, Johannes Gutenberg–Universität Mainz (660 p., submitted).
- [6] Buring R., Kiselev A. V. (2017) On the Kontsevich  $\star$ -product associativity mechanism. *Physics of Particles and Nuclei Letters*, **14**(2), 403–407. (*Preprint arXiv:1602.09036 [q-alg]* – 4 p.) IAEA 48098722
- [7] Buring R., Kiselev A. V., Rutten N. J. (2018) Infinitesimal deformations of Poisson bi-vectors using the Kontsevich graph calculus. *J. Phys.: Conf. Ser.*, **965**: Proc. XXV Int.conf. ‘Integrable Systems & Quantum Symmetries’ (6–10 June 2017, CVUT Prague, Czech Republic), Paper 012010. (*Preprint arXiv:1710.02405 [math.CO]* – 12 p.)
- [8] Buring R., Kiselev A. V. (2022) The expansion  $\star \bmod \bar{o}(\hbar^4)$  and computer-assisted proof schemes in the Kontsevich deformation quantization, *Experimental Math.*, **31**:3, 701–754. (*Preprint arXiv:1702.00681 [math.CO]* – 77 p.)
- [9] Buring R., Kiselev A. V. (2019) Formality morphism as the mechanism of  $\star$ -product associativity: how it works. *Collected works Inst. Math., Kyiv* **16**:1 Symmetry & Integrability of Equations of Mathematical Physics, 22–43. (*Preprint arXiv:1907.00639 [q-alg]* – 16 p.)
- [10] Dito G. (1999) Kontsevich Star Product on the dual of a Lie algebra, *Lett. Math. Phys.* **48**, 307–322. (*Preprint arXiv:math/9905080 [math.QA]*)
- [11] Felder G., Willwacher T. (2010) On the (Ir)rationality of Kontsevich weights, *Int. Math. Res. Notices* **4**, 701–716. (*Preprint arXiv:0808.2762 [math.QA]*)
- [12] Gutt S. (1983) An explicit  $\star$ -product on the cotangent bundle of a Lie group, *Lett. Math. Phys.* **7**:3, 249–258.
- [13] Kathotia V. (2000) Kontsevich's Universal Formula for Deformation Quantization and the Campbell-Baker-Hausdorff Formula, I, *Int. J. Math.* **11**:4, 523–551. (*Preprint arXiv:math/9811174 [math.QA]*)
- [14] Kontsevich M. (1997) Formality conjecture, in: Deformation theory and symplectic geometry (Ascona 1996, D. Sternheimer, J. Rawnsley and S. Gutt, eds), Math. Phys. Stud. **20**, Kluwer Acad. Publ., Dordrecht, 139–156.
- [15] Kontsevich M. (1999) Operads and motives in deformation quantization. Moshé Flato (1937–1998). *Lett. Math. Phys.* **48**:1, 35–72. (*Preprint arXiv:q-alg/9904055*)
- [16] Kontsevich M. (2003) Deformation quantization of Poisson manifolds, *Lett. Math. Phys.* **66**:3, 157–216. (*Preprint arXiv:q-alg/9709040*)

- [17] Kontsevich M. (2008) Hodge structures in non-commutative geometry (Notes by E. Lupercio), in: XI Solomon Lefschetz Memorial Lecture series. Contemp. Math. **462** Non-commutative geometry in mathematics and physics, AMS, Providence RI, 1–21. (*Preprint arXiv:math.AG/0801.4760*)
- [18] McKay B.D., Piperno A. (2014) Practical Graph Isomorphism, II, *J. Symb. Comput.*, **60**, 94–112. (*Preprint arXiv:1301.1493v1 [cs.DM]*)
- [19] The Sage Developers (2020) SageMath, the Sage Mathematics Software System (Version 9.2), <https://www.sagemath.org>.

APPENDIX A. THE KONTSEVICH GRAPH ENCODING OF THE AFFINE  
STAR-PRODUCT  $\star_{\text{AFF}}$  MOD  $\bar{o}(\hbar^7)$

**Implementation 1** (Kontsevich graph encoding from [8, Implementation 1]). The format to store a signed graph  $s\Gamma$  with  $\Gamma \in G_{m,n}$  is the integer number  $m > 0$ , the integer  $n \geq 0$ , the sign  $s$ , followed by the (possibly empty, when  $n = 0$ ) list of  $n$  ordered pairs of targets for edges issued from the internal vertices  $m, \dots, m+n-1$ , respectively. The full format is then  $(m, n, s; \text{list of ordered pairs})$ ; in plain text we also write `m n s <list of ordered pairs>`.

#### A.1. $\star_{\text{aff}}$ mod $\bar{o}(\hbar^7)$ .

*Encoding* 1. In the format described in Implementation 1, every graph encoding is followed by this graph's coefficient:

```

h^0:
2 0 1      1
h^1:
2 1 1  0 1    1
h^2:
2 2 1  1 3 0 2    -1/6
2 2 1  1 3 0 1    -1/3
2 2 1  0 3 0 1    1/3
2 2 1  0 1 0 1    1/2
h^3:
2 3 1  1 4 0 1 0 1    -1/3
2 3 1  0 4 0 1 0 1    1/3
2 3 1  0 1 0 1 0 1    1/6
2 3 1  1 3 0 2 0 1    -1/6
2 3 1  1 3 0 4 0 1    -1/6
2 3 1  1 4 0 2 0 1    -1/6
h^4:
2 4 1  1 5 0 1 0 1 0 1    -1/6
2 4 1  0 5 0 1 0 1 0 1    1/6
2 4 1  0 1 0 1 0 1 0 1    1/24
2 4 1  1 5 1 4 0 1 0 1    1/18
2 4 1  0 5 0 4 0 1 0 1    1/18
2 4 1  1 4 1 5 1 3 0 1    1/45
2 4 1  1 3 0 2 0 1 0 1    -1/12
2 4 1  1 3 0 5 0 1 0 1    -1/6
2 4 1  1 5 0 2 0 1 0 1    -1/6
2 4 1  1 5 0 4 0 1 0 1    -1/9
2 4 1  0 4 0 5 0 3 0 1    -1/45
2 4 1  1 5 1 4 0 3 0 1    1/18
2 4 1  3 5 1 4 0 1 0 1    1/18
2 4 1  1 3 1 5 0 2 0 1    1/90
2 4 1  1 4 1 5 0 3 0 1    1/15
2 4 1  1 3 1 4 0 5 0 1    1/90
2 4 1  1 4 0 5 0 2 0 1    -1/18
2 4 1  3 5 0 4 0 1 0 1    1/18
2 4 1  1 3 0 4 0 5 0 1    -1/90
2 4 1  1 4 0 2 0 5 0 1    -1/15
2 4 1  1 5 0 4 0 2 0 1    -1/90
2 4 1  3 4 1 2 1 5 0 1    1/90
2 4 1  3 5 1 4 1 2 0 1    1/90
2 4 1  1 4 1 5 1 3 0 2    1/90
2 4 1  3 4 0 5 0 2 0 1    1/90
2 4 1  3 5 0 4 0 2 0 1    -1/90
2 4 1  1 3 0 5 0 2 0 4    1/90
2 4 1  1 5 1 4 0 3 0 2    1/72
2 4 1  3 5 2 4 0 1 0 1    1/180

```

```

2 4 1  3 4 1 2 0 5 0 1    1/180
2 4 1  3 4 1 5 0 2 0 1    1/180
2 4 1  4 5 1 2 0 3 0 1    -1/144
2 4 1  3 5 1 4 0 2 0 1    1/144
2 4 1  1 3 1 4 0 5 0 2    1/360
2 4 1  1 5 1 4 0 2 0 3    1/72
h^5:
2 5 1  0 1 0 1 0 1 0 1 0 1  1/120
2 5 1  1 6 0 1 0 1 0 1 0 1  -1/18
2 5 1  0 6 0 1 0 1 0 1 0 1  1/18
2 5 1  1 3 0 6 0 1 0 1 0 1  -1/12
2 5 1  1 6 0 2 0 1 0 1 0 1  -1/12
2 5 1  1 6 1 5 0 1 0 1 0 1  1/18
2 5 1  0 6 0 5 0 1 0 1 0 1  1/18
2 5 1  1 6 0 5 0 1 0 1 0 1  -1/9
2 5 1  1 4 1 6 1 3 0 1 0 1  1/45
2 5 1  0 4 0 6 0 3 0 1 0 1  -1/45
2 5 1  1 4 1 6 0 3 0 1 0 1  1/15
2 5 1  1 4 0 2 0 6 0 1 0 1  -1/15
2 5 1  3 6 1 5 0 1 0 1 0 1  1/18
2 5 1  3 6 0 5 0 1 0 1 0 1  1/18
2 5 1  4 5 1 2 1 6 0 1 0 1  -1/90
2 5 1  4 5 0 2 0 6 0 1 0 1  1/90
2 5 1  1 3 1 6 0 2 0 1 0 1  1/90
2 5 1  1 3 0 4 0 6 0 1 0 1  -1/90
2 5 1  1 5 1 6 0 3 0 1 0 1  1/18
2 5 1  1 4 0 5 0 6 0 1 0 1  -1/18
2 5 1  1 4 1 5 1 3 0 2 0 1  1/90
2 5 1  1 3 0 5 0 2 0 4 0 1  1/90
2 5 1  3 6 1 4 1 2 0 1 0 1  1/90
2 5 1  3 6 0 4 0 2 0 1 0 1  -1/90
2 5 1  1 4 1 5 1 3 0 6 0 1  1/90
2 5 1  1 6 0 5 0 2 0 4 0 1  1/90
2 5 1  1 3 1 4 0 6 0 1 0 1  1/90
2 5 1  1 6 0 4 0 2 0 1 0 1  -1/90
2 5 1  1 4 1 5 0 6 0 1 0 1  1/18
2 5 1  1 5 0 6 0 2 0 1 0 1  -1/18
2 5 1  3 6 1 5 1 2 0 4 0 1  -1/240
2 5 1  5 6 1 4 0 2 0 3 0 1  -1/240
2 5 1  1 5 1 4 0 2 0 3 0 1  1/72
2 5 1  3 6 1 4 1 5 0 1 0 1  -1/90
2 5 1  3 6 0 4 0 5 0 1 0 1  1/90
2 5 1  1 4 1 6 1 3 0 2 0 1  1/90
2 5 1  1 3 0 5 0 6 0 4 0 1  1/90
2 5 1  4 6 1 2 0 5 0 3 0 1  -1/720
2 5 1  3 6 1 4 1 5 0 2 0 1  -1/720
2 5 1  3 6 1 4 0 5 0 2 0 1  -1/1440
2 5 1  5 6 1 4 1 2 0 3 0 1  -1/1440
2 5 1  1 4 1 5 0 6 0 2 0 3  1/480
2 5 1  1 4 1 6 1 5 0 3 0 2  -1/480
2 5 1  1 6 1 5 0 3 0 2 0 1  43/1440
2 5 1  1 5 1 4 0 6 0 3 0 1  43/1440
2 5 1  3 6 1 4 0 5 0 1 0 1  7/360
2 5 1  4 6 1 5 0 3 0 1 0 1  -7/360
2 5 1  4 6 1 2 0 5 0 1 0 1  -11/1440
2 5 1  3 6 1 5 0 2 0 1 0 1  11/1440
2 5 1  3 6 4 5 1 2 0 1 0 1  -1/288
2 5 1  3 6 4 5 0 2 0 1 0 1  1/288
2 5 1  4 6 1 2 0 3 0 1 0 1  -1/144
2 5 1  3 6 1 4 0 2 0 1 0 1  1/144
2 5 1  3 4 1 6 1 5 0 2 0 1  -1/1440
2 5 1  4 5 1 2 0 6 0 3 0 1  -1/1440
2 5 1  1 4 1 6 0 5 0 3 0 1  19/1440

```

2 5 1	1 5 1 2 0 3 0 6 0 1	19/1440
2 5 1	1 4 1 2 0 5 0 3 0 1	1/360
2 5 1	3 5 1 4 0 2 0 6 0 1	1/240
2 5 1	3 5 1 6 1 2 0 4 0 1	-1/240
2 5 1	3 4 1 6 0 5 0 1 0 1	23/720
2 5 1	1 4 1 2 0 6 0 3 0 5	-1/480
2 5 1	1 4 1 6 1 3 0 2 0 5	1/480
2 5 1	3 5 1 4 1 2 0 6 0 1	1/180
2 5 1	3 4 1 6 0 5 0 2 0 1	-1/180
2 5 1	1 6 1 2 0 5 0 3 0 1	1/720
2 5 1	1 3 1 4 0 5 0 6 0 1	1/720
2 5 1	1 3 0 2 0 1 0 1 0 1	-1/36
2 5 1	1 4 1 6 0 2 0 1 0 1	1/18
2 5 1	1 4 0 6 0 2 0 1 0 1	-1/18
2 5 1	3 4 1 6 1 2 0 1 0 1	-1/90
2 5 1	3 4 0 6 0 2 0 1 0 1	1/90
2 5 1	3 6 2 5 0 1 0 1 0 1	1/180
2 5 1	4 5 1 6 0 3 0 2 0 1	-1/180
2 5 1	3 4 1 2 1 5 0 6 0 1	1/180
2 5 1	3 4 1 2 0 5 0 6 0 1	1/1440
2 5 1	3 5 1 4 1 6 0 2 0 1	-1/1440
2 5 1	1 6 1 4 0 3 0 2 0 1	1/36
2 5 1	1 5 1 4 0 3 0 6 0 1	1/36
2 5 1	3 6 2 4 1 5 0 1 0 1	-1/240
2 5 1	3 4 2 5 0 6 0 1 0 1	1/240
2 5 1	3 4 1 2 0 6 0 1 0 1	1/180
2 5 1	3 4 1 6 0 2 0 1 0 1	1/180
2 5 1	1 5 1 4 0 3 0 2 0 1	1/72
h^6:		
2 6 1	0 1 0 1 0 1 0 1 0 1 0 1	1/720
2 6 1	1 7 0 1 0 1 0 1 0 1 0 1	-1/72
2 6 1	0 7 0 1 0 1 0 1 0 1 0 1	1/72
2 6 1	1 3 0 7 0 1 0 1 0 1 0 1	-1/36
2 6 1	1 7 0 2 0 1 0 1 0 1 0 1	-1/36
2 6 1	1 7 1 6 0 1 0 1 0 1 0 1	1/36
2 6 1	0 7 0 6 0 1 0 1 0 1 0 1	1/36
2 6 1	1 7 0 6 0 1 0 1 0 1 0 1	-1/18
2 6 1	1 4 1 7 1 3 0 1 0 1 0 1	1/90
2 6 1	0 4 0 7 0 3 0 1 0 1 0 1	-1/90
2 6 1	1 4 1 7 0 3 0 1 0 1 0 1	1/30
2 6 1	1 4 0 2 0 7 0 1 0 1 0 1	-1/30
2 6 1	1 3 1 4 0 7 0 1 0 1 0 1	1/180
2 6 1	1 7 0 4 0 2 0 1 0 1 0 1	-1/180
2 6 1	3 7 1 6 0 1 0 1 0 1 0 1	1/36
2 6 1	3 7 0 6 0 1 0 1 0 1 0 1	1/36
2 6 1	1 3 1 7 0 2 0 1 0 1 0 1	1/180
2 6 1	1 3 0 4 0 7 0 1 0 1 0 1	-1/180
2 6 1	1 6 1 7 0 3 0 1 0 1 0 1	1/18
2 6 1	1 4 0 7 0 6 0 1 0 1 0 1	-1/18
2 6 1	1 4 1 6 0 7 0 1 0 1 0 1	1/18
2 6 1	1 7 0 2 0 6 0 1 0 1 0 1	-1/18
2 6 1	4 6 1 2 1 7 0 1 0 1 0 1	-1/90
2 6 1	4 7 0 2 0 6 0 1 0 1 0 1	1/90
2 6 1	4 7 1 2 0 6 0 1 0 1 0 1	-11/1440
2 6 1	3 7 1 6 0 2 0 1 0 1 0 1	11/1440
2 6 1	3 7 1 4 1 2 0 1 0 1 0 1	1/180
2 6 1	4 7 0 2 0 3 0 1 0 1 0 1	-1/180
2 6 1	4 7 1 2 0 3 0 1 0 1 0 1	-1/288
2 6 1	3 7 1 4 0 2 0 1 0 1 0 1	1/288
2 6 1	1 5 1 4 0 2 0 3 0 1 0 1	1/144
2 6 1	1 4 1 2 0 5 0 3 0 1 0 1	1/720
2 6 1	1 6 1 7 1 5 1 3 1 4 0 1	-2/945
2 6 1	0 6 0 7 0 5 0 3 0 4 0 1	2/945

2	6	1	1	7	1	4	1	5	1	6	0	1	0	1	-1/135	
2	6	1	0	7	0	4	0	5	0	6	0	1	0	1	-1/135	
2	6	1	3	7	1	4	1	6	0	1	0	1	0	1	-1/90	
2	6	1	3	7	0	4	0	6	0	1	0	1	0	1	1/90	
2	6	1	1	6	1	7	1	5	1	3	1	4	0	2	-1/945	
2	6	1	1	3	0	7	0	2	0	6	0	4	0	5	-1/945	
2	6	1	1	4	1	7	1	3	0	2	0	1	0	1	1/90	
2	6	1	1	3	0	5	0	7	0	4	0	1	0	1	1/90	
2	6	1	1	6	1	4	1	5	1	7	0	3	0	1	-1/210	
2	6	1	1	4	0	2	0	5	0	6	0	7	0	1	1/210	
2	6	1	4	7	1	6	0	3	0	1	0	1	0	1	-7/360	
2	6	1	3	7	1	4	0	6	0	1	0	1	0	1	7/360	
2	6	1	1	3	1	4	0	5	0	7	0	1	0	1	1/720	
2	6	1	1	7	1	2	0	5	0	3	0	1	0	1	1/720	
2	6	1	1	4	1	7	0	5	0	3	0	1	0	1	19/1440	
2	6	1	1	5	1	2	0	3	0	7	0	1	0	1	19/1440	
2	6	1	2	3	4	1	7	0	6	0	1	0	1	0	1	23/720
2	6	1	1	5	1	4	0	7	0	3	0	1	0	1	43/1440	
2	6	1	1	7	1	5	0	3	0	2	0	1	0	1	43/1440	
2	6	1	3	4	1	5	1	7	1	6	1	2	0	1	-1/945	
2	6	1	3	4	0	5	0	7	0	6	0	2	0	1	1/945	
2	6	1	1	7	1	4	1	5	1	6	0	3	0	1	-1/270	
2	6	1	1	4	0	7	0	5	0	6	0	2	0	1	1/270	
2	6	1	1	4	1	7	1	5	1	6	0	3	0	1	-1/210	
2	6	1	1	4	0	5	0	7	0	6	0	2	0	1	1/210	
2	6	1	1	4	1	5	1	3	0	7	0	1	0	1	1/90	
2	6	1	1	7	0	5	0	2	0	4	0	1	0	1	1/90	
2	6	1	1	4	1	5	1	3	0	2	0	1	0	1	1/180	
2	6	1	1	3	0	5	0	2	0	4	0	1	0	1	1/180	
2	6	1	1	7	1	6	0	3	0	2	0	1	0	1	1/72	
2	6	1	1	5	1	4	0	6	0	7	0	1	0	1	1/72	
2	6	1	1	5	1	6	0	3	0	7	0	1	0	1	1/36	
2	6	1	5	7	1	4	1	2	0	3	0	1	0	1	-1/1440	
2	6	1	3	7	1	4	0	5	0	2	0	1	0	1	-1/1440	
2	6	1	5	6	1	7	1	2	0	3	0	1	0	1	15/4*zeta(3)^2/pi^6-19/3240	
2	6	1	3	6	1	4	0	7	0	2	0	1	0	1	15/4*zeta(3)^2/pi^6-19/3240	
2	6	1	3	7	1	4	1	5	0	2	0	1	0	1	-1/720	
2	6	1	4	7	1	2	0	5	0	3	0	1	0	1	-1/720	
2	6	1	1	6	1	7	1	5	0	3	0	4	0	1	27/8*zeta(3)^2/pi^6-53/3024	
2	6	1	1	5	1	6	0	3	0	7	0	2	0	1	-27/8*zeta(3)^2/pi^6+53/3024	
2	6	1	1	7	1	6	1	5	0	3	0	4	0	1	-1/216	
2	6	1	1	6	1	5	0	7	0	2	0	3	0	1	1/216	
2	6	1	5	7	4	6	1	2	1	3	0	1	0	1	17/2*zeta(3)^2/pi^6-29/2268	
2	6	1	5	7	4	6	0	2	0	3	0	1	0	1	17/2*zeta(3)^2/pi^6-29/2268	
2	6	1	1	4	1	7	1	5	1	6	0	3	0	2	-33/2*zeta(3)^2/pi^6+103/4536	
2	6	1	1	5	1	4	0	6	0	3	0	7	0	2	-33/2*zeta(3)^2/pi^6+103/4536	
2	6	1	3	7	1	4	1	6	0	2	0	1	0	1	15/4*zeta(3)^2/pi^6-103/12960	
2	6	1	4	7	1	2	0	5	0	6	0	1	0	1	15/4*zeta(3)^2/pi^6-103/12960	
2	6	1	3	4	1	7	1	6	1	2	0	5	0	1	4*zeta(3)^2/pi^6-43/7560	
2	6	1	5	6	1	4	0	2	0	7	0	3	0	1	-4*zeta(3)^2/pi^6+43/7560	
2	6	1	4	7	1	2	1	5	0	6	0	1	0	1	15/4*zeta(3)^2/pi^6-157/12960	
2	6	1	5	7	1	6	0	2	0	3	0	1	0	1	15/4*zeta(3)^2/pi^6-157/12960	
2	6	1	3	7	4	6	1	2	0	1	0	1	0	1	-1/288	
2	6	1	3	7	4	6	0	2	0	1	0	1	0	1	1/288	
2	6	1	4	7	1	2	1	5	0	3	0	1	0	1	-1/240	
2	6	1	5	7	1	4	0	2	0	3	0	1	0	1	-1/240	
2	6	1	4	6	5	7	1	3	0	2	0	1	0	1	49/4*zeta(3)^2/pi^6-47/2520	
2	6	1	1	7	1	6	1	5	0	3	0	2	0	4	-105/16*zeta(3)^2/pi^6+731/90720	
2	6	1	1	7	1	6	1	5	0	1	0	1	0	1	-1/162	
2	6	1	0	7	0	6	0	5	0	1	0	1	0	1	1/162	
2	6	1	1	7	1	6	0	5	0	1	0	1	0	1	1/54	
2	6	1	1	7	0	6	0	5	0	1	0	1	0	1	-1/54	
2	6	1	1	5	1	6	1	7	0	4	0	1	0	1	-1/45	

```

2 6 1  1 5 0 6 0 2 0 7 0 1 0 1   -1/45
2 6 1  1 7 1 4 1 5 0 6 0 1 0 1   -1/270
2 6 1  1 6 0 7 0 5 0 2 0 1 0 1   -1/270
2 6 1  4 5 1 6 1 7 0 1 0 1 0 1   -1/54
2 6 1  4 7 0 6 0 5 0 1 0 1 0 1   1/54
2 6 1  4 6 1 5 1 7 1 2 0 1 0 1   -1/270
2 6 1  4 6 0 5 0 7 0 2 0 1 0 1   -1/270
2 6 1  3 7 1 6 1 2 1 4 1 5 0 1   -1/945
2 6 1  3 7 0 6 0 2 0 4 0 5 0 1   1/945
2 6 1  1 5 1 4 1 7 1 6 0 3 0 1   -1/945
2 6 1  1 4 0 6 0 5 0 7 0 2 0 1   1/945
2 6 1  1 7 1 4 1 6 0 3 0 1 0 1   -1/270
2 6 1  1 4 0 7 0 5 0 6 0 1 0 1   -1/270
2 6 1  4 6 1 7 1 5 1 2 0 1 0 1   -1/270
2 6 1  4 6 0 7 0 5 0 2 0 1 0 1   -1/270
2 6 1  1 5 1 6 1 3 1 4 0 7 0 1   -1/945
2 6 1  1 7 0 6 0 2 0 4 0 5 0 1   1/945
2 6 1  1 4 1 7 1 3 0 6 0 1 0 1   1/135
2 6 1  1 6 0 5 0 7 0 4 0 1 0 1   1/135
2 6 1  3 4 1 6 1 5 1 2 1 7 0 1   1/945
2 6 1  3 4 0 6 0 5 0 7 0 2 0 1   1/945
2 6 1  1 5 1 6 0 7 0 3 0 1 0 1   1/45
2 6 1  1 6 1 5 0 3 0 7 0 1 0 1   1/45
2 6 1  1 3 1 5 0 6 0 7 0 1 0 1   1/270
2 6 1  1 7 1 6 0 5 0 3 0 1 0 1   1/270
2 6 1  3 7 1 6 0 5 0 1 0 1 0 1   1/54
2 6 1  4 7 1 6 0 5 0 1 0 1 0 1   -1/54
2 6 1  1 6 1 2 0 7 0 3 0 1 0 1   1/270
2 6 1  1 7 1 4 0 5 0 6 0 1 0 1   1/270
2 6 1  4 6 1 5 1 7 0 2 0 1 0 1   -3*zeta(3)^2/pi^6-13/6480
2 6 1  5 6 1 2 0 3 0 7 0 1 0 1   -3*zeta(3)^2/pi^6-13/6480
2 6 1  1 4 1 6 1 5 0 3 0 2 0 1   -1/480
2 6 1  1 4 1 5 0 6 0 2 0 3 0 1   1/480
2 6 1  4 5 1 2 1 7 0 3 0 1 0 1   -1/240
2 6 1  3 5 1 4 0 2 0 7 0 1 0 1   1/240
2 6 1  4 5 1 2 1 7 0 6 0 1 0 1   -59/12960
2 6 1  3 5 1 6 0 2 0 7 0 1 0 1   59/12960
2 6 1  3 4 1 7 1 5 0 2 0 1 0 1   -1/1440
2 6 1  4 5 1 2 0 7 0 3 0 1 0 1   -1/1440
2 6 1  1 6 1 4 1 5 0 7 0 3 0 1   15/8*zeta(3)^2/pi^6-173/30240
2 6 1  1 7 1 5 0 3 0 6 0 2 0 1   -15/8*zeta(3)^2/pi^6+173/30240
2 6 1  3 7 1 5 1 2 1 6 0 4 0 1   -273/16*zeta(3)^2/pi^6+4703/181440
2 6 1  5 7 1 4 0 2 0 6 0 3 0 1   273/16*zeta(3)^2/pi^6-4703/181440
2 6 1  4 6 1 2 1 7 0 3 0 1 0 1   -3*zeta(3)^2/pi^6-11/4320
2 6 1  5 6 1 4 0 2 0 7 0 1 0 1   -3*zeta(3)^2/pi^6-11/4320
2 6 1  3 7 1 6 1 5 1 2 0 4 0 1   287/16*zeta(3)^2/pi^6-1013/36288
2 6 1  5 7 1 4 0 6 0 3 0 2 0 1   -287/16*zeta(3)^2/pi^6+1013/36288
2 6 1  3 7 4 5 1 6 0 1 0 1 0 1   19/12960
2 6 1  3 7 4 5 0 6 0 1 0 1 0 1   -19/12960
2 6 1  1 5 1 4 1 7 1 6 0 3 0 2   23/2*zeta(3)^2/pi^6-1583/90720
2 6 1  1 5 1 4 0 7 0 6 0 3 0 2   23/2*zeta(3)^2/pi^6-1583/90720
2 6 1  5 7 1 4 1 2 0 6 0 1 0 1   -3*zeta(3)^2/pi^6+11/12960
2 6 1  3 7 1 6 0 5 0 2 0 1 0 1   -3*zeta(3)^2/pi^6+11/12960
2 6 1  5 6 1 7 1 2 0 4 0 1 0 1   1/432
2 6 1  3 6 1 5 0 7 0 2 0 1 0 1   1/432
2 6 1  4 6 1 7 1 5 0 2 0 1 0 1   -1/432
2 6 1  5 6 1 2 0 7 0 3 0 1 0 1   -1/432
2 6 1  1 4 1 6 1 5 0 3 0 7 0 1   -3*zeta(3)^2/pi^6+377/90720
2 6 1  1 7 1 5 0 6 0 2 0 3 0 1   3*zeta(3)^2/pi^6-377/90720
2 6 1  3 5 1 4 1 2 0 7 0 1 0 1   1/180
2 6 1  3 4 1 7 0 5 0 2 0 1 0 1   -1/180
2 6 1  3 4 1 5 1 6 1 2 0 7 0 1   -1/1890
2 6 1  4 5 1 7 0 6 0 3 0 2 0 1   1/1890

```

2	6	1	3	7	1	4	1	2	0	6	0	1	0	1		1/270
2	6	1	4	7	1	6	0	5	0	2	0	1	0	1		1/270
2	6	1	3	6	1	5	1	7	1	4	0	1	0	1		-1/270
2	6	1	3	6	0	5	0	7	0	4	0	1	0	1		-1/270
2	6	1	3	4	1	7	1	5	1	6	0	1	0	1		-1/270
2	6	1	3	4	0	7	0	5	0	6	0	1	0	1		-1/270
2	6	1	1	5	1	7	1	3	1	4	0	2	0	1		-1/945
2	6	1	1	3	0	6	0	7	0	4	0	5	0	1		1/945
2	6	1	3	7	4	5	1	6	1	2	0	1	0	1		37/16*zeta(3)^2/pi^6-701/181440
2	6	1	4	5	2	6	0	7	0	3	0	1	0	1		37/16*zeta(3)^2/pi^6-701/181440
2	6	1	3	7	1	4	1	5	0	6	0	1	0	1		-9/8*zeta(3)^2/pi^6-89/12960
2	6	1	4	7	1	6	0	5	0	3	0	1	0	1		-9/8*zeta(3)^2/pi^6-89/12960
2	6	1	3	5	4	7	1	2	1	6	0	1	0	1		-1/16*zeta(3)^2/pi^6+43/181440
2	6	1	5	6	2	4	0	7	0	3	0	1	0	1		-1/16*zeta(3)^2/pi^6+43/181440
2	6	1	3	4	1	7	1	5	0	6	0	1	0	1		3/4*zeta(3)^2/pi^6-1/360
2	6	1	4	5	1	6	0	7	0	3	0	1	0	1		3/4*zeta(3)^2/pi^6-1/360
2	6	1	3	6	1	5	1	2	1	7	0	4	0	1		11/8*zeta(3)^2/pi^6-53/30240
2	6	1	3	5	1	4	0	2	0	6	0	7	0	1		11/8*zeta(3)^2/pi^6-53/30240
2	6	1	3	5	1	4	1	6	0	7	0	1	0	1		-3/4*zeta(3)^2/pi^6-13/6480
2	6	1	3	4	1	7	0	5	0	6	0	1	0	1		3/4*zeta(3)^2/pi^6+13/6480
2	6	1	3	4	1	5	1	6	1	7	0	2	0	1		-11/8*zeta(3)^2/pi^6+137/45360
2	6	1	4	5	1	2	0	6	0	3	0	7	0	1		11/8*zeta(3)^2/pi^6-137/45360
2	6	1	1	4	1	6	1	3	0	2	0	7	0	1		-3/8*zeta(3)^2/pi^6+11/2268
2	6	1	1	4	1	7	0	6	0	3	0	5	0	1		3/8*zeta(3)^2/pi^6-11/2268
2	6	1	1	5	1	7	1	3	1	4	0	2	0	6		5*zeta(3)^2/pi^6-239/30240
2	6	1	1	4	1	2	0	7	0	3	0	5	0	6		5*zeta(3)^2/pi^6-239/30240
2	6	1	1	4	1	7	1	3	0	6	0	2	0	1		3/2*zeta(3)^2/pi^6-53/45360
2	6	1	1	3	1	4	0	6	0	7	0	5	0	1		-3/2*zeta(3)^2/pi^6+53/45360
2	6	1	2	6	7	1	5	1	2	1	4	0	3	0		-7*zeta(3)^2/pi^6+1963/181440
2	6	1	3	7	1	4	0	6	0	2	0	5	0	1		7*zeta(3)^2/pi^6-1963/181440
2	6	1	5	7	1	4	1	6	0	3	0	1	0	1		-9/8*zeta(3)^2/pi^6+7/6480
2	6	1	3	7	1	4	0	5	0	6	0	1	0	1		-9/8*zeta(3)^2/pi^6+7/6480
2	6	1	3	7	1	5	1	6	1	4	0	2	0	1		13/2*zeta(3)^2/pi^6-31/2880
2	6	1	4	7	1	2	0	6	0	3	0	5	0	1		-13/2*zeta(3)^2/pi^6+31/2880
2	6	1	1	4	1	6	1	7	0	3	0	2	0	1		-27/8*zeta(3)^2/pi^6+377/90720
2	6	1	1	5	1	4	0	6	0	3	0	7	0	1		27/8*zeta(3)^2/pi^6-377/90720
2	6	1	4	5	1	6	1	7	0	3	0	1	0	1		3/4*zeta(3)^2/pi^6-91/6480
2	6	1	3	5	1	4	0	6	0	7	0	1	0	1		-3/4*zeta(3)^2/pi^6+91/6480
2	6	1	1	4	1	7	1	6	0	2	0	3	0	1		9/8*zeta(3)^2/pi^6-173/30240
2	6	1	1	5	1	4	0	7	0	6	0	3	0	1		-9/8*zeta(3)^2/pi^6+173/30240
2	6	1	3	6	1	7	1	5	1	2	0	4	0	1		-17/16*zeta(3)^2/pi^6+131/181440
2	6	1	3	5	1	4	0	6	0	7	0	2	0	1		-17/16*zeta(3)^2/pi^6+131/181440
2	6	1	3	4	1	5	1	7	1	6	0	2	0	1		35/16*zeta(3)^2/pi^6-37/12096
2	6	1	4	5	1	2	0	6	0	7	0	3	0	1		-35/16*zeta(3)^2/pi^6+37/12096
2	6	1	4	6	1	7	1	5	0	3	0	1	0	1		-9/8*zeta(3)^2/pi^6-13/1440
2	6	1	5	6	1	4	0	7	0	3	0	1	0	1		-9/8*zeta(3)^2/pi^6-13/1440
2	6	1	3	7	4	6	1	5	1	2	0	1	0	1		-41/4*zeta(3)^2/pi^6+163/11340
2	6	1	4	7	2	6	0	5	0	3	0	1	0	1		-41/4*zeta(3)^2/pi^6+163/11340
2	6	1	1	6	1	4	1	7	0	3	0	5	0	1		-9/8*zeta(3)^2/pi^6+11/18144
2	6	1	1	5	1	2	0	3	0	6	0	7	0	1		9/8*zeta(3)^2/pi^6-11/18144
2	6	1	1	4	1	6	1	3	0	2	0	5	0	1		1/480
2	6	1	1	4	1	2	0	6	0	3	0	5	0	1		-1/480
2	6	1	1	4	1	7	1	5	0	6	0	2	0	1		-1/1080
2	6	1	1	5	1	2	0	7	0	6	0	3	0	1		1/1080
2	6	1	1	4	1	7	1	5	0	6	0	3	0	1		-3/2*zeta(3)^2/pi^6+11/18144
2	6	1	1	5	1	2	0	6	0	7	0	3	0	1		3/2*zeta(3)^2/pi^6-11/18144
2	6	1	3	7	5	6	1	2	0	4	0	1	0	1		-115/16*zeta(3)^2/pi^6+487/45360
2	6	1	3	7	4	6	1	5	0	2	0	1	0	1		-115/16*zeta(3)^2/pi^6+487/45360
2	6	1	5	7	1	2	1	6	0	4	0	3	0	1		-379/32*zeta(3)^2/pi^6+3463/181440
2	6	1	3	7	1	6	1	5	0	2	0	4	0	1		379/32*zeta(3)^2/pi^6-3463/181440
2	6	1	3	6	1	5	1	7	1	2	0	4	0	1		-1/420
2	6	1	3	5	1	4	0	7	0	6	0	2	0	1		-1/420
2	6	1	3	6	1	5	1	2	1	4	0	7	0	1		-1/1890

2	6	1	3	4	1	7	0	6	0	2	0	5	0	1	-1/1890
2	6	1	1	4	1	6	1	3	0	7	0	2	0	1	1/270
2	6	1	1	7	1	4	0	6	0	3	0	5	0	1	-1/270
2	6	1	5	6	1	4	1	2	0	7	0	3	0	1	-59/32*zeta(3)^2/pi^6+779/362880
2	6	1	3	4	1	6	1	7	0	2	0	5	0	1	-59/32*zeta(3)^2/pi^6+779/362880
2	6	1	5	6	1	7	1	2	0	3	0	4	0	1	2*zeta(3)^2/pi^6-299/90720
2	6	1	3	4	1	5	1	6	0	7	0	2	0	1	-2*zeta(3)^2/pi^6+299/90720
2	6	1	3	7	4	5	1	2	0	6	0	1	0	1	11/32*zeta(3)^2/pi^6-811/362880
2	6	1	3	7	4	5	1	6	0	2	0	1	0	1	-11/32*zeta(3)^2/pi^6+811/362880
2	6	1	1	7	1	4	1	6	0	3	0	2	0	5	17/4*zeta(3)^2/pi^6-643/90720
2	6	1	1	7	1	4	1	5	0	6	0	2	0	3	17/4*zeta(3)^2/pi^6-643/90720
2	6	1	3	5	1	6	1	2	0	4	0	7	0	1	11/4*zeta(3)^2/pi^6-31/5040
2	6	1	3	5	1	6	1	7	0	4	0	2	0	1	-11/32*zeta(3)^2/pi^6+811/362880
2	6	1	1	7	1	4	1	6	0	3	0	2	0	5	17/4*zeta(3)^2/pi^6-643/90720
2	6	1	1	7	1	4	1	5	0	6	0	2	0	3	17/4*zeta(3)^2/pi^6-643/90720
2	6	1	3	5	1	6	1	2	0	4	0	7	0	1	11/4*zeta(3)^2/pi^6-31/5040
2	6	1	3	6	1	4	1	5	0	2	0	7	0	1	-25/32*zeta(3)^2/pi^6+13/13440
2	6	1	4	5	1	2	1	7	0	6	0	3	0	1	-25/32*zeta(3)^2/pi^6+13/13440
2	6	1	3	7	1	4	1	5	0	6	0	2	0	1	-151/32*zeta(3)^2/pi^6+191/25920
2	6	1	5	7	1	4	1	2	0	6	0	3	0	1	151/32*zeta(3)^2/pi^6-191/25920
2	6	1	3	5	4	6	1	2	0	7	0	1	0	1	-19/32*zeta(3)^2/pi^6-307/362880
2	6	1	3	4	5	6	1	7	0	2	0	1	0	1	-19/32*zeta(3)^2/pi^6-307/362880
2	6	1	1	4	1	7	1	3	0	6	0	2	0	5	-31/16*zeta(3)^2/pi^6+47/18144
2	6	1	3	5	1	4	1	2	0	6	0	7	0	1	3/4*zeta(3)^2/pi^6-53/90720
2	6	1	3	5	1	4	1	7	0	6	0	2	0	1	3/4*zeta(3)^2/pi^6-53/90720
2	6	1	4	5	1	2	1	6	0	7	0	3	0	1	-17/16*zeta(3)^2/pi^6-37/90720
2	6	1	3	5	1	7	1	6	0	4	0	2	0	1	-17/16*zeta(3)^2/pi^6-37/90720
2	6	1	6	7	1	4	1	5	0	2	0	3	0	1	-1/4*zeta(3)^2/pi^6+41/36288
2	6	1	3	7	1	6	1	2	0	4	0	5	0	1	1/4*zeta(3)^2/pi^6-41/36288
2	6	1	1	4	1	6	1	3	0	7	0	5	0	1	3/2*zeta(3)^2/pi^6-53/45360
2	6	1	1	7	1	2	0	6	0	3	0	5	0	1	-3/2*zeta(3)^2/pi^6+53/45360
2	6	1	1	3	0	2	0	1	0	1	0	1	0	1	-1/144
2	6	1	1	4	1	7	0	2	0	1	0	1	0	1	1/36
2	6	1	1	3	0	2	0	7	0	1	0	1	0	1	-1/36
2	6	1	3	4	1	7	1	2	0	1	0	1	0	1	-1/180
2	6	1	3	4	0	2	0	7	0	1	0	1	0	1	-1/180
2	6	1	3	4	1	2	0	7	0	1	0	1	0	1	1/360
2	6	1	3	4	1	7	0	2	0	1	0	1	0	1	1/360
2	6	1	3	7	2	6	0	1	0	1	0	1	0	1	1/360
2	6	1	2	1	5	1	4	0	3	0	7	0	1	0	1/36
2	6	1	1	7	1	4	0	3	0	2	0	1	0	1	1/36
2	6	1	3	4	1	5	1	2	1	6	1	7	0	1	1/945
2	6	1	3	4	0	5	0	2	0	6	0	7	0	1	-1/945
2	6	1	1	4	1	6	1	5	1	7	0	3	0	1	-1/270
2	6	1	1	4	0	5	0	2	0	6	0	7	0	1	1/270
2	6	1	3	5	1	2	1	6	1	7	0	1	0	1	-1/270
2	6	1	4	5	0	7	0	6	0	2	0	1	0	1	1/270
2	6	1	3	5	1	4	1	7	0	2	0	1	0	1	-1/1440
2	6	1	3	4	1	2	0	5	0	7	0	1	0	1	1/1440
2	6	1	3	7	2	4	1	6	0	1	0	1	0	1	-1/240
2	6	1	3	4	2	6	0	7	0	1	0	1	0	1	1/240
2	6	1	1	7	1	4	1	5	1	6	0	3	0	2	-1/540
2	6	1	1	4	1	5	0	6	0	3	0	7	0	2	-1/540
2	6	1	3	4	1	2	1	6	1	7	0	5	0	1	-1/420
2	6	1	5	6	1	4	0	7	0	3	0	2	0	1	-1/420
2	6	1	3	4	1	5	1	2	0	7	0	1	0	1	-1/180
2	6	1	4	5	1	7	0	3	0	2	0	1	0	1	-1/180
2	6	1	1	7	1	5	1	6	0	3	0	2	0	4	-1/432
2	6	1	1	5	1	7	1	6	0	2	0	1	0	1	-1/108
2	6	1	1	5	0	7	0	6	0	2	0	1	0	1	-1/108
2	6	1	1	6	1	5	0	7	0	3	0	1	0	1	1/54
2	6	1	1	6	1	7	1	5	0	4	0	3	0	1	-1/90
2	6	1	1	6	1	5	0	3	0	7	0	2	0	1	1/90
2	6	1	4	5	1	7	1	2	0	6	0	1	0	1	-1/540
2	6	1	3	5	1	6	0	7	0	2	0	1	0	1	1/540
2	6	1	1	6	1	4	1	5	0	7	0	2	0	1	-1/540

```

2 6 1 1 7 1 4 0 3 0 6 0 2 0 1 1/540
2 6 1 4 5 1 6 1 7 0 2 0 1 0 1 -1/540
2 6 1 3 5 1 2 0 6 0 7 0 1 0 1 1/540
2 6 1 4 6 1 5 1 7 0 3 0 1 0 1 -1/108
2 6 1 5 6 1 4 0 3 0 7 0 1 0 1 -1/108
2 6 1 3 5 4 6 1 7 1 2 0 1 0 1 1/540
2 6 1 5 6 2 4 0 3 0 7 0 1 0 1 1/540
2 6 1 3 7 2 6 1 5 0 1 0 1 0 1 -1/540
2 6 1 3 7 2 6 0 5 0 1 0 1 0 1 1/540
2 6 1 3 6 1 2 1 5 1 7 0 4 0 1 -1/1890
2 6 1 3 5 1 4 0 6 0 2 0 7 0 1 -1/1890
2 6 1 1 6 1 4 1 7 0 3 0 2 0 1 -1/540
2 6 1 1 5 1 4 0 3 0 6 0 7 0 1 1/540
2 6 1 3 7 1 5 1 6 1 2 0 4 0 1 -1/540
2 6 1 5 7 1 4 0 3 0 6 0 2 0 1 1/540
2 6 1 3 4 1 5 1 2 1 6 0 7 0 1 1/1890
2 6 1 4 5 1 7 0 6 0 2 0 3 0 1 -1/1890
2 6 1 3 4 1 7 1 2 0 6 0 1 0 1 -1/270
2 6 1 4 5 1 6 0 7 0 2 0 1 0 1 -1/270
2 6 1 3 7 2 5 1 6 1 4 0 1 0 1 -3/8*zeta(3)^2/pi^6+17/90720
2 6 1 3 7 2 4 0 5 0 6 0 1 0 1 -3/8*zeta(3)^2/pi^6+17/90720
2 6 1 3 6 1 5 1 7 1 4 0 2 0 1 -3/4*zeta(3)^2/pi^6+53/90720
2 6 1 3 4 1 2 0 6 0 7 0 5 0 1 -3/4*zeta(3)^2/pi^6+53/90720
2 6 1 3 5 2 4 1 6 1 7 0 1 0 1 -9/8*zeta(3)^2/pi^6+1/360
2 6 1 3 5 2 4 0 6 0 7 0 1 0 1 -9/8*zeta(3)^2/pi^6+1/360
2 6 1 3 5 2 4 1 7 0 6 0 1 0 1 -15/8*zeta(3)^2/pi^6+13/6480
2 6 1 3 6 1 4 1 5 0 7 0 2 0 1 -3/4*zeta(3)^2/pi^6+11/36288
2 6 1 4 5 1 7 1 2 0 6 0 3 0 1 -3/4*zeta(3)^2/pi^6+11/36288
2 6 1 1 7 1 4 1 5 0 6 0 3 0 2 -1/2160
2 6 1 3 4 5 6 1 2 0 7 0 1 0 1 3/2*zeta(3)^2/pi^6-11/25920
2 6 1 3 5 4 6 1 7 0 2 0 1 0 1 3/2*zeta(3)^2/pi^6-11/25920
2 6 1 5 7 1 6 1 2 0 4 0 3 0 1 1/864
2 6 1 4 7 1 6 1 5 0 2 0 3 0 1 -1/864
2 6 1 3 7 2 4 1 5 0 6 0 1 0 1 -3/8*zeta(3)^2/pi^6-11/5040
2 6 1 3 7 2 5 1 6 0 4 0 1 0 1 -3/8*zeta(3)^2/pi^6-11/5040
2 6 1 4 5 1 7 1 6 0 2 0 3 0 1 -3/2*zeta(3)^2/pi^6+377/181440
2 6 1 3 5 1 2 1 6 0 4 0 7 0 1 -3/2*zeta(3)^2/pi^6+377/181440
2 6 1 5 6 1 4 1 7 0 2 0 3 0 1 -3/4*zeta(3)^2/pi^6+53/90720
2 6 1 3 4 1 6 1 2 0 7 0 5 0 1 -3/4*zeta(3)^2/pi^6+53/90720
2 6 1 1 5 1 4 0 3 0 2 0 1 0 1 1/144
2 6 1 3 4 1 7 1 2 1 6 0 5 0 1 1/540
2 6 1 5 6 1 4 0 3 0 7 0 2 0 1 -1/540
2 6 1 1 7 1 6 1 5 0 4 0 3 0 1 -1/216
2 6 1 1 6 1 5 0 7 0 3 0 2 0 1 1/216
2 6 1 3 7 2 6 1 5 0 4 0 1 0 1 -1/1080
2 6 1 4 5 1 6 1 7 0 2 0 3 0 1 -1/1080
2 6 1 4 5 1 6 1 2 0 7 0 3 0 1 -1/1080
2 6 1 1 7 1 6 1 5 0 4 0 3 0 2 -1/1296
h^7:
2 7 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 1/5040
2 7 1 1 8 0 1 0 1 0 1 0 1 0 1 0 1 -1/360
2 7 1 0 8 0 1 0 1 0 1 0 1 0 1 0 1 1/360
2 7 1 1 3 0 8 0 1 0 1 0 1 0 1 0 1 0 1 -1/144
2 7 1 1 8 0 2 0 1 0 1 0 1 0 1 0 1 0 1 -1/144
2 7 1 1 8 1 7 0 1 0 1 0 1 0 1 0 1 0 1 1/108
2 7 1 0 8 0 7 0 1 0 1 0 1 0 1 0 1 0 1 1/108
2 7 1 1 8 0 7 0 1 0 1 0 1 0 1 0 1 0 1 -1/54
2 7 1 1 3 1 4 1 8 0 1 0 1 0 1 0 1 0 1 1/270
2 7 1 0 3 0 4 0 8 0 1 0 1 0 1 0 1 0 1 -1/270
2 7 1 1 4 1 8 0 3 0 1 0 1 0 1 0 1 0 1 1/90
2 7 1 1 4 0 2 0 8 0 1 0 1 0 1 0 1 0 1 -1/90
2 7 1 1 3 1 4 0 8 0 1 0 1 0 1 0 1 0 1 1/540
2 7 1 1 8 0 4 0 2 0 1 0 1 0 1 0 1 0 1 -1/540

```

2	7	1	3	8	1	7	0	1	0	1	0	1	0	1	0	1	1/108
2	7	1	3	8	0	7	0	1	0	1	0	1	0	1	0	1	1/108
2	7	1	1	3	1	8	0	2	0	1	0	1	0	1	0	1	1/540
2	7	1	1	3	0	4	0	8	0	1	0	1	0	1	0	1	-1/540
2	7	1	1	7	1	8	0	3	0	1	0	1	0	1	0	1	1/36
2	7	1	1	4	0	8	0	7	0	1	0	1	0	1	0	1	-1/36
2	7	1	1	4	1	7	0	8	0	1	0	1	0	1	0	1	1/36
2	7	1	1	8	0	2	0	7	0	1	0	1	0	1	0	1	-1/36
2	7	1	4	8	1	2	1	7	0	1	0	1	0	1	0	1	-1/180
2	7	1	4	8	0	2	0	7	0	1	0	1	0	1	0	1	1/180
2	7	1	4	8	1	2	0	7	0	1	0	1	0	1	0	1	-11/2880
2	7	1	3	8	1	7	0	2	0	1	0	1	0	1	0	1	11/2880
2	7	1	3	8	1	4	1	2	0	1	0	1	0	1	0	1	1/540
2	7	1	4	8	0	2	0	3	0	1	0	1	0	1	0	1	-1/540
2	7	1	4	8	1	2	0	3	0	1	0	1	0	1	0	1	-1/864
2	7	1	3	8	1	4	0	2	0	1	0	1	0	1	0	1	1/864
2	7	1	1	4	1	5	1	3	0	2	0	1	0	1	0	1	1/540
2	7	1	1	3	0	5	0	2	0	4	0	1	0	1	0	1	1/540
2	7	1	1	5	1	4	0	2	0	3	0	1	0	1	0	1	1/432
2	7	1	1	3	1	4	0	5	0	2	0	1	0	1	0	1	1/2160
2	7	1	3	8	1	4	1	7	0	1	0	1	0	1	0	1	-1/180
2	7	1	3	8	0	4	0	7	0	1	0	1	0	1	0	1	1/180
2	7	1	1	3	1	4	1	8	0	2	0	1	0	1	0	1	1/180
2	7	1	1	3	0	5	0	8	0	4	0	1	0	1	0	1	1/180
2	7	1	1	4	1	5	1	3	0	8	0	1	0	1	0	1	1/180
2	7	1	1	8	0	5	0	2	0	4	0	1	0	1	0	1	1/180
2	7	1	4	8	1	7	0	3	0	1	0	1	0	1	0	1	-7/720
2	7	1	3	8	1	4	0	7	0	1	0	1	0	1	0	1	7/720
2	7	1	1	3	1	4	0	5	0	8	0	1	0	1	0	1	1/1440
2	7	1	3	4	1	8	0	7	0	1	0	1	0	1	0	1	23/1440
2	7	1	1	4	1	5	0	3	0	8	0	1	0	1	0	1	43/2880
2	7	1	1	5	1	8	0	2	0	3	0	1	0	1	0	1	43/2880
2	7	1	1	5	1	8	0	3	0	7	0	1	0	1	0	1	1/36
2	7	1	1	5	1	4	0	7	0	8	0	1	0	1	0	1	1/72
2	7	1	1	8	1	7	0	3	0	2	0	1	0	1	0	1	1/72
2	7	1	5	8	1	4	1	2	0	3	0	1	0	1	0	1	-1/2880
2	7	1	3	8	1	4	0	5	0	2	0	1	0	1	0	1	-1/2880
2	7	1	3	8	1	4	1	5	0	2	0	1	0	1	0	1	-1/1440
2	7	1	5	8	1	2	0	3	0	4	0	1	0	1	0	1	-1/1440
2	7	1	4	8	1	2	1	5	0	3	0	1	0	1	0	1	-1/480
2	7	1	5	8	1	4	0	2	0	3	0	1	0	1	0	1	-1/480
2	7	1	5	8	1	2	1	7	0	4	0	1	0	1	0	1	15/4*zeta(3)^2/pi^6-19/3240
2	7	1	3	8	1	5	0	2	0	7	0	1	0	1	0	1	15/4*zeta(3)^2/pi^6-19/3240
2	7	1	3	8	1	4	1	7	0	2	0	1	0	1	0	1	15/4*zeta(3)^2/pi^6-103/12960
2	7	1	4	8	1	2	0	5	0	7	0	1	0	1	0	1	15/4*zeta(3)^2/pi^6-103/12960
2	7	1	4	8	1	2	1	5	0	7	0	1	0	1	0	1	15/4*zeta(3)^2/pi^6-157/12960
2	7	1	5	8	1	7	0	2	0	3	0	1	0	1	0	1	15/4*zeta(3)^2/pi^6-157/12960
2	7	1	3	8	4	7	1	2	0	1	0	1	0	1	0	1	-1/576
2	7	1	3	8	4	7	0	2	0	1	0	1	0	1	0	1	1/576
2	7	1	4	7	5	8	1	3	0	2	0	1	0	1	0	1	49/4*zeta(3)^2/pi^6-47/2520
2	7	1	5	8	4	7	1	2	1	3	0	1	0	1	0	1	17/2*zeta(3)^2/pi^6-29/2268
2	7	1	5	8	4	7	0	2	0	3	0	1	0	1	0	1	17/2*zeta(3)^2/pi^6-29/2268
2	7	1	1	8	1	7	1	6	0	1	0	1	0	1	0	1	-1/162
2	7	1	0	8	0	7	0	6	0	1	0	1	0	1	0	1	1/162
2	7	1	1	8	1	7	0	6	0	1	0	1	0	1	0	1	1/54
2	7	1	1	8	0	7	0	6	0	1	0	1	0	1	0	1	-1/54
2	7	1	1	8	1	4	1	5	1	7	0	1	0	1	0	1	-1/135
2	7	1	0	8	0	4	0	5	0	7	0	1	0	1	0	1	-1/135
2	7	1	1	5	1	7	1	8	0	4	0	1	0	1	0	1	-1/45
2	7	1	1	5	0	7	0	2	0	8	0	1	0	1	0	1	-1/45

2	7	1	1	3	1	5	1	7	0	8	0	1	0	1	0	1	-1/270
2	7	1	1	7	0	8	0	5	0	2	0	1	0	1	0	1	-1/270
2	7	1	4	6	1	7	1	8	0	1	0	1	0	1	0	1	-1/54
2	7	1	4	8	0	7	0	6	0	1	0	1	0	1	0	1	1/54
2	7	1	1	4	1	7	1	8	0	2	0	1	0	1	0	1	-1/270
2	7	1	1	4	0	8	0	5	0	7	0	1	0	1	0	1	-1/270
2	7	1	1	3	1	4	1	7	0	8	0	1	0	1	0	1	1/135
2	7	1	1	7	0	5	0	8	0	4	0	1	0	1	0	1	1/135
2	7	1	4	8	1	7	0	6	0	1	0	1	0	1	0	1	-1/54
2	7	1	3	8	1	7	0	6	0	1	0	1	0	1	0	1	1/54
2	7	1	1	7	1	8	0	5	0	3	0	1	0	1	0	1	1/270
2	7	1	1	3	1	5	0	7	0	8	0	1	0	1	0	1	1/270
2	7	1	1	5	1	8	0	2	0	7	0	1	0	1	0	1	1/45
2	7	1	1	4	1	8	0	3	0	7	0	1	0	1	0	1	1/45
2	7	1	1	4	1	8	0	5	0	7	0	1	0	1	0	1	1/270
2	7	1	1	3	1	8	0	2	0	7	0	1	0	1	0	1	1/270
2	7	1	1	7	1	6	1	8	0	4	0	1	0	1	0	1	-1/108
2	7	1	1	5	0	7	0	6	0	8	0	1	0	1	0	1	-1/108
2	7	1	1	5	1	8	1	7	0	6	0	1	0	1	0	1	-1/108
2	7	1	1	6	0	8	0	7	0	2	0	1	0	1	0	1	-1/108
2	7	1	1	5	1	7	0	8	0	6	0	1	0	1	0	1	1/54
2	7	1	1	7	1	8	0	3	0	6	0	1	0	1	0	1	1/54
2	7	1	5	8	1	4	1	2	0	7	0	1	0	1	0	1	-3*zeta(3)^2/pi^6+11/12960
2	7	1	3	8	1	7	0	5	0	2	0	1	0	1	0	1	-3*zeta(3)^2/pi^6+11/12960
2	7	1	4	8	1	5	1	7	0	2	0	1	0	1	0	1	-3*zeta(3)^2/pi^6-13/6480
2	7	1	5	8	1	2	0	3	0	7	0	1	0	1	0	1	-3*zeta(3)^2/pi^6-13/6480
2	7	1	4	5	1	2	1	7	0	8	0	1	0	1	0	1	-59/12960
2	7	1	3	5	1	8	0	2	0	7	0	1	0	1	0	1	59/12960
2	7	1	4	8	1	2	1	7	0	3	0	1	0	1	0	1	-3*zeta(3)^2/pi^6-11/4320
2	7	1	5	8	1	4	0	2	0	7	0	1	0	1	0	1	-3*zeta(3)^2/pi^6-11/4320
2	7	1	3	8	4	6	1	7	0	1	0	1	0	1	0	1	19/12960
2	7	1	3	8	4	6	0	7	0	1	0	1	0	1	0	1	-19/12960
2	7	1	5	6	1	2	1	7	1	8	0	1	0	1	0	1	1/270
2	7	1	5	6	0	7	0	2	0	8	0	1	0	1	0	1	1/270
2	7	1	4	7	1	5	1	8	1	2	0	1	0	1	0	1	-1/270
2	7	1	4	7	0	5	0	8	0	2	0	1	0	1	0	1	-1/270
2	7	1	4	7	1	8	1	5	1	2	0	1	0	1	0	1	-1/270
2	7	1	4	7	0	8	0	5	0	2	0	1	0	1	0	1	-1/270
2	7	1	5	8	1	2	1	6	0	7	0	1	0	1	0	1	11/4320
2	7	1	3	8	1	7	0	2	0	6	0	1	0	1	0	1	11/4320
2	7	1	4	6	1	7	1	8	0	2	0	1	0	1	0	1	-11/4320
2	7	1	5	8	1	2	0	7	0	6	0	1	0	1	0	1	-11/4320
2	7	1	4	8	1	2	1	6	0	7	0	1	0	1	0	1	-1/270
2	7	1	5	8	1	7	0	2	0	6	0	1	0	1	0	1	-1/270
2	7	1	4	5	1	2	1	8	0	3	0	1	0	1	0	1	-1/480
2	7	1	3	5	1	4	0	2	0	8	0	1	0	1	0	1	1/480
2	7	1	3	4	1	5	1	8	0	2	0	1	0	1	0	1	1/2880
2	7	1	4	5	1	2	0	3	0	8	0	1	0	1	0	1	1/2880
2	7	1	3	5	1	4	1	2	0	8	0	1	0	1	0	1	1/360
2	7	1	3	5	1	8	0	2	0	4	0	1	0	1	0	1	-1/360
2	7	1	5	8	1	2	1	7	0	3	0	1	0	1	0	1	1/432
2	7	1	3	8	1	4	0	2	0	7	0	1	0	1	0	1	1/432
2	7	1	3	8	1	5	1	7	0	2	0	1	0	1	0	1	-1/432
2	7	1	4	8	1	2	0	3	0	7	0	1	0	1	0	1	-1/432
2	7	1	3	8	1	4	1	2	0	7	0	1	0	1	0	1	1/270
2	7	1	5	8	1	7	0	2	0	4	0	1	0	1	0	1	1/270
2	7	1	1	6	1	8	1	5	1	3	1	4	0	1	0	1	-2/945
2	7	1	0	6	0	8	0	5	0	3	0	4	0	1	0	1	2/945
2	7	1	1	6	1	4	1	5	1	8	0	3	0	1	0	1	-1/210
2	7	1	1	4	0	2	0	5	0	6	0	8	0	1	0	1	1/210
2	7	1	3	7	1	5	1	8	1	4	0	1	0	1	0	1	-1/270
2	7	1	3	7	0	5	0	8	0	4	0	1	0	1	0	1	-1/270
2	7	1	4	8	1	2	1	5	1	6	1	7	0	1	0	1	1/945

2	7	1	4	8	0	2	0	5	0	6	0	7	0	1	0	1	-1/945
2	7	1	3	4	1	8	1	5	1	7	0	1	0	1	0	1	-1/270
2	7	1	3	4	0	8	0	5	0	7	0	1	0	1	0	1	-1/270
2	7	1	1	5	1	8	1	3	1	4	0	2	0	1	0	1	-1/945
2	7	1	1	3	0	6	0	8	0	4	0	5	0	1	0	1	1/945
2	7	1	1	5	1	8	1	6	0	4	0	3	0	1	0	1	27/8*zeta(3)^2/pi^6-53/3024
2	7	1	1	5	1	6	0	3	0	8	0	2	0	1	0	1	-27/8*zeta(3)^2/pi^6+53/3024
2	7	1	1	3	1	5	1	6	0	4	0	8	0	1	0	1	-3*zeta(3)^2/pi^6+377/90720
2	7	1	1	8	1	5	0	6	0	2	0	3	0	1	0	1	3*zeta(3)^2/pi^6-377/90720
2	7	1	3	8	1	4	1	5	0	7	0	1	0	1	0	1	-9/8*zeta(3)^2/pi^6-89/12960
2	7	1	5	8	1	7	0	3	0	4	0	1	0	1	0	1	-9/8*zeta(3)^2/pi^6-89/12960
2	7	1	3	5	1	4	1	7	0	8	0	1	0	1	0	1	-3/4*zeta(3)^2/pi^6-13/6480
2	7	1	3	4	1	8	0	5	0	7	0	1	0	1	0	1	3/4*zeta(3)^2/pi^6+13/6480
2	7	1	1	3	1	8	1	2	0	6	0	4	0	1	0	1	3/2*zeta(3)^2/pi^6-53/45360
2	7	1	1	3	1	4	0	6	0	8	0	5	0	1	0	1	-3/2*zeta(3)^2/pi^6+53/45360
2	7	1	1	3	1	5	1	2	0	8	0	4	0	1	0	1	-3/8*zeta(3)^2/pi^6+11/2268
2	7	1	1	4	1	8	0	6	0	3	0	5	0	1	0	1	3/8*zeta(3)^2/pi^6-11/2268
2	7	1	3	4	1	5	1	7	0	8	0	1	0	1	0	1	-3/4*zeta(3)^2/pi^6+1/360
2	7	1	4	5	1	8	0	3	0	7	0	1	0	1	0	1	-3/4*zeta(3)^2/pi^6+1/360
2	7	1	5	8	1	4	1	7	0	3	0	1	0	1	0	1	-9/8*zeta(3)^2/pi^6+7/6480
2	7	1	3	8	1	4	0	5	0	7	0	1	0	1	0	1	-9/8*zeta(3)^2/pi^6+7/6480
2	7	1	4	5	1	7	1	8	0	3	0	1	0	1	0	1	3/4*zeta(3)^2/pi^6-91/6480
2	7	1	3	5	1	4	0	8	0	7	0	1	0	1	0	1	-3/4*zeta(3)^2/pi^6+91/6480
2	7	1	1	6	1	8	1	2	0	4	0	3	0	1	0	1	9/8*zeta(3)^2/pi^6-173/30240
2	7	1	1	5	1	4	0	8	0	6	0	3	0	1	0	1	-9/8*zeta(3)^2/pi^6+173/30240
2	7	1	1	8	1	2	1	6	0	4	0	3	0	1	0	1	-27/8*zeta(3)^2/pi^6+377/90720
2	7	1	1	5	1	4	0	6	0	3	0	8	0	1	0	1	27/8*zeta(3)^2/pi^6-377/90720
2	7	1	3	8	1	5	1	7	0	4	0	1	0	1	0	1	-9/8*zeta(3)^2/pi^6-13/1440
2	7	1	4	8	1	5	0	3	0	7	0	1	0	1	0	1	-9/8*zeta(3)^2/pi^6-13/1440
2	7	1	1	8	1	5	1	2	0	6	0	4	0	1	0	1	-9/8*zeta(3)^2/pi^6+11/18144
2	7	1	1	5	1	2	0	3	0	6	0	8	0	1	0	1	9/8*zeta(3)^2/pi^6-11/18144
2	7	1	1	3	1	5	1	8	0	6	0	4	0	1	0	1	-3/2*zeta(3)^2/pi^6+11/18144
2	7	1	1	5	1	2	0	6	0	8	0	3	0	1	0	1	3/2*zeta(3)^2/pi^6-11/18144
2	7	1	1	3	1	4	1	5	0	6	0	8	0	1	0	1	3/2*zeta(3)^2/pi^6-53/45360
2	7	1	1	8	1	2	0	6	0	3	0	5	0	1	0	1	-3/2*zeta(3)^2/pi^6+53/45360
2	7	1	1	6	1	5	1	3	0	8	0	4	0	1	0	1	15/8*zeta(3)^2/pi^6-173/30240
2	7	1	1	8	1	5	0	3	0	6	0	2	0	1	0	1	-15/8*zeta(3)^2/pi^6+173/30240
2	7	1	1	4	1	8	1	5	1	6	0	3	0	1	0	1	-1/210
2	7	1	1	4	0	5	0	8	0	6	0	2	0	1	0	1	1/210
2	7	1	1	8	1	4	1	5	1	6	0	3	0	1	0	1	-1/270
2	7	1	1	4	0	8	0	5	0	6	0	2	0	1	0	1	1/270
2	7	1	1	4	1	8	1	5	1	7	0	3	0	1	0	1	-1/270
2	7	1	1	4	0	5	0	8	0	6	0	7	0	1	0	1	1/270
2	7	1	3	4	1	8	1	5	1	6	1	2	0	1	0	1	1/945
2	7	1	3	4	0	8	0	5	0	6	0	2	0	1	0	1	-1/945
2	7	1	3	8	1	6	1	2	1	4	1	5	0	1	0	1	-1/945
2	7	1	3	8	0	6	0	2	0	4	0	5	0	1	0	1	1/945
2	7	1	2	7	1	5	1	8	1	6	1	2	0	1	0	1	1/945
2	7	1	4	7	0	5	0	8	0	6	0	2	0	1	0	1	-1/945
2	7	1	1	5	1	6	1	3	1	4	0	8	0	1	0	1	-1/945
2	7	1	1	8	0	6	0	2	0	4	0	5	0	1	0	1	1/945
2	7	1	1	4	1	6	1	5	1	7	0	8	0	1	0	1	-1/270
2	7	1	1	8	0	5	0	2	0	6	0	7	0	1	0	1	1/270
2	7	1	1	6	1	7	1	8	0	3	0	4	0	1	0	1	-1/90
2	7	1	1	6	1	5	0	3	0	7	0	8	0	1	0	1	1/90
2	7	1	1	3	1	5	1	7	0	8	0	4	0	1	0	1	-1/540
2	7	1	1	5	1	7	0	6	0	8	0	3	0	1	0	1	1/540
2	7	1	4	6	1	7	1	8	0	3	0	1	0	1	0	1	-1/108
2	7	1	5	8	1	4	0	7	0	6	0	1	0	1	0	1	-1/108
2	7	1	1	7	1	8	1	2	0	3	0	4	0	1	0	1	-1/540
2	7	1	1	4	1	5	0	8	0	6	0	7	0	1	0	1	1/540
2	7	1	1	5	1	6	1	7	0	8	0	4	0	1	0	1	-1/90
2	7	1	1	7	1	5	0	3	0	8	0	2	0	1	0	1	1/90

2	7	1	1	4	1	5	1	6	0	7	0	8	0	1	0	1	-1/540
2	7	1	1	7	1	8	0	6	0	2	0	3	0	1	0	1	1/540
2	7	1	4	8	1	5	1	6	0	7	0	1	0	1	0	1	-1/108
2	7	1	5	8	1	7	0	3	0	6	0	1	0	1	0	1	-1/108
2	7	1	1	7	1	5	1	2	0	8	0	4	0	1	0	1	-1/540
2	7	1	1	5	1	8	0	3	0	6	0	7	0	1	0	1	1/540
2	7	1	1	5	1	2	1	6	0	4	0	3	0	1	0	1	-1/960
2	7	1	1	4	1	5	0	6	0	2	0	3	0	1	0	1	1/960
2	7	1	1	3	1	5	1	2	0	6	0	4	0	1	0	1	1/960
2	7	1	1	4	1	2	0	6	0	3	0	5	0	1	0	1	-1/960
2	7	1	3	8	4	7	1	5	1	2	0	1	0	1	0	1	-41/4*zeta(3)^2/pi^6+163/11340
2	7	1	3	8	4	7	0	5	0	2	0	1	0	1	0	1	-41/4*zeta(3)^2/pi^6+163/11340
2	7	1	5	7	1	8	1	2	1	6	0	3	0	1	0	1	3/16*zeta(3)^2/pi^6+943/362880
2	7	1	6	7	1	4	0	8	0	2	0	3	0	1	0	1	-3/16*zeta(3)^2/pi^6-943/362880
2	7	1	3	8	4	7	1	5	0	2	0	1	0	1	0	1	-115/16*zeta(3)^2/pi^6+487/45360
2	7	1	3	8	5	7	1	2	0	4	0	1	0	1	0	1	-115/16*zeta(3)^2/pi^6+487/45360
2	7	1	6	8	1	5	1	2	1	4	0	3	0	1	0	1	-7*zeta(3)^2/pi^6+1963/181440
2	7	1	3	8	1	4	0	6	0	2	0	5	0	1	0	1	7*zeta(3)^2/pi^6-1963/181440
2	7	1	6	8	1	5	1	2	1	7	0	3	0	1	0	1	1/16*zeta(3)^2/pi^6+257/362880
2	7	1	3	8	1	4	0	6	0	2	0	7	0	1	0	1	-1/16*zeta(3)^2/pi^6-257/362880
2	7	1	3	8	1	5	1	6	1	4	0	2	0	1	0	1	13/2*zeta(3)^2/pi^6-31/2880
2	7	1	4	8	1	2	0	6	0	3	0	5	0	1	0	1	-13/2*zeta(3)^2/pi^6+31/2880
2	7	1	1	7	1	5	1	6	1	8	0	3	0	4	0	1	65/16*zeta(3)^2/pi^6-437/72576
2	7	1	1	5	1	6	0	3	0	7	0	2	0	8	0	1	65/16*zeta(3)^2/pi^6-437/72576
2	7	1	6	7	4	5	1	8	1	2	1	3	0	1	0	1	149/16*zeta(3)^2/pi^6-5239/362880
2	7	1	6	7	4	5	0	8	0	2	0	3	0	1	0	1	-149/16*zeta(3)^2/pi^6+5239/362880
2	7	1	3	4	1	6	1	7	1	2	1	8	0	5	0	1	-99/16*zeta(3)^2/pi^6+53/5760
2	7	1	5	6	1	4	0	2	0	7	0	3	0	8	0	1	-99/16*zeta(3)^2/pi^6+53/5760
2	7	1	1	7	1	6	1	8	1	4	1	5	0	3	0	2	27/16*zeta(3)^2/pi^6-289/120960
2	7	1	1	4	1	5	0	3	0	8	0	2	0	6	0	7	-27/16*zeta(3)^2/pi^6+289/120960
2	7	1	3	7	1	5	1	8	1	4	0	2	0	1	0	1	-31/16*zeta(3)^2/pi^6+131/51840
2	7	1	4	7	1	2	0	6	0	8	0	5	0	1	0	1	31/16*zeta(3)^2/pi^6-131/51840
2	7	1	3	7	1	4	1	5	0	8	0	2	0	1	0	1	-7/8*zeta(3)^2/pi^6-11/45360
2	7	1	5	8	1	2	1	7	0	6	0	4	0	1	0	1	7/8*zeta(3)^2/pi^6+11/45360
2	7	1	6	7	1	8	1	3	0	2	0	4	0	1	0	1	3/16*zeta(3)^2/pi^6+173/362880
2	7	1	4	8	1	2	1	5	0	6	0	7	0	1	0	1	-3/16*zeta(3)^2/pi^6-173/362880
2	7	1	3	8	1	6	1	7	0	2	0	4	0	1	0	1	-2*zeta(3)^2/pi^6+17/6048
2	7	1	6	7	1	2	1	5	0	8	0	4	0	1	0	1	2*zeta(3)^2/pi^6-17/6048
2	7	1	5	8	1	2	1	6	0	4	0	3	0	1	0	1	-379/32*zeta(3)^2/pi^6+3463/181440
2	7	1	3	8	1	6	1	5	0	2	0	4	0	1	0	1	379/32*zeta(3)^2/pi^6-3463/181440
2	7	1	3	8	1	4	1	5	0	6	0	2	0	1	0	1	-151/32*zeta(3)^2/pi^6+191/25920
2	7	1	5	8	1	2	1	3	0	6	0	4	0	1	0	1	151/32*zeta(3)^2/pi^6-191/25920
2	7	1	5	8	1	6	1	3	0	4	0	2	0	1	0	1	-1/4*zeta(3)^2/pi^6+41/36288
2	7	1	3	8	1	5	1	2	0	6	0	4	0	1	0	1	1/4*zeta(3)^2/pi^6-41/36288
2	7	1	1	8	1	6	1	5	0	3	0	4	0	1	0	1	-1/216
2	7	1	1	6	1	5	0	8	0	2	0	3	0	1	0	1	1/216
2	7	1	1	3	1	6	1	2	0	8	0	4	0	1	0	1	1/270
2	7	1	1	8	1	4	0	6	0	3	0	5	0	1	0	1	-1/270
2	7	1	1	8	1	5	1	3	0	6	0	4	0	1	0	1	-1/1080
2	7	1	1	5	1	2	0	8	0	6	0	3	0	1	0	1	1/1080
2	7	1	1	4	7	1	8	1	5	1	6	0	1	0	1	0	1/270
2	7	1	1	4	7	0	8	0	5	0	6	0	1	0	1	0	1/270
2	7	1	1	4	8	1	5	1	6	1	2	1	7	0	1	0	1/945
2	7	1	1	4	8	0	6	0	5	0	7	0	2	0	1	0	-1/945
2	7	1	1	8	1	4	1	5	1	7	0	3	0	1	0	1	-1/270
2	7	1	1	4	0	8	0	5	0	6	0	7	0	1	0	1	1/270
2	7	1	1	6	1	7	1	5	1	3	1	4	0	2	0	1	-1/945
2	7	1	1	3	0	7	0	2	0	6	0	4	0	5	0	1	-1/945
2	7	1	1	3	4	1	6	1	5	1	2	1	8	0	1	0	1/945
2	7	1	1	3	4	0	6	0	5	0	8	0	2	0	1	0	1/945
2	7	1	1	6	1	7	1	5	1	3	1	4	0	8	0	1	-1/945
2	7	1	1	8	0	7	0	2	0	6	0	4	0	5	0	1	-1/945
2	7	1	1	8	1	4	1	5	1	6	0	7	0	1	0	1	-1/270

2	7	1	1	7	0	8	0	5	0	6	0	2	0	1	0	1	1/270
2	7	1	1	4	1	5	1	6	1	8	0	3	0	1	0	1	-1/945
2	7	1	1	4	0	6	0	5	0	8	0	2	0	1	0	1	1/945
2	7	1	5	6	1	7	1	8	0	4	0	1	0	1	0	1	7/1080
2	7	1	3	8	1	5	0	7	0	6	0	1	0	1	0	1	7/1080
2	7	1	1	7	1	8	1	6	0	4	0	3	0	1	0	1	-43/4320
2	7	1	1	6	1	5	0	7	0	8	0	3	0	1	0	1	43/4320
2	7	1	3	8	1	4	1	6	0	7	0	1	0	1	0	1	-1/270
2	7	1	4	8	1	7	0	5	0	6	0	1	0	1	0	1	-1/270
2	7	1	1	3	1	7	1	2	0	8	0	4	0	1	0	1	1/270
2	7	1	1	4	1	7	0	6	0	8	0	5	0	1	0	1	-1/270
2	7	1	1	8	1	4	1	5	0	6	0	7	0	1	0	1	-1/2160
2	7	1	1	7	1	2	0	8	0	6	0	3	0	1	0	1	1/2160
2	7	1	1	8	1	5	1	7	0	6	0	4	0	1	0	1	-19/4320
2	7	1	1	6	1	2	0	3	0	7	0	8	0	1	0	1	19/4320
2	7	1	3	8	1	5	1	6	0	7	0	1	0	1	0	1	-7/1080
2	7	1	4	8	1	7	0	3	0	6	0	1	0	1	0	1	-7/1080
2	7	1	1	7	1	5	1	3	0	8	0	4	0	1	0	1	-19/4320
2	7	1	1	5	1	7	0	8	0	6	0	3	0	1	0	1	19/4320
2	7	1	1	7	1	8	1	3	0	6	0	4	0	1	0	1	-1/2160
2	7	1	1	3	1	5	0	8	0	6	0	7	0	1	0	1	1/2160
2	7	1	2	4	5	1	7	1	8	0	6	0	1	0	1	0	-23/2160
2	7	1	3	5	1	8	0	7	0	6	0	1	0	1	0	1	23/2160
2	7	1	1	3	1	4	1	6	0	7	0	8	0	1	0	1	1/270
2	7	1	1	8	1	7	0	6	0	3	0	5	0	1	0	1	-1/270
2	7	1	1	7	1	5	1	6	0	4	0	8	0	1	0	1	-43/4320
2	7	1	1	7	1	6	0	3	0	8	0	2	0	1	0	1	43/4320
2	7	1	5	6	1	2	1	3	0	8	0	4	0	1	0	1	-59/32*zeta(3)^2/pi^6+779/362880
2	7	1	3	4	1	8	1	5	0	6	0	2	0	1	0	1	59/32*zeta(3)^2/pi^6-779/362880
2	7	1	3	6	1	4	1	5	0	2	0	8	0	1	0	1	-25/32*zeta(3)^2/pi^6+13/13440
2	7	1	3	5	1	8	1	2	0	6	0	4	0	1	0	1	-25/32*zeta(3)^2/pi^6+13/13440
2	7	1	3	5	1	6	1	2	0	8	0	4	0	1	0	1	-17/16*zeta(3)^2/pi^6-37/90720
2	7	1	3	6	1	8	1	5	0	2	0	4	0	1	0	1	-17/16*zeta(3)^2/pi^6-37/90720
2	7	1	4	8	1	6	1	5	1	7	0	2	0	1	0	1	-35/8*zeta(3)^2/pi^6+121/15120
2	7	1	5	8	1	2	0	3	0	6	0	7	0	1	0	1	35/8*zeta(3)^2/pi^6-121/15120
2	7	1	1	4	1	7	1	5	1	6	0	3	0	2	0	1	-33/2*zeta(3)^2/pi^6+103/4536
2	7	1	1	5	1	4	0	6	0	3	0	7	0	2	0	1	-33/2*zeta(3)^2/pi^6+103/4536
2	7	1	4	6	1	2	1	5	1	8	0	3	0	1	0	1	11/8*zeta(3)^2/pi^6-53/30240
2	7	1	3	5	1	4	0	2	0	6	0	8	0	1	0	1	11/8*zeta(3)^2/pi^6-53/30240
2	7	1	4	6	1	2	1	5	1	7	0	8	0	1	0	1	-5/4*zeta(3)^2/pi^6+131/72576
2	7	1	3	5	1	8	0	2	0	6	0	7	0	1	0	1	-5/4*zeta(3)^2/pi^6+131/72576
2	7	1	3	4	1	5	1	6	1	8	0	2	0	1	0	1	-11/8*zeta(3)^2/pi^6+137/45360
2	7	1	4	5	1	2	0	6	0	3	0	8	0	1	0	1	11/8*zeta(3)^2/pi^6-137/45360
2	7	1	1	7	1	4	1	5	1	6	0	8	0	3	0	1	-27/16*zeta(3)^2/pi^6+43/120960
2	7	1	1	8	1	5	0	3	0	6	0	7	0	2	0	1	-27/16*zeta(3)^2/pi^6+43/120960
2	7	1	5	6	1	2	1	7	1	8	0	4	0	1	0	1	1/2*zeta(3)^2/pi^6+1/4480
2	7	1	3	6	1	4	0	7	0	2	0	8	0	1	0	1	1/2*zeta(3)^2/pi^6+1/4480
2	7	1	1	7	1	5	1	8	1	6	0	4	0	3	0	1	-17/16*zeta(3)^2/pi^6+9/4480
2	7	1	1	5	1	6	0	2	0	7	0	8	0	3	0	1	-17/16*zeta(3)^2/pi^6+9/4480
2	7	1	4	6	1	5	1	8	1	2	0	3	0	1	0	1	-17/16*zeta(3)^2/pi^6+131/181440
2	7	1	3	5	1	4	0	6	0	8	0	2	0	1	0	1	-17/16*zeta(3)^2/pi^6+131/181440
2	7	1	3	4	1	8	1	5	1	6	0	2	0	1	0	1	-35/16*zeta(3)^2/pi^6+37/12096
2	7	1	4	5	1	2	0	8	0	6	0	3	0	1	0	1	35/16*zeta(3)^2/pi^6-37/12096
2	7	1	4	7	1	5	1	8	1	6	0	2	0	1	0	1	1/4*zeta(3)^2/pi^6+1/12960
2	7	1	5	7	1	2	0	6	0	8	0	3	0	1	0	1	-1/4*zeta(3)^2/pi^6-1/12960
2	7	1	1	5	1	8	1	7	1	6	0	4	0	2	0	1	1/1440
2	7	1	1	5	1	6	0	8	0	7	0	2	0	3	0	1	1/1440
2	7	1	4	7	5	8	1	6	1	2	1	3	0	1	0	1	-49/16*zeta(3)^2/pi^6+1849/362880
2	7	1	4	7	5	8	0	6	0	2	0	3	0	1	0	1	49/16*zeta(3)^2/pi^6-1849/362880
2	7	1	5	7	4	8	1	6	1	3	0	1	0	1	0	1	-31/8*zeta(3)^2/pi^6+893/90720
2	7	1	4	7	5	8	0	3	0	6	0	1	0	1	0	1	-31/8*zeta(3)^2/pi^6+893/90720
2	7	1	3	8	1	5	1	2	1	6	1	7	0	4	0	1	143/16*zeta(3)^2/pi^6-53/4032
2	7	1	5	8	1	4	0	2	0	6	0	7	0	3	0	1	143/16*zeta(3)^2/pi^6-53/4032

2 7 1	3 8 1 7 1 5 1 6 1 2 0 4 0 1	71/16*zeta(3)^2/pi^6-1/160
2 7 1	5 8 1 4 0 6 0 3 0 7 0 2 0 1	71/16*zeta(3)^2/pi^6-1/160
2 7 1	4 8 1 2 1 5 1 7 0 3 0 1 0 1	53/8*zeta(3)^2/pi^6-163/18144
2 7 1	5 8 1 4 0 2 0 6 0 7 0 1 0 1	-53/8*zeta(3)^2/pi^6+163/18144
2 7 1	3 8 4 7 1 5 1 6 0 1 0 1 0 1	29/8*zeta(3)^2/pi^6-41/9072
2 7 1	3 8 4 6 0 5 0 7 0 1 0 1 0 1	29/8*zeta(3)^2/pi^6-41/9072
2 7 1	3 4 1 8 1 5 1 7 0 2 0 1 0 1	5/4*zeta(3)^2/pi^6-1019/362880
2 7 1	4 5 1 2 0 8 0 6 0 7 0 1 0 1	-5/4*zeta(3)^2/pi^6+1019/362880
2 7 1	1 5 1 6 1 7 1 8 1 4 0 2 0 3	-zeta(3)^2/pi^6+293/181440
2 7 1	1 4 1 5 0 7 0 8 0 2 0 3 0 6	zeta(3)^2/pi^6-293/181440
2 7 1	3 4 1 6 1 8 1 2 1 7 0 5 0 1	95/8*zeta(3)^2/pi^6-1301/72576
2 7 1	5 6 1 4 0 2 0 7 0 8 0 3 0 1	95/8*zeta(3)^2/pi^6-1301/72576
2 7 1	4 7 1 5 1 8 1 2 0 3 0 1 0 1	-5*zeta(3)^2/pi^6+71/10080
2 7 1	5 7 1 4 0 6 0 8 0 2 0 1 0 1	5*zeta(3)^2/pi^6-71/10080
2 7 1	3 4 1 8 1 7 1 6 1 2 0 5 0 1	179/16*zeta(3)^2/pi^6-2029/120960
2 7 1	5 6 1 4 0 7 0 8 0 3 0 2 0 1	179/16*zeta(3)^2/pi^6-2029/120960
2 7 1	3 5 4 7 1 8 1 6 0 1 0 1 0 1	-3/8*zeta(3)^2/pi^6-109/60480
2 7 1	3 5 4 7 0 8 0 6 0 1 0 1 0 1	-3/8*zeta(3)^2/pi^6-109/60480
2 7 1	3 8 1 4 1 7 0 6 0 2 0 1 0 1	9/4*zeta(3)^2/pi^6-29/11340
2 7 1	5 8 1 4 1 2 0 6 0 7 0 1 0 1	-9/4*zeta(3)^2/pi^6+29/11340
2 7 1	3 6 1 4 1 7 0 2 0 8 0 1 0 1	1/4*zeta(3)^2/pi^6-11/13440
2 7 1	4 5 1 2 1 8 0 6 0 7 0 1 0 1	1/4*zeta(3)^2/pi^6-11/13440
2 7 1	6 7 1 2 1 3 0 4 0 8 0 1 0 1	-57/16*zeta(3)^2/pi^6+85/18144
2 7 1	3 7 1 8 1 5 0 6 0 2 0 1 0 1	57/16*zeta(3)^2/pi^6-85/18144
2 7 1	5 7 4 8 1 6 0 3 0 1 0 1 0 1	1/8*zeta(3)^2/pi^6+331/90720
2 7 1	4 7 5 8 1 3 0 6 0 1 0 1 0 1	1/8*zeta(3)^2/pi^6+331/90720
2 7 1	6 7 1 8 1 2 0 4 0 3 0 1 0 1	17/4*zeta(3)^2/pi^6-121/25920
2 7 1	4 7 1 6 1 5 0 8 0 2 0 1 0 1	-17/4*zeta(3)^2/pi^6+121/25920
2 7 1	3 6 1 8 1 7 0 2 0 4 0 1 0 1	5/4*zeta(3)^2/pi^6-227/51840
2 7 1	4 6 1 2 1 5 0 7 0 8 0 1 0 1	5/4*zeta(3)^2/pi^6-227/51840
2 7 1	3 7 1 8 1 6 0 4 0 2 0 1 0 1	-35/16*zeta(3)^2/pi^6+11/7560
2 7 1	5 7 1 6 1 2 0 8 0 4 0 1 0 1	35/16*zeta(3)^2/pi^6-11/7560
2 7 1	3 8 5 6 1 7 0 4 0 1 0 1 0 1	1/2*zeta(3)^2/pi^6+353/181440
2 7 1	3 8 4 6 1 5 0 7 0 1 0 1 0 1	1/2*zeta(3)^2/pi^6+353/181440
2 7 1	3 7 1 6 1 2 0 4 0 8 0 1 0 1	17/4*zeta(3)^2/pi^6-1709/181440
2 7 1	5 8 1 6 1 7 0 4 0 2 0 1 0 1	-17/4*zeta(3)^2/pi^6+1709/181440
2 7 1	3 4 1 7 1 5 0 8 0 2 0 1 0 1	zeta(3)^2/pi^6-43/17280
2 7 1	5 6 1 2 1 7 0 8 0 4 0 1 0 1	-zeta(3)^2/pi^6+43/17280
2 7 1	3 7 1 8 1 2 0 6 0 4 0 1 0 1	-15/8*zeta(3)^2/pi^6+13/5040
2 7 1	6 7 1 4 1 5 0 2 0 8 0 1 0 1	15/8*zeta(3)^2/pi^6-13/5040
2 7 1	3 5 4 6 1 8 0 7 0 1 0 1 0 1	3/16*zeta(3)^2/pi^6-23/13440
2 7 1	3 4 5 6 1 8 0 7 0 1 0 1 0 1	3/16*zeta(3)^2/pi^6-23/13440
2 7 1	6 7 1 5 1 8 1 2 0 4 0 1 0 1	-3/4*zeta(3)^2/pi^6+7/2592
2 7 1	3 7 1 5 0 6 0 8 0 2 0 1 0 1	3/4*zeta(3)^2/pi^6-7/2592
2 7 1	6 7 1 8 1 5 1 2 0 4 0 1 0 1	1/4320
2 7 1	3 7 1 5 0 8 0 6 0 2 0 1 0 1	-1/4320
2 7 1	4 7 1 8 1 5 1 6 0 2 0 1 0 1	1/2160
2 7 1	5 7 1 2 0 8 0 6 0 3 0 1 0 1	-1/2160
2 7 1	1 5 1 8 1 7 1 6 0 4 0 3 0 1	-7/4*zeta(3)^2/pi^6+17/6720
2 7 1	1 5 1 6 0 7 0 8 0 2 0 3 0 1	-7/4*zeta(3)^2/pi^6+17/6720
2 7 1	4 6 1 8 1 5 1 2 0 3 0 1 0 1	-1/420
2 7 1	3 5 1 4 0 8 0 6 0 2 0 1 0 1	-1/420
2 7 1	3 4 1 5 1 7 1 6 1 2 0 8 0 1	-1/1890
2 7 1	4 5 1 8 0 6 0 3 0 7 0 2 0 1	-1/1890
2 7 1	4 7 1 8 1 5 1 2 0 3 0 1 0 1	-1/540
2 7 1	5 7 1 4 0 8 0 6 0 2 0 1 0 1	1/540
2 7 1	6 7 1 2 1 3 0 8 0 4 0 1 0 1	-1/4320
2 7 1	4 7 1 8 1 5 0 6 0 2 0 1 0 1	1/4320
2 7 1	3 7 1 4 1 6 0 8 0 2 0 1 0 1	-1/2160
2 7 1	5 7 1 8 1 2 0 6 0 4 0 1 0 1	1/2160
2 7 1	3 7 1 6 1 2 0 8 0 4 0 1 0 1	-1/720
2 7 1	6 7 1 8 1 5 0 2 0 4 0 1 0 1	1/720
2 7 1	3 5 1 6 1 2 0 4 0 8 0 1 0 1	11/4*zeta(3)^2/pi^6-31/5040

```

2 7 1 3 5 1 6 1 8 0 4 0 2 0 1 0 1 11/4*zeta(3)^2/pi^6-31/5040
2 7 1 3 4 1 5 1 6 0 8 0 2 0 1 0 1 -2*zeta(3)^2/pi^6+299/90720
2 7 1 5 6 1 8 1 2 0 3 0 4 0 1 0 1 2*zeta(3)^2/pi^6-299/90720
2 7 1 3 5 1 4 1 2 0 6 0 8 0 1 0 1 3/4*zeta(3)^2/pi^6-53/90720
2 7 1 3 5 1 4 1 8 0 6 0 2 0 1 0 1 3/4*zeta(3)^2/pi^6-53/90720
2 7 1 3 6 1 5 1 2 1 4 0 8 0 1 0 1 -1/1890
2 7 1 3 4 1 8 0 6 0 2 0 5 0 1 0 1 -1/1890
2 7 1 1 7 1 4 1 5 1 6 0 3 0 8 0 1 -1/540
2 7 1 1 8 1 4 0 6 0 2 0 7 0 3 0 1 -1/540
2 7 1 6 8 1 5 1 2 1 4 0 7 0 1 0 1 1/2*zeta(3)^2/pi^6-1/45360
2 7 1 3 8 1 7 0 6 0 2 0 5 0 1 0 1 -1/2*zeta(3)^2/pi^6+1/45360
2 7 1 1 4 1 7 1 5 1 6 0 3 0 8 0 1 1/2*zeta(3)^2/pi^6-89/30240
2 7 1 1 8 1 5 0 6 0 2 0 7 0 3 0 1 1/2*zeta(3)^2/pi^6-89/30240
2 7 1 6 7 1 8 1 2 0 3 0 4 0 1 0 1 1/864
2 7 1 4 7 1 5 1 6 0 8 0 2 0 1 0 1 -1/864
2 7 1 3 8 1 6 1 7 0 4 0 2 0 1 0 1 -1/864
2 7 1 5 7 1 6 1 2 0 4 0 8 0 1 0 1 1/864
2 7 1 3 8 4 5 1 7 1 2 0 1 0 1 0 1 37/16*zeta(3)^2/pi^6-701/181440
2 7 1 4 5 2 8 0 3 0 7 0 1 0 1 0 1 -37/16*zeta(3)^2/pi^6+701/181440
2 7 1 3 5 4 8 1 2 1 7 0 1 0 1 0 1 -1/16*zeta(3)^2/pi^6+43/181440
2 7 1 3 5 4 8 0 2 0 7 0 1 0 1 0 1 -1/16*zeta(3)^2/pi^6+43/181440
2 7 1 4 8 1 2 1 5 1 6 0 7 0 1 0 1 -45/16*zeta(3)^2/pi^6+1723/362880
2 7 1 5 8 1 7 0 2 0 6 0 3 0 1 0 1 45/16*zeta(3)^2/pi^6-1723/362880
2 7 1 4 5 1 2 1 8 1 6 0 7 0 1 0 1 -199/362880
2 7 1 5 6 1 7 0 2 0 8 0 3 0 1 0 1 199/362880
2 7 1 4 5 2 7 1 8 0 3 0 1 0 1 0 1 -11/32*zeta(3)^2/pi^6+811/362880
2 7 1 4 5 2 7 1 3 0 8 0 1 0 1 0 1 11/32*zeta(3)^2/pi^6-811/362880
2 7 1 3 4 5 7 1 8 0 2 0 1 0 1 0 1 -19/32*zeta(3)^2/pi^6-307/362880
2 7 1 3 5 4 7 1 2 0 8 0 1 0 1 0 1 -19/32*zeta(3)^2/pi^6-307/362880
2 7 1 5 7 1 8 1 2 1 6 0 4 0 1 0 1 1/720
2 7 1 6 7 1 5 0 8 0 2 0 3 0 1 0 1 -1/720
2 7 1 4 5 1 2 1 8 1 6 0 3 0 1 0 1 4*zeta(3)^2/pi^6-43/7560
2 7 1 5 6 1 4 0 2 0 8 0 3 0 1 0 1 -4*zeta(3)^2/pi^6+43/7560
2 7 1 4 8 1 5 1 6 1 2 0 3 0 1 0 1 287/16*zeta(3)^2/pi^6-1013/36288
2 7 1 5 8 1 4 0 6 0 3 0 2 0 1 0 1 -287/16*zeta(3)^2/pi^6+1013/36288
2 7 1 3 8 4 6 1 7 1 2 0 1 0 1 0 1 13/8*zeta(3)^2/pi^6-1/45360
2 7 1 3 8 5 6 0 2 0 7 0 1 0 1 0 1 13/8*zeta(3)^2/pi^6-1/45360
2 7 1 4 8 1 2 1 5 1 6 0 3 0 1 0 1 -273/16*zeta(3)^2/pi^6+4703/181440
2 7 1 5 8 1 4 0 2 0 6 0 3 0 1 0 1 273/16*zeta(3)^2/pi^6-4703/181440
2 7 1 5 7 1 6 1 2 1 8 0 4 0 1 0 1 23/4*zeta(3)^2/pi^6-29/4536
2 7 1 6 7 1 5 0 3 0 2 0 8 0 1 0 1 -23/4*zeta(3)^2/pi^6+29/4536
2 7 1 3 8 5 6 1 2 0 7 0 1 0 1 0 1 7/16*zeta(3)^2/pi^6+29/15120
2 7 1 3 8 4 6 1 7 0 2 0 1 0 1 0 1 7/16*zeta(3)^2/pi^6+29/15120
2 7 1 4 8 1 5 1 6 1 2 0 7 0 1 0 1 3/4*zeta(3)^2/pi^6-17/7560
2 7 1 5 8 1 7 0 6 0 3 0 2 0 1 0 1 -3/4*zeta(3)^2/pi^6+17/7560
2 7 1 3 8 5 6 1 7 1 2 0 1 0 1 0 1 1/864
2 7 1 3 8 4 6 0 2 0 7 0 1 0 1 0 1 1/864
2 7 1 4 8 1 6 1 5 1 2 0 7 0 1 0 1 -1/540
2 7 1 5 8 1 7 0 3 0 6 0 2 0 1 0 1 1/540
2 7 1 3 4 1 5 1 6 1 2 0 8 0 1 0 1 -1/1890
2 7 1 4 5 1 8 0 6 0 3 0 2 0 1 0 1 1/1890
2 7 1 3 8 5 6 1 7 0 2 0 1 0 1 0 1 -1/864
2 7 1 3 8 4 6 1 2 0 7 0 1 0 1 0 1 -1/864
2 7 1 6 7 5 8 1 3 1 2 0 4 0 1 0 1 443/32*zeta(3)^2/pi^6-7627/362880
2 7 1 4 8 6 7 1 5 0 3 0 2 0 1 0 1 -443/32*zeta(3)^2/pi^6+7627/362880
2 7 1 4 6 5 7 3 8 1 2 0 1 0 1 0 1 39/16*zeta(3)^2/pi^6-479/181440
2 7 1 4 6 5 7 3 8 0 2 0 1 0 1 0 1 39/16*zeta(3)^2/pi^6-479/181440
2 7 1 5 7 4 8 1 6 1 3 0 2 0 1 0 1 -569/32*zeta(3)^2/pi^6+827/30240
2 7 1 6 8 5 7 1 2 0 4 0 3 0 1 0 1 569/32*zeta(3)^2/pi^6-827/30240
2 7 1 3 8 1 7 1 2 1 6 0 4 0 5 0 1 319/16*zeta(3)^2/pi^6-97/3360
2 7 1 5 8 1 6 1 7 0 4 0 2 0 3 0 1 319/16*zeta(3)^2/pi^6-97/3360
2 7 1 5 7 6 8 1 3 1 4 0 2 0 1 0 1 -21/8*zeta(3)^2/pi^6+493/120960
2 7 1 5 8 4 7 1 2 0 6 0 3 0 1 0 1 21/8*zeta(3)^2/pi^6-493/120960

```

2	7	1	5	8	4	6	1	7	1	3	0	2	0	1	0	1	143/32*zeta(3)^2/pi^6-4901/725760
2	7	1	6	7	4	5	1	2	0	8	0	3	0	1	0	1	143/32*zeta(3)^2/pi^6-4901/725760
2	7	1	6	8	4	5	1	7	1	2	0	3	0	1	0	1	203/32*zeta(3)^2/pi^6-7157/725760
2	7	1	5	6	4	7	1	2	0	8	0	3	0	1	0	1	-203/32*zeta(3)^2/pi^6+7157/725760
2	7	1	1	8	1	5	1	7	1	6	0	2	0	3	0	4	29/16*zeta(3)^2/pi^6-281/120960
2	7	1	1	6	1	5	1	7	0	8	0	3	0	2	0	4	-29/16*zeta(3)^2/pi^6+281/120960
2	7	1	4	8	5	6	1	3	1	2	0	7	0	1	0	1	29/16*zeta(3)^2/pi^6-53/20736
2	7	1	5	8	4	6	1	7	0	3	0	2	0	1	0	1	29/16*zeta(3)^2/pi^6-53/20736
2	7	1	4	5	1	2	1	7	1	6	0	8	0	3	0	1	1/4*zeta(3)^2/pi^6-481/725760
2	7	1	6	7	1	8	1	5	0	2	0	4	0	3	0	1	1/4*zeta(3)^2/pi^6-481/725760
2	7	1	1	4	1	8	1	5	1	7	0	3	0	2	0	1	-1/540
2	7	1	1	5	1	4	0	6	0	8	0	7	0	3	0	1	-1/540
2	7	1	1	8	1	7	1	6	0	2	0	3	0	4	0	1	-1/432
2	7	1	1	5	1	7	1	6	0	8	0	3	0	4	0	1	-1/432
2	7	1	1	5	1	2	1	8	0	7	0	4	0	3	0	1	-1/2160
2	7	1	1	6	1	5	1	3	0	7	0	8	0	4	0	1	-1/2160
2	7	1	1	7	1	6	1	5	0	3	0	2	0	4	0	1	-105/16*zeta(3)^2/pi^6+731/90720
2	7	1	1	3	1	5	1	2	0	7	0	4	0	6	0	1	-31/16*zeta(3)^2/pi^6+47/18144
2	7	1	1	6	1	2	1	5	0	7	0	4	0	3	0	1	17/4*zeta(3)^2/pi^6-643/90720
2	7	1	1	5	1	2	1	6	0	7	0	3	0	4	0	1	17/4*zeta(3)^2/pi^6-643/90720
2	7	1	3	7	1	6	1	8	1	4	1	5	0	1	0	1	1/945
2	7	1	3	7	0	6	0	8	0	4	0	5	0	1	0	1	-1/945
2	7	1	1	6	1	8	1	5	1	3	1	4	0	2	0	1	-1/945
2	7	1	1	3	0	7	0	8	0	6	0	4	0	5	0	1	-1/945
2	7	1	4	5	2	7	1	8	1	6	1	3	0	1	0	1	-55/8*zeta(3)^2/pi^6+1021/103680
2	7	1	4	5	2	7	0	8	0	6	0	3	0	1	0	1	55/8*zeta(3)^2/pi^6-1021/103680
2	7	1	5	7	2	4	1	8	1	6	1	3	0	1	0	1	57/16*zeta(3)^2/pi^6-3659/725760
2	7	1	5	7	2	4	0	8	0	6	0	3	0	1	0	1	-57/16*zeta(3)^2/pi^6+3659/725760
2	7	1	4	7	1	8	1	5	1	6	0	3	0	1	0	1	5/8*zeta(3)^2/pi^6+199/90720
2	7	1	5	7	1	4	0	8	0	6	0	3	0	1	0	1	-5/8*zeta(3)^2/pi^6-199/90720
2	7	1	3	5	1	6	1	7	1	8	0	4	0	1	0	1	1/16*zeta(3)^2/pi^6+41/181440
2	7	1	5	6	1	4	0	8	0	7	0	3	0	1	0	1	1/16*zeta(3)^2/pi^6+41/181440
2	7	1	7	8	1	6	1	2	1	4	1	5	0	3	0	1	-7/16*zeta(3)^2/pi^6+263/362880
2	7	1	3	8	1	4	0	7	0	2	0	5	0	6	0	1	-7/16*zeta(3)^2/pi^6+263/362880
2	7	1	6	7	1	5	1	8	1	4	0	3	0	1	0	1	2*zeta(3)^2/pi^6-37/22680
2	7	1	3	7	1	4	0	6	0	8	0	5	0	1	0	1	-2*zeta(3)^2/pi^6+37/22680
2	7	1	3	8	1	6	1	7	1	4	1	5	0	2	0	1	-25/8*zeta(3)^2/pi^6+25/5184
2	7	1	4	8	1	2	0	7	0	3	0	5	0	6	0	1	-25/8*zeta(3)^2/pi^6+25/5184
2	7	1	1	4	1	7	1	5	1	8	0	3	0	2	0	1	53/16*zeta(3)^2/pi^6-853/120960
2	7	1	1	5	1	4	0	6	0	3	0	7	0	8	0	1	53/16*zeta(3)^2/pi^6-853/120960
2	7	1	3	7	1	5	1	6	1	8	1	2	0	4	0	1	3*zeta(3)^2/pi^6-3131/725760
2	7	1	3	5	1	4	0	7	0	6	0	8	0	2	0	1	-3*zeta(3)^2/pi^6+3131/725760
2	7	1	3	4	1	6	1	5	1	8	1	7	0	2	0	1	-47/16*zeta(3)^2/pi^6+3229/725760
2	7	1	4	5	1	2	0	7	0	6	0	8	0	3	0	1	-47/16*zeta(3)^2/pi^6+3229/725760
2	7	1	4	6	1	8	1	5	1	7	0	3	0	1	0	1	67/45360
2	7	1	3	5	1	4	0	8	0	6	0	7	0	1	0	1	67/45360
2	7	1	1	4	1	8	1	5	1	7	0	2	0	3	0	1	21/16*zeta(3)^2/pi^6-1483/362880
2	7	1	1	5	1	4	0	8	0	6	0	7	0	3	0	1	21/16*zeta(3)^2/pi^6-1483/362880
2	7	1	1	4	1	8	1	5	1	6	0	7	0	3	0	1	1/2*zeta(3)^2/pi^6-157/90720
2	7	1	1	5	1	2	0	6	0	8	0	7	0	3	0	1	1/2*zeta(3)^2/pi^6-157/90720
2	7	1	4	8	1	5	1	6	1	7	0	3	0	1	0	1	-19/8*zeta(3)^2/pi^6+199/45360
2	7	1	5	8	1	4	0	6	0	3	0	7	0	1	0	1	19/8*zeta(3)^2/pi^6-199/45360
2	7	1	4	8	2	7	1	6	1	3	1	5	0	1	0	1	3*zeta(3)^2/pi^6-7/1728
2	7	1	4	8	2	7	0	6	0	3	0	5	0	1	0	1	-3*zeta(3)^2/pi^6+7/1728
2	7	1	4	6	1	5	1	8	1	7	0	3	0	1	0	1	-7/16*zeta(3)^2/pi^6+31/45360
2	7	1	3	5	1	4	0	6	0	8	0	7	0	1	0	1	-7/16*zeta(3)^2/pi^6+31/45360
2	7	1	3	7	1	8	1	5	1	6	1	2	0	4	0	1	-27/8*zeta(3)^2/pi^6+3961/725760
2	7	1	3	5	1	4	0	6	0	8	0	7	0	2	0	1	27/8*zeta(3)^2/pi^6-3961/725760
2	7	1	1	5	1	4	1	8	1	7	0	2	0	3	0	1	-65/16*zeta(3)^2/pi^6+2123/362880
2	7	1	1	5	1	4	0	7	0	6	0	3	0	8	0	1	-65/16*zeta(3)^2/pi^6+2123/362880
2	7	1	3	4	1	5	1	8	1	6	1	7	0	2	0	1	-37/8*zeta(3)^2/pi^6+5011/725760
2	7	1	4	5	1	2	0	6	0	8	0	7	0	3	0	1	-37/8*zeta(3)^2/pi^6+5011/725760
2	7	1	1	5	1	7	1	3	1	4	0	2	0	6	0	1	5*zeta(3)^2/pi^6-239/30240

```

2 7 1 1 4 1 2 0 7 0 3 0 5 0 6 0 1      5*zeta(3)^2/pi^6-239/30240
2 7 1 1 7 1 4 1 5 1 8 0 3 0 6 0 1      -35/16*zeta(3)^2/pi^6+37/17280
2 7 1 1 5 1 2 0 3 0 6 0 7 0 8 0 1      -35/16*zeta(3)^2/pi^6+37/17280
2 7 1 5 8 2 4 1 6 1 3 1 7 0 1 0 1      -31/16*zeta(3)^2/pi^6+461/145152
2 7 1 5 8 2 4 0 6 0 3 0 7 0 1 0 1      31/16*zeta(3)^2/pi^6-461/145152
2 7 1 4 5 2 8 1 6 1 3 1 7 0 1 0 1      -29/8*zeta(3)^2/pi^6+733/145152
2 7 1 4 5 2 8 0 6 0 3 0 7 0 1 0 1      29/8*zeta(3)^2/pi^6-733/145152
2 7 1 3 4 1 5 1 6 1 7 0 8 0 1 0 1      3/4*zeta(3)^2/pi^6+1/1890
2 7 1 4 5 1 8 0 6 0 3 0 7 0 1 0 1      -3/4*zeta(3)^2/pi^6-1/1890
2 7 1 3 8 1 5 1 6 1 4 0 7 0 1 0 1      5/4*zeta(3)^2/pi^6-13/4320
2 7 1 4 8 1 7 0 6 0 3 0 5 0 1 0 1      -5/4*zeta(3)^2/pi^6+13/4320
2 7 1 3 7 1 5 1 2 1 6 1 8 0 4 0 1      -7/4*zeta(3)^2/pi^6+13/4480
2 7 1 3 5 1 4 0 2 0 6 0 7 0 8 0 1      7/4*zeta(3)^2/pi^6-13/4480
2 7 1 3 4 1 5 1 7 1 6 1 8 0 2 0 1      5/4*zeta(3)^2/pi^6-17/9072
2 7 1 4 5 1 2 0 6 0 3 0 7 0 8 0 1      5/4*zeta(3)^2/pi^6-17/9072
2 7 1 3 6 1 5 1 8 1 4 0 7 0 1 0 1      13/16*zeta(3)^2/pi^6-149/45360
2 7 1 3 4 1 7 0 6 0 8 0 5 0 1 0 1      13/16*zeta(3)^2/pi^6-149/45360
2 7 1 1 5 1 7 1 3 1 4 0 2 0 8 0 1      7/16*zeta(3)^2/pi^6-97/51840
2 7 1 1 4 1 8 0 7 0 3 0 5 0 6 0 1      7/16*zeta(3)^2/pi^6-97/51840
2 7 1 1 5 1 8 1 3 1 4 0 7 0 2 0 1      -5/8*zeta(3)^2/pi^6+7/8640
2 7 1 1 3 1 4 0 7 0 8 0 5 0 6 0 1      -5/8*zeta(3)^2/pi^6+7/8640
2 7 1 1 6 1 8 1 5 1 3 1 4 0 2 0 7      -11/16*zeta(3)^2/pi^6+281/362880
2 7 1 1 4 1 2 0 8 0 3 0 7 0 5 0 6      11/16*zeta(3)^2/pi^6-281/362880
2 7 1 4 6 2 5 1 3 1 7 1 8 0 1 0 1      3/16*zeta(3)^2/pi^6-71/362880
2 7 1 5 6 2 4 0 8 0 3 0 7 0 1 0 1      -3/16*zeta(3)^2/pi^6+71/362880
2 7 1 3 4 1 8 1 5 1 6 0 7 0 1 0 1      -9/16*zeta(3)^2/pi^6-11/8640
2 7 1 4 5 1 7 0 8 0 6 0 3 0 1 0 1      9/16*zeta(3)^2/pi^6+11/8640
2 7 1 1 8 1 6 1 7 0 4 0 2 0 3 0 1      25/8*zeta(3)^2/pi^6-131/12960
2 7 1 1 5 1 6 1 7 0 4 0 8 0 3 0 1      25/8*zeta(3)^2/pi^6-131/12960
2 7 1 1 5 1 2 1 8 0 7 0 3 0 4 0 1      -15/8*zeta(3)^2/pi^6+37/25920
2 7 1 1 5 1 6 1 3 0 7 0 8 0 4 0 1      -15/8*zeta(3)^2/pi^6+37/25920
2 7 1 1 8 1 2 1 6 0 4 0 7 0 3 0 1      -11/16*zeta(3)^2/pi^6+55/72576
2 7 1 1 6 1 5 1 3 0 7 0 4 0 8 0 1      -11/16*zeta(3)^2/pi^6+55/72576
2 7 1 3 8 1 4 1 5 0 6 0 7 0 1 0 1      -3/8*zeta(3)^2/pi^6-19/60480
2 7 1 5 7 1 8 1 3 0 6 0 4 0 1 0 1      3/8*zeta(3)^2/pi^6+19/60480
2 7 1 1 3 1 5 1 2 0 7 0 4 0 8 0 1      19/16*zeta(3)^2/pi^6-199/120960
2 7 1 1 5 1 8 1 3 0 7 0 4 0 6 0 1      19/16*zeta(3)^2/pi^6-199/120960
2 7 1 1 3 1 8 1 2 0 7 0 4 0 6 0 1      zeta(3)^2/pi^6-191/90720
2 7 1 1 4 1 5 1 3 0 7 0 8 0 6 0 1      zeta(3)^2/pi^6-191/90720
2 7 1 5 7 1 6 1 3 0 4 0 8 0 1 0 1      1/8*zeta(3)^2/pi^6+37/181440
2 7 1 3 8 1 5 1 7 0 6 0 4 0 1 0 1      -1/8*zeta(3)^2/pi^6-37/181440
2 7 1 3 5 1 6 1 7 0 4 0 8 0 1 0 1      -13/2520
2 7 1 1 6 1 2 1 7 0 4 0 8 0 3 0 1      7/4*zeta(3)^2/pi^6-163/36288
2 7 1 1 6 1 8 1 5 0 7 0 4 0 3 0 1      7/4*zeta(3)^2/pi^6-163/36288
2 7 1 1 6 1 2 1 8 0 7 0 4 0 3 0 1      3/8*zeta(3)^2/pi^6-61/45360
2 7 1 1 3 1 5 1 6 0 7 0 8 0 4 0 1      3/8*zeta(3)^2/pi^6-61/45360
2 7 1 3 7 1 6 1 5 0 8 0 4 0 1 0 1      3/8*zeta(3)^2/pi^6-149/30240
2 7 1 5 7 1 8 1 6 0 4 0 3 0 1 0 1      -3/8*zeta(3)^2/pi^6+149/30240
2 7 1 1 5 1 2 1 6 0 4 0 8 0 3 0 1      -5/2*zeta(3)^2/pi^6+13/7560
2 7 1 1 5 1 8 1 6 0 7 0 3 0 4 0 1      -5/2*zeta(3)^2/pi^6+13/7560
2 7 1 1 8 1 2 1 6 0 7 0 3 0 4 0 1      -2*zeta(3)^2/pi^6+59/20160
2 7 1 1 3 1 5 1 6 0 4 0 7 0 8 0 1      -2*zeta(3)^2/pi^6+59/20160
2 7 1 3 6 1 7 1 5 0 8 0 4 0 1 0 1      -1/8*zeta(3)^2/pi^6-703/120960
2 7 1 3 5 1 6 1 7 0 8 0 4 0 1 0 1      -1/8*zeta(3)^2/pi^6-703/120960
2 7 1 5 6 1 7 1 3 0 8 0 4 0 1 0 1      -1/16*zeta(3)^2/pi^6+47/90720
2 7 1 3 4 1 8 1 5 0 6 0 7 0 1 0 1      1/16*zeta(3)^2/pi^6-47/90720
2 7 1 1 3 1 6 1 2 0 7 0 8 0 4 0 1      -3/8*zeta(3)^2/pi^6+1/1440
2 7 1 1 3 1 5 1 8 0 7 0 4 0 6 0 1      -3/8*zeta(3)^2/pi^6+1/1440
2 7 1 3 6 1 4 1 5 0 7 0 8 0 1 0 1      -1/4*zeta(3)^2/pi^6-967/362880
2 7 1 3 5 1 8 1 7 0 6 0 4 0 1 0 1      -1/4*zeta(3)^2/pi^6-967/362880
2 7 1 3 8 4 7 1 6 1 2 0 5 0 1 0 1      57/16*zeta(3)^2/pi^6-599/120960
2 7 1 6 8 2 7 1 5 0 3 0 4 0 1 0 1      -57/16*zeta(3)^2/pi^6+599/120960
2 7 1 3 6 1 5 1 7 1 8 0 4 0 2 0 1      -7/8*zeta(3)^2/pi^6+1091/725760

```

2	7	1	3	5	1	6	1	2	0	7	0	4	0	8	0	1	7/8*zeta(3)^2/pi^6-1091/725760
2	7	1	6	8	1	5	1	7	1	4	0	3	0	2	0	1	65/8*zeta(3)^2/pi^6-4343/362880
2	7	1	3	8	1	5	1	2	0	7	0	4	0	6	0	1	65/8*zeta(3)^2/pi^6-4343/362880
2	7	1	6	7	1	5	1	8	1	2	0	3	0	4	0	1	-15/32*zeta(3)^2/pi^6+97/290304
2	7	1	3	4	1	5	1	6	0	7	0	8	0	2	0	1	-15/32*zeta(3)^2/pi^6+97/290304
2	7	1	4	7	1	8	1	5	1	6	0	2	0	3	0	1	-75/32*zeta(3)^2/pi^6+5129/1451520
2	7	1	3	5	1	6	1	2	0	7	0	8	0	4	0	1	75/32*zeta(3)^2/pi^6-5129/1451520
2	7	1	3	6	1	5	1	2	1	4	0	7	0	8	0	1	-1/4*zeta(3)^2/pi^6+13/45360
2	7	1	3	5	1	4	1	8	0	7	0	2	0	6	0	1	1/4*zeta(3)^2/pi^6-13/45360
2	7	1	6	8	1	5	1	2	1	4	0	7	0	3	0	1	-9/16*zeta(3)^2/pi^6+17/16128
2	7	1	3	8	1	4	1	5	0	7	0	2	0	6	0	1	-9/16*zeta(3)^2/pi^6+17/16128
2	7	1	4	6	1	2	1	5	1	8	0	7	0	3	0	1	45/32*zeta(3)^2/pi^6-3019/1451520
2	7	1	3	6	1	4	1	5	0	2	0	7	0	8	0	1	-45/32*zeta(3)^2/pi^6+3019/1451520
2	7	1	3	8	1	5	1	7	1	4	0	2	0	6	0	1	5/16*zeta(3)^2/pi^6-379/725760
2	7	1	5	8	1	2	1	3	0	7	0	4	0	6	0	1	5/16*zeta(3)^2/pi^6-379/725760
2	7	1	3	8	4	6	1	5	1	7	0	2	0	1	0	1	9/32*zeta(3)^2/pi^6-205/290304
2	7	1	3	8	4	5	1	2	0	6	0	7	0	1	0	1	9/32*zeta(3)^2/pi^6-205/290304
2	7	1	3	4	1	7	1	5	1	8	0	2	0	6	0	1	25/32*zeta(3)^2/pi^6-181/161280
2	7	1	5	6	1	2	1	3	0	7	0	4	0	8	0	1	-25/32*zeta(3)^2/pi^6+181/161280
2	7	1	3	5	6	7	1	8	1	4	0	2	0	1	0	1	-1/32*zeta(3)^2/pi^6+169/483840
2	7	1	4	8	2	5	1	3	0	6	0	7	0	1	0	1	1/32*zeta(3)^2/pi^6-169/483840
2	7	1	1	8	1	4	1	5	1	6	0	2	0	3	0	7	-3/16*zeta(3)^2/pi^6-23/362880
2	7	1	1	5	1	2	1	6	0	7	0	3	0	8	0	4	3/16*zeta(3)^2/pi^6+23/362880
2	7	1	1	8	1	4	1	5	1	6	0	7	0	2	0	3	17/16*zeta(3)^2/pi^6-19/10368
2	7	1	1	6	1	2	1	5	0	7	0	4	0	8	0	3	-17/16*zeta(3)^2/pi^6+19/10368
2	7	1	3	8	4	6	1	5	1	2	0	7	0	1	0	1	-29/32*zeta(3)^2/pi^6+1573/1451520
2	7	1	4	5	2	7	1	8	0	6	0	3	0	1	0	1	-29/32*zeta(3)^2/pi^6+1573/1451520
2	7	1	3	6	4	7	1	5	1	2	0	8	0	1	0	1	-87/32*zeta(3)^2/pi^6+751/207360
2	7	1	5	8	2	4	1	7	0	6	0	3	0	1	0	1	87/32*zeta(3)^2/pi^6-751/207360
2	7	1	3	8	5	6	1	7	1	2	0	4	0	1	0	1	61/32*zeta(3)^2/pi^6-2939/1451520
2	7	1	4	6	2	7	1	5	0	8	0	3	0	1	0	1	61/32*zeta(3)^2/pi^6-2939/1451520
2	7	1	4	6	1	8	1	7	1	2	0	5	0	3	0	1	-23/16*zeta(3)^2/pi^6+451/145152
2	7	1	3	6	1	7	1	5	0	8	0	4	0	2	0	1	23/16*zeta(3)^2/pi^6-451/145152
2	7	1	3	6	1	7	1	5	1	2	0	4	0	8	0	1	9/8*zeta(3)^2/pi^6-2689/1451520
2	7	1	3	5	1	6	1	8	0	4	0	7	0	2	0	1	-9/8*zeta(3)^2/pi^6+2689/1451520
2	7	1	3	4	1	7	1	5	1	6	0	2	0	8	0	1	-5/8*zeta(3)^2/pi^6+271/290304
2	7	1	5	6	1	8	1	2	0	7	0	3	0	4	0	1	5/8*zeta(3)^2/pi^6-271/290304
2	7	1	3	6	5	7	1	8	1	2	0	4	0	1	0	1	-13/32*zeta(3)^2/pi^6+29/23040
2	7	1	6	7	2	4	1	5	0	8	0	3	0	1	0	1	13/32*zeta(3)^2/pi^6-29/23040
2	7	1	4	5	1	8	1	7	1	6	0	2	0	3	0	1	19/16*zeta(3)^2/pi^6-1243/725760
2	7	1	6	7	1	2	1	5	0	8	0	4	0	3	0	1	19/16*zeta(3)^2/pi^6-1243/725760
2	7	1	3	5	4	7	1	2	1	6	0	8	0	1	0	1	-3/8*zeta(3)^2/pi^6+19/32256
2	7	1	6	8	2	5	1	7	0	4	0	3	0	1	0	1	3/8*zeta(3)^2/pi^6-19/32256
2	7	1	3	8	4	5	1	6	1	2	0	7	0	1	0	1	3/8*zeta(3)^2/pi^6-1241/1451520
2	7	1	5	6	2	7	1	8	0	3	0	4	0	1	0	1	3/8*zeta(3)^2/pi^6-1241/1451520
2	7	1	4	6	1	2	1	7	1	8	0	5	0	3	0	1	45/16*zeta(3)^2/pi^6-899/241920
2	7	1	3	6	1	7	1	5	0	2	0	4	0	8	0	1	-45/16*zeta(3)^2/pi^6+899/241920
2	7	1	1	5	1	4	1	7	1	6	0	3	0	2	0	1	23/2*zeta(3)^2/pi^6-1583/90720
2	7	1	1	5	1	4	0	7	0	6	0	3	0	2	0	1	23/2*zeta(3)^2/pi^6-1583/90720
2	7	1	3	8	1	6	1	5	1	2	1	7	0	4	0	1	-39/4*zeta(3)^2/pi^6+1807/120960
2	7	1	5	8	1	4	0	7	0	6	0	3	0	2	0	1	-39/4*zeta(3)^2/pi^6+1807/120960
2	7	1	3	6	1	7	1	2	0	4	0	8	0	1	0	1	-3/2*zeta(3)^2/pi^6-479/362880
2	7	1	3	6	1	7	1	5	0	2	0	8	0	1	0	1	-3/2*zeta(3)^2/pi^6-479/362880
2	7	1	4	6	1	5	1	8	1	2	0	7	0	1	0	1	-409/181440
2	7	1	3	5	1	7	0	6	0	8	0	2	0	1	0	1	-409/181440
2	7	1	5	6	1	2	1	7	1	8	0	3	0	1	0	1	1/720
2	7	1	3	6	1	5	0	7	0	2	0	8	0	1	0	1	1/720
2	7	1	3	5	1	6	1	7	1	8	0	2	0	1	0	1	-1/4320
2	7	1	5	6	1	2	0	8	0	7	0	3	0	1	0	1	-1/4320
2	7	1	1	5	1	4	1	7	1	6	0	8	0	2	0	1	5/4*zeta(3)^2/pi^6-149/60480
2	7	1	1	8	1	4	0	7	0	6	0	3	0	2	0	1	5/4*zeta(3)^2/pi^6-149/60480
2	7	1	4	6	1	8	1	5	1	2	0	7	0	1	0	1	-1/540
2	7	1	3	5	1	7	0	8	0	6	0	2	0	1	0	1	-1/540

2	7	1	3	4	1	6	1	5	1	2	1	7	0	8	0	1	1/1890
2	7	1	4	5	1	8	0	7	0	6	0	3	0	2	0	1	-1/1890
2	7	1	3	6	1	7	1	2	0	8	0	4	0	1	0	1	-1/720
2	7	1	4	6	1	7	1	5	0	2	0	8	0	1	0	1	-1/720
2	7	1	3	4	1	7	1	6	0	8	0	2	0	1	0	1	-1/4320
2	7	1	5	6	1	7	1	2	0	8	0	4	0	1	0	1	1/4320
2	7	1	3	6	1	4	1	2	0	7	0	8	0	1	0	1	1/540
2	7	1	4	5	1	7	1	8	0	6	0	2	0	1	0	1	1/540
2	7	1	1	5	1	4	1	8	1	6	0	7	0	3	0	1	1/2*zeta(3)^2/pi^6-29/36288
2	7	1	1	5	1	2	0	6	0	7	0	3	0	8	0	1	1/2*zeta(3)^2/pi^6-29/36288
2	7	1	1	4	1	8	1	5	1	6	0	7	0	2	0	1	-1/1440
2	7	1	1	5	1	2	0	8	0	6	0	7	0	3	0	1	-1/1440
2	7	1	1	5	1	2	1	7	0	4	0	8	0	3	0	1	-1/1440
2	7	1	1	8	1	5	1	6	0	7	0	3	0	4	0	1	-1/1440
2	7	1	1	3	1	5	1	2	0	7	0	8	0	4	0	1	1/1440
2	7	1	1	5	1	8	1	2	0	7	0	4	0	6	0	1	1/1440
2	7	1	3	5	4	8	1	6	1	7	0	2	0	1	0	1	-11/16*zeta(3)^2/pi^6+1349/1451520
2	7	1	3	6	5	7	1	2	0	4	0	8	0	1	0	1	11/16*zeta(3)^2/pi^6-1349/1451520
2	7	1	4	8	1	5	1	7	1	6	0	2	0	3	0	1	-199/16*zeta(3)^2/pi^6+1961/103680
2	7	1	6	8	1	2	1	5	0	7	0	4	0	3	0	1	-199/16*zeta(3)^2/pi^6+1961/103680
2	7	1	3	8	4	6	1	7	1	2	0	5	0	1	0	1	-45/8*zeta(3)^2/pi^6+4237/483840
2	7	1	4	6	2	7	1	5	0	3	0	8	0	1	0	1	-45/8*zeta(3)^2/pi^6+4237/483840
2	7	1	4	6	1	2	1	8	1	7	0	5	0	3	0	1	-197/32*zeta(3)^2/pi^6+14659/1451520
2	7	1	3	6	1	7	1	5	0	2	0	8	0	4	0	1	197/32*zeta(3)^2/pi^6-14659/1451520
2	7	1	7	8	1	5	1	2	1	6	0	4	0	3	0	1	-37/4*zeta(3)^2/pi^6+10153/725760
2	7	1	3	8	1	6	1	5	0	2	0	7	0	4	0	1	-37/4*zeta(3)^2/pi^6+10153/725760
2	7	1	3	4	1	7	1	8	1	6	0	2	0	5	0	1	-187/32*zeta(3)^2/pi^6+2495/290304
2	7	1	5	6	1	2	1	7	0	4	0	8	0	3	0	1	-187/32*zeta(3)^2/pi^6+2495/290304
2	7	1	3	8	6	7	1	5	1	2	0	4	0	1	0	1	-175/32*zeta(3)^2/pi^6+593/72576
2	7	1	4	8	2	7	1	5	0	6	0	3	0	1	0	1	175/32*zeta(3)^2/pi^6-593/72576
2	7	1	3	8	4	7	1	5	1	6	0	2	0	1	0	1	289/32*zeta(3)^2/pi^6-707/51840
2	7	1	3	8	5	7	1	2	0	6	0	4	0	1	0	1	-289/32*zeta(3)^2/pi^6+707/51840
2	7	1	3	5	6	8	1	2	1	7	0	4	0	1	0	1	153/32*zeta(3)^2/pi^6-9907/1451520
2	7	1	4	7	2	5	1	6	0	8	0	3	0	1	0	1	-153/32*zeta(3)^2/pi^6+9907/1451520
2	7	1	6	8	1	5	1	7	1	2	0	4	0	3	0	1	71/16*zeta(3)^2/pi^6-4519/725760
2	7	1	3	8	1	6	1	5	0	7	0	4	0	2	0	1	71/16*zeta(3)^2/pi^6-4519/725760
2	7	1	3	8	4	5	1	6	1	7	0	2	0	1	0	1	105/32*zeta(3)^2/pi^6-6407/1451520
2	7	1	3	7	5	6	1	2	0	8	0	4	0	1	0	1	105/32*zeta(3)^2/pi^6-6407/1451520
2	7	1	3	8	1	5	1	7	1	6	0	4	0	2	0	1	-15/16*zeta(3)^2/pi^6+479/241920
2	7	1	5	8	1	2	1	6	0	7	0	3	0	4	0	1	-15/16*zeta(3)^2/pi^6+479/241920
2	7	1	3	6	4	5	1	8	1	2	0	7	0	1	0	1	45/32*zeta(3)^2/pi^6-37/15120
2	7	1	5	6	2	4	1	7	0	8	0	3	0	1	0	1	-45/32*zeta(3)^2/pi^6+37/15120
2	7	1	3	4	1	7	1	5	1	6	0	8	0	2	0	1	-17/16*zeta(3)^2/pi^6+787/725760
2	7	1	5	6	1	8	1	2	0	7	0	4	0	3	0	1	17/16*zeta(3)^2/pi^6-787/725760
2	7	1	4	7	1	2	1	5	1	6	0	8	0	3	0	1	-29/16*zeta(3)^2/pi^6+2243/725760
2	7	1	3	5	1	6	1	8	0	7	0	2	0	4	0	1	29/16*zeta(3)^2/pi^6-2243/725760
2	7	1	3	5	4	6	1	2	1	7	0	8	0	1	0	1	15/32*zeta(3)^2/pi^6-17/40320
2	7	1	4	6	2	5	1	7	0	8	0	3	0	1	0	1	15/32*zeta(3)^2/pi^6-17/40320
2	7	1	3	5	4	6	1	8	1	7	0	2	0	1	0	1	1/8*zeta(3)^2/pi^6-299/362880
2	7	1	3	6	4	5	1	2	0	7	0	8	0	1	0	1	1/8*zeta(3)^2/pi^6-299/362880
2	7	1	1	5	1	4	1	6	1	7	0	8	0	3	0	2	-5/2*zeta(3)^2/pi^6+347/90720
2	7	1	1	6	1	2	1	5	0	8	0	7	0	4	0	3	5/2*zeta(3)^2/pi^6-347/90720
2	7	1	3	4	1	5	1	8	1	6	0	7	0	2	0	1	113/32*zeta(3)^2/pi^6-7801/1451520
2	7	1	5	6	1	2	1	3	0	7	0	8	0	4	0	1	113/32*zeta(3)^2/pi^6-7801/1451520
2	7	1	4	6	1	5	1	8	1	2	0	7	0	3	0	1	55/32*zeta(3)^2/pi^6-1303/483840
2	7	1	3	6	1	4	1	5	0	7	0	8	0	2	0	1	-55/32*zeta(3)^2/pi^6+1303/483840
2	7	1	3	6	1	5	1	7	1	2	0	4	0	8	0	1	1/4*zeta(3)^2/pi^6-89/60480
2	7	1	3	5	1	6	1	8	0	7	0	4	0	2	0	1	-1/4*zeta(3)^2/pi^6+89/60480
2	7	1	3	5	6	7	1	2	1	4	0	8	0	1	0	1	-1/4*zeta(3)^2/pi^6+1/90720
2	7	1	4	8	2	5	1	7	0	6	0	3	0	1	0	1	1/4*zeta(3)^2/pi^6-1/90720
2	7	1	4	6	1	8	1	5	1	2	0	7	0	3	0	1	1/4*zeta(3)^2/pi^6-157/181440
2	7	1	3	6	1	4	1	5	0	8	0	7	0	2	0	1	-1/4*zeta(3)^2/pi^6+157/181440
2	7	1	4	7	1	5	1	8	1	6	0	2	0	3	0	1	41/16*zeta(3)^2/pi^6-313/90720

2	7	1	3	5	1	6	1	2	0	8	0	7	0	4	0	1	-41/16*zeta(3)^2/pi^6+313/90720
2	7	1	3	6	4	7	1	8	1	2	0	5	0	1	0	1	21/8*zeta(3)^2/pi^6-23/6480
2	7	1	6	7	2	4	1	5	0	3	0	8	0	1	0	1	-21/8*zeta(3)^2/pi^6+23/6480
2	7	1	3	5	4	7	1	8	1	6	0	2	0	1	0	1	-19/8*zeta(3)^2/pi^6+73/24192
2	7	1	3	6	5	7	1	2	0	8	0	4	0	1	0	1	19/8*zeta(3)^2/pi^6-73/24192
2	7	1	4	6	1	2	1	5	1	7	0	8	0	3	0	1	-83/32*zeta(3)^2/pi^6+1427/362880
2	7	1	3	6	1	8	1	5	0	2	0	7	0	4	0	1	83/32*zeta(3)^2/pi^6-1427/362880
2	7	1	4	6	1	5	1	7	1	2	0	8	0	3	0	1	81/32*zeta(3)^2/pi^6-799/181440
2	7	1	3	6	1	8	1	5	0	7	0	4	0	2	0	1	-81/32*zeta(3)^2/pi^6+799/181440
2	7	1	6	7	1	5	1	2	1	4	0	3	0	8	0	1	-59/32*zeta(3)^2/pi^6+3701/1451520
2	7	1	3	4	1	5	1	8	0	7	0	2	0	6	0	1	-59/32*zeta(3)^2/pi^6+3701/1451520
2	7	1	6	7	1	5	1	2	1	8	0	3	0	4	0	1	19/16*zeta(3)^2/pi^6-19/11520
2	7	1	3	4	1	5	1	6	0	7	0	2	0	8	0	1	19/16*zeta(3)^2/pi^6-19/11520
2	7	1	3	6	1	7	1	5	1	8	0	4	0	2	0	1	19/16*zeta(3)^2/pi^6-419/241920
2	7	1	3	5	1	6	1	2	0	4	0	7	0	8	0	1	-19/16*zeta(3)^2/pi^6+419/241920
2	7	1	3	6	1	5	1	7	1	4	0	8	0	2	0	1	51/32*zeta(3)^2/pi^6-607/207360
2	7	1	3	5	1	8	1	2	0	7	0	4	0	6	0	1	-51/32*zeta(3)^2/pi^6+607/207360
2	7	1	1	5	1	8	1	3	1	4	0	7	0	2	0	6	-3/16*zeta(3)^2/pi^6+143/362880
2	7	1	1	3	1	5	1	2	0	8	0	4	0	6	0	7	3/16*zeta(3)^2/pi^6-143/362880
2	7	1	3	6	1	5	1	8	1	4	0	7	0	2	0	1	-1/2*zeta(3)^2/pi^6+191/181440
2	7	1	3	5	1	4	1	2	0	7	0	8	0	6	0	1	1/2*zeta(3)^2/pi^6-191/181440
2	7	1	4	5	2	7	3	8	1	6	0	1	0	1	0	1	45/16*zeta(3)^2/pi^6-1429/362880
2	7	1	3	5	4	8	2	6	0	7	0	1	0	1	0	1	45/16*zeta(3)^2/pi^6-1429/362880
2	7	1	4	8	1	2	1	5	1	6	0	7	0	3	0	1	-3/4*zeta(3)^2/pi^6+11/8640
2	7	1	5	8	1	6	1	3	0	7	0	2	0	4	0	1	-3/4*zeta(3)^2/pi^6+11/8640
2	7	1	3	4	1	7	1	8	1	2	0	5	0	6	0	1	-3/4*zeta(3)^2/pi^6+1/896
2	7	1	5	6	1	7	1	3	0	4	0	8	0	2	0	1	-3/4*zeta(3)^2/pi^6+1/896
2	7	1	3	8	1	7	1	5	1	2	0	4	0	6	0	1	-67/8*zeta(3)^2/pi^6+217/17280
2	7	1	5	8	1	6	1	3	0	4	0	7	0	2	0	1	-67/8*zeta(3)^2/pi^6+217/17280
2	7	1	1	5	1	7	1	3	1	4	0	8	0	6	0	1	-1/2*zeta(3)^2/pi^6+13/22680
2	7	1	1	8	1	2	0	7	0	3	0	5	0	6	0	1	-1/2*zeta(3)^2/pi^6+13/22680
2	7	1	5	7	2	4	1	6	1	8	1	3	0	1	0	1	-1/1890
2	7	1	5	7	2	4	0	6	0	8	0	3	0	1	0	1	1/1890
2	7	1	3	7	1	6	1	2	1	4	1	5	0	8	0	1	-1/1890
2	7	1	3	4	1	8	0	7	0	2	0	5	0	6	0	1	1/1890
2	7	1	3	4	1	7	1	5	1	2	0	8	0	6	0	1	1/4*zeta(3)^2/pi^6-13/45360
2	7	1	5	6	1	8	1	3	0	7	0	4	0	2	0	1	-1/4*zeta(3)^2/pi^6+13/45360
2	7	1	1	3	0	2	0	1	0	1	0	1	0	1	0	1	-1/720
2	7	1	1	4	1	8	0	2	0	1	0	1	0	1	0	1	1/108
2	7	1	1	3	0	2	0	8	0	1	0	1	0	1	0	1	-1/108
2	7	1	3	4	1	2	1	8	0	1	0	1	0	1	0	1	1/540
2	7	1	3	4	0	2	0	8	0	1	0	1	0	1	0	1	-1/540
2	7	1	3	4	1	2	0	8	0	1	0	1	0	1	0	1	1/1080
2	7	1	3	4	1	8	0	2	0	1	0	1	0	1	0	1	1/1080
2	7	1	3	8	2	7	0	1	0	1	0	1	0	1	0	1	1/1080
2	7	1	1	5	1	4	0	3	0	8	0	1	0	1	0	1	1/72
2	7	1	1	5	1	8	0	3	0	2	0	1	0	1	0	1	1/72
2	7	1	3	5	1	4	1	8	0	2	0	1	0	1	0	1	-1/2880
2	7	1	3	4	1	2	0	5	0	8	0	1	0	1	0	1	1/2880
2	7	1	3	4	2	7	1	8	0	1	0	1	0	1	0	1	-1/480
2	7	1	3	4	2	7	0	8	0	1	0	1	0	1	0	1	1/480
2	7	1	3	4	1	5	1	2	0	8	0	1	0	1	0	1	-1/360
2	7	1	4	5	1	8	0	3	0	2	0	1	0	1	0	1	-1/360
2	7	1	1	5	1	8	1	7	0	2	0	1	0	1	0	1	-1/108
2	7	1	1	5	0	8	0	7	0	2	0	1	0	1	0	1	-1/108
2	7	1	1	4	1	8	0	2	0	7	0	1	0	1	0	1	1/54
2	7	1	1	4	1	6	1	5	1	8	0	3	0	1	0	1	-1/270
2	7	1	1	4	0	5	0	2	0	6	0	8	0	1	0	1	1/270
2	7	1	3	5	1	2	1	7	1	8	0	1	0	1	0	1	-1/270
2	7	1	4	5	0	8	0	7	0	2	0	1	0	1	0	1	1/270
2	7	1	1	6	1	8	1	5	0	4	0	3	0	1	0	1	-1/90
2	7	1	1	6	1	5	0	3	0	8	0	2	0	1	0	1	1/90
2	7	1	3	5	1	2	1	7	0	8	0	1	0	1	0	1	-1/540

2	7	1	3	4	1	8	0	2	0	7	0	1	0	1	0	1	1/540
2	7	1	1	3	1	5	1	6	0	8	0	4	0	1	0	1	-1/540
2	7	1	1	8	1	4	0	3	0	6	0	2	0	1	0	1	1/540
2	7	1	4	5	1	7	1	8	0	2	0	1	0	1	0	1	-1/540
2	7	1	3	5	1	2	0	8	0	7	0	1	0	1	0	1	1/540
2	7	1	4	8	1	5	1	7	0	3	0	1	0	1	0	1	-1/108
2	7	1	5	8	1	4	0	3	0	7	0	1	0	1	0	1	-1/108
2	7	1	3	8	2	7	1	6	0	1	0	1	0	1	0	1	-1/540
2	7	1	3	8	2	7	0	6	0	1	0	1	0	1	0	1	1/540
2	7	1	1	8	1	2	1	5	0	4	0	3	0	1	0	1	-1/540
2	7	1	1	5	1	4	0	3	0	6	0	8	0	1	0	1	1/540
2	7	1	3	4	1	2	1	7	0	8	0	1	0	1	0	1	1/270
2	7	1	4	5	1	8	0	2	0	7	0	1	0	1	0	1	1/270
2	7	1	1	7	1	8	1	5	0	4	0	3	0	1	0	1	-1/108
2	7	1	1	6	1	4	0	3	0	7	0	8	0	1	0	1	1/108
2	7	1	1	7	1	5	1	6	0	8	0	4	0	1	0	1	-1/108
2	7	1	1	7	1	4	0	3	0	8	0	2	0	1	0	1	1/108
2	7	1	3	4	5	7	1	2	0	8	0	1	0	1	0	1	$3/2*\zeta(3)^2/\pi^6-11/25920$
2	7	1	3	5	4	7	1	8	0	2	0	1	0	1	0	1	$3/2*\zeta(3)^2/\pi^6-11/25920$
2	7	1	5	7	1	6	1	2	1	8	0	3	0	1	0	1	1/540
2	7	1	6	7	1	4	0	3	0	2	0	8	0	1	0	1	-1/540
2	7	1	3	5	4	7	1	8	1	2	0	1	0	1	0	1	1/540
2	7	1	3	4	5	8	0	2	0	7	0	1	0	1	0	1	1/540
2	7	1	4	8	1	6	1	5	1	2	0	3	0	1	0	1	-1/540
2	7	1	5	8	1	4	0	3	0	6	0	2	0	1	0	1	1/540
2	7	1	6	7	1	2	1	5	0	4	0	8	0	1	0	1	11/8640
2	7	1	3	7	1	8	1	5	0	4	0	2	0	1	0	1	-11/8640
2	7	1	6	8	1	2	1	5	0	4	0	3	0	1	0	1	1/864
2	7	1	3	8	1	6	1	5	0	4	0	2	0	1	0	1	-1/864
2	7	1	3	4	1	5	1	2	1	6	1	8	0	1	0	1	1/945
2	7	1	3	4	0	5	0	2	0	6	0	8	0	1	0	1	-1/945
2	7	1	3	6	1	5	1	8	1	4	0	2	0	1	0	1	$-3/4*\zeta(3)^2/\pi^6+53/90720$
2	7	1	3	4	1	2	0	6	0	8	0	5	0	1	0	1	$-3/4*\zeta(3)^2/\pi^6+53/90720$
2	7	1	3	8	2	5	1	7	1	4	0	1	0	1	0	1	$-3/8*\zeta(3)^2/\pi^6+17/90720$
2	7	1	3	4	2	8	0	5	0	7	0	1	0	1	0	1	$-3/8*\zeta(3)^2/\pi^6+17/90720$
2	7	1	3	5	2	4	1	7	1	8	0	1	0	1	0	1	$-9/8*\zeta(3)^2/\pi^6+1/360$
2	7	1	3	5	2	4	0	7	0	8	0	1	0	1	0	1	$-9/8*\zeta(3)^2/\pi^6+1/360$
2	7	1	3	6	1	2	1	5	0	8	0	4	0	1	0	1	$-3/2*\zeta(3)^2/\pi^6+377/181440$
2	7	1	3	5	1	6	1	8	0	2	0	4	0	1	0	1	$-3/2*\zeta(3)^2/\pi^6+377/181440$
2	7	1	3	4	2	7	1	5	0	8	0	1	0	1	0	1	$-3/8*\zeta(3)^2/\pi^6-11/5040$
2	7	1	3	5	2	7	1	8	0	4	0	1	0	1	0	1	$-3/8*\zeta(3)^2/\pi^6-11/5040$
2	7	1	3	5	2	4	1	8	0	7	0	1	0	1	0	1	$-15/8*\zeta(3)^2/\pi^6+13/6480$
2	7	1	3	5	1	2	1	8	0	6	0	4	0	1	0	1	$-3/4*\zeta(3)^2/\pi^6+11/36288$
2	7	1	3	6	1	4	1	5	0	8	0	2	0	1	0	1	$-3/4*\zeta(3)^2/\pi^6+11/36288$
2	7	1	3	4	1	2	1	5	0	6	0	8	0	1	0	1	$3/4*\zeta(3)^2/\pi^6-53/90720$
2	7	1	5	6	1	8	1	3	0	4	0	2	0	1	0	1	$3/4*\zeta(3)^2/\pi^6-53/90720$
2	7	1	4	5	1	8	1	6	1	2	0	3	0	1	0	1	1/420
2	7	1	5	6	1	4	0	8	0	3	0	2	0	1	0	1	-1/420
2	7	1	1	7	1	4	1	5	1	6	0	3	0	2	0	1	-1/540
2	7	1	1	4	1	5	0	6	0	3	0	7	0	2	0	1	-1/540
2	7	1	3	5	1	2	1	7	1	8	0	4	0	1	0	1	-1/540
2	7	1	5	6	1	4	0	8	0	7	0	2	0	1	0	1	-1/540
2	7	1	6	7	4	5	1	3	1	2	1	8	0	1	0	1	1/1890
2	7	1	6	7	4	5	0	3	0	2	0	8	0	1	0	1	-1/1890
2	7	1	3	4	1	5	1	2	1	6	0	8	0	1	0	1	1/1890
2	7	1	4	5	1	8	0	6	0	2	0	3	0	1	0	1	-1/1890
2	7	1	4	5	1	6	1	8	1	2	0	7	0	1	0	1	1/540
2	7	1	5	6	1	7	0	3	0	8	0	2	0	1	0	1	-1/540
2	7	1	3	6	1	8	1	7	0	4	0	2	0	1	0	1	-1/1080
2	7	1	3	6	1	2	1	5	0	7	0	8	0	1	0	1	-1/1080
2	7	1	3	8	2	7	1	6	0	4	0	1	0	1	0	1	-1/1080
2	7	1	3	8	2	7	1	5	0	6	0	1	0	1	0	1	-1/1080
2	7	1	3	6	1	7	1	5	0	8	0	2	0	1	0	1	-1/1080

2	7	1	3	6	1	2	1	7	0	4	0	8	0	1	0	1	-1/1080
2	7	1	1	7	1	5	1	6	0	3	0	2	0	4	0	1	-1/432
2	7	1	1	6	1	2	1	5	0	4	0	7	0	3	0	1	-1/2160
2	7	1	4	6	1	8	1	5	1	7	0	2	0	1	0	1	1/4320
2	7	1	3	5	1	2	0	8	0	6	0	7	0	1	0	1	1/4320
2	7	1	3	8	2	5	1	7	1	6	0	1	0	1	0	1	1/720
2	7	1	3	5	2	7	0	8	0	6	0	1	0	1	0	1	1/720
2	7	1	4	8	1	6	1	5	1	7	0	3	0	1	0	1	1/540
2	7	1	5	8	1	4	0	3	0	6	0	7	0	1	0	1	-1/540
2	7	1	5	8	2	4	1	3	1	6	1	7	0	1	0	1	-1/1890
2	7	1	5	8	2	4	0	3	0	6	0	7	0	1	0	1	1/1890
2	7	1	1	7	1	4	1	5	1	8	0	3	0	2	0	1	-1/540
2	7	1	1	5	1	4	0	3	0	6	0	7	0	8	0	1	-1/540
2	7	1	3	4	1	5	1	2	1	6	1	7	0	8	0	1	1/1890
2	7	1	4	5	1	8	0	6	0	2	0	7	0	3	0	1	1/1890
2	7	1	4	5	1	8	1	6	1	2	0	7	0	1	0	1	1/540
2	7	1	5	6	1	7	0	8	0	3	0	2	0	1	0	1	-1/540
2	7	1	1	7	1	4	1	5	1	6	0	8	0	2	0	1	-1/540
2	7	1	1	8	1	4	0	3	0	6	0	7	0	2	0	1	-1/540
2	7	1	4	6	1	5	1	2	1	8	0	3	0	1	0	1	-1/1890
2	7	1	3	5	1	4	0	6	0	2	0	8	0	1	0	1	-1/1890
2	7	1	6	7	1	8	1	5	0	4	0	3	0	1	0	1	7/2160
2	7	1	3	7	1	6	1	5	0	4	0	8	0	1	0	1	-7/2160
2	7	1	1	8	1	7	1	6	0	4	0	2	0	3	0	1	-43/8640
2	7	1	1	5	1	7	1	6	0	4	0	8	0	3	0	1	-43/8640
2	7	1	3	6	1	4	1	7	0	8	0	2	0	1	0	1	-1/4320
2	7	1	4	5	1	8	1	2	0	6	0	7	0	1	0	1	-1/4320
2	7	1	3	4	2	6	1	8	0	7	0	1	0	1	0	1	-1/720
2	7	1	3	5	2	6	1	8	0	7	0	1	0	1	0	1	-1/720
2	7	1	1	6	1	2	1	5	0	4	0	8	0	3	0	1	-19/8640
2	7	1	1	6	1	8	1	5	0	4	0	7	0	3	0	1	-19/8640
2	7	1	1	8	1	2	1	5	0	4	0	7	0	3	0	1	-1/4320
2	7	1	1	3	1	5	1	6	0	7	0	4	0	8	0	1	-1/4320
2	7	1	3	6	1	7	1	5	0	4	0	8	0	1	0	1	-23/4320
2	7	1	3	4	1	2	1	6	0	7	0	8	0	1	0	1	1/540
2	7	1	5	6	1	8	1	7	0	4	0	2	0	1	0	1	1/540
2	7	1	5	6	4	8	1	7	1	2	0	3	0	1	0	1	1/8*zeta(3)^2/pi^6+1/25920
2	7	1	6	7	4	5	1	2	0	3	0	8	0	1	0	1	1/8*zeta(3)^2/pi^6+1/25920
2	7	1	1	8	1	5	1	7	1	6	0	2	0	4	0	3	1/2880
2	7	1	1	6	1	5	1	7	0	8	0	2	0	3	0	4	-1/2880
2	7	1	5	6	4	8	1	7	1	3	0	2	0	1	0	1	15/16*zeta(3)^2/pi^6-13/10080
2	7	1	4	6	5	7	1	2	0	8	0	3	0	1	0	1	15/16*zeta(3)^2/pi^6-13/10080
2	7	1	5	7	4	8	2	3	1	6	0	1	0	1	0	1	25/16*zeta(3)^2/pi^6-7/1920
2	7	1	3	4	2	7	5	8	0	6	0	1	0	1	0	1	-25/16*zeta(3)^2/pi^6+7/1920
2	7	1	3	6	4	8	1	5	1	7	0	2	0	1	0	1	-9/8*zeta(3)^2/pi^6+29/22680
2	7	1	3	4	5	7	1	2	0	6	0	8	0	1	0	1	9/8*zeta(3)^2/pi^6-29/22680
2	7	1	3	5	6	7	1	8	1	2	0	4	0	1	0	1	3/8*zeta(3)^2/pi^6-7/5184
2	7	1	4	7	2	5	1	6	0	3	0	8	0	1	0	1	-3/8*zeta(3)^2/pi^6+7/5184
2	7	1	6	8	1	7	1	5	1	2	0	4	0	3	0	1	1/8640
2	7	1	3	8	1	6	1	5	0	4	0	7	0	2	0	1	1/8640
2	7	1	4	8	1	7	1	5	1	6	0	2	0	3	0	1	1/4320
2	7	1	6	8	1	2	1	5	0	4	0	7	0	3	0	1	1/4320
2	7	1	4	6	1	8	1	2	1	7	0	5	0	3	0	1	-7/8*zeta(3)^2/pi^6+17/13440
2	7	1	3	6	1	7	1	5	0	8	0	2	0	4	0	1	7/8*zeta(3)^2/pi^6-17/13440
2	7	1	6	8	4	5	1	2	1	3	0	7	0	1	0	1	-1/4*zeta(3)^2/pi^6+1/90720
2	7	1	4	8	5	6	1	7	0	3	0	2	0	1	0	1	-1/4*zeta(3)^2/pi^6+1/90720
2	7	1	3	4	1	7	1	2	1	6	0	8	0	5	0	1	-1/4*zeta(3)^2/pi^6+89/60480
2	7	1	5	6	1	8	1	7	0	4	0	2	0	3	0	1	-1/4*zeta(3)^2/pi^6+89/60480
2	7	1	3	8	1	7	1	2	1	6	0	5	0	4	0	1	1/1440
2	7	1	5	8	1	7	1	6	0	4	0	2	0	3	0	1	1/1440
2	7	1	3	5	4	7	1	6	1	2	0	8	0	1	0	1	-3/8*zeta(3)^2/pi^6+17/15120
2	7	1	6	8	2	5	1	7	0	3	0	4	0	1	0	1	3/8*zeta(3)^2/pi^6-17/15120
2	7	1	3	8	5	7	1	6	1	2	0	4	0	1	0	1	1/1728

2	7	1	6	8	2	7	1	5	0	4	0	3	0	1	0	1	-1/1728
2	7	1	3	7	1	6	1	8	1	4	1	5	0	2	0	1	5/16*zeta(3)^2/pi^6-7/17280
2	7	1	3	4	1	2	0	7	0	8	0	5	0	6	0	1	-5/16*zeta(3)^2/pi^6+7/17280
2	7	1	3	4	2	7	1	6	1	8	1	5	0	1	0	1	15/16*zeta(3)^2/pi^6-31/30240
2	7	1	3	4	2	7	0	6	0	8	0	5	0	1	0	1	-15/16*zeta(3)^2/pi^6+31/30240
2	7	1	3	4	2	5	1	8	1	6	1	7	0	1	0	1	11/16*zeta(3)^2/pi^6-179/181440
2	7	1	3	4	2	5	0	8	0	6	0	7	0	1	0	1	-11/16*zeta(3)^2/pi^6+179/181440
2	7	1	4	6	1	8	1	5	1	7	0	2	0	3	0	1	-3/16*zeta(3)^2/pi^6+61/90720
2	7	1	3	6	1	2	1	5	0	8	0	7	0	4	0	1	3/16*zeta(3)^2/pi^6-61/90720
2	7	1	3	5	2	6	1	8	1	7	0	4	0	1	0	1	3/8*zeta(3)^2/pi^6+23/181440
2	7	1	3	4	2	5	1	6	0	7	0	8	0	1	0	1	-3/8*zeta(3)^2/pi^6-23/181440
2	7	1	3	8	2	5	1	7	1	6	0	4	0	1	0	1	3/4*zeta(3)^2/pi^6-1/40320
2	7	1	3	7	2	5	1	6	0	4	0	8	0	1	0	1	-3/4*zeta(3)^2/pi^6+1/40320
2	7	1	6	7	1	5	1	8	1	4	0	3	0	2	0	1	-1/2*zeta(3)^2/pi^6+191/181440
2	7	1	3	4	1	5	1	2	0	7	0	8	0	6	0	1	-1/2*zeta(3)^2/pi^6+191/181440
2	7	1	3	4	1	7	1	2	1	8	0	5	0	6	0	1	-1/4*zeta(3)^2/pi^6+157/181440
2	7	1	5	6	1	7	1	3	0	4	0	2	0	8	0	1	-1/4*zeta(3)^2/pi^6+157/181440
2	7	1	3	8	2	6	1	5	1	7	0	4	0	1	0	1	-15/16*zeta(3)^2/pi^6+319/181440
2	7	1	3	8	2	4	1	5	0	6	0	7	0	1	0	1	15/16*zeta(3)^2/pi^6-319/181440
2	7	1	4	6	1	5	1	7	1	8	0	2	0	3	0	1	zeta(3)^2/pi^6-59/40320
2	7	1	3	6	1	2	1	5	0	7	0	4	0	8	0	1	-zeta(3)^2/pi^6+59/40320
2	7	1	3	5	2	6	1	8	1	4	0	7	0	1	0	1	3/16*zeta(3)^2/pi^6-11/24192
2	7	1	3	4	2	5	1	8	0	6	0	7	0	1	0	1	-3/16*zeta(3)^2/pi^6+11/24192
2	7	1	3	6	1	5	1	7	1	4	0	2	0	8	0	1	3/16*zeta(3)^2/pi^6-1/2880
2	7	1	3	5	1	2	1	8	0	7	0	4	0	6	0	1	-3/16*zeta(3)^2/pi^6+1/2880
2	7	1	3	5	2	4	1	6	1	7	0	8	0	1	0	1	-1/8*zeta(3)^2/pi^6+121/90720
2	7	1	3	5	2	6	1	7	0	8	0	4	0	1	0	1	1/8*zeta(3)^2/pi^6-121/90720
2	7	1	3	8	2	5	1	6	1	4	0	7	0	1	0	1	5/8*zeta(3)^2/pi^6-353/362880
2	7	1	3	8	2	5	1	7	0	6	0	4	0	1	0	1	-5/8*zeta(3)^2/pi^6+353/362880
2	7	1	3	5	4	6	1	8	1	2	0	7	0	1	0	1	409/362880
2	7	1	4	6	2	5	1	7	0	3	0	8	0	1	0	1	409/362880
2	7	1	4	6	1	7	1	8	1	2	0	5	0	3	0	1	1/1440
2	7	1	3	6	1	7	1	5	0	4	0	8	0	2	0	1	-1/1440
2	7	1	4	5	1	7	1	8	1	6	0	2	0	3	0	1	1/8640
2	7	1	6	7	1	2	1	5	0	4	0	8	0	3	0	1	1/8640
2	7	1	4	7	1	5	1	2	1	6	0	8	0	3	0	1	5/8*zeta(3)^2/pi^6-149/120960
2	7	1	3	5	1	6	1	8	0	2	0	7	0	4	0	1	-5/8*zeta(3)^2/pi^6+149/120960
2	7	1	4	6	1	7	1	5	1	2	0	8	0	3	0	1	-1/1080
2	7	1	3	6	1	8	1	5	0	4	0	7	0	2	0	1	1/1080
2	7	1	4	6	1	5	1	2	1	8	0	7	0	3	0	1	1/4*zeta(3)^2/pi^6-29/72576
2	7	1	3	6	1	4	1	5	0	7	0	2	0	8	0	1	-1/4*zeta(3)^2/pi^6+29/72576
2	7	1	1	8	1	4	1	5	1	6	0	7	0	3	0	2	-1/2880
2	7	1	1	6	1	2	1	5	0	4	0	7	0	8	0	3	1/2880
2	7	1	3	4	1	5	1	2	1	6	0	7	0	8	0	1	1/4*zeta(3)^2/pi^6-13/45360
2	7	1	5	6	1	8	1	3	0	7	0	2	0	4	0	1	1/4*zeta(3)^2/pi^6-13/45360
2	7	1	1	5	1	4	0	3	0	2	0	1	0	1	0	1	1/432
2	7	1	1	8	1	6	1	5	0	4	0	3	0	1	0	1	-1/216
2	7	1	1	6	1	5	0	8	0	3	0	2	0	1	0	1	1/216
2	7	1	4	5	1	6	1	8	1	2	0	3	0	1	0	1	1/540
2	7	1	5	6	1	4	0	3	0	8	0	2	0	1	0	1	-1/540
2	7	1	3	6	1	2	1	5	0	4	0	8	0	1	0	1	-1/1080
2	7	1	3	6	1	8	1	5	0	4	0	2	0	1	0	1	-1/1080
2	7	1	3	8	2	7	1	5	0	4	0	1	0	1	0	1	-1/1080
2	7	1	1	5	1	7	1	6	0	8	0	4	0	3	0	1	-1/432
2	7	1	1	8	1	7	1	6	0	2	0	4	0	3	0	1	-1/432
2	7	1	4	6	1	7	1	5	1	8	0	2	0	3	0	1	1/8640
2	7	1	3	6	1	2	1	5	0	4	0	7	0	8	0	1	-1/8640
2	7	1	3	8	2	5	1	6	1	7	0	4	0	1	0	1	1/1440
2	7	1	3	7	2	5	1	6	0	8	0	4	0	1	0	1	-1/1440
2	7	1	4	5	1	7	1	2	1	6	0	8	0	3	0	1	-1/1080
2	7	1	6	7	1	8	1	5	0	4	0	2	0	3	0	1	-1/1080
2	7	1	1	7	1	6	1	5	0	4	0	3	0	2	0	1	-1/1296

### A.2. $\star_{\text{aff}}^{\text{red}}$ mod $\bar{o}(\hbar^7)$ .

*Encoding 2.* In the format described in Implementation 1, now weights  $\in \mathbb{Q}$ :

h^0:		2 5 1	1 3 0 5 0 2 0 4 0 1	1/90
2 0 1	1	2 5 1	1 4 0 5 0 6 0 2 0 1	-1/45
h^1:		2 5 1	1 4 0 2 0 5 0 6 0 1	2/45
2 1 1	0 1 1	2 5 1	0 1 0 1 0 1 0 1 0 1	1/120
h^2:		2 5 1	1 6 0 1 0 1 0 1 0 1	-1/18
2 2 1	1 3 0 2	2 5 1	0 6 0 1 0 1 0 1 0 1	1/18
2 2 1	1 3 0 1	2 5 1	1 6 1 5 0 1 0 1 0 1	1/18
2 2 1	0 3 0 1	2 5 1	0 6 0 5 0 1 0 1 0 1	1/18
2 2 1	0 1 0 1	2 5 1	1 4 1 6 1 3 0 1 0 1	1/45
h^3:		2 5 1	0 4 0 6 0 3 0 1 0 1	-1/45
2 3 1	1 3 0 2 0 1	h^6:	2 6 1	1 4 1 7 1 3 0 6 0 2 0 5
2 3 1	1 4 0 2 0 1	2 6 1	3 5 1 7 1 6 0 4 0 2 0 1	-2/567
2 3 1	1 4 0 1 0 1	2 6 1	1 7 1 4 1 5 0 6 0 3 0 2	-31/3780
2 3 1	0 4 0 1 0 1	2 6 1	3 5 1 2 1 6 0 4 0 7 0 1	-1/360
2 3 1	0 1 0 1 0 1	2 6 1	4 5 1 6 1 2 0 7 0 3 0 1	-7/1620
h^4:		2 6 1	1 7 1 6 1 5 0 4 0 3 0 2	-11/2160
2 4 1	1 5 1 4 0 3 0 2	2 6 1	1 4 1 6 1 3 0 7 0 2 0 1	-1/1296
2 4 1	1 3 1 4 0 5 0 2	2 6 1	1 4 1 6 1 3 0 7 0 5 0 1	4/315
2 4 1	1 5 1 4 0 2 0 3	2 6 1	1 4 1 6 1 7 0 3 0 2 0 1	2/105
2 4 1	1 5 1 4 0 3 0 1	2 6 1	4 6 1 7 1 5 0 3 0 1 0 1	-2/105
2 4 1	1 3 1 5 0 2 0 1	2 6 1	1 6 1 4 1 7 0 3 0 5 0 1	-2/315
2 4 1	1 3 1 4 0 5 0 1	2 6 1	1 4 1 7 1 5 0 6 0 2 0 1	-1/180
2 4 1	1 4 0 5 0 2 0 1	2 6 1	1 4 1 7 1 5 0 6 0 3 0 1	-4/105
2 4 1	1 3 0 4 0 5 0 1	2 6 1	1 4 1 6 1 3 0 7 0 2 0 1	1/270
2 4 1	1 5 0 4 0 2 0 1	2 6 1	1 4 1 6 1 3 0 7 0 5 0 1	2/135
2 4 1	1 3 0 2 0 1 0 1	2 6 1	4 6 1 5 1 7 0 3 0 1 0 1	-1/45
2 4 1	1 5 0 2 0 1 0 1	2 6 1	3 7 2 6 1 5 0 1 0 1 0 1	-11/1080
2 4 1	1 4 0 5 0 2 0 1	2 6 1	1 6 1 4 1 7 0 3 0 2 0 1	-2/135
2 4 1	1 3 0 5 0 2 0 1	2 6 1	1 7 1 6 1 5 0 4 0 3 0 1	-1/216
2 4 1	1 5 0 4 0 5 0 1	2 6 1	1 5 1 4 0 6 0 3 0 7 0 1	-4/315
2 4 1	1 5 0 4 0 2 0 1	2 6 1	1 5 6 1 4 0 7 0 3 0 1 0 1	-2/105
2 4 1	1 3 0 2 0 1 0 1	2 6 1	1 5 1 2 0 3 0 6 0 7 0 1	2/315
2 4 1	1 5 0 2 0 1 0 1	2 6 1	1 5 1 2 0 7 0 6 0 3 0 1	1/180
2 4 1	1 5 0 4 0 1 0 1	2 6 1	1 5 1 2 0 6 0 7 0 3 0 1	4/105
2 4 1	1 5 0 1 0 1 0 1	2 6 1	1 7 1 4 0 6 0 3 0 5 0 1	-1/270
2 4 1	0 5 0 1 0 1 0 1	2 6 1	1 7 1 2 0 6 0 3 0 5 0 1	-2/135
2 4 1	0 1 0 1 0 1 0 1	2 6 1	5 6 1 4 0 3 0 7 0 1 0 1	1/24
2 4 1	1 5 1 4 0 1 0 1	2 6 1	1 4 1 7 1 5 0 6 0 3 0 1	-1/45
2 4 1	0 5 0 4 0 1 0 1	2 6 1	1 4 1 6 1 3 0 7 0 2 0 1	1/270
2 4 1	1 5 0 1 0 1 0 1	2 6 1	1 4 1 6 1 3 0 7 0 5 0 1	2/135
2 4 1	0 5 0 1 0 1 0 1	2 6 1	4 6 1 5 1 7 0 3 0 1 0 1	-1/45
2 4 1	0 1 0 1 0 1 0 1	2 6 1	3 7 2 6 1 5 0 1 0 1 0 1	-11/1080
2 4 1	1 5 1 4 0 1 0 1	2 6 1	1 5 1 4 0 6 0 3 0 7 0 1	2/135
2 4 1	0 5 0 4 0 1 0 1	2 6 1	1 5 7 2 6 0 5 0 1 0 1 0 1	11/1080
2 4 1	1 5 0 1 0 1 0 1	2 6 1	1 5 1 4 0 3 0 6 0 7 0 1	2/135
2 4 1	0 5 0 1 0 1 0 1	2 6 1	1 6 1 5 0 7 0 3 0 2 0 1	1/216
2 4 1	0 4 0 5 0 3 0 1	2 6 1	1 4 1 2 0 5 0 3 0 1 0 1	1/120
2 4 1	1 4 1 5 1 3 0 2	2 6 1	3 4 1 7 0 6 0 1 0 1 0 1	2/45
2 4 1	1 3 0 5 0 2 0 4	2 6 1	1 5 1 4 0 7 0 3 0 1 0 1	2/45
h^5:		2 6 1	1 7 1 5 0 3 0 2 0 1 0 1	2/45
2 5 1	1 4 1 2 0 5 0 3 0 1	2 6 1	1 5 1 6 0 3 0 7 0 1 0 1	1/18
2 5 1	3 4 1 6 0 5 0 1 0 1	2 6 1	3 7 1 6 0 5 0 1 0 1 0 1	2/45
2 5 1	1 6 1 2 0 5 0 3 0 1	2 6 1	4 7 1 6 0 5 0 1 0 1 0 1	-2/45
2 5 1	1 3 1 4 0 5 0 6 0 1	2 6 1	1 6 1 2 0 7 0 3 0 1 0 1	4/135
2 5 1	1 5 1 4 0 3 0 6 0 1	2 6 1	1 7 1 4 0 5 0 6 0 1 0 1	4/135
2 5 1	3 4 1 6 0 2 0 1 0 1	2 6 1	3 7 2 6 0 1 0 1 0 1 0 1	11/720
2 5 1	1 5 1 4 0 3 0 2 0 1	2 6 1	1 7 1 4 0 3 0 2 0 1 0 1	1/18
2 5 1	1 3 1 6 0 2 0 1 0 1	2 6 1	1 6 1 5 0 7 0 3 0 1 0 1	1/54
2 5 1	1 3 1 4 0 6 0 1 0 1	2 6 1	1 6 1 5 0 7 0 3 0 2 0 1	1/144
2 5 1	1 4 1 5 0 6 0 1 0 1	2 6 1	1 5 1 4 0 3 0 2 0 1 0 1	-1/378
2 5 1	1 4 1 6 0 2 0 1 0 1	2 6 1	3 6 1 5 1 2 1 4 0 7 0 1	-31/11340
2 5 1	1 3 0 4 0 6 0 1 0 1	2 6 1	1 7 1 4 1 5 1 6 0 3 0 2	-1/540
2 5 1	1 6 0 4 0 2 0 1 0 1	2 6 1	1 7 1 4 1 6 1 7 0 1 0 1	1/567
2 5 1	1 5 0 6 0 2 0 1 0 1	2 6 1	3 5 2 4 1 6 1 7 0 1 0 1	-1/378
2 5 1	1 4 0 6 0 2 0 1 0 1	2 6 1	3 4 1 7 0 6 0 2 0 5 0 1	-31/11340
2 5 1	1 6 0 2 0 1 0 1 0 1	2 6 1	1 4 1 5 0 6 0 3 0 7 0 2	-1/540
2 5 1	1 6 0 5 0 1 0 1 0 1	2 6 1	3 5 2 4 0 6 0 7 0 1 0 1	1/567
2 5 1	1 3 0 2 0 1 0 1 0 1	2 6 1	1 7 0 6 0 1 0 1 0 1 0 1	-1/18
2 5 1	1 4 1 5 1 3 0 2 0 1	2 6 1	1 3 0 2 0 1 0 1 0 1 0 1	-1/144
2 5 1	1 5 1 4 1 6 0 3 0 1	2 6 1	1 3 0 7 0 1 0 1 0 1 0 1	-1/18
2 5 1	1 4 1 6 1 5 0 3 0 1	-1/45		

2 6 1	3 7 1 6 0 1 0 1 0 1 0 1	1/15	2 7 1	3 8 2 7 1 5 0 4 0 1 0 1 0 1	-11/2160
2 6 1	1 3 1 7 0 2 0 1 0 1 0 1	2/45	2 7 1	1 8 1 7 1 6 0 2 0 4 0 3 0 1	-1/216
2 6 1	1 4 1 6 0 7 0 1 0 1 0 1	1/9	2 7 1	1 7 1 6 1 5 0 4 0 3 0 2 0 1	-1/1296
2 6 1	1 7 1 6 0 5 0 1 0 1 0 1	1/54	2 7 1	4 8 2 6 3 7 0 1 0 1 0 1 0 1	31/22680
2 6 1	1 4 1 7 0 2 0 1 0 1 0 1	1/36	2 7 1	3 5 1 4 1 7 0 6 0 8 0 1 0 1	-16/945
2 6 1	3 7 0 6 0 1 0 1 0 1 0 1	1/15	2 7 1	4 5 2 6 1 8 0 7 0 1 0 1 0 1	16/945
2 6 1	1 3 0 4 0 7 0 1 0 1 0 1	-2/45	2 7 1	1 4 1 8 0 2 0 7 0 1 0 1 0 1	1/54
2 6 1	1 7 0 2 0 6 0 1 0 1 0 1	-1/9	2 7 1	1 5 1 4 0 3 0 2 0 1 0 1 0 1	1/432
2 6 1	1 7 0 6 0 5 0 1 0 1 0 1	-1/54	2 7 1	1 5 1 4 0 2 0 3 0 1 0 1 0 1	1/360
2 6 1	1 3 0 2 0 7 0 1 0 1 0 1	-1/36	2 7 1	3 8 1 4 0 2 0 1 0 1 0 1 0 1	1/135
2 6 1	1 4 1 5 1 3 0 2 0 1 0 1	1/180	2 7 1	1 5 1 8 0 3 0 4 0 1 0 1 0 1	1/15
2 6 1	4 5 1 6 1 7 0 1 0 1 0 1	-2/45	2 7 1	1 3 1 4 0 5 0 8 0 1 0 1 0 1	-1/45
2 6 1	1 7 1 4 1 6 0 3 0 1 0 1	-4/135	2 7 1	1 5 1 8 0 3 0 7 0 1 0 1 0 1	1/18
2 6 1	1 4 1 7 1 3 0 6 0 1 0 1	1/135	2 7 1	1 7 1 8 0 5 0 3 0 1 0 1 0 1	4/135
2 6 1	1 5 1 7 1 6 0 2 0 1 0 1	-1/108	2 7 1	4 8 1 7 0 6 0 1 0 1 0 1 0 1	-2/135
2 6 1	1 5 1 4 1 7 0 3 0 1 0 1	2/45	2 7 1	3 8 1 7 0 6 0 1 0 1 0 1 0 1	2/135
2 6 1	1 4 1 7 1 5 0 3 0 1 0 1	-1/45	2 7 1	1 3 1 5 0 7 0 8 0 1 0 1 0 1	4/135
2 6 1	1 3 0 5 0 2 0 4 0 1 0 1	1/180	2 7 1	1 5 1 7 0 8 0 6 0 1 0 1 0 1	1/27
2 6 1	4 7 0 6 0 5 0 1 0 1 0 1	2/45	2 7 1	1 5 1 4 0 3 0 8 0 1 0 1 0 1	1/36
2 6 1	1 4 0 7 0 5 0 6 0 1 0 1	-4/135	2 7 1	1 8 1 2 1 6 0 4 0 3 0 1 0 1	4/315
2 6 1	1 6 0 5 0 7 0 4 0 1 0 1	1/135	2 7 1	3 8 1 5 1 7 0 4 0 1 0 1 0 1	-2/105
2 6 1	1 5 0 7 0 6 0 2 0 1 0 1	-1/108	2 7 1	1 3 1 5 1 8 0 6 0 4 0 1 0 1	-2/105
2 6 1	1 4 0 5 0 7 0 2 0 1 0 1	-1/45	2 7 1	1 3 1 4 1 5 0 6 0 8 0 1 0 1	8/945
2 6 1	1 4 0 2 0 5 0 7 0 1 0 1	2/45	2 7 1	1 6 1 5 1 3 0 8 0 4 0 1 0 1	-2/105
2 6 1	1 7 1 4 1 5 1 6 0 3 0 1	-1/270	2 7 1	4 8 1 5 1 6 0 7 0 1 0 1 0 1	-2/45
2 6 1	1 4 1 6 1 5 1 7 0 3 0 1	-1/270	2 7 1	1 7 1 5 1 2 0 8 0 4 0 1 0 1	-4/135
2 6 1	3 6 1 5 1 7 1 4 0 1 0 1	-2/315	2 7 1	1 3 1 6 1 2 0 8 0 4 0 1 0 1	1/270
2 6 1	1 5 1 4 1 7 1 6 0 3 0 1	-4/315	2 7 1	1 8 1 5 1 3 0 6 0 4 0 1 0 1	-1/180
2 6 1	1 4 0 7 0 5 0 6 0 2 0 1	1/270	2 7 1	1 7 1 8 1 3 0 6 0 4 0 1 0 1	-1/135
2 6 1	1 4 0 5 0 2 0 6 0 7 0 1	1/270	2 7 1	4 5 1 7 1 8 0 6 0 1 0 1 0 1	-1/45
2 6 1	3 6 0 5 0 7 0 4 0 1 0 1	-2/315	2 7 1	1 7 1 5 1 6 0 4 0 8 0 1 0 1	-1/45
2 6 1	1 4 0 6 0 5 0 7 0 2 0 1	4/315	2 7 1	4 8 1 5 1 7 0 3 0 1 0 1 0 1	-1/45
2 6 1	0 1 0 1 0 1 0 1 0 1 0 1	1/720	2 7 1	3 8 2 7 1 6 0 1 0 1 0 1 0 1	-11/1080
2 6 1	1 7 0 1 0 1 0 1 0 1 0 1	-1/72	2 7 1	1 8 1 2 1 5 0 4 0 3 0 1 0 1	-2/135
2 6 1	0 7 0 1 0 1 0 1 0 1 0 1	1/72	2 7 1	1 7 1 5 1 6 0 8 0 4 0 1 0 1	-1/54
2 6 1	1 7 1 6 0 1 0 1 0 1 0 1	1/36	2 7 1	1 8 1 6 1 5 0 4 0 3 0 1 0 1	-1/216
2 6 1	0 7 0 6 0 1 0 1 0 1 0 1	1/36	2 7 1	1 7 1 6 1 2 0 8 0 4 0 1 0 1	2/135
2 6 1	1 4 1 7 1 3 0 1 0 1 0 1	1/90	2 7 1	1 3 1 6 1 7 0 8 0 4 0 1 0 1	-1/135
2 6 1	1 7 1 6 1 5 0 1 0 1 0 1	-1/162	2 7 1	1 5 1 4 0 6 0 3 0 8 0 1 0 1	-4/315
2 6 1	0 4 0 7 0 3 0 1 0 1 0 1	-1/90	2 7 1	4 8 1 5 0 3 0 7 0 1 0 1 0 1	-2/105
2 6 1	0 7 0 6 0 5 0 1 0 1 0 1	1/162	2 7 1	1 5 1 2 0 6 0 8 0 3 0 1 0 1	2/105
2 6 1	1 6 1 7 1 5 1 3 1 4 0 1	-2/945	2 7 1	1 8 1 2 0 6 0 3 0 5 0 1 0 1	-8/945
2 6 1	0 6 0 7 0 5 0 3 0 4 0 1	2/945	2 7 1	1 8 1 5 0 3 0 6 0 2 0 1 0 1	2/105
2 6 1	1 7 1 4 1 5 1 6 0 1 0 1	-1/135	2 7 1	5 8 1 7 0 3 0 6 0 1 0 1 0 1	-2/45
2 6 1	0 7 0 4 0 5 0 6 0 1 0 1	-1/135	2 7 1	1 5 1 8 0 3 0 6 0 7 0 1 0 1	4/135
2 6 1	1 6 1 7 1 5 1 3 1 4 0 2	-1/945	2 7 1	1 8 1 4 0 6 0 3 0 5 0 1 0 1	-1/270
2 6 1	1 3 0 7 0 2 0 6 0 4 0 5	-1/945	2 7 1	1 5 1 2 0 8 0 6 0 3 0 1 0 1	1/180
h^7:			2 7 1	1 3 1 5 0 8 0 6 0 7 0 1 0 1	1/135
2 7 1	1 6 1 5 1 3 0 7 0 8 0 4 0 1	-1/180	2 7 1	3 5 1 8 0 7 0 6 0 1 0 1 0 1	1/45
2 7 1	1 3 1 5 1 2 0 7 0 4 0 6 0 1	53/11340	2 7 1	1 7 1 6 0 3 0 8 0 2 0 1 0 1	1/45
2 7 1	1 5 1 2 1 6 0 7 0 3 0 4 0 1	-31/3780	2 7 1	5 8 1 4 0 3 0 7 0 1 0 1 0 1	-1/45
2 7 1	1 3 1 5 1 6 0 4 0 7 0 8 0 1	2/135	2 7 1	3 8 2 7 0 6 0 1 0 1 0 1 0 1	11/1080
2 7 1	1 3 1 6 1 2 0 7 0 8 0 4 0 1	-8/945	2 7 1	1 5 1 4 0 3 0 6 0 8 0 1 0 1	2/135
2 7 1	1 3 1 5 1 8 0 7 0 4 0 6 0 1	-29/945	2 7 1	1 7 1 4 0 3 0 8 0 2 0 1 0 1	1/54
2 7 1	3 6 1 4 1 5 0 7 0 8 0 1 0 1	-46/945	2 7 1	1 6 1 5 0 8 0 3 0 2 0 1 0 1	1/216
2 7 1	3 5 1 8 1 7 0 6 0 4 0 1 0 1	-32/945	2 7 1	1 7 1 5 0 6 0 8 0 3 0 1 0 1	1/135
2 7 1	3 6 1 7 1 5 0 2 0 8 0 1 0 1	8/315	2 7 1	1 8 1 5 0 3 0 6 0 7 0 1 0 1	-2/135
2 7 1	3 6 1 4 1 5 0 8 0 2 0 1 0 1	-191/22680	2 7 1	1 4 1 8 1 5 1 7 0 3 0 2 0 1	-1/270
2 7 1	3 6 1 2 1 7 0 4 0 8 0 1 0 1	-11/1080	2 7 1	1 5 1 7 1 3 1 4 0 2 0 6 0 1	11/7560
2 7 1	1 6 1 2 1 5 0 4 0 7 0 3 0 1	-1/360	2 7 1	1 7 1 4 1 5 1 8 0 3 0 6 0 1	-2/315
2 7 1	1 8 1 2 1 5 0 4 0 7 0 3 0 1	-1/135	2 7 1	1 5 1 7 1 3 1 4 0 2 0 8 0 1	-4/315
2 7 1	1 3 1 5 1 6 0 7 0 4 0 8 0 1	-1/135	2 7 1	3 4 1 8 1 5 1 6 0 7 0 1 0 1	-4/315
2 7 1	3 6 1 7 1 5 0 4 0 8 0 1 0 1	-1/45	2 7 1	1 5 1 4 1 7 1 6 0 3 0 2 0 1	-31/7560

2 7 1	1 5 1 4 1 8 1 6 0 7 0 3 0 1	8/945	2 7 1	1 6 1 7 1 5 1 3 1 4 0 2 0 1	-1/945
2 7 1	1 5 1 7 1 3 1 4 0 8 0 6 0 1	-2/945	2 7 1	1 7 1 6 1 8 1 4 1 5 0 3 0 1	-4/945
2 7 1	1 7 1 4 1 5 1 6 0 3 0 2 0 1	-1/540	2 7 1	3 4 1 8 1 5 1 6 1 7 0 1 0 1	2/945
2 7 1	4 6 1 5 1 2 1 8 0 3 0 1 0 1	-37/15120	2 7 1	1 6 1 4 1 8 1 7 1 5 0 3 0 1	4/945
2 7 1	1 7 1 5 1 6 1 8 0 4 0 3 0 1	-1/135	2 7 1	1 8 1 6 1 7 1 4 1 5 0 2 0 1	-2/945
2 7 1	1 7 1 5 1 8 1 6 0 4 0 2 0 1	1/270	2 7 1	1 3 0 7 0 2 0 6 0 4 0 5 0 1	-1/945
2 7 1	1 5 1 4 0 6 0 8 0 7 0 3 0 1	-1/270	2 7 1	1 4 0 2 0 7 0 8 0 5 0 6 0 1	-4/945
2 7 1	1 4 1 2 0 7 0 3 0 5 0 6 0 1	11/7560	2 7 1	3 4 0 8 0 5 0 6 0 7 0 1 0 1	-2/945
2 7 1	1 5 1 2 0 3 0 6 0 7 0 8 0 1	-2/315	2 7 1	1 3 0 8 0 7 0 2 0 5 0 6 0 1	-2/945
2 7 1	1 4 1 8 0 7 0 3 0 5 0 6 0 1	-4/315	2 7 1	1 4 0 7 0 5 0 8 0 2 0 6 0 1	4/945
2 7 1	4 5 1 7 0 8 0 6 0 3 0 1 0 1	4/315	2 7 1	0 1 0 1 0 1 0 1 0 1 0 1 0 1	1/5040
2 7 1	1 5 1 4 0 7 0 6 0 3 0 2 0 1	-31/7560	2 7 1	1 8 0 1 0 1 0 1 0 1 0 1 0 1	-1/360
2 7 1	1 5 1 2 0 6 0 7 0 3 0 8 0 1	8/945	2 7 1	0 8 0 1 0 1 0 1 0 1 0 1 0 1	1/360
2 7 1	1 8 1 2 0 7 0 3 0 5 0 6 0 1	-2/945	2 7 1	1 8 1 7 0 1 0 1 0 1 0 1 0 1	1/108
2 7 1	1 4 1 5 0 6 0 3 0 7 0 2 0 1	-1/540	2 7 1	0 8 0 7 0 1 0 1 0 1 0 1 0 1	1/108
2 7 1	3 5 1 4 0 6 0 2 0 8 0 1 0 1	-37/15120	2 7 1	1 3 1 4 1 8 0 1 0 1 0 1 0 1	1/270
2 7 1	1 6 1 5 0 7 0 8 0 2 0 3 0 1	1/270	2 7 1	1 8 1 7 1 6 0 1 0 1 0 1 0 1	-1/162
2 7 1	1 6 1 5 0 3 0 7 0 2 0 8 0 1	-1/135	2 7 1	0 3 0 4 0 8 0 1 0 1 0 1 0 1	-1/270
2 7 1	1 8 0 2 0 1 0 1 0 1 0 1 0 1	-1/72	2 7 1	0 8 0 7 0 6 0 1 0 1 0 1 0 1	1/162
2 7 1	1 8 0 7 0 1 0 1 0 1 0 1 0 1	-1/54	2 7 1	1 8 1 4 1 5 1 7 0 1 0 1 0 1	-1/135
2 7 1	1 3 0 2 0 1 0 1 0 1 0 1 0 1	-1/720	2 7 1	0 8 0 4 0 5 0 7 0 1 0 1 0 1	-1/135
2 7 1	3 8 1 7 0 1 0 1 0 1 0 1 0 1	1/45	2 7 1	1 6 1 8 1 5 1 3 1 4 0 1 0 1	-2/945
2 7 1	1 3 1 8 0 2 0 1 0 1 0 1 0 1	2/135	2 7 1	0 6 0 8 0 5 0 3 0 4 0 1 0 1	2/945
2 7 1	1 4 1 7 0 8 0 1 0 1 0 1 0 1	1/18			
2 7 1	1 8 1 7 0 6 0 1 0 1 0 1 0 1	1/54			
2 7 1	1 4 1 8 0 2 0 1 0 1 0 1 0 1	1/108			
2 7 1	3 8 0 7 0 1 0 1 0 1 0 1 0 1	1/45			
2 7 1	1 3 0 4 0 8 0 1 0 1 0 1 0 1	-2/135			
2 7 1	1 8 0 2 0 7 0 1 0 1 0 1 0 1	-1/18			
2 7 1	1 8 0 7 0 6 0 1 0 1 0 1 0 1	-1/54			
2 7 1	1 3 0 2 0 8 0 1 0 1 0 1 0 1	-1/108			
2 7 1	1 4 1 5 1 3 0 2 0 1 0 1 0 1	1/540			
2 7 1	4 6 1 7 1 8 0 1 0 1 0 1 0 1	-2/45			
2 7 1	1 4 1 7 1 8 0 2 0 1 0 1 0 1	-4/135			
2 7 1	1 3 1 4 1 7 0 8 0 1 0 1 0 1	1/135			
2 7 1	1 5 1 8 1 7 0 6 0 1 0 1 0 1	-1/54			
2 7 1	1 5 1 8 1 7 0 2 0 1 0 1 0 1	-1/108			
2 7 1	1 5 1 4 1 8 0 3 0 1 0 1 0 1	1/45			
2 7 1	1 3 1 5 1 8 0 4 0 1 0 1 0 1	-1/90			
2 7 1	1 3 0 5 0 2 0 4 0 1 0 1 0 1	1/540			
2 7 1	4 8 0 7 0 6 0 1 0 1 0 1 0 1	2/45			
2 7 1	1 4 0 8 0 5 0 7 0 1 0 1 0 1	-4/135			
2 7 1	1 7 0 5 0 8 0 4 0 1 0 1 0 1	1/135			
2 7 1	1 6 0 8 0 7 0 2 0 1 0 1 0 1	-1/54			
2 7 1	1 5 0 8 0 7 0 2 0 1 0 1 0 1	-1/108			
2 7 1	1 4 0 5 0 8 0 2 0 1 0 1 0 1	-1/90			
2 7 1	1 4 0 2 0 5 0 8 0 1 0 1 0 1	1/45			
2 7 1	1 5 1 8 1 3 1 4 0 2 0 1 0 1	2/315			
2 7 1	1 8 1 4 1 5 1 6 0 3 0 1 0 1	-1/270			
2 7 1	1 4 1 6 1 5 1 7 0 8 0 1 0 1	-1/135			
2 7 1	1 4 1 5 1 6 1 8 0 3 0 1 0 1	-2/105			
2 7 1	1 4 1 6 1 5 1 8 0 3 0 1 0 1	-1/270			
2 7 1	1 8 1 6 1 5 1 7 0 4 0 1 0 1	-2/135			
2 7 1	1 5 1 7 1 8 1 6 0 4 0 1 0 1	1/135			
2 7 1	4 8 1 2 1 5 1 7 0 1 0 1 0 1	2/315			
2 7 1	1 3 0 6 0 8 0 4 0 5 0 1 0 1	-2/315			
2 7 1	1 4 0 8 0 5 0 6 0 2 0 1 0 1	1/270			
2 7 1	1 8 0 5 0 2 0 6 0 7 0 1 0 1	1/135			
2 7 1	1 4 0 6 0 5 0 8 0 2 0 1 0 1	2/105			
2 7 1	1 4 0 5 0 2 0 6 0 8 0 1 0 1	1/270			
2 7 1	1 5 0 6 0 7 0 8 0 2 0 1 0 1	-1/135			
2 7 1	1 5 0 8 0 2 0 6 0 7 0 1 0 1	2/135			
2 7 1	4 8 0 2 0 5 0 7 0 1 0 1 0 1	2/315			

**APPENDIX B. THE ANALYTIC FORMULA OF (REDUCED) AFFINE STAR-PRODUCT  
 $\star_{\text{AFF}}^{\text{RED}}$  MOD  $\bar{o}(\hbar^7)$  WITH HARMONIC PROPAGATORS FOR AFFINE  
 POISSON STRUCTURES**

The analytic formula of seventh order expansion of Kontsevich's  $\star_{\text{aff}}$  for affine Poisson brackets reads as follows (this expression is obtained from the reduced encoding *without* Riemann  $\zeta(3)^2/\pi^6$  in Appendix A.2; for every affine Poisson bracket this formula with only rational coefficients is evaluated to the same expression as one obtains from the graph encoding *with* Riemann  $\zeta(3)^2/\pi^6$  in Appendix A.1: the difference of two expressions amounts to a linear differential operator acting on the Jacobiator  $\frac{1}{2}[[P, P]]$  of the Poisson bi-vector  $P$ ):

















### APPENDIX C. CORRIGENDUM: THE ENCODING AND USE OF LEIBNIZ GRAPHS

Normal forms for Leibniz graphs with one Jacobiator were introduced in [7, Definition 5]: the idea was to re-use the normal form for Kontsevich graphs. Namely, the Jacobiator was expanded into the sum of three Kontsevich graphs (built of wedges), all the incoming arrows (to the top of the tripod) were formally directed to the top of the lower wedge in each Kontsevich graph, and then we found the normal forms of the resulting three Kontsevich graphs, while also remembering where the internal edge of the Jacobiator is located in those normal forms. The normal form of the Leibniz graph then was: choose the minimal (w.r.t. base- $(m+n)$  numbers) Kontsevich graph encoding, supplemented with the indication of the internal Jacobiator edge.

This definition, i.e. the pair (Kontsevich graph, marked edge) is unfortunately not a true normal form of the Leibniz graph. Namely, it can happen that the resulting Kontsevich graph has an automorphism that maps the marked edge elsewhere, to a new place in the graph. Consequently, two isomorphic Leibniz graphs could have different “normal forms” (differing only by the marking where the internal Jacobiator edge is). This led to a visible pathology, namely to redundant parameters in the systems of equations: one and the same Leibniz graph, encoded differently, acquired two unrelated coefficients.

Fortunately, the effect disappeared when Leibniz graphs were expanded to sums of Kontsevich graphs and similar terms were collected. (Besides, it is necessary to pay attention to whether the internal Jacobiator edge is labeled Left or Right, in order to expand the Leibniz graph with the correct sign  $\pm 1$ .)

In consequence, that normal form from [7] was abandoned in favor of inambiguous (and fast) description of Leibniz graphs by using the `nauty` software [18], now used in [5] and in this paper.

### APPENDIX D. FACTORIZATION OF ASSOCIATOR $\text{Assoc}(\star) \bmod \bar{o}(\hbar^6)$ VIA LEIBNIZ GRAPHS

First we present the certificate of vanishing for the rational part of the associator at  $\hbar^6$  via the 0th layer of Leibniz graphs. That is, working over the extension  $\mathbb{Q}[\zeta(3)^2/\pi^6]$ , we first take the purely rational part of all the coefficients of Kontsevich graphs in the associator.

*Notation.* For each tri-differential order (with respect to the three arguments  $f, g, h$  in the associator) actually showing up in the sum of Kontsevich’s graphs under study we list that order  $(i, j, k)$  itself, the number of Kontsevich graphs with nonzero coefficients in that order, the number of Leibniz graphs which are instantly produced by contracting one internal edge in the already available Kontsevich graphs, and the number of new Kontsevich graphs (possibly zero of them) to which the so far reached Leibniz graphs expand (when the Jacobiator is expanded). If the attained Leibniz graphs are enough to realize, when expanded, the initially given sum of Kontsevich graphs in that tri-differential order, the contraction-expansion stops. If not, we repeat the iteration(s) until the initially given sum is successfully realized by the Leibniz graph expansions for the first and/or higher layers of neighbors. The program `gcaops` (*Graph Complex Action*

*on Poisson Structures* by R. Buring) writes True as soon as the fact of factorization is established.

The vanishing of rational part of associator at  $\hbar^6$ , via 0th layer Leibniz graphs:

```

Number of Kontsevich graphs: 290243
Number of differential orders: 105
(3, 1, 4): 449K -> +220L -> +26K
True
(2, 2, 4): 829K -> +424L -> +71K
True
(2, 1, 4): 1524K -> +780L -> +115K
True
(1, 3, 4): 443K -> +220L -> +32K
True
(1, 2, 4): 1515K -> +780L -> +124K
True
(1, 1, 4): 2315K -> +1135L -> +281K
True
(3, 2, 4): 208K -> +98L -> +17K
True
(2, 3, 4): 203K -> +98L -> +22K
True
(1, 4, 4): 75K -> +36L -> +11K
True
(4, 1, 4): 82K -> +36L -> +4K
True
(4, 2, 4): 32K -> +14L -> +7K
True
(3, 3, 4): 38K -> +16L -> +7K
True
(2, 4, 4): 32K -> +14L -> +7K
True
(4, 2, 3): 208K -> +98L -> +17K
True
(4, 1, 3): 449K -> +220L -> +26K
True
(3, 3, 3): 362K -> +175L -> +30K
True
(3, 2, 3): 1424K -> +810L -> +161K
True
(3, 1, 3): 2612K -> +1475L -> +199K
True
(2, 4, 3): 199K -> +97L -> +26K
True
(2, 3, 3): 1423K -> +810L -> +162K
True
(2, 2, 3): 4984K -> +2947L -> +451K
True
(2, 1, 3): 7702K -> +4353L -> +618K
True
(1, 4, 3): 417K -> +215L -> +58K
True
(1, 3, 3): 2583K -> +1469L -> +216K
True
(1, 2, 3): 7659K -> +4350L -> +661K
True
(1, 1, 3): 10263K -> +5295L -> +1217K
True
(4, 3, 3): 38K -> +16L -> +7K
True
(3, 4, 3): 38K -> +16L -> +7K
True

```

```

(2, 5, 3): 10K -> +5L -> +5K
True
(1, 5, 3): 36K -> +14L -> +6K
True
(5, 2, 3): 15K -> +5L -> +0K
True
(5, 1, 3): 41K -> +14L -> +1K
True
(5, 3, 3): 3K -> +1L -> +0K
True
(4, 4, 3): 3K -> +1L -> +0K
True
(3, 5, 3): 3K -> +1L -> +0K
True
(1, 5, 4): 7K -> +4L -> +5K
True
(5, 1, 4): 12K -> +4L -> +0K
True
(5, 2, 4): 3K -> +1L -> +0K
True
(4, 3, 4): 3K -> +1L -> +0K
True
(3, 4, 4): 3K -> +1L -> +0K
True
(2, 5, 4): 3K -> +1L -> +0K
True
(4, 2, 2): 829K -> +424L -> +71K
True
(4, 1, 2): 1524K -> +780L -> +115K
True
(3, 3, 2): 1423K -> +810L -> +162K
True
(3, 2, 2): 4984K -> +2947L -> +451K
True
(3, 1, 2): 7702K -> +4353L -> +618K
True
(2, 3, 2): 4779K -> +2908L -> +631K
True
(2, 2, 2): 14046K -> +8416L -> +1618K
True
(2, 1, 2): 18894K -> +10298L -> +1904K
True
(1, 4, 2): 1338K -> +752L -> +266K
True
(1, 3, 2): 7297K -> +4282L -> +956K
True
(1, 2, 2): 19000K -> +10368L -> +1796K
True
(1, 1, 2): 22789K -> +10742L -> +2227K
True
(4, 3, 2): 203K -> +98L -> +22K
True
(3, 4, 2): 199K -> +97L -> +26K
True
(2, 4, 2): 758K -> +421L -> +141K
True
(1, 5, 2): 96K -> +43L -> +33K
True
(5, 2, 2): 53K -> +18L -> +1K
True
(5, 1, 2): 121K -> +43L -> +8K
True
(5, 3, 2): 15K -> +5L -> +0K

```

```

True
(4, 4, 2): 32K -> +14L -> +7K
True
(2, 5, 2): 43K -> +18L -> +11K
True
(3, 5, 2): 10K -> +5L -> +5K
True
(4, 2, 1): 1515K -> +780L -> +124K
True
(4, 1, 1): 2315K -> +1135L -> +281K
True
(3, 3, 1): 2583K -> +1469L -> +216K
True
(3, 2, 1): 7659K -> +4350L -> +661K
True
(3, 1, 1): 10263K -> +5295L -> +1217K
True
(2, 4, 1): 1338K -> +752L -> +266K
True
(2, 3, 1): 7297K -> +4282L -> +956K
True
(2, 2, 1): 19000K -> +10368L -> +1796K
True
(2, 1, 1): 22789K -> +10742L -> +2227K
True
(1, 4, 1): 2223K -> +1135L -> +373K
True
(1, 3, 1): 10068K -> +5290L -> +1412K
True
(1, 2, 1): 22591K -> +10736L -> +2424K
True
(1, 1, 1): 23814K -> +9358L -> +2709K
True
(4, 3, 1): 443K -> +220L -> +32K
True
(3, 4, 1): 417K -> +215L -> +58K
True
(2, 5, 1): 96K -> +43L -> +33K
True
(1, 5, 1): 234K -> +81L -> +8K
True
(5, 2, 1): 121K -> +43L -> +8K
True
(5, 1, 1): 234K -> +81L -> +8K
True
(5, 3, 1): 41K -> +14L -> +1K
True
(4, 4, 1): 75K -> +36L -> +11K
True
(3, 5, 1): 36K -> +14L -> +6K
True
(5, 4, 1): 12K -> +4L -> +0K
True
(5, 4, 2): 3K -> +1L -> +0K
True
(4, 5, 2): 3K -> +1L -> +0K
True
(1, 1, 5): 234K -> +81L -> +8K
True
(5, 1, 5): 3K -> +1L -> +0K
True
(4, 2, 5): 3K -> +1L -> +0K
True

```

```

(3, 3, 5): 3K -> +1L -> +OK
True
(2, 4, 5): 3K -> +1L -> +OK
True
(1, 5, 5): 3K -> +1L -> +OK
True
(2, 1, 5): 121K -> +43L -> +8K
True
(1, 2, 5): 121K -> +43L -> +8K
True
(4, 1, 5): 12K -> +4L -> +OK
True
(3, 2, 5): 15K -> +5L -> +OK
True
(2, 3, 5): 15K -> +5L -> +OK
True
(1, 4, 5): 12K -> +4L -> +OK
True
(3, 1, 5): 41K -> +14L -> +1K
True
(2, 2, 5): 53K -> +18L -> +1K
True
(1, 3, 5): 41K -> +14L -> +1K
True
(4, 5, 1): 7K -> +4L -> +5K
True
(5, 5, 1): 3K -> +1L -> +OK
True

```

Let us remember that in every tri-differential order we split the sums of Kontsevich graphs with coefficients from  $\mathbb{Q}[\zeta(3)^2/\pi^6]$  into the part with purely rational coefficients and  $\zeta(3)^2/\pi^6$  times another sum of Kontsevich graphs with purely rational coefficients. We now inspect a realization of the  $\zeta(3)^2/\pi^6$ -part by using the layer(s) of Leibniz graphs which we produce from that part alone, that is, regardless of the Kontsevich graphs also available in the (rational part of the) same tri-differential order. This is why the first layer of neighbors is (fictitiously) referred to in a factorization of the associator mod  $\bar{o}(\hbar^6)$ .

The vanishing of the  $\zeta(3)^2/\pi^6$ -part of the star-product's associator at  $\hbar^6$ , via 0th and 1st layer Leibniz graphs (see Notation on p. 56):

```

Number of Kontsevich graphs: 194060
Number of differential orders: 28
(2, 1, 3): 4987K -> +3481L -> +1447K
True
(1, 1, 3): 8899K -> +5099L -> +2489K -> +648L -> +201K
True
(3, 1, 3): 732K -> +592L -> +488K
True
(2, 2, 2): 6240K -> +5047L -> +4038K
True
(3, 1, 2): 4987K -> +3481L -> +1447K
True
(2, 1, 2): 16100K -> +9665L -> +2912K -> +575L -> +84K
True
(1, 2, 2): 14200K -> +9001L -> +4579K -> +1224L -> +311K
True
(1, 1, 2): 21813K -> +10699L -> +3178K
True
(3, 2, 2): 988K -> +904L -> +844K
True
(4, 1, 2): 520K -> +392L -> +299K

```

```

True
(4, 1, 1): 1363K -> +876L -> +1061K
True
(3, 2, 1): 4173K -> +3076L -> +2051K
True
(3, 1, 1): 8899K -> +5099L -> +2489K -> +648L -> +201K
True
(2, 3, 1): 2620K -> +2084L -> +2797K
True
(2, 2, 1): 14200K -> +9001L -> +4579K -> +1224L -> +311K
True
(2, 1, 1): 21813K -> +10699L -> +3178K
True
(1, 3, 1): 5913K -> +3834L -> +4472K -> +1749L -> +1122K
True
(1, 2, 1): 20238K -> +10386L -> +4612K
True
(1, 1, 1): 23331K -> +9345L -> +3180K
True
(4, 2, 1): 520K -> +392L -> +299K
True
(3, 3, 1): 670K -> +566L -> +487K
True
(1, 1, 4): 1363K -> +876L -> +1061K
True
(1, 3, 2): 2620K -> +2084L -> +2797K
True
(1, 2, 3): 4173K -> +3076L -> +2051K
True
(2, 1, 4): 520K -> +392L -> +299K
True
(1, 2, 4): 520K -> +392L -> +299K
True
(2, 2, 3): 988K -> +904L -> +844K
True
(1, 3, 3): 670K -> +566L -> +487K
True

```

Let us resolve an apparent violation of our earlier claim. In earnest, the entire associator up to  $\bar{o}(\hbar^6)$  is realized by using only the 0th layer of Leibniz graphs. Indeed, to represent the sum near  $\zeta(3)^2/\pi^6$ , let us use all the Kontsevich graphs which showed up in each tri-differential order (but maybe did not show with nonzero rational coefficients in the co-multiple of  $\zeta(3)^2/\pi^6$ ). We thus detect that the 0th layer is always enough at  $\hbar^6$ .

The vanishing of star-product's associator at  $\hbar^6$  (without splitting into rational and  $\zeta(3)^2/\pi^6$  parts) at exceptional differential orders, via 0th layer Leibniz graphs:

```

Number of Kontsevich graphs: 290305
(1, 3, 1): 10068K -> +5290L -> +1412K
True
(3, 1, 1): 10264K -> +5295L -> +1216K
True
(1, 1, 3): 10264K -> +5295L -> +1216K
True
(2, 2, 1): 19006K -> +10368L -> +1790K
True
(1, 2, 2): 19006K -> +10368L -> +1790K
True
(2, 1, 2): 18901K -> +10298L -> +1897K
True

```

Hence Kontsevich's  $\star \bmod \bar{o}(\hbar^6)$  is associative; its associator up to  $\bar{o}(\hbar^6)$  is a sum of Leibniz graphs from the 0th layer.

#### APPENDIX E. BEYOND THE 0TH LAYER OF LEIBNIZ GRAPHS IN FACTORIZATION OF $\text{Assoc}(\star_{\text{aff}}) \bmod \bar{o}(\hbar^7)$

Using the same contraction-expansion method as in Appendix D (now adapted to affine Kontsevich graphs with in-degree bound  $\leq 1$  for aerial vertices and to affine Leibniz graphs with in-degree bound  $\leq 2$  for the trident vertex and  $\leq 1$  for all other aerial vertices) we obtain the certificate of vanishing for the associator of  $\star_{\text{aff}}$  at  $\hbar^7$ . Now, Leibniz graphs from beyond the 0th layer must be used (and this does not stem from any splitting of the associator into the rational and  $\zeta(3)^2/\pi^6$  parts). The source files with coefficients and graph encodings are stored externally:

- The part proportional to  $\hbar^7$  in the associator for  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$ , after we filter only the Kontsevich graphs with aerial vertex in-degrees  $\leq 1$ , is stored in the file

[https://www.rburin.nl/gcaops/affine\\_assoc7\\_7.txt](https://www.rburin.nl/gcaops/affine_assoc7_7.txt).

We know that 49621 Kontsevich graphs truly survive into the associator at order  $\hbar^7$  for the genuine affine Kontsevich star-product modulo  $\bar{o}(\hbar^7)$  with harmonic propagators in the graph weights.

- A linear combination of Leibniz graphs with coefficients from  $\mathbb{Q}[\zeta(3)^2/\pi^6]$  which suffices to realize the respective tri-differential order at  $\hbar^7$  in the associator for  $\star_{\text{aff}} \bmod \bar{o}(\hbar^7)$  is contained in the pair of files with graph encodings and coefficients respectively

[https://www.rburin.nl/gcaops/affine\\_assoc7\\_7\\_leibniz.txt](https://www.rburin.nl/gcaops/affine_assoc7_7_leibniz.txt)

[https://www.rburin.nl/gcaops/affine\\_assoc7\\_7\\_leibniz\\_coeffs.txt](https://www.rburin.nl/gcaops/affine_assoc7_7_leibniz_coeffs.txt)

We detect that at  $\hbar^7$  the 0th layer of Leibniz graphs is not enough to build a factorization of  $\star_{\text{aff}}$ 's associator. Here is a sample from the `gcaops` output, which itself is contained in the file

[https://www.rburin.nl/gcaops/affine\\_assoc7\\_7\\_factorization\\_statistics.txt](https://www.rburin.nl/gcaops/affine_assoc7_7_factorization_statistics.txt)

and in [5, pp. 118–120]:

```
(5, 2, 1): 274K -> +346L -> +20K
(6, 4, 1): 18K -> +10L -> +1K
(5, 5, 1): 41K -> +30L -> +6K
(4, 6, 1): 16K -> +10L -> +3K
(2, 3, 3): 2294K -> +3584L -> +221K -> +123L -> +35K
(3, 2, 3): 2331K -> +3603L -> +191K -> +106L -> +30K
(3, 3, 2): 2294K -> +3584L -> +221K -> +123L -> +35K
(2, 4, 2): 1246K -> +2041L -> +273K -> +111L -> +23K
(4, 2, 2): 1431K -> +2111L -> +98K
(2, 2, 3): 1095K -> +1967L -> +47K
(3, 3, 1): 616K -> +1091L -> +32K
(2, 4, 1): 353K -> +636L -> +49K
```

APPENDIX F. THE 1ST LAYER OF LEIBNIZ GRAPH NEIGHBORS MUCH USED IN ANY  
FACTORIZATION OF THE ASSOCIATOR  $\text{Assoc}(\star_{\text{AFF}}^{\text{RED}}) \bmod \bar{o}(\hbar^7)$  FOR  
THE REDUCED AFFINE STAR-PRODUCT

Let us inspect how the associator of  $\star_{\text{aff}}^{\text{red}} \bmod \bar{o}(\hbar^7)$  is realized by sums of Leibniz graphs; we proceed along the powers of the deformation parameter  $\hbar$ . In every term, we run over the tri-differential orders where Kontsevich graphs show up with nonzero coefficients from  $\mathbb{Q}$ . We see that the first layer of Leibniz graphs is much used (for the first time it is needed in the order  $(1, 2, 1)$  at  $\hbar^4$ ). At the same time, the first layer is sufficient to build all the factorizations up to  $\bar{o}(\hbar^7)$ .

```

h^2:
Number of differential orders: 1
(1, 1, 1): 3K -> +1L -> +0K
True
h^3:
Number of differential orders: 7
(1, 1, 2): 4K -> +3L -> +2K
True
(2, 1, 2): 3K -> +1L -> +0K
True
(1, 2, 2): 3K -> +1L -> +0K
True
(1, 1, 1): 2K -> +2L -> +2K
True
(2, 2, 1): 3K -> +1L -> +0K
True
(1, 2, 1): 4K -> +3L -> +2K
True
(2, 1, 1): 4K -> +3L -> +2K
True
h^4:
Number of differential orders: 22
(1, 1, 2): 4K -> +6L -> +5K
True
(1, 1, 3): 8K -> +6L -> +2K
True
(2, 1, 2): 18K -> +17L -> +8K
True
(1, 2, 2): 18K -> +18L -> +8K
True
(2, 1, 3): 7K -> +4L -> +2K
True
(1, 2, 3): 7K -> +4L -> +2K
True
(3, 1, 3): 3K -> +1L -> +0K
True
(2, 2, 3): 3K -> +1L -> +0K
True
(1, 3, 3): 3K -> +1L -> +0K
True
(3, 1, 2): 7K -> +4L -> +2K
True
(2, 2, 2): 16K -> +12L -> +8K
True
(1, 3, 2): 7K -> +4L -> +2K
True
(3, 1, 1): 8K -> +6L -> +2K
True
(2, 2, 1): 20K -> +18L -> +6K
True

```

```

(1, 3, 1): 9K -> +6L -> +1K
True
(2, 1, 1): 4K -> +6L -> +5K
True
(3, 2, 2): 3K -> +1L -> +0K
True
(2, 3, 2): 3K -> +1L -> +0K
True
(1, 2, 1): 2K -> +2L -> +4K -> +8L -> +6K
True
(2, 3, 1): 7K -> +4L -> +2K
True
(3, 2, 1): 7K -> +4L -> +2K
True
(3, 3, 1): 3K -> +1L -> +0K
True
h^5:
Number of differential orders: 50
(2, 1, 2): 8K -> +18L -> +18K
True
(1, 2, 2): 12K -> +30L -> +23K
True
(3, 1, 2): 40K -> +58L -> +35K
True
(2, 2, 2): 77K -> +110L -> +58K -> +37L -> +19K
True
(2, 1, 3): 40K -> +55L -> +33K
True
(1, 2, 3): 43K -> +61L -> +30K
True
(2, 2, 3): 65K -> +59L -> +23K
True
(3, 2, 2): 71K -> +62L -> +21K
True
(2, 3, 2): 68K -> +60L -> +20K
True
(1, 3, 2): 36K -> +50L -> +25K -> +11L -> +8K
True
(3, 1, 3): 31K -> +28L -> +13K
True
(1, 3, 3): 29K -> +28L -> +15K
True
(3, 2, 3): 22K -> +14L -> +8K
True
(2, 3, 3): 22K -> +14L -> +8K
True
(3, 1, 4): 7K -> +4L -> +2K
True
(2, 2, 4): 10K -> +5L -> +2K
True
(1, 3, 4): 7K -> +4L -> +2K
True
(4, 2, 3): 3K -> +1L -> +0K
True
(3, 3, 3): 3K -> +1L -> +0K
True
(4, 1, 3): 7K -> +4L -> +2K
True
(2, 4, 3): 3K -> +1L -> +0K
True
(1, 4, 3): 7K -> +4L -> +2K
True
(4, 1, 4): 3K -> +1L -> +0K

```

```

True
(3, 2, 4): 3K -> +1L -> +0K
True
(2, 3, 4): 3K -> +1L -> +0K
True
(1, 4, 4): 3K -> +1L -> +0K
True
(2, 1, 4): 14K -> +10L -> +4K
True
(1, 2, 4): 14K -> +10L -> +4K
True
(4, 2, 2): 10K -> +5L -> +2K
True
(3, 3, 2): 22K -> +14L -> +8K
True
(2, 4, 2): 10K -> +5L -> +2K
True
(4, 1, 2): 12K -> +9L -> +4K
True
(1, 4, 2): 13K -> +9L -> +3K
True
(1, 1, 4): 10K -> +9L -> +5K -> +1L -> +0K
True
(4, 2, 1): 12K -> +9L -> +4K
True
(4, 1, 1): 10K -> +9L -> +5K -> +1L -> +0K
True
(3, 3, 1): 33K -> +29L -> +11K
True
(3, 2, 1): 44K -> +61L -> +31K
True
(2, 4, 1): 13K -> +9L -> +3K
True
(2, 3, 1): 35K -> +50L -> +26K -> +11L -> +8K
True
(1, 4, 1): 8K -> +10L -> +7K
True
(1, 1, 3): 4K -> +10L -> +10K
True
(3, 1, 1): 4K -> +10L -> +10K
True
(2, 2, 1): 12K -> +30L -> +23K
True
(1, 3, 1): 6K -> +16L -> +12K
True
(4, 3, 2): 3K -> +1L -> +0K
True
(3, 4, 2): 3K -> +1L -> +0K
True
(3, 4, 1): 7K -> +4L -> +2K
True
(4, 3, 1): 7K -> +4L -> +2K
True
(4, 4, 1): 3K -> +1L -> +0K
True
h^6:
Number of differential orders: 95
(2, 2, 2): 46K -> +111L -> +104K -> +202L -> +130K
True
(1, 3, 2): 32K -> +80L -> +57K -> +96L -> +60K
True
(3, 1, 2): 27K -> +66L -> +74K -> +135L -> +66K
True

```

```

(3, 2, 2): 216K -> +423L -> +259K -> +205L -> +76K
True
(2, 3, 2): 225K -> +448L -> +239K
True
(4, 1, 2): 64K -> +109L -> +74K -> +53L -> +25K
True
(4, 2, 2): 164K -> +201L -> +90K -> +19L -> +10K
True
(3, 3, 2): 268K -> +362L -> +165K -> +55L -> +23K
True
(2, 2, 3): 219K -> +422L -> +251K -> +205L -> +83K
True
(1, 3, 3): 136K -> +246L -> +121K -> +73L -> +33K
True
(3, 1, 3): 113K -> +203L -> +141K -> +112L -> +36K
True
(3, 2, 3): 266K -> +358L -> +171K -> +57L -> +18K
True
(2, 3, 3): 270K -> +357L -> +160K -> +59L -> +26K
True
(4, 1, 3): 87K -> +106L -> +56K -> +18L -> +8K
True
(4, 2, 3): 99K -> +83L -> +30K
True
(3, 3, 3): 169K -> +139L -> +44K
True
(2, 4, 2): 147K -> +182L -> +78K -> +18L -> +11K
True
(1, 4, 2): 76K -> +126L -> +58K -> +32L -> +20K
True
(4, 3, 2): 99K -> +83L -> +30K
True
(3, 4, 2): 92K -> +78L -> +29K
True
(5, 1, 2): 24K -> +18L -> +8K -> +1L -> +0K
True
(5, 2, 2): 25K -> +17L -> +8K
True
(1, 4, 3): 74K -> +88L -> +41K -> +17L -> +10K
True
(2, 4, 3): 90K -> +77L -> +31K
True
(5, 2, 3): 14K -> +7L -> +2K
True
(4, 3, 3): 28K -> +16L -> +8K
True
(3, 4, 3): 28K -> +16L -> +8K
True
(3, 2, 4): 97K -> +81L -> +30K
True
(2, 3, 4): 95K -> +80L -> +32K
True
(1, 4, 4): 36K -> +31L -> +15K
True
(4, 1, 4): 41K -> +33L -> +14K
True
(4, 2, 4): 22K -> +14L -> +8K
True
(3, 3, 4): 28K -> +16L -> +8K
True
(2, 4, 4): 22K -> +14L -> +8K
True
(2, 5, 3): 10K -> +5L -> +2K

```

```

True
(1, 5, 3): 16K -> +10L -> +3K
True
(5, 1, 3): 18K -> +12L -> +5K
True
(5, 3, 3): 3K -> +1L -> +0K
True
(4, 4, 3): 3K -> +1L -> +0K
True
(3, 5, 3): 3K -> +1L -> +0K
True
(1, 5, 4): 7K -> +4L -> +2K
True
(5, 2, 4): 3K -> +1L -> +0K
True
(4, 3, 4): 3K -> +1L -> +0K
True
(3, 4, 4): 3K -> +1L -> +0K
True
(2, 5, 4): 3K -> +1L -> +0K
True
(2, 2, 4): 167K -> +202L -> +87K -> +18L -> +10K
True
(1, 3, 4): 91K -> +114L -> +52K
True
(3, 1, 4): 88K -> +106L -> +55K -> +18L -> +8K
True
(2, 5, 2): 20K -> +13L -> +5K
True
(1, 5, 2): 20K -> +17L -> +8K
True
(5, 3, 2): 14K -> +7L -> +2K
True
(4, 4, 2): 22K -> +14L -> +8K
True
(3, 5, 2): 10K -> +5L -> +2K
True
(1, 2, 4): 80K -> +129L -> +62K
True
(2, 1, 4): 64K -> +109L -> +74K -> +53L -> +25K
True
(4, 2, 1): 80K -> +129L -> +62K
True
(3, 3, 1): 134K -> +244L -> +125K -> +75L -> +30K
True
(2, 4, 1): 76K -> +126L -> +58K -> +32L -> +20K
True
(4, 3, 1): 91K -> +113L -> +52K
True
(3, 4, 1): 75K -> +92L -> +42K -> +13L -> +8K
True
(2, 5, 1): 20K -> +17L -> +8K
True
(1, 5, 1): 18K -> +15L -> +3K
True
(5, 2, 1): 24K -> +18L -> +8K -> +1L -> +0K
True
(5, 1, 1): 14K -> +15L -> +7K
True
(5, 3, 1): 18K -> +12L -> +5K
True
(4, 4, 1): 39K -> +32L -> +12K
True

```

```

(3, 5, 1): 16K -> +10L -> +3K
True
(1, 2, 3): 38K -> +92L -> +74K -> +112L -> +58K
True
(2, 1, 3): 28K -> +68L -> +75K -> +134L -> +65K
True
(3, 2, 1): 38K -> +93L -> +71K -> +109L -> +57K
True
(2, 3, 1): 32K -> +80L -> +57K -> +96L -> +60K
True
(1, 4, 1): 8K -> +18L -> +18K -> +34L -> +22K
True
(4, 1, 1): 12K -> +25L -> +19K
True
(5, 4, 2): 3K -> +1L -> +0K
True
(4, 5, 2): 3K -> +1L -> +0K
True
(1, 1, 4): 12K -> +25L -> +19K
True
(4, 1, 5): 9K -> +5L -> +2K
True
(3, 2, 5): 14K -> +7L -> +2K
True
(2, 3, 5): 14K -> +7L -> +2K
True
(1, 4, 5): 9K -> +5L -> +2K
True
(3, 1, 5): 20K -> +13L -> +5K
True
(2, 2, 5): 29K -> +19L -> +8K
True
(1, 3, 5): 20K -> +13L -> +5K
True
(2, 1, 5): 24K -> +18L -> +8K -> +1L -> +0K
True
(1, 2, 5): 24K -> +18L -> +8K -> +1L -> +0K
True
(1, 1, 5): 14K -> +15L -> +7K
True
(5, 1, 5): 3K -> +1L -> +0K
True
(4, 2, 5): 3K -> +1L -> +0K
True
(3, 3, 5): 3K -> +1L -> +0K
True
(2, 4, 5): 3K -> +1L -> +0K
True
(1, 5, 5): 3K -> +1L -> +0K
True
(5, 1, 4): 9K -> +5L -> +2K
True
(4, 5, 1): 7K -> +4L -> +2K
True
(5, 4, 1): 9K -> +5L -> +2K
True
(5, 5, 1): 3K -> +1L -> +0K
True
h^7:
Number of differential orders: 161
(3, 2, 2): 87K -> +314L -> +353K -> +915L -> +533K
True
(2, 3, 2): 107K -> +372L -> +341K -> +835L -> +468K

```

```

True
(3, 3, 2): 762K -> +1930L -> +1258K -> +1463L -> +475K
True
(2, 4, 2): 509K -> +1243L -> +699K -> +669L -> +269K
True
(4, 2, 2): 455K -> +1114L -> +766K -> +836L -> +295K
True
(4, 3, 2): 777K -> +1378L -> +672K -> +361L -> +125K
True
(3, 4, 2): 799K -> +1399L -> +640K -> +330L -> +113K
True
(5, 2, 2): 288K -> +438L -> +236K -> +109L -> +40K
True
(5, 3, 2): 264K -> +296L -> +133K -> +22L -> +5K
True
(4, 4, 2): 411K -> +506L -> +214K -> +61L -> +26K
True
(3, 2, 3): 638K -> +1612L -> +1293K -> +1732L -> +570K
True
(2, 3, 3): 760K -> +1919L -> +1251K -> +1457L -> +494K
True
(4, 2, 3): 736K -> +1333L -> +722K -> +421L -> +130K
True
(3, 3, 3): 1252K -> +2303L -> +1110K -> +658L -> +205K
True
(2, 4, 3): 795K -> +1392L -> +636K -> +336L -> +120K
True
(4, 3, 3): 632K -> +785L -> +334K -> +88L -> +30K
True
(3, 4, 3): 629K -> +781L -> +326K -> +86L -> +31K
True
(5, 2, 3): 262K -> +295L -> +135K -> +23L -> +5K
True
(5, 3, 3): 135K -> +107L -> +42K
True
(4, 4, 3): 208K -> +167L -> +57K
True
(3, 5, 2): 231K -> +259L -> +105K -> +21L -> +11K
True
(2, 5, 2): 297K -> +447L -> +196K -> +71L -> +33K
True
(5, 4, 2): 107K -> +86L -> +32K
True
(4, 5, 2): 101K -> +82L -> +30K
True
(6, 2, 2): 42K -> +30L -> +13K -> +1L -> +0K
True
(6, 3, 2): 28K -> +18L -> +8K
True
(2, 5, 3): 227K -> +254L -> +107K -> +26L -> +13K
True
(3, 5, 3): 117K -> +96L -> +40K
True
(5, 4, 3): 32K -> +18L -> +8K
True
(4, 5, 3): 28K -> +16L -> +8K
True
(4, 2, 4): 402K -> +494L -> +219K -> +63L -> +20K
True
(3, 3, 4): 641K -> +791L -> +330K -> +85L -> +29K
True
(2, 4, 4): 408K -> +499L -> +212K -> +68L -> +31K
True

```

```

(5, 2, 4): 103K -> +83L -> +32K
True
(4, 3, 4): 214K -> +169L -> +57K
True
(3, 4, 4): 210K -> +167L -> +57K
True
(2, 5, 4): 100K -> +81L -> +31K
True
(5, 3, 4): 32K -> +18L -> +8K
True
(4, 4, 4): 34K -> +18L -> +8K
True
(3, 5, 4): 28K -> +16L -> +8K
True
(3, 6, 3): 10K -> +5L -> +2K
True
(2, 6, 3): 23K -> +14L -> +5K
True
(6, 3, 3): 10K -> +5L -> +2K
True
(6, 2, 3): 28K -> +18L -> +8K
True
(6, 4, 3): 3K -> +1L -> +0K
True
(5, 5, 3): 3K -> +1L -> +0K
True
(4, 6, 3): 3K -> +1L -> +0K
True
(2, 6, 4): 10K -> +5L -> +2K
True
(6, 2, 4): 10K -> +5L -> +2K
True
(6, 3, 4): 3K -> +1L -> +0K
True
(5, 4, 4): 3K -> +1L -> +0K
True
(4, 5, 4): 3K -> +1L -> +0K
True
(3, 6, 4): 3K -> +1L -> +0K
True
(3, 2, 4): 733K -> +1340L -> +727K -> +411L -> +127K
True
(2, 3, 4): 779K -> +1389L -> +675K -> +352L -> +122K
True
(3, 6, 2): 23K -> +14L -> +5K
True
(2, 6, 2): 36K -> +27L -> +11K
True
(6, 4, 2): 10K -> +5L -> +2K
True
(5, 5, 2): 24K -> +15L -> +8K
True
(4, 6, 2): 10K -> +5L -> +2K
True
(2, 2, 4): 456K -> +1117L -> +772K -> +848L -> +289K
True
(5, 3, 1): 160K -> +243L -> +144K -> +78L -> +36K
True
(5, 2, 1): 106K -> +224L -> +152K -> +124L -> +58K
True
(4, 4, 1): 259K -> +452L -> +238K -> +124L -> +48K
True
(4, 3, 1): 289K -> +712L -> +422K -> +353L -> +134K

```

```

True
(3, 5, 1): 158K -> +240L -> +122K -> +52L -> +23K
True
(3, 4, 1): 280K -> +681L -> +392K -> +359L -> +142K
True
(2, 5, 1): 107K -> +226L -> +136K -> +94L -> +42K
True
(5, 4, 1): 114K -> +133L -> +63K
True
(4, 5, 1): 86K -> +99L -> +50K -> +17L -> +7K
True
(3, 6, 1): 24K -> +20L -> +10K
True
(2, 6, 1): 30K -> +28L -> +12K
True
(6, 3, 1): 28K -> +21L -> +10K -> +1L -> +0K
True
(6, 2, 1): 34K -> +32L -> +16K -> +2L -> +1K
True
(6, 4, 1): 15K -> +10L -> +4K
True
(5, 5, 1): 35K -> +30L -> +12K
True
(4, 6, 1): 16K -> +10L -> +3K
True
(2, 2, 3): 87K -> +318L -> +361K -> +922L -> +510K
True
(4, 2, 1): 42K -> +139L -> +115K -> +221L -> +128K
True
(3, 3, 1): 78K -> +276L -> +227K -> +453L -> +240K
True
(2, 4, 1): 49K -> +164L -> +125K -> +230L -> +135K
True
(1, 5, 2): 111K -> +233L -> +134K -> +87L -> +40K
True
(5, 1, 2): 94K -> +192L -> +162K -> +157L -> +60K
True
(1, 5, 3): 156K -> +237L -> +123K -> +55L -> +24K
True
(5, 1, 3): 147K -> +232L -> +160K -> +94L -> +42K
True
(6, 5, 2): 3K -> +1L -> +0K
True
(5, 6, 2): 3K -> +1L -> +0K
True
(1, 6, 2): 30K -> +28L -> +12K
True
(6, 1, 2): 34K -> +32L -> +16K -> +2L -> +1K
True
(1, 6, 3): 24K -> +20L -> +10K
True
(6, 1, 3): 28K -> +21L -> +10K -> +1L -> +0K
True
(3, 1, 4): 204K -> +481L -> +461K -> +600L -> +201K
True
(1, 3, 4): 287K -> +703L -> +423K -> +368L -> +135K
True
(4, 1, 5): 111K -> +127L -> +67K -> +15L -> +3K
True
(3, 2, 5): 261K -> +296L -> +135K -> +21L -> +4K
True
(2, 3, 5): 263K -> +297L -> +133K -> +20L -> +4K
True

```

```

(1, 4, 5): 113K -> +132L -> +65K
True
(3, 1, 5): 145K -> +231L -> +160K -> +94L -> +42K
True
(2, 2, 5): 296K -> +444L -> +234K -> +105L -> +38K
True
(1, 3, 5): 159K -> +243L -> +145K -> +77L -> +34K
True
(4, 1, 4): 231K -> +410L -> +265K -> +177L -> +72K
True
(1, 4, 4): 258K -> +451L -> +239K -> +125L -> +48K
True
(2, 1, 5): 93K -> +191L -> +162K -> +152L -> +55K
True
(1, 2, 5): 104K -> +223L -> +149K -> +119L -> +57K
True
(4, 1, 3): 202K -> +470L -> +456K -> +601L -> +205K
True
(1, 4, 3): 283K -> +693L -> +396K -> +355L -> +143K
True
(5, 1, 6): 9K -> +5L -> +2K
True
(4, 2, 6): 10K -> +5L -> +2K
True
(3, 3, 6): 10K -> +5L -> +2K
True
(2, 4, 6): 10K -> +5L -> +2K
True
(1, 5, 6): 9K -> +5L -> +2K
True
(4, 1, 6): 17K -> +11L -> +4K
True
(3, 2, 6): 32K -> +20L -> +8K
True
(2, 3, 6): 32K -> +20L -> +8K
True
(1, 4, 6): 17K -> +11L -> +4K
True
(5, 1, 5): 35K -> +29L -> +12K
True
(4, 2, 5): 104K -> +83L -> +29K
True
(3, 3, 5): 135K -> +108L -> +42K
True
(2, 4, 5): 107K -> +86L -> +30K
True
(1, 5, 5): 36K -> +30L -> +11K
True
(3, 1, 6): 28K -> +21L -> +10K -> +1L -> +0K
True
(2, 2, 6): 46K -> +32L -> +13K -> +1L -> +0K
True
(1, 3, 6): 28K -> +21L -> +10K -> +1L -> +0K
True
(5, 1, 4): 111K -> +127L -> +66K -> +14L -> +2K
True
(1, 5, 4): 86K -> +98L -> +48K -> +18L -> +9K
True
(2, 1, 6): 36K -> +33L -> +16K -> +2L -> +1K
True
(1, 2, 6): 36K -> +33L -> +16K -> +2L -> +1K
True
(1, 1, 6): 16K -> +18L -> +12K -> +3L -> +0K

```

```

True
(6, 1, 6): 3K -> +1L -> +0K
True
(5, 2, 6): 3K -> +1L -> +0K
True
(4, 3, 6): 3K -> +1L -> +0K
True
(3, 4, 6): 3K -> +1L -> +0K
True
(2, 5, 6): 3K -> +1L -> +0K
True
(1, 6, 6): 3K -> +1L -> +0K
True
(6, 1, 5): 9K -> +5L -> +2K
True
(5, 2, 5): 22K -> +14L -> +8K
True
(4, 3, 5): 32K -> +18L -> +8K
True
(3, 4, 5): 32K -> +18L -> +8K
True
(2, 5, 5): 24K -> +15L -> +8K
True
(1, 6, 5): 7K -> +4L -> +2K
True
(6, 1, 4): 15K -> +10L -> +4K
True
(1, 6, 4): 16K -> +10L -> +3K
True
(3, 1, 3): 32K -> +116L -> +161K -> +422L -> +272K
True
(1, 3, 3): 78K -> +277L -> +225K -> +442L -> +240K
True
(2, 1, 4): 21K -> +65L -> +72K -> +186L -> +137K
True
(1, 2, 4): 42K -> +139L -> +113K -> +219L -> +128K
True
(4, 1, 2): 21K -> +65L -> +72K -> +186L -> +137K
True
(1, 4, 2): 49K -> +164L -> +125K -> +226L -> +132K
True
(6, 2, 5): 3K -> +1L -> +0K
True
(5, 3, 5): 3K -> +1L -> +0K
True
(4, 4, 5): 3K -> +1L -> +0K
True
(3, 5, 5): 3K -> +1L -> +0K
True
(2, 6, 5): 3K -> +1L -> +0K
True
(6, 1, 1): 16K -> +18L -> +12K -> +3L -> +0K
True
(1, 6, 1): 12K -> +18L -> +15K
True
(1, 1, 5): 6K -> +16L -> +16K
True
(5, 1, 1): 6K -> +16L -> +16K
True
(1, 5, 1): 10K -> +28L -> +20K
True
(6, 6, 1): 3K -> +1L -> +0K
True

```

```
(5, 6, 1): 7K -> +4L -> +2K
```

```
True
```

```
(6, 5, 1): 9K -> +5L -> +2K
```

```
True
```

Summarizing, the Kontsevich graph encoding of the reduced affine star-product  $\star_{\text{aff}}^{\text{red}} \bmod \bar{o}(\hbar^7)$  is given in Appendix A.2; its analytic formula is available from Appendix B, and in this Appendix F we have certified its associativity up to  $\bar{o}(\hbar^7)$ .