

Equivalence between the Fitness-Complexity and the Sinkhorn-Knopp algorithms

D. Mazzilli¹, M. S. Mariani^{2,3}, F. Morone⁴ and A. Patelli¹

¹ Enrico Fermi Research Center, via Panisperna 89a, 00184, Rome (Italy)

² Institute of Fundamental and Frontier Sciences, University of Electronic Science and Technology of China, Chengdu 610054, P.R. (China)

³ URPP Social Networks, University of Zurich, CH-8050 Zurich, (Switzerland)

⁴ Department of Physics, New York University, New York, New York 10003, (USA)

E-mail: dario.mazzilli@cref.it, aurelio.patelli@cref.it

Abstract. We uncover the connection between the Fitness-Complexity algorithm, developed in the economic complexity field, and the Sinkhorn-Knopp algorithm, widely used in diverse domains ranging from computer science and mathematics to economics. Despite minor formal differences between the two methods, both converge to the same fixed-point solution up to normalization. The discovered connection allows us to derive a rigorous interpretation of the Fitness and the Complexity metrics as the potentials of a suitable energy function. Under this interpretation, high-energy products are unfeasible for low-fitness countries, which explains why the algorithm is effective at displaying nested patterns in bipartite networks. We also show that the proposed interpretation reveals the scale invariance of the Fitness-Complexity algorithm, which has practical implications for the algorithm's implementation in different datasets. Further, analysis of empirical trade data under the new perspective reveals three categories of countries that might benefit from different development strategies.

1. Introduction

The Fitness and Complexity algorithm (FC) was first introduced in [1], motivated by empirical regularities of international trades. Specifically, the most developed countries tend to produce and export most products, whereas developing nations export only a nested subset of such products [1]. Therefore, the simple intuition behind the algorithm is that diversification is the signature of intangible capabilities necessary for the production of goods [2]. Under this interpretation, each country cannot produce the commodities for which it does not own all the needed capabilities, and more complex products need higher levels of capabilities [2]. The set of capabilities owned by countries could be measured, in principle, by collecting extensive data about their industrial systems and economies. Yet in practice, it is challenging to gather, harmonize and combine all the necessary information, and use it to operationalize diverse capabilities.

Export data have allowed researchers to bypass this issue. One can indeed infer the presence of the capabilities from a country's export basket, and capture the competitiveness of the country's productive system ("fitness") within a single variable [2]. Indeed, under the assumption that countries produce and export most of the products they can within their capabilities, and that the products require different levels of capabilities, a natural hierarchy is detectable from the simple information of who produces and exports what. Building on this idea, FC measures the Fitness of countries and the Complexity of products by only taking as input the binary country-product matrix M_{cp} , which accounts for the ability of country c to export the product p .

Fitness and Complexity has been used to accurately predict the future development of countries [3, 4], and it plays a central role in the Economic Complexity framework to study and forecast macroeconomic systems [5]. Compared to the Methods of Reflections [6] and the equivalent Economic Complexity Index[‡], the fitness-complexity better quantifies countries' and products' structural importance in the country-product bipartite network [7]; it substantially improves the GDP growth predictability [8]; it identifies correctly high-growth countries such as China and India, which are far from the top-ranked countries by ECI[§]. Because of its effectiveness, the FC algorithm itself has seen modifications [7, 9, 10] and applications in other domains [11, 12, 13, 14]. Compared to its variants such as the minimal extremal metric [9] and the generalized fitness-complexity algorithm [7], the original fitness-complexity algorithm is substantially more robust with respect to noisy input data, which makes it better suited for the analysis of world trade data [7, 9].

Despite the central role of the fitness-complexity algorithm in the Economic Complexity field, several properties of the FC algorithm and its outputs are still unexplained. In particular, it remains unclear (1) why the FC is highly effective at rearranging M_{cp} in such a way that a clear frontier separates a populated and an empty region of the matrix, see Results; (2) whether it is possible to derive the algorithm from optimization arguments; (3) why for forecasting applications, it is more suitable to logarithmically transform the Fitness scores [2, 5]; (4) how to rescale the algorithm to compare Fitness and Complexity scores across different datasets, e.g., international trade data across multiple years.

Here we deepen our understanding of the Fitness and Complexity algorithm by connecting it with the long-known Sinkhorn-Knopp (SK) algorithm [15]. Originally introduced in the context of doubly stochastic matrices and matrix scaling [15], the SK algorithm has been applied to pattern matching in computer vision [16] and

[‡] <https://atlas.cid.harvard.edu/rankings>

[§] For example, in 2000–2023, China has never entered in the top-15 countries according to the ECI [<https://atlas.cid.harvard.edu/rankings>, accessed 09.10.2023], which clashes with its unparalleled economic growth over the past 20 years. By contrast, China has been among the top countries by fitness-complexity, which indeed correctly predicts its growth in historical data [5]. In 2000–2023, India has never entered the top 40 by ECI [same link].

combinatorial matrix analysis [17]. Equivalent algorithms and variants have been applied in many fields under different names, such as Iterative Fitting Procedure and RAS method among others – see [18] for an extensive review.

We show that while FC and SK algorithms were introduced to solve different problems, their mathematical structure is the same. The main objective of this paper is to show the equivalence between the two algorithms, already hinted at by [19], discuss how it sheds light on the above-mentioned unexplained properties of the FC algorithm, and discuss additional implications for the Economic Complexity field.

2. Methods

2.1. Fitness and Complexity algorithm

FC algorithm was developed by [1] and it is based on the definition of the Fitness of countries (F_c) and of the Complexity of product (Q_p) through the formulas:

$$\tilde{F}_c^{(n)} = \sum_p M_{cp} Q_p^{(n-1)} \quad (1a)$$

$$\tilde{Q}_p^{(n)} = \frac{1}{\sum_c M_{cp} \frac{1}{F_c^{(n-1)}}} \quad (1b)$$

with a normalization step at the end of each iteration:

$$F_c^{(n)} = \frac{\tilde{F}_c^{(n)}}{\left\langle \tilde{F}^{(n)} \right\rangle_c} \quad (2a)$$

$$Q_p^{(n)} = \frac{\tilde{Q}_p^{(n)}}{\left\langle \tilde{Q}^{(n)} \right\rangle_p} \quad (2b)$$

The matrix M_{cp} is the binary representation of the bipartite network linking exporter country c to exported product p . This algorithm is iterative and converges to a fixed point of the coupled equations 1 under some rather general conditions [20, 9]; researchers have introduced robust criteria to establish the convergence of the iterative equations [20, 10].

The standard interpretation of Eq-1 is straightforward. The Fitness of a country is defined as its diversification ($d_c = \sum_p M_{cp}$) weighted by the average Complexity of its exported products, such that a country exporting highly complex products obtains a large Fitness. In parallel, the Complexity of each product gets larger contributions from the countries with lower Fitness values thanks to the harmonic sum structure of eq. 1b.

2.2. Sinkhorn-Knopp algorithm

The Sinkhorn-Knopp (SK) algorithm [15] (also called Bregman projection [21]) is used to find the solution of the following problem: given a matrix $A \in \mathbb{R}_+^{n \times m}$ with non-negative entries, and two vectors $r \in \mathbb{R}_+^n$ and $c \in \mathbb{R}_+^m$ with non-negative numbers, find the two vectors u and v such that

$$\sum_j B_{ij} = r_i, \quad \sum_i B_{ij} = c_j, \quad B_{ij} = u_i A_{ij} v_j. \quad (3)$$

In other words, we want to transform the matrix A such that its sums over rows and columns correspond to the given vectors (r, c) . In computer science, this is referred to as the matrix scaling problem [18]. Of course, the constraint vectors must be balanced and sum to the same value, otherwise, a solution cannot be found. The SK algorithm identifies u and v iteratively by computing

$$u_i^{(n)} = \frac{r_i}{\sum_j A_{ij} v_j^{(n-1)}} \quad (4a)$$

$$v_j^{(n)} = \frac{c_j}{\sum_i A_{ij} u_i^{(n)}} \quad (4b)$$

The convergence of the algorithm is extensively discussed in the literature, see for example [22, 16] and references therein. In general, matrix A has to be non-negative with a total support $\parallel$ [23, 24]. Notably, in the original work [15], the second equation in 4 was written considering $u^{(n-1)}$ instead of its n -th iterate, but a later work [25] found that the present formulation converges faster.

2.3. Logarithmic barrier function

The matrix scaling problems can be tackled by means of the logarithmic barrier function [26]

$$g(x, y) = \sum_{ij} x_i A_{ij} y_j - \sum_{i=1}^n r_i \ln x_i - \sum_{j=1}^m c_j \ln y_j \quad (5)$$

where x and y must be positive element-wise vectors and the logarithm assures the feasibility of the domain. Any stationary point of g solves $\sum_j A_{ij} x_i y_j = c_i$ and $\sum_i A_{ij} x_i y_j = r_j$ and solves the matrix scaling problem setting $u = x$ and $v = y$, and is locally marginally stable, as shown in Appendix A. Conversely, any matrix scaling solution gives a stationary point of g . This description highlights the nature of the logarithmic potential function of the vectors u, v . By comparing SK and FC we can say that F and Q are equivalent to u, v of some logarithmic barrier function. This will be crucial in our new interpretation of the Fitness and Complexity indexes. It explains why F and Q are exponentially distributed and it will help us to interpret them as 'potential' of some form of energy, see Results and discussion.

$\parallel$ For a square matrix to have total support means that for every positive element $A_{ij} > 0$ there exists a permutation π such that $A_{i\pi(j)} > 0$ for all $j = 1, \dots, N$.

3. Results and Discussion

3.1. Correlation between algorithms

The similarity between eq. 1 and eq. 4 becomes evident once one writes a symmetric version of Fitness and Complexity by transforming the Fitness via $X_c = 1/F_c$. In fact, using (X, Q) the two equations have exactly the same structure, although a few differences persist that could potentially lead to discrepancies.

First, F and Q in eq. 1 at stage n are both updated using the values at step $n - 1$. Indeed, with this prescription, FC generates two different series of values, one for even and one for odd n , both converging to the same fixed point. On the other hand, SK updates the two values sequentially, leading to a single chain of convergent values. Second, FC does not consider the vectors (r, c) , implicitly setting their entries to unity. However, $r_i = 1$ and $c_j = 1$ are not feasible in SK because their sums must be equal in order to balance the constraints and this is not possible unless the matrix A is square. Third, the normalization of eq. 2 is considered by FC in order to guarantee finite values and more importantly to re-balance F and Q , while SK does not need it.

Given these differences, one may wonder if the two algorithms lead to the same result, upon setting r and c to a constant value (such that their sum are equal). We test this hypothesis by applying SK and FC to the export data, a set of data widely considered in economic complexity [6, 1]. Whilst not being numerically exactly the same, the ranking of F and u are perfectly matching and their Pearson correlation coefficient is basically 1 within the numerical precision of a float (10^{-8}). Therefore, the two approaches give the same solutions, regardless of the actual algorithm implemented. Balancing the equations on one side and implementing the normalization on the other might be both effective ways to find the fixed point.

3.2. The potential interpretation of Fitness and Complexity

The reinterpretation of the FC in terms of potentials of the logarithmic barrier function sheds light on some properties of F and Q that were previously unclear.

Fitness' logarithmic scale. Function g highlights that the natural scale of the fitness score is the logarithmic scale, as often considered in many diagrams (for example, the Income-Fitness diagram in [1]), because the problem corresponds to a constrained optimization problem with logarithmic constraint barrier. In fact, for relevant applications (see for example [3, 4]), a logarithmic transformation is required in order to have well-separated values of Fitness and Complexity, as for example in the visualization of countries' trajectories, see below.

Potentials. Further, a well-known property of FC is its ability to reorder rows and columns of M_{cp} in order to obtain a upper-left *triangular* matrix which highlights its nestedness [27], as shown in figure 1. This can be obtained by simply reordering rows




Figure 1. Matrix representing the bipartite network of the export flow in 2016, reordered using the ranks of Fitness and Complexity. The red line represent the constant-line of Complexity over Fitness at the border. The network is based on the International Trade data using the Harmonized System classification HS-2012, the golden standard for the year 2016.

and columns of the matrix by the ranking of F and Q , and this feature can be explained in terms of potentials functions (also called Kantorovich potentials). The Fitness of a country measures its industrial system's capability while the Complexity is a measure of how hard is to produce each commodity. Thus, the region of the matrix M_{cp} with high Q and low F should not be populated, by construction, because that would mean low Fitness countries producing highly complex products. Indeed, the two logarithmic potentials in eq. 5 define a barrier that cannot be overcome: here is a value of $\ln x + \ln y$ whose constant-value line defines the separation between the feasible and forbidden regions of the matrix. Translated in terms of Fitness and Complexity, we can find a value of Q/F that defines a barrier line in the reordered shapes that meets the same requirements with striking precision, see fig. 1 where we plot the isometric line with the lowest value among all the lines that define a completely empty region under the curve. Operationally, the red line in the figure is found by trying different values of Q/F and checking if any non-zero entries of the matrix fall below the curve.

This explains why in many real systems, by rearranging the matrix's rows and columns by FC, the parts of the rearranged matrix exhibit a continuous border line.

Taking further our interpretation, the sum $\sum_p M_{cp} Q_p / F_c$ corresponds to the constant vector $r_c = 1$, up to a scale (see below), as assumed in FC. Let us now interpret Q_p / F_c as the amount of energy associated with the production of p by country c . Under this interpretation, constraint r_c represents the *total energy* possessed by country c , and FC assumes (albeit unintentionally) fair availability of energy resources among

nations. The fairness assumption is enforced by the condition that r_i is homogeneous across countries, which makes the FC algorithm independent of country-level properties other than their export basket composition. Every country allocates resources into its productive system by distributing them among the production of different products; this information is encoded in M_{cp} . On the other hand, the ability of different countries to produce a product is not fairly distributed: at different levels of complexity Q , the energy cost differs. This means that each given resource unit can be exploited with different efficiency by countries with different Fitness F , and the energy cost changes accordingly to the ratio of the two metrics.

It is valuable to define matrix element $E_{cp} = \text{Log}(Q_p/F_c)$, which captures the "energy cost" of element M_{cp} . It should be clear to the reader that this is potential energy, hence it is relative to an offset. A complexity $Q = 1$ does not mean that the corresponding product can be exported effortlessly. To give a numerical example, a product of complexity $Q = 1.4$ would cost $E = 2.64$ for a low Fitness country with $F = 0.1$ and just $E = -1.46$ for a high fitness country with $F = 6$. Therefore, the forbidden region of M_{cp} , displayed in fig. 1, is simply represented by too-expensive products in terms of resource allocation. The heterogeneity of resources owned by countries can be naturally introduced in this framework in further studies, see conclusions.

Scale invariance. Another feature that FC inherits from the logarithmic barrier function is that g presents a symmetry and, as a consequence, the stationary solutions of equation 5 are not unique. The transformation $(x, y) \rightarrow (x/\alpha, y\alpha)$ with $\alpha \in \mathbb{R}_+$ leaves invariant the value of g , which allows a *rescaling* of the fixed points. At the level of the numerical implementations of the algorithm, the rescaling helps to increase the numerical precision and consequently the stability of the codes [21]. Instead, on the conceptual ground, the rescaling symmetry states that the fixed point solutions are not uniquely defined, rather a scale must be chosen to break the symmetry. The scale becomes particularly relevant when we are interested to compare the Fitness scores derived from different matrices, such as when comparing the Fitness scores of the same countries at two different years.

There are different ways to set a scale. For example, it is possible to select a single country or a product as a reference, as proposed by [28]. Another possibility to define a scale, which we introduce here, is to add a dummy country able to produce all the products, thus adding a full row of ones to the M_{cp} matrix. The value at the fixed point of the dummy country's Fitness sets the scale by requiring that at any time its value is fixed to a constant (*e.g.* 1). Setting the scale provides a formal method to compare different matrices, and it affects only the Fitness scores and trajectories and not the ranking.

Using the International Trade export (see Data), we verify that the trajectories in the Income - Fitness diagram can be substantially affected by the choice of the Fitness' scale. Figure 2 shows in the right panel that when we fix the Fitness score of the dummy country, the Fitness of Western countries (blue lines) does not evolve appreciably over




Figure 2. Trajectories of different countries in the Income — Fitness plane. We compare the standard Fitness (left panel) and the Fitness evaluated adding the dummy country (right panel). The insets show the average Fitness, indicating that there is a general trend. The Fitness are computed using the SITC v2 classification, which dates back to 1976.

more than 4 decades, whereas many Asian countries (purple lines), and China on top (red line), are catching up the wealth and developed nations. Instead when the scale is fixed by the normalization condition as in the original paper [1], we observe that the Fitness of wealthy countries decreases in time, as shown in the left panel. The same effect can be observed in the Income variable, since removing the global income average, make stationary most of the wealthy countries. The main takeaway from these results is that while either scale-invariance of potential g allows the researcher to set the scale, this choice should be made cautiously, as it affects the resulting fitness temporal trajectories and their interpretation.

Possible development pathways. The existence of a potential barrier makes it also possible to identify Fitness as the maximum *sophistication* achievable by products exported from each country, which is represented by the isometric line of the M_{cp} matrix. However, most of the developed countries do not export products lying on the isometric line (see Fig. 1), and exhibit a lower density of exported products near the isometric line, which indicates a productivity gap with respect to the maximum product-Complexity level achievable from their Fitness. This pattern suggests that different nations might benefit from pursuing different strategies to increase their capabilities and ultimately their wealth. We conjecture below that different countries might benefit from three different classes of new product development strategies:

- **Learner pathway**, which might be suited for low-Fitness countries that are at their maximum level of capabilities and already reached the isometric line. A clear example is Somalia in Fig. 3. These countries might benefit from enhancing their industrial system by increasing the relevant capabilities before entering new markets.




Figure 3. Spectra of exports in 2016 of some representative country: USA, Ukraine (UKR), Namibia (NAM) and Somalia (SOM). Each blue line indicates that the country is actively producing the associated product. The products are disposed on the horizontal axis are ordered following the rank of Complexity. The red line indicates the position of the border line of figure 1.

- **Exploiter pathway**, which might be suited for medium-Fitness countries, such as Namibia and Ukraine, whose spectra of exported products [29] lie far from the isometric line or who exhibit low-density of exports near the line. These countries may have unexpressed capabilities, and could benefit from investing in the production of goods already allowed by their capabilities.
- **Explorer pathway**, which might be suited for high-fitness countries that present a dense spectrum along the entire axis (see USA in the figure). These countries might be already efficiently exploiting their capabilities. Therefore, their best strategy might be to move from the exploitation of existing capability to the exploration of new, and thus not classified, activities and goods.

The productivity gap is clearly related to the Fitness and the top exported product (by complexity), as shown in Fig. 4. The left panel shows an intriguing U-shaped relationship between countries' fitness and productivity gaps: It is not the highest-fitness or the lowest-fitness countries that exhibit the largest productivity gaps, but the countries with intermediate fitness values. Intermediate-fitness countries are likely those with unexpressed capabilities, that might benefit the most from the exploitation pathway described above. The three categories of countries can be loosely identified in Fig. 4, right panel. The countries that might benefit the most from the learner and explorer pathways are close to the forbidden region of M_{cp} , whereas those that may benefit the most from the exploiter pathway exhibit middle top-product complexity, intermediate fitness values, and a very large productivity gap. In appendix ?? we show the entire list of countries with their productivity gap and top exported product.

Clearly, Fitness is a single parameter and cannot fully explain the productivity gaps. A finer description of export baskets is needed to identify opportunities for new products and optimal development strategies, which we leave for future studies. For example,




Figure 4. Left panel: scatter plot Fitness Vs Productivity gap. Right panel: classification of development pathways in the plan Productivity gap - Top exported product.

our simplified classification could be integrated with network-based approaches [30] and machine learning approaches [31] to better predict product development probabilities, which might suggest new future development pathways for countries.

4. Conclusions

We showed the deep connection between the Fitness and Complexity algorithm, developed in Economic Complexity, and the Sinkhorn-Knopp algorithm devised in matrix scaling. Indeed, despite minor differences in the algorithms' structure, the fixed points of the two algorithms coincide. This connection allowed us to better understand some properties of FC and interpret Fitness and Complexity as potentials of a suitable energy function of mutualistic systems such as the international trade web. This description indicates how countries deploy their units of resources, it allows the definition of a barrier that defines the inaccessible region of country-product matrix, and it helps us to classify countries by their exploited potential, which suggests different strategies of investment and development. This classification is to be intended as a broad description of the global competition in international trade. Further studies will test the significance of these categories by looking in detail at their productive systems and their evolution through time.

The use of a dummy country to set a common scale across different M_{cp} finds immediate application in all numerical employments of Fitness and Complexity, from GDP forecasting [5] to studies of relatedness of product [31]. In principle, all studies that analyse the dynamics of these indicators should adopt a way to fix the scale before comparing datasets of different years, sizes or sources.

Arguably, the most interesting follow-up of this work is the connection it represents with the Optimal Transport theory. SK algorithm is an efficient way to solve the Optimal Transport problem [32]. Thus, with this work, we opened a door to a vast and rich theory that can be used to extend, interpret and enhance the economic complexity framework.

For example, differences in resources and market demands can be accounted for by framing a resource allocation problem equivalent to a classic transport optimization.

5. Data

Export data are from COMTRADE ¶. Only for figure 2 we use data based on the SITC v2 classification started in 1976 to have a long time series, needed to show the regularization effect on trajectories. For all other results and plots we use Harmonized System (HS-2012), reconciled by the procedure described in [5], starting in 2012 and ending in 2021. Despite the SITC classification has a longer scope, the quality of the results is less accurate for two main reasons. On one hand, SITC v2 is based on a rigid classification defined in the 70s, thus missing many products that did not exist at the time. On the other hand, SITC has a definition of roughly 200 codes of products, while HS has more than 5000 at the 6-digit depth considered in the work.

6. Acknowledgement

FM was partially supported by AFOSR (Grant No. FA9550-21-1-0236). MSM was supported by the URPP Social Networks of the University of Zurich and the Swiss National Science Foundation (Grant No. 100013-207888).

Appendix A. Stability of the fixed point

The stability of the fixed point can be evaluated better by focusing on the potentials, a.k.a. the logarithms of $z_i = (x, y)_i = e^{\varphi_i}$. The logarithmic barrier function reads

$$g(\varphi) = \sum_{ij} e^{\varphi_i} e^{\varphi_j} M_{ij} - \sum_i d_i \varphi_i \quad (\text{A.1})$$

where the matrix M and the constraint d depend on the previous terms through

$$M_{ij} = \frac{1}{2} \begin{pmatrix} 0 & A \\ A^T & 0 \end{pmatrix}, \quad d = (r, c). \quad (\text{A.2})$$

The Hessian at the fixed point (φ^* s.t. $\partial_{\varphi_i} g(\varphi^*) = 0$) can be written as

$$\mathcal{H}_{ij} = \partial_{\varphi_i \varphi_j}^2 g(\varphi^*) = \delta_{ij} d_i + e^{\varphi_i^*} e^{\varphi_j^*} (M_{ij} + M_{ji}) \quad (\text{A.3})$$

The Hessian matrix $\mathcal{H}$ is a symmetric diagonally dominant matrix with real non-negative diagonal entries, hence it is positive semidefinite [33]. Therefore, the fixed-point solution is marginally stable, since we already know and discuss in the main text that there is at least one direction of constant energy related to the scale invariance symmetry.

Appendix B. Countries' productivity gap

Country	Top product	Gap	Country	Top product	Gap	Country	Top product	Gap
DEU	5205	1	SRB	4903	273	PYF	2326	556
CHN	5204	2	AUS	4875	201	BLZ	2277	587
JPN	5203	3	SLV	4852	244	SLE	2275	540
GBR	5202	4	LBN	4823	322	BOL	2262	602
USA	5200	6	CHL	4817	273	BRN	2247	494
FRA	5198	8	MAR	4790	285	MNG	2197	556
NLD	5197	9	ARG	4765	351	OMN	2180	494
IND	5196	10	MKD	4759	297	ZMB	2035	454
ITA	5196	10	COL	4749	332	RWA	1895	489
CHE	5189	14	JOR	4730	331	HTI	1863	494
POL	5188	14	CRI	4718	309	MWI	1843	523
KOR	5187	16	ARE	4700	349	AFG	1729	500
ESP	5183	20	KEN	4699	291	TJK	1588	393
BEL	5182	22	GTM	4687	402	CIV	1587	406
MYS	5174	25	NPL	4668	386	GHA	1578	361
AUT	5172	31	MUS	4655	412	BEN	1457	373
DNK	5170	32	IRN	4645	361	MOZ	1366	320
ISR	5168	31	PER	4615	383	SYC	1362	308
BGR	5164	33	MLT	4612	415	KWT	1178	230
MEX	5163	34	FJI	4601	400	CMR	1156	222
EST	5162	35	MDA	4573	509	CUB	1102	140
CZE	5159	44	KHM	4528	440	SDN	1064	134
THA	5156	45	SAU	4511	465	MLI	1007	123
HUN	5154	45	SWZ	4493	479	BTN	956	36
CAN	5148	49	URY	4436	515	AZE	924	41
SGP	5145	56	AND	4426	569	NER	894	65
SWE	5137	66	ARM	4404	468	BDI	874	83
RUS	5119	59	PRK	4370	589	BFA	830	15
ZAF	5116	73	BGD	4358	461	TKM	798	35
LTU	5110	88	DOM	4347	636	NGA	762	41
LUX	5107	85	MMR	4323	542	QAT	756	47
VNM	5106	84	GEO	4263	599	CPV	701	74
HRV	5102	86	HND	4170	641	VEN	667	99
PRT	5099	100	MNE	4168	624	GUY	635	86
ROU	5097	100	KAZ	4080	661	YEM	611	91
IDN	5083	108	SYR	4064	869	SUR	576	93
SVK	5075	122	UGA	4051	719	GRL	525	1
EGY	5074	90	KGZ	4050	787	MRT	493	1
TUR	5072	130	ALB	4034	929	SOM	462	1
FIN	5071	128	BHR	3769	886	DZA	431	1
SVN	5067	132	MDG	3723	877	MDV	400	32
UKR	5051	113	BWA	3656	949	PNG	372	29
NZL	5042	113	SEN	3550	848	GMB	338	8
IRL	5040	133	ISL	3541	931	GIN	305	1
PAN	5027	161	UZB	3536	909	CAF	273	1
BLR	5023	166	TZA	3534	815	COD	244	30
BRA	5022	166	NAM	3284	767	COG	216	1
TUN	4980	193	ETH	3235	891	AGO	184	1
GRC	4964	208	LAO	3199	818	LBY	156	1
LVA	4959	231	ECU	3173	955	GAB	130	1
PAK	4954	207	PRY	2890	799	LBR	104	27
CYP	4951	189	LSO	2822	1058	GNQ	61	1
LKA	4930	174	NIC	2751	757	GNB	49	1
PHL	4920	244	JAM	2704	733	ERI	33	1
NOR	4913	232	ZWE	2670	850	TCD	15	1
BIH	4906	239	TGO	2554	883			

Table B1. Table listing the productivity gap and the top product given by the Complexity ranking performed by each country in the database in 2016. The order follows the top product rank and the label indicates the alpha-3 code of the countries.

References

- [1] Andrea Tacchella, Matthieu Cristelli, Guido Caldarelli, Andrea Gabrielli, and Luciano Pietronero. A New Metrics for Countries' Fitness and Products' Complexity. *Scientific Reports*, 2:1–7, 2012.
- [2] Matthieu Cristelli, Andrea Gabrielli, Andrea Tacchella, Guido Caldarelli, and Luciano Pietronero. Measuring the Intangibles: A Metrics for the Economic Complexity of Countries and Products. *PLoS ONE*, 8(8), 2013.
- [3] Justin Lin, Masud Cader, and Luciano Pietronero. What african industrial development can learn from east asian successes: The role of complexity and economic fitness. Emcompass notes 88, International Finance Corporation, World Bank, 2020.
- [4] Pugliese E and Tacchella A. Economic complexity analytics: Country factsheets. (KJ-NA-30711-EN-N (online)), 2021.
- [5] Andrea Tacchella, Dario Mazzilli, and Luciano Pietronero. A dynamical systems approach to gross domestic product forecasting. *Nature Physics*, 14(8):861–865, aug 2018.
- [6] C. A. Hidalgo and R. Hausmann. The building blocks of economic complexity. *PNAS*, 106, 2009.
- [7] Manuel Sebastian Mariani, Alexandre Vidmer, Matúš Medo, and Yi-Cheng Zhang. Measuring economic complexity of countries and products: which metric to use? *The European Physical Journal B*, 88(11):1–9, 2015.
- [8] Hao Liao, Manuel Sebastian Mariani, Matúš Medo, Yi-Cheng Zhang, and Ming-Yang Zhou. Ranking in evolving complex networks. *Physics Reports*, 689:1–54, 2017.
- [9] Rui-Jie Wu, Gui-Yuan Shi, Yi-Cheng Zhang, and Manuel Sebastian Mariani. The mathematics of non-linear metrics for nested networks. *Physica A: Statistical Mechanics and its Applications*, 460:254–269, 2016.
- [10] Vito D. P. Servedio, Paolo Buttà, Dario Mazzilli, Andrea Tacchella, and Luciano Pietronero. A new and stable estimation method of country economic fitness and product complexity. *Entropy*, 20(10), 2018.
- [11] Virginia Domínguez-García and Miguel A Munoz. Ranking species in mutualistic networks. *Scientific reports*, 5(1):1–7, 2015.
- [12] Jian-Hong Lin, Claudio Juan Tessone, and Manuel Sebastian Mariani. Nestedness maximization in complex networks through the fitness-complexity algorithm. *Entropy*, 20(10):768, 2018.
- [13] Andrea Zaccaria, Michela Del Vicario, Walter Quattrociocchi, Antonio Scala, and Luciano Pietronero. Poprank: Ranking pages' impact and users' engagement on Facebook. *PLoS ONE*, 14(1):6–8, 2019.
- [14] Manuel Sebastian Mariani, Dario Mazzilli, Aurelio Patelli, and Flaviano Morone. Ranking species in complex ecosystems through nestedness maximization. *arXiv preprint arXiv:2308.00986*, 2023.
- [15] Richard Dennis Sinkhorn and Paul Joseph Knopp. Concerning nonnegative matrices and doubly stochastic matrices. *Pacific Journal of Mathematics*, 21(2):343–348, 1967.
- [16] Gabriel Peyré and Marco Cuturi. Computational optimal transport. *Foundations and Trends in Machine Learning*, 11(5-6):1–257, 2019.
- [17] Richard A. Brualdi. *Combinatorial Matrix Classes*. Cambridge University Press, Cambridge, 2006.
- [18] Martin Idel. A review of matrix scaling and sinkhorn's normal form for matrices and positive maps, 2016.
- [19] Flaviano Morone. Clustering matrices through optimal permutations. *Journal of Physics: Complexity*, 3(3):035007, 2022.
- [20] Emanuele Pugliese, Andrea Zaccaria, and Luciano Pietronero. On the convergence of the Fitness-Complexity algorithm. *The European Physical Journal Special Topics*, 225(10):1893–1911, 2016.
- [21] Alexis Thibault, Lénaïc Chizat, Charles Dossal, and Nicolas Papadakis. Overrelaxed sinkhorn-knopp algorithm for regularized optimal transport. *Algorithms*, 14(5), 2021.
- [22] Philip A. Knight. The sinkhorn-knopp algorithm: Convergence and applications. *SIAM J. Matrix*

- Anal. Appl.*, 30(1):261–275, mar 2008.
- [23] Richard A Brualdi. Matrices of 0’s and 1’s with total support. *Journal of Combinatorial Theory, Series A*, 28(3):249–256, 1980.
 - [24] Robert J. Berman. The sinkhorn algorithm, parabolic optimal transport and geometric monge-ampère equations. *Numerische Mathematik*, 145(4):771–836, 2020.
 - [25] Kristen Anderson, Ashley Burt, Will Cousins, Brent Hancock, and David Strong. A Sinkhorn-Knopp Fixed Point Problem *. pages 1–11, 2010.
 - [26] Albert W Marshall and Ingram Olkin. Scaling of matrices to achieve specified row and column sums. *Numerische Mathematik*, 12(1):83–90, 1968.
 - [27] Manuel Sebastian Mariani, Zhuo Ming Ren, Jordi Bascompte, and Claudio Juan Tessone. Nestedness in complex networks: Observation, emergence, and implications. *Physics Reports*, 813:1–90, 2019.
 - [28] Aurelio Patelli, Lorenzo Napolitano, Giulio Cimini, and Andrea Gabrielli. Geography of science: Competitiveness and inequality, 2021.
 - [29] Felipe G Operti, Emanuele Pugliese, José S Andrade Jr, Luciano Pietronero, and Andrea Gabrielli. Dynamics in the fitness-income plane: Brazilian states vs world countries. *PloS one*, 13(6):e0197616, 2018.
 - [30] E. Pugliese, G. Cimini, A. Patelli, A. Zaccaria, L. Pietronero, and A. Gabrielli. Unfolding the innovation system for the development of countries: co-evolution of science, technology and production. *Scientific Reports*, 9, 2017.
 - [31] Andrea Tacchella, Andrea Zaccaria, Marco Miccheli, and Luciano Pietronero. Relatedness in the era of machine learning, 2021.
 - [32] Marco Cuturi. Sinkhorn distances: Lightspeed computation of optimal transport. *Advances in Neural Information Processing Systems*, pages 1–9, 2013.
 - [33] Roger A. Horn and Charles R. Johnson. *Matrix Analysis*. Cambridge University Press, 2 edition, 2012.