

# Current problems and recent advances in wormhole physics

(Editorial for a Special issue of *Universe* journal)

Kirill A. Bronnikov,<sup>a,b,c,1</sup> Sergey V. Sushkov<sup>d,2</sup>

<sup>a</sup> Center of Gravitation and Fundamental Metrology, VNIIMS, Ozyornaya ul. 46, Moscow 119361, Russia

<sup>b</sup> Peoples' Friendship University of Russia (RUDN University), 6 Miklukho-Maklaya St, Moscow, 117198, Russia

<sup>c</sup> National Research Nuclear University "MEPhI", Kashirskoe sh. 31, Moscow 115409, Russia

<sup>d</sup> Institute of Physics, Kazan Federal University, Kremliovskaya str. 16a, Kazan 420008, Russia

Wormholes are hypothetical space-time tunnels with nontrivial topologies capable of connecting either two distant regions of the same universe or two different universes [1–3]. From the theoretical point of view, the possibility of their existence is problematic but cannot be ruled out. If wormholes do exist, many unusual phenomena can be expected. Among them, probably the most exciting ones are shortcuts providing interstellar, intergalactic or inter-universe trips and even time machines.

At present, wormholes are extremely attractive and popular objects for research, it is sufficient to mention that the word “wormhole” is found in the titles of 1614 articles on the resource arXiv.org for all years and 175 articles for the last 12 months (as of 19.01.2023). Although many mathematical and physical properties of these objects have been discovered and studied in the recent decades, there remain multiple unsolved problems and opportunities of interest to be explored.

The present Special Issue “**Recent Advances in Wormhole Physics**” is aimed at enlightening some recent results in selected areas of wormhole physics. The issue is a collection of fourteen papers [4–17] that fairly well characterizes the diversity of subjects and methods of wormhole physics.

Very roughly, wormhole studies may be classified as follows:

- A search for wormhole solutions in general relativity and other theories of gravity, investigations of their properties and conditions of their existence.
- Studies of mathematical, physical, metaphysical and philosophical consequences of possible wormhole existence.
- Assuming that wormholes do exist in the Universe, studies of their astronomical and astrophysical manifestations, in particular, their possible observational distinctions from black holes.

Needless to say that many studies combine some or all of these trends. Nevertheless, it can be more or less conditionally observed that the first trend is represented by the papers [4, 13, 14, 16], the second one by [5, 7, 11, 15], and the third one by [6, 8–10, 12, 17].

Two of the papers are brief reviews [4, 9]. Thus, Takafumi Kokubu and Tomohiro Harada [4] consider different physical aspects of thin-shell wormholes, both in GR and in Einstein–Gauss–Bonnet gravity, including spherical, planar and hyperbolic symmetries of space-time and the stability issues. Cosimo Bambi and Dejan Stojkovic [9] describe astronomically observable effects of wormholes as possible substitutes of black holes, including gravitational lensing and shadows, possible orbiting

---

<sup>1</sup>e-mail: kb20@yandex.ru

<sup>2</sup>e-mail: sergey\_sushkov@mail.ru

star trajectories, accretion disk spectra, and gravitational waves emitted at merges of compact objects, of which one or both are wormholes.

Some of the papers evidently go beyond the traditional subjects of wormhole physics, concerning classical traversable wormholes. Thus, Sergey Bondarenko [11] considers their quantum counterparts, called quantum wormholes, and, in particular, their possible role in the origin of a small cosmological constant favored by observations. Elias Zafiris and Albrecht von Müller [15] discuss the possible role of Planck-scale wormholes in the so-called “ER=EPR” conjecture in quantum entanglement. Alexander Kirillov and Elena Savelova [16] discuss the conditions under which Planck-scale virtual wormholes may be converted into macroscopic and observable ones. The present authors together with Pavel Kashargin [13] discuss wormholes that can emerge in the framework of general relativity without any exotic matter in nonstatic space-times.

The outstanding progress of observational astronomy and cosmology, above all, the discovery of gravitational waves and the pictures obtained by the Event Horizon Telescope, are apparently reflected in the wealth of studies devoted to possible observable effects due to wormholes. In the present issue, we see the discussions of high-energy particle collisions in wormhole space-times [6], gravitational lensing by wormholes with unusual topologies [8], peculiar features of accretion flows [10] and nearby stellar orbits [12, 17] and possible manifestations of a fractal distribution of primordial wormholes [11].

It should be noted that, with the whole diversity of wormhole studies presented in this Special issue, some areas turned out to be almost unmentioned. These are axially and cylindrically symmetric wormholes with or without rotation (though, some effects of rotation are discussed in [6]) — so we would here refer to the reviews [18, 19] and references therein. These are also stability studies concerning all kinds of perturbations of static or stationary wormholes (note that Ref. [4] only discusses the stability of thin-shell wormholes with respect to shell motion), so please see, e.g., [20, 21] and references therein for more general studies.

Concluding, we would like to say that the study of wormholes is far from being complete, and one can expect many new interesting physical and mathematical results in this relevant and promising area of physics.

## Funding

S.V.S. is supported by the RSF grant No. 21-12-00130. Partially, this work was done in the framework of the Russian Government Program of Competitive Growth of the Kazan Federal University. K.B. acknowledges partial support from the Ministry of Science and Higher Education of the Russian Federation, Project “Fundamental properties of elementary particles and cosmology” No. 0723-2020-0041, and from Project No. FSSF-2023-0003.

## Conflict of interest

The authors declare that they have no conflicts of interest.

## References

- [1] Morris, M.S.; Thorne, K.S. Wormholes in spacetime and their use for interstellar travel: A tool for teaching general relativity, *Am. J. Phys.* **1988**, *56*, 395.
- [2] Visser, M. *Lorentzian Wormholes: From Einstein to Hawking*; American Institute of Physics: Woodbury, NY, USA, 1995; 412p.

- [3] Lobo, F.S.N. Exotic solutions in General Relativity: Traversable wormholes and “warp drive” spacetimes. In *Classical and Quantum Gravity Research*; Nova Science Publishers: New York, NY, USA, 2008; pp. 1–78; arxiv: 0710.4474.
- [4] Takafumi Kokubu and Tomohiro Harada, Thin-Shell Wormholes in Einstein and Einstein-Gauss-Bonnet Theories of Gravity, *Universe* 2020, **6**(11), 197; <https://doi.org/10.3390/universe6110197> - 26 Oct 2020
- [5] Sergey Bondarenko, CPTM Discrete Symmetry, Quantum Wormholes and Cosmological Constant Problem, *Universe* 2020, **6**(8), 121; <https://doi.org/10.3390/universe6080121> - 11 Aug 2020
- [6] Oleg B. Zaslavskii, New Scenarios of High-Energy Particle Collisions Near Wormholes, *Universe* 2020, **6**(12), 227; <https://doi.org/10.3390/universe6120227> - 30 Nov 2020
- [7] Brandon Mattingly, Abinash Kar, Matthew Gorban, William Julius, Cooper K. Watson, MD Ali, Andrew Baas, Caleb Elmore, Jeffrey S. Lee, Bahram Shakerin, Eric W. Davis and Gerald B. Cleaver, Curvature Invariants for the Alcubierre and Natário Warp Drives, *Universe* 2021, **7**(2), 21; <https://doi.org/10.3390/universe7020021> - 20 Jan 2021
- [8] Kimet Jusufi, Determining the Topology and Deflection Angle of Ringholes via Gauss-Bonnet Theorem, *Universe* 2021, **7**(2), 44; <https://doi.org/10.3390/universe7020044> - 16 Feb 2021
- [9] Cosimo Bambi and Dejan Stojkovic, Astrophysical Wormholes, *Universe* 2021, **7**(5), 136; <https://doi.org/10.3390/universe7050136> - 08 May 2021
- [10] Rosaliya M. Yusupova, Ramis Kh. Karimov, Ramil N. Izmailov and Kamal K. Nandi, Accretion Flow onto Ellis-Bronnikov Wormhole *Universe* 2021, **7**(6), 177; <https://doi.org/10.3390/universe7060177> - 02 Jun 2021
- [11] Alexander A. Kirillov, Elena P. Savelova and Polina O. Vladykina, Possible Effects of the Fractal Distribution of Relic Wormholes *Universe* 2021, **7**(6), 178; <https://doi.org/10.3390/universe7060178> - 03 Jun 2021
- [12] Zdenek Stuchlik and Jaroslav Vrba, Epicyclic Oscillations around Simpson-Visser Regular Black Holes and Wormholes, *Universe* 2021, **7**(8), 279; <https://doi.org/10.3390/universe7080279> - 01 Aug 2021
- [13] Kirill A. Bronnikov, Pavel E. Kashargin and Sergey V. Sushkov, Magnetized Dusty Black Holes and Wormholes, *Universe* 2021, **7**(11), 419; <https://doi.org/10.3390/universe7110419> - 03 Nov 2021
- [14] Júlio C. Fabris, Tales Augusto Oliveira Gomes and Denis Campos Rodrigues, Black Hole and Wormhole Solutions in Einstein-Maxwell-Scalar Theory, *Universe* 2022, **8**(3), 151; <https://doi.org/10.3390/universe8030151> - 27 Feb 2022
- [15] Elias Zafiris and Albrecht von Müller, The “ER = EPR” Conjecture and Generic Gravitational Properties: A Universal Topological Linking Model of the Correspondence between Tripartite Entanglement and Planck-Scale Wormholes, *Universe* 2022, **8**(3), 189; <https://doi.org/10.3390/universe8030189> - 18 Mar 2022
- [16] Alexander A. Kirillov and Elena P. Savelova, On Possible Origin of an Artificial Wormhole, *Universe* 2022, **8**(8), 428; <https://doi.org/10.3390/universe8080428> - 19 Aug 2022
- [17] Ramis Kh. Karimov, Ramil N. Izmailov and Kamal K. Nandi, On a Class of Harko-Kovacs-Lobo Wormholes, *Universe* 2022, **8**(10), 540; <https://doi.org/10.3390/universe8100540> - 18 Oct 2022
- [18] Kirill A. Bronnikov, Nilton Santos and Anzhong Wang, Cylindrical systems in general relativity (review). *Class. Quantum Grav.* **37**, 113002 (2020); arXiv: 1901.06561.
- [19] Burkhard Kleihaus, Jutta Kunz, Rotating Wormholes. In: Lobo, F. (ed.), *Wormholes, Warp Drives and Energy Conditions*, Fundamental Theories of Physics, vol 189. Springer, Cham. [https://doi.org/10.1007/978-3-319-55182-1\\_3](https://doi.org/10.1007/978-3-319-55182-1_3)
- [20] Kirill A. Bronnikov, Scalar fields as sources for wormholes and regular black holes. *Particles* **2018**, 1, 5; arXiv: 1802.00098.
- [21] Francesco Cremona, Livio Pizzocchero, Olivier Sarbach, Gauge-invariant spherical linear perturbations of wormholes in Einstein gravity minimally coupled to a self-interacting phantom scalar field. *Phys. Rev. D* **101**, 104061 (2020); arXiv: 1911.13103.