

Predicting Sentence-Level Factuality of News and Bias of Media Outlets

Francielle Vargas^{1,2}, Kokil Jaidka³, Thiago Pardo¹, Fabrício Benevenuto²

¹Institute of Mathematical and Computer Sciences, University of São Paulo, Brazil

²Computer Science Department, Federal University of Minas Gerais, Brazil

³Centre for Trusted Internet and Community, National University of Singapore, Singapore

francielleavargas@usp.br, jaidka@nus.edu.sg

taspardo@icmc.usp.br, fabricio@dcc.ufmg.br

Abstract

Automated news credibility and fact-checking at scale require accurately predicting news factuality and media bias. This paper introduces a large sentence-level dataset, titled *FactNews*¹, composed of 6,191 sentences expertly annotated according to factuality and media bias definitions proposed by AllSides². We use FactNews to assess the overall reliability of news sources, by formulating two text classification problems for predicting sentence-level factuality of news reporting and bias of media outlets. Our experiments demonstrate that biased sentences present a higher number of words compared to factual sentences, besides having a predominance of emotions. Hence, the fine-grained analysis of subjectivity and impartiality of news articles provided promising results for predicting the reliability of media outlets. Finally, due to the severity of fake news and political polarization in Brazil, and the lack of research for Portuguese, both dataset and baseline were proposed for Brazilian Portuguese.

1 Introduction

Automated fact-checking and news credibility becomes undoubtedly an important research issue mainly due to the potential for misinformation to spread in the modern media ecosystem (Guo et al., 2022). Furthermore, although fake news is spreading on social media, previously it is necessary a source media where they would have been posted originally. Since websites have published low-credible news in the past, it is likely to happen again (Baly et al., 2018).

Automated news credibility to assist human efforts and increase the understanding of the news ecosystem as a whole (Horne et al., 2018), nevertheless, it still requires urgent improvements.

¹<https://zenodo.org/record/7868597>

²<https://www.allsides.com/>

Table 1: Sentence-level factuality and bias prediction.

N.	Sentence-level news article	Label
	Title President lowers Brazil’s image with repeated disinformation and does not receive attention from global leaders.	Biased
S1	President Jair Bolsonaro touch a sore point of Europeans when he pointed out that the increased use of fossil fuels is a serious environmental setback, in his opening speech at the UN General Assembly, Tuesday (20).	Biased
S2	Germany received criticism at the UN for the investment agreement with Senegal for the production of gas in the African country.	Factual
S3	“This constitutes a serious setback for the environment”, he said, referring to the Europeans	Quotes
S4	However, Bolsonaro signed measures contrary to environmental protection during the four years of the Brazilian government.	Factual
S5	There is a huge difference between speaking at the UN and being heard at the UN.	Biased

Nowadays, fact-checking organizations have provided lists of unreliable news articles and media sources, however, these are inefficient once they need to be updated faster, besides being a very time-consuming task and requiring domain expertise.

A strategy to measure the credibility of news sources had already been done using the distribution of biased news in media outlets. While journalism is tied to a set of ethical standards and values, including truth, and fairness, it often strays from impartial facts. As a result, biased news are produced (Mastrine, 2022), which may be correlated with the increasing polarization of media (Hamborg, 2020; Prior, 2013; Gentzkow and Shapiro, 2010), and serving as a relevant role given that media play in a democratic society (Baly et al., 2020) against sophisticate strategies of misinformation.

The state-of-the-art media bias detection has cen-

tered around predicting political-ideological bias (left, center, right) of news media. Most of the proposals use *lexical bias* that is linked to lexical and grammatical cues, typically does not depend on context outside of the sentence, and can be alleviated while maintaining its semantics: polarized words can be removed or replaced, and clauses written in active voice can be rewritten in passive voice (Fan et al., 2019). In the same settings, the definition of *frame bias* (Recasens et al., 2013) is also used to identify media bias, which occurs when subjective or opinion-based words are used. In a study proposed by Fan et al. (2019), a frame-based analysis was performed for sentence-level media bias and suggest that *informational bias* can be considered a specific form of framing where the author intends to influence the reader’s opinion of an entity. This type of bias occurs when the author intends to influence the reader’s opinion of an entity (Fan et al., 2019). In this paper, we identified sentence-level bias according to a guideline proposed by AllSides (Mastrine, 2022), which describes different types of media bias.

Most researchers address media bias and factuality either at the level of media outlet (Baly et al., 2018) or at the level of individual article (Roy and Goldwasser, 2020; Baly et al., 2020). Nevertheless, each article itself comprises multiple sentences, which vary in their embedded bias (Lim et al., 2020), as well as factuality and quotes, as shown in Table 1.

As shown in Table 1, factual sentences are a type of information presented with impartiality focused on objective fact. In contrast, biased sentences stray from impartial facts and present the point of view of the journalist (e.g. Title, S1, S5), which may influence readers’ perceptions. There are also direct quotes, which are neither biased sentences nor factual sentences. Therefore, the news media sources may affect the power of swaying public opinion through the practical limitation to impartiality or using deliberate attempts to go against or in favor of something or someone.

Taking into account that analysis textual of the content from news articles published by a given media outlet is critical for assessing the factuality of its reporting, as well as of its potential bias (Baly et al., 2018), we tackle both biased and factual sentence prediction by using a strategy that has proved to be effective. In accordance with the literature, we created a new dataset titled *FactNews* composed of

6,191 sentences from 100 news stories totaling 300 documents. The same news report was extracted from three different media outlets. Furthermore, each sentence of the dataset was annotated with three different classes according to factuality and media bias definitions proposed by AllSides (Mastrine, 2022): (a) **factual spans**, which consists of a type of information presented with impartiality focused on the objective fact, or in other words, they are sentences that describe a fact and are committed to neutrality; (b) **biased spans**, specifically biased spans were classified according to 10 types of media bias proposed by AllSides (Mastrine, 2022), which we describe in detail in Section 3.2.2; additionally, (c) **quotes** consist of direct statements often followed by quotation marks that journalists in general use to report the speech of someone involved in the reported event, were also labeled. We argue that quotes present a different definition, in contrast to biased and factual spans.

Furthermore, we trained two different models using fine-tuned BERT. The first model predicts whether the sentence of a given news report is factual or not. In the same settings, the second model predicts whether the sentence of a given news media outlet is biased or not. As a result, baseline models for sentence-level factuality and sentence-level media bias prediction by BERT fine-tuning were presented in order to provide a more accurate score of the readability of the entire media source. Our contributions may be summarized as follows:

- We focused on an under-explored and surely relevant problem: predicting the factuality of news reporting and bias of media outlets.
- We created the first large-scale and manually annotated dataset at sentence-level for both tasks in Portuguese. The dataset, agreements/disagreements, and code are available, which may facilitate future research.
- We presented a new annotation schema to identify media bias and factuality, as well as baselines for factual sentence prediction.
- We provided data analysis on factual and biased sentences demonstrating the reliability of the proposed annotation schema and models.

In what follows, in Section 2, related work is presented. Section 3 describes the proposed FactNews dataset, and Section 4 our experimental settings. In

Section 5, baseline results for sentence-level factuality and media bias prediction are shown. In Section 6, conclusions are presented.

2 Related Work

2.1 News Credibility

While the assessing of news has been made mainly by journalists, information analysts, and news consumers, this task has become complex due to the ever-growing number of news sources and the mixed tactics of maliciously false sources and misinformation strategies (Horne et al., 2018). News credibility state-of-the-art has been mostly focused on measuring the reliability of news reporting (Pérez-Rosas et al., 2018; Hardalov et al., 2016) or the entire media outlets (Baly et al., 2018; Horne et al., 2018; Baly et al., 2019), as well as social media platforms (Castillo et al., 2011; Mukherjee and Weikum, 2015) in order to mitigate fake news harmful spreading. Furthermore, as stayed by Baly et al. (2018), estimating the reliability of a news source is relevant not only when fact-checking a claim (Popat et al., 2016; Nguyen et al., 2018), nevertheless, it provides a surely contribution in order to tackle article-level tasks such as “fake news” detection (De Sarkar et al., 2018; Yuan et al., 2020; Reis et al., 2019; Pan et al., 2018; Vargas et al., 2021, 2022; Dong et al., 2015). News credibility information has been studied at different levels (Baly et al., 2018): (i) claim-level (e.g., fact-checking), (ii) article-level (e.g., “fake news” detection), (iii) user-level (e.g., hunting for trolls), and (iv) medium-level (e.g., source reliability estimation). In this paper, we focus on predicting the factuality of reporting and bias of media outlets at medium-level towards source reliability estimation.

2.2 Fact-Checking

According to Guo et al. (2022), fake news detection and fact-checking are different tasks once that fact-checkers focus on assessing news articles and include labeling items based on aspects not related to veracity, besides other factors—such as the audience reached by the claim, and the intentions and forms of the claim—are often considered, as well as the context of propaganda detection (Martino et al., 2020). Fact-checking state-of-the-art at the claim-level, as claimed by (Baly et al., 2018) mostly uses information extracted from social media, i.e., based on how users comment on the target claim (Ribeiro et al., 2022; Baly et al., 2019), so as

to the use the Web data as information source (Mihaylova et al., 2018; Reis et al., 2020; Mihaylova et al., 2018).

2.3 Media Bias Detection

Article-level media bias consists in predicting whether an entire news report is biased. It was proposed in (Sapiro-Gheiler, 2019), that predicted political ideology using recursive neural networks (Iyyer et al., 2014). Baly et al. (2019) proposed a multi-task regression framework aiming to predict the trustworthiness and ideology of news media. Liu et al. (2022) applied the pre-trained language model for the political domain so as to characterize political stance. Baly et al. (2020) created a model from learning media sources such as a shortcut for predicting ideology using adversarial networks.

Sentence-level media bias consists of a task aiming to predict whether each sentence of a news report is biased or not. Fan et al. (2019) provided the first sentence-level annotated dataset titled *BASIL*, composed of 300 news articles annotated with 1,727 biased spans and 6,257 non-biased sentences, as well as fine-tuning BERT baseline experiments reaching an F1-Score of 47,27%. In Lim et al. (2020) a dataset titled *biased-sents* was created, composed of 966 sentences from 46 English-language news articles covering 4 different events. Färber et al. (2020) propose a dataset of 2,057 sentences annotated with four labels: hidden assumptions, subjectivity, framing, and bias. Spinde et al. (2021) provided an annotation-expert project through a new dataset titled *BABE*. It consists of 3,700 sentences balanced among topics and outlets, and a fine-tuned BERT baseline reaching an F1-Score of 80,04%. Lastly, Lei et al. (2022) showed that embedded discourse structure for sentence-level media bias effectively increases the recall of bias sentence identification by 8.27% - 8.62%, and precision by 2.82% - 3.48%.

2.4 Factuality of News Reporting

Predicting the factuality of news reporting is definitely an under-explored research topic. It consists of a task for predicting whether a news report on news media is factual or not. Baly et al. (2018) provides a study on article-level factuality of news reporting, in which a model by analyzing textual content (syntactic and semantic) of news reporting given a news media source was proposed with features based on sentiment, morality, part-of-speech, etc. The best model obtained 58.02% at F1-Score.

Bozhanova et al. (2021) studied the factuality of reporting of news media outlets by studying the user attention cycles in their YouTube channels.

3 FactNews Dataset

We collected, annotated, and released a new dataset titled *FactNews*, which consists of a sentence-level annotated dataset in Brazilian Portuguese that contains 6,191 annotated sentences, as follows: 4,302 sentences annotated as factual spans; 1,389 sentences annotated as quotes, and 558 sentences annotated as biased spans. A dataset overview is shown in Table 6. We first selected three different media outlets, and extracted the same news story from each one of these three media outlets, as shown in Table 2.

3.1 Data Collection

As shown in Table 2, the proposed *FactNews* was collected from 100 news reports in triples - the same story from 3 (three) different Brazilian media news outlets: Folha de São Paulo³, O Globo⁴, and Estadão⁵, resulting in 300 documents.

Furthermore, we used a statistical approach and a search algorithm, in order to collect news articles related to 6 (six) different domains (e.g. politics, world, daily, sports, science, and culture) from periods 2006-2007 and 2021-2022. Therefore, in accordance with relevant literature of the area, we selected three news articles from different news outlets about the same topic or story (Spinde et al., 2021; Baly et al., 2020; Fan et al., 2019).

3.2 Data Annotation

3.2.1 Annotators Profile

In order to ensure the reliability of data annotation, two different annotators, a linguist and a computer scientist from different regions (southeast and northeast) performed the task, both with at least a Ph.D. degree or Ph.D. candidate status. Furthermore, the annotation task was led by an NLP researcher, and the annotators were supported by our annotation schema (see Figure 1), and a guideline with rich examples proposed by AllSides⁶.

3.2.2 Annotation Schema

Corroborating our objective of classifying factuality and bias at the sentence level, we segmented

³<https://www.folha.uol.com.br/>

⁴<https://oglobo.globo.com/>

⁵<https://www.estadao.com.br/>

⁶<https://tinyurl.com/3aphktzf>

Table 2: The same news story was collected from three different Brazilian media outlets, which reports the Bolsonaro Ex-President speech at the UN in 2022.

Media	News Reporting
Folha	O presidente Jair Bolsonaro colocou o dedo na ferida dos europeus ao apontar que o aumento do uso de combustíveis fósseis é um grave retrocesso ambiental, em seu discurso de abertura da Assembleia-Geral da ONU na manhã desta terça-feira (20). <i>President Jair Bolsonaro touch a sore point of Europeans when he pointed out that the increased use of fossil fuels is a serious environmental setback, in his opening speech at the UN General Assembly this Tuesday morning (20) (...)</i>
Estadão	O presidente Jair Bolsonaro encerrou seu discurso na Assembleia-Geral da ONU, nesta terça-feira, 20, afirmando que o povo brasileiro acredita em “Deus, Pátria, família e liberdade”, que tem inspiração no fascismo de Benito Mussolini (1883-1945). <i>President Jair Bolsonaro ended his speech at the UN General Assembly, this Tuesday, 20, stating that the Brazilian people believe in “God, Fatherland, family and freedom”, which has by the fascism of Benito Mussolini (1883-1945) (...)</i>
OGlobo	O presidente Jair Bolsonaro seguiu o roteiro de campanha em seu discurso na Assembleia Geral da Organização das Nações Unidas (ONU), em Nova York (EUA), e aproveitou para atacar o ex-presidente Luiz Inácio Lula da Silva nesta terça-feira (20)(...) <i>President Jair Bolsonaro followed the campaign script in his speech at the General Assembly of the United Nations (UN) in New York (USA), and took the opportunity to attack former president Luiz Inácio Lula da Silva this Tuesday (20) (...)</i>

each one of the 300 news articles into sentences and annotated them according to three different classes: (a) factual spans, (b) biased spans, and (c) quotes, as shown in Figure 1.

As shown in Figure 1, we propose an expert annotation schema for sentence-level factuality and media bias classification. We first evaluated whether the sentence was committed with impartiality, in order words, whether it presented a type of information focused on objective fact. Whether “yes”, it should be classified as factual span, other-




Figure 1: FactNews annotation schema.

wise, it should be classified as biased span taking into account 10 (ten) types of media bias defined by AllSides (Mastrine, 2022), which we describe as follows:

1. **Spin:** This type of bias consists of vague, dramatic, or sensational language. For example “President Donald Trump gloated over mass layoffs at multiple news outlets on Saturday”. Note that “gloated” is evidence of subjective interpretation from journalist means that Trump’s tweet shows he is smug or taking pleasure in the layoffs.
2. **Unsubstantiated Claims:** This bias occurs when journalists provide claims in their reporting without including any evidence. For example “Sen. Kamala Harris condemned the violent attack on actor Jussie Smollett, calling it an attempted modern-day lynching”.
3. **Opinion Statements Presented as Facts:** In this bias, journalists use subjective language or statements under the guise of reporting objectively, which is based on personal opinions, assumptions, beliefs, tastes, preferences, or interpretations. For example, “The EPA is lifting greenhouse gas limits on coal power plants: *The latest proposal won’t stop the steady decline of the coal industry*”. Note that the statement in italics shows the point of view of the journalist.
4. **Sensationalism/Emotionalism:** Here, the information is presented in a way that provides a shock or triggers a deep impression. For example, “If seats that look like this one in Rio de Janeiro are toss-ups in November, it’s going to be a bloodbath”.
5. **Mudslinging/Ad Hominem:** This type of media bias occurs when unfair or insulting things are said about someone in order to damage their reputation. For example, “Bret Stephens is not a bedbug. He is a delicate snowflake”.
6. **Mind Reading:** This bias occurs when a writer assumes they know what another person thinks, or thinks that the way they see the world reflects the way the world really is. For example, “Bolsonaro’s hatred of looking foolish and left party’ conviction that they have a winning hand is leaving the President with no way out of the stalemate over his gun port legalization.”.
7. **Subjective Qualifying Adjectives:** Journalists can reveal this bias when they include subjective, qualifying adjectives in front of specific words or phrases. For example, “Rep. Madison Cawthorn issues sinister warning to anyone opposing Him. The extremist republican ranted about liberals trying to make people “sexless””. Note that subjective qualifiers are closely related to *spin words* and phrases since they obscure the objective truth and insert subjectivity.
8. **Word Choice:** This bias occurs when words and phrases are loaded with political implications. Therefore, the words or phrases a media outlet uses can reveal its perspective or ideology. Examples of Polarizing Word Choices: “pro-choice — anti-choice”, “gun rights — gun control”, “riot — protest”, “illegal immigrants — migrants”.
9. **Omission of Source Attribution:** This bias occurs when a journalist does not back up

their claims by linking to the source of that information (e.g. naming sources).

10. **Elite v. Populist Bias:** Journalists can defer to the beliefs, viewpoints, and perspectives of people from people who are part of society’s most prestigious or not prestigious.

3.2.3 Annotation Evaluation

In order to ensure data annotation quality, we computed the inter-annotator agreement score using Cohen’s kappa metrics (Sim and Wright, 2005). We obtained a kappa score of 82%, as shown in Table 3.

As mentioned previously, the annotation was performed by two different annotators (a linguist and a computer scientist) and disagreement cases were also judged by two different judges. Finally, three different rounds of reviews were carried out, in which annotators could discuss doubts and re-evaluate the given labels. We also released agreements/disagreements data⁷.

Table 3: Kappa score obtained on the annotation process of the proposed FactNews dataset.

Dataset	Kappa
FactNews	0.82

Table 4: Kappa scale interpretation.

Kappa <0	No agreement
Kappa between 0.00 and 0.20	Slight agreement
Kappa between 0.21 and 0.40	Fair agreement
Kappa between 0.41 and 0.60	Moderate agreement
Kappa between 0.61 and 0.80	Substantial agreement
Kappa between 0.81 and 1.00	Almost perfect agreement

We also analyzed the matrix of agreements and disagreements among annotators for each class (e.g. factual, biased, and quotes) provides from the kappa score, as shown in Table 5.

Table 5: Inter-annotator agreement kappa matrix.

FactNews Dataset		Annotator 1			Total
		Factual	Biased	Quotes	
Annotator 2	Factual	4211	27	7	4245
	Biased	284	261	1	546
	Quotes	138	6	1256	1400
Total		4633	294	1264	6191

As shown in Table 5, the high values obtained by diagonal lines (e.g. 4211, 261, 1256) are indicative of high-human agreement. Furthermore, we

also observed that annotator 2, which is a specialist provides better media bias classification compared with annotator 1, which is a non-specialist. For example, while both annotators agreed on the bias labels with 261 matches between them, 284 labels were classified by annotators as “factual” from which annotator 2 (specialist) classified as “biased”, in which mostly the Judges decided to be “biased”.

⁷<https://zenodo.org/record/7868597/>

3.3 Data Analysis

Table 6 shows the dataset statistics. The FactNews is composed of 6,191 sentences annotated according to three classes: factual spans (4,242), quotes (1391), and biased spans (558). Most of the sentences (68.51%) are factual spans, in contrast to quotes (22.52%) and biased (8.81%) categories, respectively. Each news article consists of an average of 24.27 sentences which of 14.14 are classified as factual sentences, 7.06 as quotes, and 3.27 as biased sentences. Furthermore, factual sentences contain an average of 20.36 words, biased sentences 22.14 words, and quotes 17.38 words.

Furthermore, biased spans present more words than factual spans in all grammar categories (e.g. nouns, verbs, adjectives), as well as most predominance in terms of emotion lexicon. Lastly, the titles of news articles hold 8.36% bias, 5.33% quotes, and 86% of factuality. On the other hand, the body of news articles holds 13.35% bias, 20.38% quotes, and 66.27% of factuality.

Figure 2 shows the distribution of factual and biased sentences across domains according to each media news outlet. Notably, the distribution of factuality is equivalent across different domains. Differently, the distribution of bias varies in accordance with the domain and media outlets. Taking into account labels across domains, 62.55% are related to the political; 14.21% world; 7.14 sport; 6.67 daily; 6.65 culture; and 1.98% science.




Figure 2: The cross-domain distribution of factual and biased sentences in different media outlets.

4 Baseline Experiments

4.1 Motivations and Goals

As mentioned before, news credibility analysis and fact-checking are both time-consuming tasks. Furthermore, the amount of new information that appears and the speed with which it spreads, manual validation is insufficient (Guo et al., 2022). Nevertheless, automated approaches present several challenges since automated trustworthiness analysis is a technically complex issue besides involving a wide variety of ethical problems.

Instead of analyzing the veracity of news, in this paper, we are interested in characterizing the entire media outlets by predicting the factuality of news reporting and bias of media outlets for source reliability estimation.

We aim to predict sentence-level media bias and factuality by analyzing the 10 different types of media bias and journalist factuality definitions provided by AllSides (Mastrine, 2022). Specifically, we first built the state-of-art media bias detection models, and secondly, a new sentence-level factuality detection model was proposed by analyzing the subjectivity and objectivity of text content. As a result, we hope to explain more accurately the overall reliability of the entire news source.

4.2 Model Architecture

First of all, we argue that factual spans contain a type of information that deals with facts presented with impartiality focused on objective facts, in contrast to non-factual information, which contains a type of information presented with a partiality that often strays from objective facts. Taking into account this premise, we describe both model’s sentence-level media bias and factuality as follows:

Sentence-Level Media Bias Model: In order to measure sentence-level bias, we implemented the state-of-the-art sentence-level media bias models (Fan et al., 2019) on the FactNews dataset. Our model for media bias uses a binary class variable composed of biased spans (558 labels) versus no-biased spans (558 labels).

Sentence-Level Factuality Model: We hypothesize that the factuality of news reporting may be predicted by analyzing the subjectivity and objectivity of text content, which is inspired by Baly et al., (2018). Accordingly, since the factual sentences are impartially presented and focused on the objective fact, in contrast to the biased ones that are partially presented and focused on the subjective

Table 6: FactNews dataset statistics.

Description		Folha de São Paulo			Estadão			O Globo			All
		factual	quotes	biased	factual	quotes	biased	factual	quotes	biased	
#Articles		100			100			100			300
#Sentences		1,494	450	231	1,428	483	182	1,320	458	145	6191
#Words		30,374	7,946	5,177	30,589	8,504	4,002	25,505	7,740	3,195	123,032
Avg Sentences/Article		14.94	7.03	3.78	14.28	7.00	3.19	13.20	7.15	2.84	8.15
Avg Words/Sentences		20.33	17.65	22.41	21.45	17.60	21.98	19.32	16.89	22.03	19.96
Body/Title	Body	1,337	440	207	1,218	473	162	1,089	441	131	5,498
	Title	157	10	24	210	10	20	231	17	14	693
Domains	Political	912	340	130	870	352	106	748	351	64	3,873
	World	224	48	31	224	49	27	216	32	29	880
	Sports	100	23	34	124	25	29	98	18	39	490
	Daily	132	11	2	98	7	4	148	7	4	413
	Culture	98	26	32	72	42	15	77	45	5	412
	Science	28	2	2	40	8	1	33	5	4	123
Part-of-speech (Avg)	Noun	4.85	4.09	5.72	5.21	4.12	5.60	4.59	3.82	5.19	4.79
	Verb	2.20	2.55	2.60	2.28	2.51	2.53	2.00	2.44	2.57	4.18
	Adjective	1.03	1.03	1.32	1.11	1.08	1.32	0.94	0.97	1.48	1.14
	Adverb	0.67	0.82	0.93	0.67	0.94	0.90	0.59	0.90	0.94	0.81
	Pronoun	0.52	1.02	0.73	0.51	0.97	0.56	0.47	0.90	0.59	0.69
	Conjunction	0.51	0.55	0.61	0.54	0.57	0.73	0.51	0.88	0.70	0.62
Emotion (Avg)	Happiness	0.12	0.22	0.20	0.16	0.28	0.26	0.13	0.28	0.22	0.20
	Disgust	0.03	0.06	0.05	0.04	0.06	0.03	0.04	0.04	0.04	0.04
	Fear	4.18	3.80	4.63	4.41	3.77	4.56	4.05	3.60	4.50	4.16
	Anger	0.05	0.06	0.13	0.07	0.07	0.12	0.06	0.08	0.20	0.09
	Surprise	0.01	0.03	0.03	0.01	0.03	0.05	0.01	0.02	0.01	0.02
	Sadness	5.86	5.71	6.52	6.17	5.55	6.48	5.56	5.40	6.19	5.93
Polarity (Avg)	Positive	2.41	3.25	2.93	2.55	3.22	2.95	2.26	3.26	2.96	2.86
	Negative	0.05	0.06	0.05	0.07	0.10	0.09	0.06	0.07	0.06	0.06
	Neutral	9.55	9.77	10.93	9.92	9.52	11.03	8.91	9.28	10.56	9.94

tive interpretation, we built a model based on aspects of subjectivity and objectivity. Accordingly, given that both biased spans and quotes provide subjective content once both are evidence of subjective interpretation of facts, our model to predict sentence-level factuality is composed of a binary class variable from both biased spans and quotes (1949 labels) versus factual spans (1949 labels).

4.3 Learning Methods and Features Set

In data preparation, we only removed special characters. As a learning method, we used the SVM with linear kernel, and balanced classes using the *undersampling*. We split our data to train (90%), test (10%), and applied the 10-fold cross-validation. We also applied the undersampling (Witten et al., 2016) technique on the unbalanced classes. Finally, we implemented a set of experiments using four different model architectures inspired by Baly et al. (2018), as follows:

- *BERT fine-tuning* : We used the best BERT fine-tuning model, held batch size at 64, maximum of 500 features, learning rate at $2e-05$ and number of epochs at 4;
- *Subjective-lexicons*: we evaluated features based on sentiment and emotion lexicons

(Pasqualotti, 2008), which present semantic polarity and emotion types;

- *Part-of-speech*: we evaluated features based on part-of-speech, more precisely, noun, verb, adjective, adverb, pronoun, and conjunctions, supported by the Spacy pos tagging;
- *TF-IDF*: baseline vector space model (VSM).

5 Results and Discussion

Table 7 summarizes the performance of the implemented models. We further provide a comparison of results in Table 8. The best models for sentence-level factuality prediction obtained 87% of F1, and for sentence-level media bias in different domains besides the political domain, the best model obtained 67% of F1.

Notably, the part-of-speech model also presented competitive results for both tasks in contrast to the subjective lexicons that obtained poor results for both tasks.

5.1 Comparing Results

While a direct comparison is unfair (as the authors use different datasets), it offers an idea of the general performance, as shown in Table 8.

Table 7: Sentence-level factuality and bias prediction.

Sentence-Level Factuality	Precision	Recall	F1-Score
BERT fine-tuning	0.87	0.87	0.87
Part-of-speech	0.77	0.77	0.76
TF-IDF	0.81	0.69	0.66
Polarity-lexicon	0.63	0.62	0.62
Emotion-lexicon	0.61	0.61	0.61
Sentence-Level Media Bias	Precision	Recall	F1-Score
BERT fine-tuning	0.70	0.68	0.67
Part-of-speech	0.67	0.66	0.66
Polarity-lexicon	0.50	0.50	0.50
Emotion-lexicon	0.53	0.52	0.50
TF-IDF	0.78	0.58	0.48

As shown in Table 8, although it only offers an idea of the general performance of the approaches, our sentence-level factuality prediction model (87%) outperformed the article-level factuality prediction baseline (57%).

Table 8: Analysis of results compared to literature.

Sentence-Level Media Bias Prediction				
Datasets	Lang	Docum.	Sent.	F1-Score
BASIL (baseline)	En	300 news	7,984	0.47
Biased-sents	En	46 news	966	0.00
BABE	En	100 news	3,700	0.80
FactNews	Pt	300 news	6,191	0.67
Sentence-Level Factuality Prediction				
FactNews (baseline)	Pt	300 news	6,191	0.87
Article-Level Factuality Prediction				
MBFC (baseline)	En	1,066 medias	-	0.58
MBFC corpus	En	489 medias	-	0.76*

6 Conclusions

Since low-credibility media outlets may potentially be targeted for the spreading of misinformation, we study the factuality of news reporting and bias of media outlets at the sentence-level for fine-grained source reliability estimation. We further provide new data resources and baselines for Brazilian Portuguese low-resourced language. We first created a large and manually-annotated dataset for sentence-level factuality and media bias prediction. Then, we provided a detailed data analysis demonstrating the reliability of annotation schema and models. Finally, baseline models for sentence-level factuality and media bias prediction by BERT fine-tuned were presented in order to provide an accurate score of the readability of the entire media. Results also show that biased spans are more numerous in words and emotions compared to factual spans, and the distribution of bias in news articles may vary according to the domain, in contrast to factual spans. Furthermore, media outlets presented different proportions of bias. We also show that expert annotators are more successful to identify media bias.

References

- Ramy Baly, Giovanni Da San Martino, James Glass, and Preslav Nakov. 2020. [We can detect your bias: Predicting the political ideology of news articles](#). In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing*, page 4982–4991, Held Online.
- Ramy Baly, Georgi Karadzhov, Dimitar Alexandrov, James Glass, and Preslav Nakov. 2018. [Predicting factuality of reporting and bias of news media sources](#). In *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing*, pages 3528–3539, Brussels, Belgium.
- Ramy Baly, Georgi Karadzhov, Abdelrhman Saleh, James Glass, and Preslav Nakov. 2019. [Multi-task ordinal regression for jointly predicting the trustworthiness and the leading political ideology of news media](#). In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 2109–2116, Minneapolis, Minnesota.
- Krasimira Bozhanova, Yoan Dinkov, Ivan Koychev, Maria Castaldo, Tommaso Venturini, and Preslav Nakov. 2021. [Predicting the factuality of reporting of news media using observations about user attention in their YouTube channels](#). In *Proceedings of the International Conference on Recent Advances in Natural Language Processing*, pages 182–189, Held Online.
- Carlos Castillo, Marcelo Mendoza, and Barbara Poblete. 2011. [Information credibility on twitter](#). In *Proceedings of the 20th International Conference on World Wide Web*, page 675–684, New York, United States.
- Sohan De Sarkar, Fan Yang, and Arjun Mukherjee. 2018. [Attending sentences to detect satirical fake news](#). In *Proceedings of the 27th International Conference on Computational Linguistics*, pages 3371–3380, New Mexico, United States.
- Xin Luna Dong, Evgeniy Gabrilovich, Kevin Murphy, Van Dang, Wilko Horn, Camillo Lugaresi, Shaohua Sun, and Wei Zhang. 2015. [Knowledge-based trust: Estimating the trustworthiness of web sources](#). *Proc. VLDB Endow.*, 8(9):938–949.
- Lisa Fan, Marshall White, Eva Sharma, Ruisi Su, Prafulla Kumar Choubey, Ruihong Huang, and Lu Wang. 2019. [In plain sight: Media bias through the lens of factual reporting](#). In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing*, pages 6343–6349, Hong Kong, China.
- Michael Färber, Victoria Burkard, Adam Jatowt, and Sora Lim. 2020. [A multidimensional dataset based on crowdsourcing for analyzing and detecting news bias](#). In *Proceedings of the 29th ACM International*

- Conference on Information and Knowledge Management*, page 3007–3014, New York, United States.
- Matthew Gentzkow and Jesse M Shapiro. 2010. What drives media slant? evidence from us daily newspapers. *Econometrica*, 78(1):35–71.
- Zhijiang Guo, Michael Schlichtkrull, and Andreas Vlachos. 2022. [A Survey on Automated Fact-Checking](#). *Transactions of the Association for Computational Linguistics*, 10:178–206.
- Felix Hamborg. 2020. [Media bias, the social sciences, and NLP: Automating frame analyses to identify bias by word choice and labeling](#). In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics: Student Research Workshop*, pages 79–87, Held Online.
- Momchil Hardalov, Ivan Koychev, and Preslav Nakov. 2016. [In search of credible news](#). In *17th International Conference on Artificial Intelligence: Methodology, Systems, and Application*, pages 172–180, Varna, Bulgaria.
- Benjamin D. Horne, William Dron, Sara Khedr, and Sibel Adali. 2018. [Assessing the news landscape: A multi-module toolkit for evaluating the credibility of news](#). In *Proceedings of the The Web Conference 2018*, page 235–238, Geneva, Switzerland.
- Mohit Iyyer, Peter Enns, Jordan Boyd-Graber, and Philip Resnik. 2014. [Political ideology detection using recursive neural networks](#). In *Proceedings of the 52nd Annual Meeting of the Association for Computational Linguistics*, pages 1113–1122, Baltimore, Maryland.
- Yuan Yuan Lei, Ruihong Huang, Lu Wang, and Nick Beauchamp. 2022. [Sentence-level media bias analysis informed by discourse structures](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 10040 – 10050, Abu Dhabi, United Arab Emirates.
- Sora Lim, Adam Jatowt, Michael Färber, and Masatoshi Yoshikawa. 2020. [Annotating and analyzing biased sentences in news articles using crowdsourcing](#). In *Proceedings of the 13th Language Resources and Evaluation Conference*, pages 1478–1484, Marseille, France.
- Yujian Liu, Xinliang Frederick Zhang, David Wegsman, Nicholas Beauchamp, and Lu Wang. 2022. [POLITICS: Pretraining with same-story article comparison for ideology prediction and stance detection](#). In *Findings of the Association for Computational Linguistics: 2022 Annual Conference of the North American Chapter of the Association for Computational Linguistics*, pages 1354–1374, Seattle, United States.
- Giovanni Da San Martino, Stefano Cresci, Alberto Barrón-Cedeño, Seunghak Yu, Roberto Di Pietro, and Preslav Nakov. 2020. [A survey on computational propaganda detection](#). In *Proceedings of the 29th International Joint Conference on Artificial Intelligence*, pages 4826–4832, Yokohama, Japan.
- Julie Mastrine. 2022. [How to Spot 16 Types of Media Bias](#). AllSides: Don’t be fooled by media bias and misinformation, California, United States.
- Tsvetomila Mihaylova, Preslav Nakov, Lluís Màrquez, Alberto Barrón-Cedeño, Mitra Mohtarami, Georgi Karadzhov, and James Glass. 2018. [Fact checking in community forums](#). In *The 32th AAAI Conference on Artificial Intelligence*, pages 5309–5316, New Orleans, United States.
- Subhabrata Mukherjee and Gerhard Weikum. 2015. [Leveraging joint interactions for credibility analysis in news communities](#). In *Proceedings of the 24th ACM International on Conference on Information and Knowledge Management*, page 353–362, New York, United States.
- An Nguyen, Aditya Kharosekar, Matthew Lease, and Byron Wallace. 2018. [An interpretable joint graphical model for fact-checking from crowds](#). In *Proceedings of the 32th AAAI Conference on Artificial Intelligence*, 1, pages 1511–1518, Louisiana, United States.
- Jeff Z. Pan, Siyana Pavlova, Chenxi Li, Ningxi Li, Yangmei Li, and Jinshuo Liu. 2018. Content based fake news detection using knowledge graphs. In *The Semantic Web - ISWC 2018*, pages 669–683.
- P. R Pasqualotti. 2008. [Reconhecimento de expressões de emoções na interação mediada por computador](#). Master’s thesis, Dissertação de Mestrado em Ciência da Computação. Pontifícia Universidade Católica do Rio Grande do Sul - PUCRS, Porto Alegre, Brasil.
- Verónica Pérez-Rosas, Bennett Kleinberg, Alexandra Lefevre, and Rada Mihalcea. 2018. [Automatic detection of fake news](#). In *Proceedings of the 27th International Conference on Computational Linguistics*, pages 3391–3401, New Mexico, United States.
- Kashyap Popat, Subhabrata Mukherjee, Jannik Strötgen, and Gerhard Weikum. 2016. [Credibility assessment of textual claims on the web](#). In *Proceedings of the 25th ACM International on Conference on Information and Knowledge Management*, page 2173–2178, New York, United States.
- Markus Prior. 2013. Media and political polarization. *Annual Review of Political Science*, 16(1):101–127.
- Marta Recasens, Cristian Danescu-Niculescu-Mizil, and Dan Jurafsky. 2013. [Linguistic models for analyzing and detecting biased language](#). In *Proceedings of the 51st Annual Meeting of the Association for Computational Linguistics*, pages 1650–1659, Sofia, Bulgaria.
- Julio C. S. Reis, Andre Correia, Fabricio Murai, Adriano Veloso, and Fabricio Benevenuto. 2019. [Explainable machine learning for fake news detection](#). In *Proceedings of the 11th ACM Conference on Web Science*, pages 17–26, Massachusetts, United States.

- Julio C. S. Reis, Philipe Melo, Kiran Garimella, Jus-sara M. Almeida, Dean Eckles, and Fabrício Benevenuto. 2020. [A dataset of fact-checked images shared on whatsapp during the brazilian and indian elections](#). In *Proceedings of the 14th International AAAI Conference on Web and Social Media*, pages 903–908, Held Online.
- Manoel Horta Ribeiro, Savvas Zannettou, Oana Goga, Fabrício Benevenuto, and Robert West. 2022. Can online attention signals help fact-checkers to fact-check? In *Workshop Proceedings of the 17th International AAAI Conference On Web and Social Media*, pages 1–10, Atlanta, United States.
- Shamik Roy and Dan Goldwasser. 2020. [Weakly supervised learning of nuanced frames for analyzing polarization in news media](#). In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing*, pages 7698–7716, Held Online.
- Eitan Sapiro-Gheiler. 2019. [Examining political trustworthiness through text-based measures of ideology](#). In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 33, pages 10029–10030, Hawaii, United States.
- Julius Sim and Chris C Wright. 2005. The kappa statistic in reliability studies: Use, interpretation, and sample size requirements. *Physical therapy*, 85(3):257–268.
- Timo Spinde, Manuel Plank, Jan-David Krieger, Terry Ruas, Bela Gipp, and Akiko Aizawa. 2021. [Neural media bias detection using distant supervision with BABE - bias annotations by experts](#). In *Findings of the Association for Computational Linguistics: EMNLP 2021*, pages 1166–1177, Punta Cana, Dominican Republic.
- Francielle Vargas, Fabrício Benevenuto, and Thiago Pardo. 2021. [Toward discourse-aware models for multilingual fake news detection](#). In *Proceedings of the Student Research Workshop Associated with RANLP 2021*, pages 210–218, Held Online.
- Francielle Vargas, Jonas D’Alessandro, Zohar Rabinovich, Fabrício Benevenuto, and Thiago Pardo. 2022. [Rhetorical structure approach for online deception detection: A survey](#). In *Proceedings of the Thirteenth Language Resources and Evaluation Conference*, pages 5906–5915, Marseille, France.
- Ian H Witten, Eibe Frank, Mark A Hall, and Christopher J Pal. 2016. *Data Mining: Practical machine learning tools and techniques*, 3ed edition. Morgan Kaufmann Publishers.
- Chunyuan Yuan, Qianwen Ma, Wei Zhou, Jizhong Han, and Songlin Hu. 2020. [Early detection of fake news by utilizing the credibility of news, publishers, and users based on weakly supervised learning](#). In *Proceedings of the 28th International Conference on Computational Linguistics*, pages 5444–5454, Held Online.