

# Envisioning the Next-Gen Document Reader

Catherine Yeh<sup>1</sup>, Nedim Lipka<sup>2</sup>, Franck Dernoncourt<sup>2</sup>

<sup>1</sup> Harvard University

<sup>2</sup> Adobe Research

catherineyeh@g.harvard.edu, lipka@adobe.com, franck.dernoncourt@adobe.com




Figure 1: Overview of our vision for the next-gen document reader. We propose transforming static, isolated documents into a trustworthy, connected, and interactive sources of information through open-domain and domain-specific features, contextual plug-in pop-up menus, and a centralized plug-in marketplace. (Menu source: PDF Archive website)

## Abstract

People read digital documents on a daily basis to share, exchange, and understand information in electronic settings. However, current document readers create a static, isolated reading experience, which does not support users' goals of gaining more knowledge and performing additional tasks through document interaction. In this work, we present our vision for the next-gen document reader that strives to enhance user understanding and create a more connected, trustworthy information experience. We describe 18 NLP-powered features to add to existing document readers and propose a novel plug-in marketplace that allows users to further customize their reading experience, as demonstrated through 3 exploratory UI prototypes available at: [github.com/catherinesych/nextgen-prototypes](https://github.com/catherinesych/nextgen-prototypes).

## Introduction

Digital documents (e.g., portable document format (PDF) files or Word documents) are a popular format for sharing, exchanging, and understanding information in electronic settings. Reading such documents is an integral part of countless people's daily routines, and many choose to engage with these files through document readers such as *Adobe Acrobat*, *Foxit*, and *Sumatra PDF*. However, with these current applications, document reading can feel relatively static and isolated, as the reading experience is usually

confined to within the document reader itself. Additionally, there is typically not much interaction between the user and the information they are reading when scrolling through a digital document.

This presents a problem as documents themselves are usually not the end goal for users. Rather, they represent a starting point for people to gain more knowledge or perform additional actions. Thus, in this work, we present our **vision for the next-gen document reader** that strives to better support users in achieving their goals through harnessing the power of natural language processing (NLP). We design this next-gen document reader to 1) enhance user understanding of digital files and 2) transform currently static, isolated documents into connected, trustworthy, and interactive sources of information.

The key contributions of our work include:

- A set of proposed NLP-powered plug-ins to add to existing document readers toward enhancing human-document interaction, including 12 **open-domain** and 6 **domain-specific** features.
- A preliminary vision for a centralized **plug-in marketplace** that would allow further customization of the user experience in document readers and feature development to be outsourced.
- 3 exploratory **UI prototypes** illustrating a sub-



set of features and the plug-in marketplace proposed for the next-gen document reader ([github.com/catherinesyeh/nextgen-prototypes](https://github.com/catherinesyeh/nextgen-prototypes)).

## Related Work

While older document readers such as *Adobe Acrobat*, *Foxit*, and *Sumatra PDF* tend to only support static, in-document features, recent NLP efforts are beginning to explore the possibility of creating a more connected, trustworthy information experience for users.

For example, *ScholarPhi* (Head et al. 2021) strives to improve the readability of scientific papers by creating an augmented reading interface with features such as position-sensitive definitions, a decluttering filter, and an automatically generated glossary for the important terms and symbols. Similarly, *Paper Plain* (August et al. 2022) is an interactive interface that aims to make medical research papers more accessible with its definition feature, section gists, and Q & A passages. *Scim* (Fok et al. 2022) is another AI-augmented document reader that helps researchers skim scientific papers by automatically identifying, classifying, and highlighting salient sentences.

*Sioyek* (Mostafavi 2021), a document viewer designed for reading technical books and research papers, has some interesting features such as smart jump for references and figures, searchable bookmarks, and portals to display linked information in a separate window. *Explainpaper* is a novel AI-powered reading interface for reading academic papers as well, offering live explanations to users upon highlighting sections of text and an interactive Q & A feature. However, these works are currently very limited in their features and scope.




Figure 2: UI prototype demonstrating our contextual pop-up menu concept. Users can a) toggle installed plug-ins on or off and when active, b) the corresponding plug-in tooltip only appears if relevant text is selected. (*Recipe source: BBC Good Food*)

## Vision

Our vision for the next-gen document reader includes the following components as illustrated in Figure 1:

- A set of **open-domain** features that can enhance the document reading experience for various document types,
- A set of features that are more **domain-specific**, and
- A centralized **plug-in marketplace** that would allow users to further customize document readers with additional features.

Throughout this paper, we use plug-in and feature synonymously to mean any software add-on that serves to extend the core functionality of a static document reader. Once a plug-in is installed, it could be toggled on/off by users and when active, the plug-in could be accessed through a **contextual pop-up menu**. Figure 2 illustrates how this type of menu could work with a sample PDF cake recipe. In this UI prototype, the unit conversion plug-in is toggled on, but the corresponding tooltip icon only appears if relevant text is selected (i.e., text containing numerical values). Ideally, the document reader would also automatically identify the correct unit of measurement selected by the user and auto-populate this information into the pop-up conversion tool.

In the following sections, we provide more details about our proposed features and plug-in marketplace for the next-gen document reader.

Table 1: List of open-domain and domain-specific features proposed for the next-gen document reader

Open-Domain	
Definitions	Equation Exporting
Acronyms/Abbreviations	Speed Reading
Unit Conversions	Sentiment Analysis
Translations	Form Auto-Fill
Spelling Changes	Scholar Notes
Table Copying	Shared Commenting
Domain-Specific	
Linkifying Known Entities	Smart Jumps
Linkifying Relevant Content	Citation Warnings
Action Tasks	Portals

## Features

To begin the design process, we brainstormed features that would be helpful to add to static document readers such as *Acrobat* or *Foxit*, focusing on features that can leverage NLP. During this stage, we surveyed the literature and investigated existing plug-ins supported by newer document viewers (August et al. 2022; Fok et al. 2022; Head et al. 2021) as described in the Related Work section. Some ideas were also contributed by peers and collaborators.

This process resulted in 26 potential feature suggestions, which we narrowed down to 18 based on feasibility of implementation. These ideas were then categorized by domain



type, ultimately yielding 12 **open-domain** and 6 **domain-specific** features. A list of all proposed features is included in Table 1. Selected features are highlighted below using our second UI prototype of a PDF pizza restaurant menu (as previewed in Figure 1).

**Open-Domain Features** When a single word is highlighted, document readers could show users potential **definitions** of the term (Figure 3), similar to (August et al. 2022; Head et al. 2021). The displayed definitions could be retrieved from the document itself (Veyseh et al. 2020a; Spala et al. 2020), from online sources as in (August et al. 2022), or crowd-sourced.



Figure 3: Example definition feature

Similarly, the long forms of **acronyms/abbreviations** could be shown to the user via pop-up tool tips (Figure 4). If the acronym is defined elsewhere in the paper, we could take a similar approach to (Veyseh et al. 2020b; Pourn Ben Veyseh et al. 2020; Veyseh et al. 2022) for extracting definitions; otherwise, retrieving it from online sources is also possible. A list of key definitions and acronyms could be included at the beginning or the end of the document as well, following (Veyseh et al. 2021). The definition of math symbols could also be extracted from the text (Lai et al. 2022a,b).




Figure 4: Example acronym feature

**Unit conversions** could be either a case-by-case basis (i.e., users highlight specific numbers to convert like definitions/acronyms) or document-level (i.e., document reader automatically converts all units at once). Figure 2 shows the former option, assuming that unit selection is embedded inside of the plug-in pop-up. Allowing users to select their unit of choice via the main document reader toolbar (see Figure 5) would be another possibility.

As with unit conversions, there could be a toolbar option at the top of document readers that would allow users to




Figure 5: Main toolbar in Adobe Acrobat

choose the language they want to read the document in. Alternatively, **translations** could be performed on a more case-by-case basis. The former could be similar to the Google Translate browser extension. Figure 6 illustrates the latter option. Related to translation is the idea of automatically suggesting **spelling changes** based on the current document language. For example, the spellings in a document could automatically be converted from American to British English (e.g., color → colour).



Figure 6: Example translation feature

Document readers could also provide users with the capability of directly copying tables from files like PDFs into Microsoft Word, Excel, Markdown, etc. to further manipulate, share or analyze. This **table copying** feature would reduce the need for hand transcribing and combining data from multiple tables in digital files. There could also be a selection hierarchy, allowing users to select specific parts of a table (e.g., a single cell, row, column, etc.) or the whole table itself. A version of this feature is included in the *Adobe PDF Extract API*, but currently, tables can only be exported to CSV formats, so there is room for extension and it is still missing from all the PDF readers we surveyed. Similarly, an **equation exporting** plug-in could allow users to export math equations present in digital documents to their corresponding LaTeX formulas so they are directly editable. Implementing this feature would be possible using image-to-latex algorithms (Deng et al. 2017; Wu et al. 2019; Zhang et al. 2020).

Another way to enhance the document reading experience could be including a **speed-reading** plug-in that would allow users to customize the speed at which they read text in document readers, similar to the service offered by *Spritz*. Additionally, a **sentiment analysis** feature could allow users to assess sentiment at the document level and potentially at the sentence level as well. Sentiment classification would be useful for a wide variety of document types, particularly when it is beneficial to understand a document's tone/attitude. Some approaches for document-level



sentiment analysis have been proposed by (Ito et al. 2020; Rhanoui et al. 2019).

For certain documents such as history books, scientific papers, and poems, reading applications could also offer **scholar notes**. As an example, the document reader could include a critic's analysis of a text (e.g., in the sidebar) and/or their annotations throughout the file as comments that the user could view. The notes could be distributed via a marketplace, and some of them could be set as paid access only if monetization is of interest. Users may be willing to pay to get access to the meta-information given by a scholar in the field to better understand the text itself, its historical context, the equations, potential errors, the author's mindset at the time of the writing, and so on. A related feature idea is allowing users to leave **shared comments** in digital documents. For example, users could highlight a sentence or figure and then create a thread for further discussion (e.g., asking a question, offering clarification, etc.), which could open up in a sidebar.

These human-in-the-loop features could help make up for the imperfections and the limitations of other AI-powered document plug-ins. However, the main challenges with implementing such features would be moderating/filtering the user content and respecting users' privacy (e.g., we do not want a user to mistakenly post their comments as public if they did not intend too).

**Domain-Specific Features** Document readers could also incorporate domain-specific features such as **linking text to known entities**. For example, addresses or business names could be automatically linked to Google Maps and phone numbers could be linked to an app/website for further action, as Google Chrome or Android currently does. The former is illustrated in Figure 7. Other ideas include linking protein names to the Protein Data Bank for biology documents, linking references to their Google Scholar entry in scholarly articles, or linking ticker symbols to their Yahoo Finance pages (e.g., [finance.yahoo.com/quote/ADBE](http://finance.yahoo.com/quote/ADBE) → ADBE) for finance documents.




Figure 7: Example address linkifying feature

Similarly, document readers could **link text to relevant content**. This is a trickier task than linkifying known entities, but the required extrapolation may be feasible in certain cases. For instance, if a file is identified as a restaurant menu, the document reader could link to the corresponding Yelp or Google reviews page so users could see more pictures/reviews of different items (Figure 8). Or, if a movie title is identified inside a document, links to available movie times or streaming platforms could be generated. Another possibility would be searching selected keywords/phrases in a search engine or e-commerce website (e.g., Amazon, Al-

ibaba, etc.) to see related products; *Axesso Amazon API* has implemented one such keyword search feature. Ultimately, this feature could be similar to how YouTube recommends products based on the videos a user watches.




Figure 8: Example restaurant linkifying feature

Additionally, we could identify and create **action tasks** that users could complete within the document reader itself. For example, if a date/deadline is identified in the text, users could be given the option to add it to their calendar. Similarly, if a payment is mentioned, users could have the option to pay directly inside of the document. Or, if there is language such as “You should notify X...” or “Please reach out to Y...” in a digital file, it might be helpful to give users the ability to send messages/emails from the document reader as well. In general, these tasks could be accessed via pop-up icons throughout the document, but there could also be an overall list on the sidebar, for instance.

For documents like academic papers or textbooks, a **smart jump** feature (terminology from *Sioyek*) could be offered that allows users to jump to any referenced figure or reference in the document, even if links are not explicitly provided. A similar feature has already been implemented by *Sioyek*. Currently, *Sioyek*'s smart jump feature automatically links references to their Google Scholar page as well, connecting to our idea for linkifying known entities described above. Another related idea would be including a **citation warning** feature that displays a warning to users when a citation in a document has been retracted (Teixeira da Silva and Bornemann-Cimenti 2017; Bolland, Grey, and Avenell 2022).




Figure 9: Example portal feature (Source: *Sioyek*)

One last domain-specific feature would be **portals** (terminology from *Sioyek*). This feature would allow users to link figures to specific paragraph locations so they can view them simultaneously on a separate monitor/window, as im-






Figure 10: UI Prototype of our proposed plug-in marketplace for the next-gen document reader. Users can discover new plug-ins via the search bar or featured section, filter or sort the results, and (un)install plug-ins at any time.

plemented by *Sioyek*’s portal feature (Figure 9). Such “portals” would enhance the reading experience by removing the need to scroll back and forth in a document to find the relevant figures for each section of text, which could especially be helpful for academic/scientific papers.

### Plug-in Marketplace

In the previous sections, we describe many potential plug-ins for the next-gen document reader. However, the average user will not need all these features when engaging with digital files. Thus, to allow users to further customize their document reading experience and choose which features they want to use, we propose the creation of a centralized **plug-in marketplace**. This way, document readers could come with a few default plug-ins (e.g., definitions/acronyms or other open-domain features that could be useful for most document types and users) and users could add more via the marketplace if they wanted to.

Having a plug-in marketplace would also prevent document readers from growing excessively in terms of size and computational requirements. Instead, the user would individually decide which plug-ins to install and use, just like in virtually all modern code and text editors.

**Key Features** An example of what such a marketplace might look like is illustrated in Figure 10. To our knowledge, there currently exist no plug-in marketplaces for document readers such as *Adobe Acrobat*, *Foxit*, and *Sumatra PDF*. Consequently, many features we include in our UI prototype are inspired by the marketplaces for integrated devel-

opment environments (IDEs) like *Visual Studio*, *IntelliJ*, and *Eclipse* as well as marketplaces for text editors like *Emacs*, *Notepad++*, and *Sublime Text*.

On the main marketplace page (Figure 10), we envision a space where users can **discover** new features with the search bar or featured plug-ins section, which could highlight the newest or most popular plug-ins. Plug-ins could also be tagged (e.g., by domain) and reviewed to allow users to **filter** and **sort** the results. Inside the marketplace, users would have the option to **(un)install** plugins at any time.

Each user could also have their own “My Plugins” page inside the plug-in marketplace, as shown in Figure 11. On this page, users would again have the ability to search for, filter, sort, and uninstall plugins. In addition, users could **pin** their favorite plug-ins for easy access. Here, users would be able to globally **toggle plugins on/off** as well. There could also be an option to turn plugins on/off at a document level, illustrated in Figure 2a.

Another feature that could be added within the plug-in marketplace is a **feedback/feature request** page, where users could submit general feedback about the marketplace or propose new ideas for features to add. Along these lines, several IDEs/text editors include a community **forum** (e.g., [eclipse.org/forums](http://eclipse.org/forums)) where users can openly discuss topics and ask questions about different plug-ins, so implementing a similar discussion platform for document readers could also be valuable.






Figure 11: “My Plugins” page inside plug-in marketplace

## Future Work

This work represents a preliminary, exploratory vision for the next-gen document reader. The next steps include working toward concretizing our ideas and assessing the viability of implementation. Specifically, we hope to conduct formal **user studies** to collect additional feedback on our vision, further hone the proposed designs, and better understand which features would be most useful to end-users. Through these user studies, we may also generate additional ideas for potential document reader plugins.

Further out in the future, we could also consider more **complex features**. For example, a filtering option would help readers focus on only the most relevant parts of the document, similar to the declutter feature from (August et al. 2022). Similarly, fact-checking sentences and displaying a warning symbol next to text containing incorrect facts would be extremely valuable. Other complex features for consideration include summarization (Cohan et al. 2018; Lee et al. 2022), section title generation (Rizvi et al. 2019; Gehrmann, Layne, and Dernoncourt 2019), key sentence highlighting (Spala et al. 2018a,b), and question-answering (Tran et al. 2020; Xiao et al. 2021). These ideas are more challenging to realize at the moment and may not be mature enough to be released to the general public, but the recent progresses in large language models are making some of these features more achievable (Goyal, Li, and Durrett 2022; Zhang et al. 2023).

## Conclusion

In this paper, we present our **vision for the next-gen document reader** that will transform static, isolated documents into connected, trustworthy, interactive sources of information. This vision includes 12 **open-domain** and 6 **domain-specific** features powered by NLP, which can be accessed by the user through contextual plug-in pop-up

menus while reading digital files. To allow users to customize their reading experiences with document readers, we also propose a centralized **plug-in marketplace** inspired by modern IDEs and text editors. Next steps include conducting formal user studies to further hone our UI prototypes (github.com/catherinesyeh/nextgen-prototypes) and vision, while also considering additional complex features to improve user-document interaction such as filtering or question-answering. We hope this work inspires and excites others about the future of document readers.

## References

- August, T.; Wang, L. L.; Bragg, J.; Hearst, M. A.; Head, A.; and Lo, K. 2022. Paper Plain: Making Medical Research Papers Approachable to Healthcare Consumers with Natural Language Processing. *arXiv preprint arXiv:2203.00130*.
- Bolland, M. J.; Grey, A.; and Avenell, A. 2022. Citation of retracted publications: A challenging problem. *Accountability in Research*, 29(1): 18–25.
- Cohan, A.; Dernoncourt, F.; Kim, D. S.; Bui, T.; Kim, S.; Chang, W.; and Goharian, N. 2018. A Discourse-Aware Attention Model for Abstractive Summarization of Long Documents. In *Proceedings of the 2018 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 2 (Short Papers)*, 615–621. New Orleans, Louisiana: Association for Computational Linguistics.
- Deng, Y.; Kanervisto, A.; Ling, J.; and Rush, A. M. 2017. Image-to-markup generation with coarse-to-fine attention. In *International Conference on Machine Learning*, 980–989. PMLR.
- Fok, R.; Head, A.; Bragg, J.; Lo, K.; Hearst, M. A.; and Weld, D. S. 2022. Scim: Intelligent Faceted Highlights for Interactive, Multi-Pass Skimming of Scientific Papers. *arXiv preprint arXiv:2205.04561*.
- Gehrmann, S.; Layne, S.; and Dernoncourt, F. 2019. Improving Human Text Comprehension through Semi-Markov CRF-based Neural Section Title Generation. In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*, 1677–1688. Minneapolis, Minnesota: Association for Computational Linguistics.
- Goyal, T.; Li, J. J.; and Durrett, G. 2022. News summarization and evaluation in the era of gpt-3. *arXiv preprint arXiv:2209.12356*.
- Head, A.; Lo, K.; Kang, D.; Fok, R.; Skjonsberg, S.; Weld, D. S.; and Hearst, M. A. 2021. Augmenting scientific papers with just-in-time, position-sensitive definitions of terms and symbols. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*, 1–18.
- Ito, T.; Tsubouchi, K.; Sakaji, H.; Yamashita, T.; and Izumi, K. 2020. Contextual sentiment neural network for document sentiment analysis. *Data Science and Engineering*, 5(2): 180–192.



- Lai, V.; Pouran Ben Veyseh, A.; Deroncourt, F.; and Nguyen, T. 2022a. SemEval 2022 Task 12: SymLink - Linking Mathematical Symbols to their Descriptions. In *Proceedings of the 16th International Workshop on Semantic Evaluation (SemEval-2022)*, 1671–1678. Seattle, United States: Association for Computational Linguistics.
- Lai, V. D.; Veyseh, A. P. B.; Deroncourt, F.; and Nguyen, T. H. 2022b. SymLink: A New Dataset for Scientific Symbol-Description Linking. *arXiv preprint arXiv:2204.12070*.
- Lee, H.; Park, C.; Yoon, S.; Bui, T.; Deroncourt, F.; Kim, J.; and Jung, K. 2022. Factual Error Correction for Abstractive Summaries Using Entity Retrieval. *arXiv preprint arXiv:2204.08263*.
- Mostafavi, A. 2021. Sioyek. <https://github.com/ahrm/sioyek>.
- Pouran Ben Veyseh, A.; Deroncourt, F.; Tran, Q. H.; and Nguyen, T. H. 2020. What Does This Acronym Mean? Introducing a New Dataset for Acronym Identification and Disambiguation. In *Proceedings of the 28th International Conference on Computational Linguistics*, 3285–3301. Barcelona, Spain (Online): International Committee on Computational Linguistics.
- Rhanoui, M.; Mikram, M.; Yousfi, S.; and Barzali, S. 2019. A CNN-BiLSTM model for document-level sentiment analysis. *Machine Learning and Knowledge Extraction*, 1(3): 832–847.
- Rizvi, N.; Gehrmann, S.; Wang, L.; and Deroncourt, F. 2019. Margin Call: an Accessible Web-based Text Viewer with Generated Paragraph Summaries in the Margin. In *Proceedings of the 12th International Conference on Natural Language Generation*, 244–246. Tokyo, Japan: Association for Computational Linguistics.
- Spala, S.; Deroncourt, F.; Chang, W.; and Dockhorn, C. 2018a. A Comparison Study of Human Evaluated Automated Highlighting Systems. In *Proceedings of the 32nd Pacific Asia Conference on Language, Information and Computation*. Hong Kong: Association for Computational Linguistics.
- Spala, S.; Deroncourt, F.; Chang, W.; and Dockhorn, C. 2018b. A Web-based Framework for Collecting and Assessing Highlighted Sentences in a Document. In *Proceedings of the 27th International Conference on Computational Linguistics: System Demonstrations*, 78–81. Santa Fe, New Mexico: Association for Computational Linguistics.
- Spala, S.; Miller, N.; Deroncourt, F.; and Dockhorn, C. 2020. SemEval-2020 Task 6: Definition Extraction from Free Text with the DEFT Corpus. In *Proceedings of the Fourteenth Workshop on Semantic Evaluation*, 336–345. Barcelona (online): International Committee for Computational Linguistics.
- Teixeira da Silva, J. A.; and Bornemann-Cimenti, H. 2017. Why do some retracted papers continue to be cited? *Scientometrics*, 110(1): 365–370.
- Tran, Q. H.; Dam, N.; Lai, T.; Deroncourt, F.; Le, T.; Le, N.; and Phung, D. 2020. Explain by Evidence: An Explainable Memory-based Neural Network for Question Answering. In *Proceedings of the 28th International Conference on Computational Linguistics*, 5205–5210. Barcelona, Spain (Online): International Committee on Computational Linguistics.
- Veyseh, A.; Deroncourt, F.; Dou, D.; and Nguyen, T. 2020a. A joint model for definition extraction with syntactic connection and semantic consistency. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 34, 9098–9105.
- Veyseh, A. P. B.; Deroncourt, F.; Chang, W.; and Nguyen, T. H. 2021. MadDog: A Web-based System for Acronym Identification and Disambiguation. In *Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics: System Demonstrations*, 160–167. Association for Computational Linguistics.
- Veyseh, A. P. B.; Deroncourt, F.; Nguyen, T. H.; Chang, W.; and Celi, L. A. 2020b. Acronym identification and disambiguation shared tasks for scientific document understanding. *arXiv preprint arXiv:2012.11760*.
- Veyseh, A. P. B.; Meister, N.; Deroncourt, F.; and Nguyen, T. H. 2022. Acronym Extraction and Acronym Disambiguation Shared Tasks at the Scientific Document Understanding Workshop.
- Wu, J.-W.; Yin, F.; Zhang, Y.-M.; Zhang, X.-Y.; and Liu, C.-L. 2019. Image-to-Markup Generation via Paired Adversarial Learning. In Berlingerio, M.; Bonchi, F.; Gärtner, T.; Hurley, N.; and Ifrim, G., eds., *Machine Learning and Knowledge Discovery in Databases*, 18–34. Cham: Springer International Publishing. ISBN 978-3-030-10925-7.
- Xiao, J.; Wang, L.; Deroncourt, F.; Bui, T.; Sun, T.; and Han, J. 2021. Open-Domain Question Answering with Pre-Constructed Question Spaces. In *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Student Research Workshop*, 61–67. Online: Association for Computational Linguistics.
- Zhang, J.; Du, J.; Yang, Y.; Song, Y.-Z.; Wei, S.; and Dai, L. 2020. A tree-structured decoder for image-to-markup generation. In *International Conference on Machine Learning*, 11076–11085. PMLR.
- Zhang, T.; Ladhak, F.; Durmus, E.; Liang, P.; McKeown, K.; and Hashimoto, T. B. 2023. Benchmarking Large Language Models for News Summarization. *arXiv preprint arXiv:2301.13848*.