

Emergence of a phonological bias in ChatGPT

Juan Manuel Toro^{1,2}

1. Institució Catalana de Recerca i Estudis Avançats (ICREA)
2. Universitat Pompeu Fabra

Contact information:

Juan Manuel Toro

Universitat Pompeu Fabra

C. Ramon Trias Fargas, 25-27

CP 08005, Barcelona (Spain)

juanmanuel.toro@upf.edu

Abstract

Current large language models, such as OpenAI's ChatGPT, have captured the public's attention because how remarkable they are in the use of language. Here, I demonstrate that ChatGPT displays phonological biases that are a hallmark of human language processing. More concretely, just like humans, ChatGPT has a consonant bias. That is, the chatbot has a tendency to use consonants over vowels to identify words. This is observed across languages that differ in their relative distribution of consonants and vowels such as English and Spanish. Despite the differences in how current artificial intelligence language models are trained to process linguistic stimuli and how human infants acquire language, such training seems to be enough for the emergence of a phonological bias in ChatGPT.

Keywords: ChatGPT, Consonant bias, Word recognition, Artificial intelligence

Introduction

Recent advances in artificial intelligence have allowed the development of powerful large language models. OpenAI's ChatGPT is perhaps the one that has made a most notable impact since its presentation to the public. ChatGPT not only answers questions in a comprehensive manner, it can write college-level essays or short tv scripts. The elaborate responses produced by the chatbot have a striking similarity to how humans use language. Here, we explore if phonological biases that are widely observed in human language processing also emerge in current artificial intelligence language models.

In humans, acquiring a language leads to the emergence of processing biases. A well-known example is that of the consonant bias. This bias consists in a strong reliance on consonants over vowels for lexical access. The consonant bias has been extensively documented across different ages (from young infants to adults), modalities (oral, written), native languages (English, French, Spanish, Dutch) and tasks (word learning, word reconstruction, masked priming). From their second year of life, humans focus more heavily on the consonants than on the vowels to identify and learn new words (1) in a trend that is kept through adulthood. In a word reconstruction task, if adult listeners are acoustically presented with a non-sense word, such as “kebra”, and are asked to change only 1 phoneme to form a real word, they tend to keep intact the consonantal tier of the word and change a vowel (thus, forming the word “kobra”, instead of the word “zebra”; 2). Similarly, in a masked priming task, primes that keep the consonantal tier of the target word prime as much as primes identical of the target word. In contrast, primes that keep the vowel tier of the target word do not produce a reliable priming effect (3). Even more, statistical computations that are linked to

the segmentation and learning of novel words are preferentially computed over consonants and not over vowels (4, 5). In humans, there is thus a strong phonological bias that favors the use of consonants for the identification of words.

Do current artificial large language models display a similar consonant bias?

Results

We asked ChatGPT which of two non-words, one with a vowel change and one with a consonant change, was more similar to a target word (using the prompt "If you have to choose, which of these two non-words is more similar to "natural", "nateral" or "nalural"?"; 6). Across 100 different words, the program exhibited a clear consonant bias, consistently choosing the non-word that left the consonantal tier of the target word intact over the non-word that preserved the vowel tier in up to 76% of the trials (C tier=76, V tier=24; Wilcoxon signed rank test $Z=1212$, $p<0.005$) independently of the length of the word, syllabic structure, position of the letter change or syntactic category of the word. In humans, the consonant bias is independent of native language (3). We tested ChatGPT in Spanish using the prompt "Si tienes que elegir, cual de estas dos no-palabras se parece más a [target word], [non-word 1] o [non-word 2]?". We also observed a strong tendency to prefer non-words that kept the consonantal tier of the target word (C tier=74, V tier=26; $Z=1313$, $p<0.005$; see Figure 1). The observed evidence suggests that ChatGPT relies more heavily on consonants than on vowels to identify words.




Figure 1. A consonant bias in ChatGPT. Number of trials in which ChatGPT chose non-words that kept the consonantal tier (Cs) over non-words that kept the vowel tier (Vs) as more similar to a target word.

Discussion

Natural languages tend to have more consonants than vowels. Out of 563 languages analyzed, not one has more vowels than consonants (7). English and Spanish, the two languages in which we tested the language model, differ in their relative distribution of consonants and vowels. While British English has 17 vowels and 24 consonants, Castilian Spanish has only 5 vowels and 20 consonants, with slight variations in both languages depending on dialect. Thus, listeners exposed to this asymmetry between consonants and vowels might learn to rely more on consonants to access the lexicon, as they are more informative to disambiguate between different words (8). However, this might not explain why natural languages tend to use more consonants than vowels in the first place (9). The presence of a consonant bias in ChatGPT across the two languages that we

tested suggests that it arises independently of specific asymmetries between different phonological representations. It also provides a parallel with the observed consonant bias in native speakers of diverse natural languages such as English, Spanish, French or Danish. Importantly, this preference to use consonants over vowels for word identification is not built into current large language models, such as ChatGPT (10). It seems to be a property that emerges from the training that prepares these models to process language.

To produce comprehensive sentences, large language models are trained on massive amounts of data, so they detect statistical dependencies between words and learn to predict what word most likely follows another in a given context. It might thus be the case that, by tracking the relative differences in the distribution of consonants and vowels present in natural languages, large language models learn to focus on the consonants to disambiguate between possible lexical tokens. Several arguments have been made on how the training process in large language models contrasts with how infants acquire language (11,12). From a young age, infants generalize grammatical rules from relatively scarce experience and discover how to combine elements of language at different hierarchical levels (from the phonemes to the syllable and the word) to potentially create an infinite number of sentences. The original hypothesis about the consonant bias is that it facilitates language learning by establishing a “division of labor” between different phonological representations. While consonants mainly provide lexical information, vowels provide indexical information (13), and infants might benefit from this division of labor to facilitate lexical access. Interestingly however, just like humans, current large language

models also seem to focus on consonants to identify words, drawing parallels between artificial and natural intelligences in their use of language (see also 14).

The evidence of a phonological bias in advanced chatbots is an example of emergent behavior in artificial intelligence. The fact that it parallels a phonological bias widely observed in human language processing, provides cues about the conditions under which some of the complexities of human language might arise across diverse cognitive systems.

Methods

We asked ChatGPT which of two non-words was more similar to a target word. We used the prompt "If you have to choose, which of these two words is more similar to [target word], [non-word 1] or [non-word 2]?". As targets, we selected 100 words in English (6). Crucially, the words had different length (2, 3 and 4 syllables), syllabic structure (CV, CVC, CCV and VC) and belonged to different syntactic categories (nouns, verbs and adjectives). To create the non-words, we changed either 1 vowel or 1 consonant in each target word. The change could be placed in any syllable of the target word, with the exception of the first syllable. Across different words, the changes were implemented in the onset, nucleus or coda of syllables. Importantly, the 2 non-words presented in each trial had their vowel and consonant change implemented in the same syllable. That is, for a given target word, both non-words would have either the consonant or the vowel changed in the second syllable, third or fourth syllable. The order of presentation of the non-words within the prompt was balanced across trials. So, in half of the trials the non-word with a consonant change was presented first and in the other half of the trials the non-word with a vowel change was presented first. ChatGPT

learns from previous interactions with the user, so no feedback was provided after its responses. Also, prompts were introduced one by one, so no automated script was used for their presentation.

We also queried ChatGPT in Spanish. The prompt was "Si tienes que elegir, cual de estas dos no-palabras se parece mas a [target word], [non-word 1] o [non-word 2]?". We selected as targets 100 words in Spanish (6). The creation and presentation of the non-words was the same as in English.

References

1. Nazzi, T., Poltrock, S., & Von Holzen, K. The developmental origins of the consonant bias in lexical processing. *Current Directions in Psychological Science*, 25, 291–296 (2016).
2. Cutler, A., Sebastian-Gallés, N., Soler-Vilageliu, O., & van Ooijen, B. Constraints on vowels and consonants on lexical selection: Cross-linguistic comparisons. *Memory & Cognition*, 28, 746-755 (2000).
3. New, B., Araujo, V., & Nazzi, T. Differential processing of consonants and vowels in lexical access through reading. *Psychological Science*, 19, 1223-1227 (2008).
4. Bonatti, L., Peña, M., Nespors, M. & Mehler, J. Linguistic constraints on statistical computations: The role of consonants and vowels in continuous speech processing. *Psychological Science*, 16, 451-459 (2005).
5. Toro, J.M., Nespors, M., Mehler, J. & Bonatti, L. Finding words and rules in a speech stream: Functional differences between consonants and vowels. *Psychological Science*, 19, 137-144 (2008).

6. For a complete list of English and Spanish words used as targets and nonwords, please see accompanying supplementary materials.
7. Maddieson, I. Consonant-Vowel Ratio. In: Dryer, Matthew S. & Haspelmath, Martin (eds.). *WALS Online (v2020.3)* [Data set]. Zenodo. <https://doi.org/10.5281/zenodo.7385533> (2013).
8. Keidel, J., Jenison, R., Kluender, K., & Seidenberg, M. Does grammar constrain statistical learning? Commentary on Bonatti, Peña, Nespor, and Mehler (2005). *Psychological Science*, 18, 922–923 (2007).
9. Bonatti, L., Peña, M., Nespor, M., & Mehler, J. On consonants, vowels, chicken and eggs. *Psychological Science*, 18, 924–925 (2007).
10. Brown et al. Language models are few-shot learners. arXiv:2005.14165v4 (2020).
11. Chomsky, N., Roberts, I. & Watumull, J. The false promise of ChatGPT. *The New York Times*, 2023/03/08 (2023).
12. Marcus, G. Innateness, AlphaZero, and Artificial Intelligence. arXiv:1801.05667 (2018).
13. Nespor, M., Peña, M., & Mehler, J. On the different roles of vowels and consonants in speech processing and language acquisition. *Lingue e Linguaggio*, 2, 203–230 (2002).
14. Cai, Z., Haslett, D., Duan, X., Wang, S., & Pickering M. Does ChatGPT resemble humans in language use? ArXiv:2303.08014 (2023).

Funding

This research was supported by grant PID2021-123973NB-I00 from the Ministerio de Ciencia e Innovación to JMT.

Data availability

All data is available in the supplementary materials.

Competing interests

The author declares no competing interests.

Supplementary material

Emergence of a phonological bias in ChatGPT

Juan Manuel Toro
 ICREA – Universitat Pompeu Fabra
 juanmanuel.toro@upf.edu

Table 1. List of 100 target words and non-words used for the English prompt “If you have to choose, which of these two non-words is more similar to [target word], [non-word 1] or [non-word 2]?”. Non-words had either one consonant or one vowel change. The fourth column shows the responses from ChatGPT.

<u>Target</u>	<u>C change</u>	<u>V change</u>	<u>Response</u>
acid	acif	aced	V change
adventure	adfenture	advonture	V change
ambitious	ambiliois	ambitaous	C change
amicable	amifable	amicoble	C change
argument	arsument	argiment	V change
astronaut	asgronaut	astrinaut	V change
attitude	attilude	attitade	V change
avocado	avolado	avocudo	V change
baby	maby	buby	V change
barbecue	barnecue	barbocue	V change
beautiful	beausiful	beautoful	V change
bicycle	binicle	bicacle	V change
brilliant	brilliart	brilliunt	V change
calculate	calgulate	calcelate	C change
calendar	camendar	calondar	V change
camera	calera	camura	V change
camera	catera	camura	V change
chocolate	chocorate	chocolite	V change
clever	clefer	clevor	V change
compassionate	comnassionate	composionate	C change
computer	comluter	compater	V change
confident	conrident	confodent	C change
construction	conspruction	constreccion	C change
conversation	condersation	convirsation	V change
design	delign	desegn	V change
dinosaur	dilosaur	dinesaur	C change
disparity	disnarity	dispurity	C change
diva	dina	divu	C change
document	docufent	docament	C change
economy	ecoromy	econimy	V change
elegant	elegart	elegunt	C change
elephant	emephant	elophant	V change
energetic	enedgetic	enurgetic	V change

even	evef	evun	V change
exercise	exencise	exurcise	V change
explore	explome	explora	V change
father	fatheg	fathor	V change
flower	flomer	flowir	V change
formidable	formisable	formidoble	V change
generate	genesate	generote	V change
generous	gederous	genarous	V change
honest	honent	honust	V change
hospital	hospital	hosputal	V change
imaginative	imapinative	imagunative	V change
improve	imfrove	imprave	V change
inevitable	inegitable	inevutable	V change
infection	infeltion	infuction	V change
insert	insent	insart	V change
intelligent	inmelligent	intolligent	V change
investigate	invesligate	investugate	V change
island	islard	islon	V change
keyboard	keymoard	keybeard	V change
lemon	leton	lemin	C change
library	ligrary	librory	V change
listen	lisfen	listun	C change
logical	lopful	logacal	V change
magic	magil	magec	C change
manage	mapage	manige	V change
mansion	mansiod	mansian	V change
metaphor	meraphor	metiphor	V change
microphone	microsone	microphune	V change
modest	modert	modost	V change
mysterious	myslerious	mystorious	V change
natural	nalural	nateral	V change
notebook	nosebook	notubook	V change
obsolete	obdolete	obsilete	C change
open	opes	opun	C change
optimistic	optimiltic	optimostic	V change
organize	ordanize	orgunize	C change
paper	pamer	papor	V change
parent	parelt	parunt	C change
passionate	passiodate	passionite	V change
powerful	powerful	powerful	V change
relax	relan	relix	V change
river	rives	rivur	V change
romantic	romaltic	romintic	V change
satisfaction	satislaction	satisfocion	V change
sensitive	sensipive	sensitove	C change
sincere	sintere	sincure	V change
social	sociam	sociul	V change
study	sfudy	stidy	V change
table	tabre	tabli	V change
telephone	teledone	telephine	V change

tomato	topato	tomuto	V change
travel	traved	travul	C change
triangle	triasgle	triengle	V change
trustworthy	trustwopthy	trustwerthy	V change
ultimate	ultisate	ultimote	V change
umbrella	umfrella	umbrilla	V change
understand	undepstand	undorstand	C change
universal	uniterisal	univorsal	V change
universe	upiverse	unaverse	V change
vanilla	vasilla	vanulla	C change
vegetable	vegemable	vegetible	V change
victory	vicpory	victory	V change
vivacious	vipacious	vivecious	C change
volunteer	volulteer	volanteer	V change
write	wrine	writu	V change
yesterday	yestenday	yesturday	C change
zebra	zetra	zebru	V change

Table 2. List of 100 target words and non-words used for the Spanish prompt “Si tienes que elegir, cual de estas dos no-palabras se parece más a [target word], [non-word 1] o [non-word 2]?”. Non-words had either one consonant or one vowel change. The fourth column shows the responses from ChatGPT.

<u>Target</u>	<u>C change</u>	<u>V change</u>	<u>Response</u>
abierto	abiento	abiorto	V change
abrazo	acrazo	abrizo	V change
aburrido	amurrido	aberrido	C change
agua	alua	agia	C change
alegre	adegre	aligre	V change
alegre	amegre	alugre	V change
alto	almo	alte	V change
alud	alun	aled	V change
animal	animad	animol	V change
aprender	apresder	aprunder	V change
árbol	árbon	árbil	V change
arco	arfo	arcu	C change
armario	arbario	armurio	C change
balón	balós	balín	V change
bocadillo	bonadillo	bocudillo	C change
bolígrafo	bosígrafo	bolágrafo	V change
bonito	bosito	bonuto	V change
brillante	brillacte	brillente	V change
caballo	calallo	cabillo	V change
calabaza	calaraza	calabiza	V change
calcetín	caldetín	calcitín	C change
caldero	calmero	caldiro	V change
calendario	calesdario	calondario	C change
cálido	cáfido	cáludo	V change

caliente	calieste	calionte	V change
caminar	cabinar	camunar	V change
carrusel	carrunel	carrusul	V change
casa	cafa	caso	V change
celebrar	cepebrar	celebrar	V change
cerrado	cerrafo	cerradi	V change
césped	césred	céspud	V change
cocinar	cocisar	cocinur	C change
comer	coter	comor	V change
comercio	comencio	comurcio	C change
compartir	compastir	compurtir	C change
complicado	complifado	complicudo	C change
concentración	concenpración	concentrución	C change
concierto	concipto	conciurto	V change
conectar	conentar	conictar	V change
conservar	consenvar	consurvar	V change
construir	constluir	constreir	V change
decidir	detidir	decedir	V change
delgado	delmado	delgodo	V change
descubrir	desdubrir	descabrir	C change
despertar	despentar	despurtar	V change
difícil	dibícil	difécil	V change
dirigir	diribir	dirigar	V change
divertido	divestido	divurtido	V change
dormida	dorpida	dormoda	V change
enseñar	enkeñar	ensiñar	V change
épico	énico	épuco	C change
escribir	esclibir	escrobir	C change
escritorio	escrilorio	escritario	V change
escuchar	esnuchar	escochar	V change
estudiar	estumiar	estuduar	V change
filtro	filpro	filtri	V change
flor	flon	flir	V change
fuerte	fuerde	fuerti	V change
grande	granfe	grandu	C change
hablar	hablaf	hablir	C change
hermoso	herdoso	hermeso	V change
horrible	horrible	horriblu	C change
hospital	hosfital	hospatal	V change
insecto	inselto	insocto	V change
instante	insfante	instunte	V change
interesante	intenesante	interosante	V change
investigar	invesfigar	investugar	V change
invierno	inviesno	inviurno	V change
iris	irin	ires	C change
jirafa	jinafa	jirofa	V change
joven	jovel	jovun	C change
manzana	mandana	manzina	C change
marmota	marlota	marmeta	V change
mejora	mebora	mejera	V change

nadar	nadap	nadur	C change
nariz	narip	naruz	V change
niña	nifa	niñu	C change
observar	obselvar	obsirvar	C change
oler	ober	olir	V change
opaco	oñaco	opico	V change
ordenador	orfenador	ordunador	V change
pantalon	pandalon	pantilon	V change
pequeño	pequedo	pequeñe	C change
primero	prifero	primuro	V change
rápido	rálido	rápudo	V change
reparar	relarar	reporar	V change
satélite	samélite	satúlite	V change
segundo	segurdo	segendo	C change
sencillo	sentillo	sencello	V change
sílaba	sígaba	síloba	V change
sombrilla	somgrilla	sombrolla	V change
soñar	sodar	soñir	V change
tambor	tambos	tambar	V change
trabajar	tradajar	trabojar	V change
tranquilo	tranquipo	tranquile	V change
triangulo	triasgulo	triongulo	V change
universo	univetso	univurso	V change
valiente	valierte	valionte	V change
visitar	vinitar	visatar	V change
zapato	zadato	zapeto	V change