
Internet of Things Meets Robotics: A Survey of Cloud-based Robots

Chrisantus Eze

Department of Computer Science
Oklahoma State University
Stillwater, Oklahoma
chrisantus.eze@okstate.edu

Abstract

This work presents a survey of existing literature on the fusion of the Internet of Things (IoT) with robotics and explores the integration of these technologies for the development of the Internet of Robotics Things (IoRT). The survey focuses on the applications of IoRT in healthcare and agriculture, while also addressing key concerns regarding the adoption of IoT and robotics. Additionally, an on-line survey was conducted to examine how companies utilize IoT technology in their organizations. The findings highlight the benefits of IoT in improving customer experience, reducing costs, and accelerating product development. However, concerns regarding unauthorized access, data breaches, and privacy need to be addressed for successful IoT deployment.

1 Introduction

The Internet of Things has continued to experience increased adoption, with numerous research efforts focusing on its deployment in various aspects of our daily lives. Similarly, robotics, which has been around for a while, has played a crucial role in diverse domains. However, there was a period during which both fields underwent significant development independently. It has now become evident that current scenarios require the integration of these two disciplines and a collaborative approach from their respective communities.

Over the years, areas such as healthcare and agriculture have witnessed significant impacts from IoT and robotics. [1] discussed how IoT and robotics have transformed healthcare services, including rehabilitation, assistive surgery, elderly care, and prosthetics. In another study by [2], a model called Automatic Agricultural field Robot – Agro-bot was introduced, which utilizes robotics and automation to perform various agricultural operations such as soil digging, seed sowing, precise watering, spraying, and weeding.

This paper provides an overview of IoT and Robotics technologies and explores their integration for the development of the Internet of Robotics Things (IoRT). The convergence of IoT and robotics is evident in various distributed and heterogeneous robot control paradigms, such as network robot systems [3] and robot ecologies [4]. Additionally, approaches like ubiquitous robotics [5] and cloud robotics [6–8] have emerged, utilizing server-side resources to handle resource-intensive functionalities. The concept of the "Internet of Robotic Things" (IoRT) was introduced to describe a scenario where sensor data from diverse sources is fused and processed using local and distributed intelligence to control physical objects. This cyber-physical perspective of IoRT leverages IoT's sensor and data analytics technologies to enhance robots' situational awareness, resulting in improved task execution. Notable use cases include intelligent transportation [9] and companion robots [10]. Subsequent literature on IoRT has explored alternative perspectives, such as emphasizing robust team communication [11] and considering robots as additional sensors within the IoT ecosystem [12, 13].




Figure 1: This illustrates the relationship between IoT and IoRT

Furthermore, cloud computing now finds increased applications in human-robot interaction, which is a field that seeks to develop techniques to enhance how humans interact and collaborate with robots. Notable works in this area include those by [14–16]. [14] proposed a system that provides companionship to the elderly using robotics, which can be controlled physically or remotely via cloud infrastructures. [15] presents a detailed concept of Human-Robot Interaction systems architecture, focusing on acquiring information about the robot’s interlocutor. It includes an IoT-based sensor subsystem for interlocutor identification and integrates additional subsystems for human and visual identification. [16] proposes a new system architecture for SIGVerse, addressing key problems in robotics simulation. By adopting Unity middleware for VR applications and ROS for robot software development, the proposed architecture enables faster development of human-robot interaction applications. Additionally, [17] proposed techniques and guidelines to design Augmented Reality (AR) interfaces, enhancing the experience of humans interacting with robots.

The rest of the paper is organized according to the following: the existing literature is reviewed in Section 2, Section 3 presents some of the core challenges being faced, and finally, in Section 4 the work is summarized and concluded.

2 Review of Literature

In this section, I will explore some existing works that focus on integrating IoT with robotics for various applications in healthcare, agriculture, and other fields.

2.1 Design and Implementation of Ploughing and Seeding of Agriculture Robot Using IOT

[18] proposed a system that involves the utilization of a robot for automating the processes of sowing crops, plowing the field, and automatically sprinkling water on the crops. The robot is equipped with motors that enable its movement in both forward and backward directions. To train the robot, an embedded instructing coding system is employed, enabling it to carry out the tasks of sowing, plowing, and watering the crops. By setting specific time intervals, these operations can be executed automatically without the need for manual labor.

2.2 Internet of Things-Based Devices/Robots in Agriculture 4.0

[19] examines the work conducted by researchers and engineers, as well as the major application areas of Internet of Things (IoT)-based devices in smart agriculture. The article also discusses the various equipment and technologies employed in smart agriculture. Additionally, it highlights the challenges encountered when implementing IoT-based devices in agriculture. The study’s findings are valuable and helpful for researchers, agriculturists, and professionals working in the field of modern agriculture. The utilization of IoT brings benefits to farming and agriculture by introducing concepts such as live tracking, pest control, irrigation management, soil analysis, and more. Consequently, this paper provides a critical review of IoT-based devices deployed in agricultural fields, with the introduction section exploring the growth of IoT-based devices in agriculture.

2.3 Agrobot - An IoT-Based Automated Multi-Functional Robot

The authors in [2] presented an Agrobot, a robot designed to meet agricultural requirements and enhance various aspects of farming operations. This Agrobot incorporates an automated seed-planting machine, thereby significantly improving agricultural output. With the ability to perform tasks such as drilling, fertilizing, seed sowing, and watering, this single robot serves as an optimal solution to overcome challenges arising from the limited availability of working capital and increasing labor costs. By introducing automated equipment in farming, it becomes possible to scale up production within a limited timeframe.

2.4 Internet of Things and Robotics in Transforming Current-Day Healthcare Services

The study in [1] examines the role of the Internet of Things (IoT) and robotics in transforming healthcare services. It presents the various functionalities of ideal IoT-aided robotic systems and highlights their importance in healthcare applications. The research focuses on the application of IoT and robotics in healthcare services such as rehabilitation, assistive surgery, elderly care, and prosthetics. It provides a detailed analysis of recent developments, the current status, limitations, and challenges in this field. Additionally, the study discusses the role and applications of these technologies in managing the COVID-19 pandemic. It offers comprehensive knowledge of the functionality, application, challenges, and future scope of IoT-aided robotic systems in healthcare services. This research provides valuable insights for future researchers aiming to enhance healthcare services using these technologies.

2.5 Internet of Robotic Things: Context-Aware and Personalized Interventions of Assistive Social Robots

In our daily lives, versatile and capable assistive service and companion robots are present, operating within our living environment. These robots possess the ability to manipulate physical objects, navigate their surroundings, and engage in conversations. However, human behavior is often unpredictable and dynamic, necessitating the assistance of a cloud-backend system. This system serves several purposes, including analyzing data from sensors and wearables, determining the required robotic tasks, and providing the necessary support for executing these tasks effectively in our everyday environment. The authors in [10] presented a system architecture design for an Internet-of-Robotic-Things (IoRT) framework. To showcase the practical application of this framework, they focused on a case study involving personal interactions facilitated by a companion robot. The objective of the case study was to alleviate behavioral disturbances experienced by individuals with dementia.

2.6 Innovative and efficient method of robotics for helping the Parkinson's disease patient using IoT in big data analytics

Big data has accumulated a massive amount of stored data in various fields, including robotics, the Internet of Things (IoT), and healthcare systems. While IoT-based healthcare systems play a crucial role in the big data industry, there are instances where accurately predicting results through sensing can be challenging. The proposed system in [20], which combines artificial intelligence and IoT for Parkinson's disease, has the potential to significantly enhance gait performance. This research provides a clear understanding of the role of robots in Parkinson's disease and their interaction with big data analytics. The research scheme involves collecting data from big data sources and introducing a novel approach that utilizes laser scanning combined with piecewise linear Gaussian dynamic time warp machine learning. A laser scanning system is used to scan the path for obstacles and identify safe areas. The primary role of the robot is to predict the motion of the patient using the walker and provide appropriate physical training. As both the patient and the robot have fixed sensors, the robot walks alongside the patient to accurately predict the patient's walker motion.

2.7 Healthcare Robots Enabled with IoT and Artificial Intelligence for Elderly Patients

The authors in [21] identified the needs of elderly patients and proposed solutions using personalized robots. The utilization of IoT devices enables the quick prediction of emergency situations by providing vital information, while artificial intelligence aids in suggesting necessary actions. Health data from patients is obtained through IoT-based wearable devices and processed using AI for

decision-making. The designed robot then carries out the required actions based on these decisions. Humanoid robots can be designed to provide healthcare and physical assistance to elderly patients and those with chronic conditions. Additionally, animal-like robots can be developed to act as pets and offer companionship to individuals with psychosocial issues. The main objective is to review the capabilities of robots and lay the groundwork for future advancements, envisioning a robot that can prevent interventions, perform multiple functions, engage in motivational interactions, provide enhanced educational data, and promptly alert an ambulance in case of emergencies.

2.8 Distributed Perception by Collaborative Robots

The authors of the study in [22] proposed a framework to leverage the combined computational power of multiple low-power robots in order to enable efficient, dynamic, and real-time recognition. The method is designed to adapt to the availability of computing devices during runtime and adjust to the inherent dynamics of the network. The framework is applicable to any distributed robot system. To demonstrate its effectiveness, the researchers implemented the framework using several Raspberry-Pi3-based robots equipped with cameras (up to 12 robots). They successfully implemented a state-of-the-art action recognition model for videos and two recognition models for images. The results show that this approach allows a group of low-power robots to achieve similar performance (measured in terms of the number of images or video frames processed per second) compared to a high-end embedded platform, Nvidia Tegra TX2.

2.9 Robot Cloud: Bridging the power of robotics and cloud computing

Cloud computing has become a transformative force in the cyber world, serving as a prominent computing and service platform for resource sharing. This includes sharing platforms, software applications, and various services. The authors in [23] tried to merge the cyber world with the physical world through the concept of the "Robot Cloud," which aims to combine the capabilities of robotics with cloud computing. To realize this vision, the researchers propose a novel Robot Cloud stack, designed to support and facilitate the integration. They employ a service-oriented architecture (SOA) to enhance the flexibility, extensibility, and reusability of the functional modules within the Robot Cloud. To showcase their design approach, a prototype of the Robot Cloud is developed using the widely-used Google App Engine. Additionally, simulation experiments are conducted in the context of a "robot show" application scenario. These experiments evaluate the proposed scheduling policy and investigate the impact of different request distributions and robot center solutions.

2.10 Internet of Things (IoT) based Robotic Arm

In this project [24], the authors achieved control over a robotic arm not only through traditional wired controls but also by utilizing the emerging technology of the Internet of Things (IoT). By incorporating an IoT interface, they were able to remotely control the robotic arm, making it applicable to various industrial settings where machines require control from distant locations. This project not only enables real-time response to commands but also records and reproduces specific movements, thereby reducing the need for human intervention and effort in repetitive tasks.

2.11 ROSLink: Bridging ROS with the Internet-of-Things for Cloud Robotics

The Internet of Things (IoT) and cloud robotics may be seamlessly integrated with ROS-enabled robots thanks to a new communication protocol called ROSLink [25]. ROSLink does away with the necessity for Network Address Translation (NAT) and enables any robot to be mapped to any user via the Internet by implementing the server in a widely accessible cloud. The JSON serialization-based protocol has been shown to be effective and dependable for operating robots over the cloud. Given the accessibility of fast internet connections and an abundance of bandwidth, ROSLink offers a compact and scalable solution with little extra network overhead. The evaluation research looked at how various network topologies affected performance.

3 Challenges and Issues

Several issues could arise when smart objects and devices are interconnected with robots. This section describes some of the key issues and challenges currently facing the adoption of IoT and robotics.

3.1 Security and Privacy

It is important to ensure that the connection is secure and user data is protected against malicious hackers. To achieve optimal security and privacy, there is a need to explore a novel access control mechanism that works in conjunction with robot authentication, with a focus on defining and managing robot identity [26]. Additionally, implementing algorithms for data confidentiality and message integrity is essential, along with advanced approaches to identify and restrict the involvement of untrusted devices and robots within the system.

3.2 Computational Complexity

Interconnecting multiple devices in a shared network often leads to various computational issues, which are further exacerbated when highly computationally intensive devices like robots are added to the network. These issues can manifest in different forms, such as implementing network protocols, designing algorithms for message sharing among devices, real-time knowledge sharing, handling big data, and optimizing bandwidth usage.

3.3 Ethical

There have been several ethical concerns regarding the deployment of IoT and robots in various settings. [27] discussed ethical issues related to the deployment of IoT technology, including informed consent, privacy, trust, and physical safety. [28] outlined ethical concerns associated with deploying robot applications for assisting the elderly, such as reduced human contact, feelings of objectification and loss of control, loss of privacy, loss of personal liberty, deception, and infantilization, and the circumstances of elderly people controlling robots.

4 Summary and Conclusion

In this study, I conducted a literature review on the integration of the Internet of Things (IoT) with robotics. The aim of this paper is to present an overview of IoT and robotics technologies and investigate their integration for the development of the Internet of Robotics Things (IoRT). The survey primarily focused on the application of IoRT in healthcare and agriculture. Additionally, I addressed some of the major concerns related to the adoption of IoT and robotics.

Furthermore, I conducted an online survey to examine the usage of IoT technology in companies. Here are the findings from the survey:

Customer experience: The company used IoT to provide customers with real-time information about products and services, such as product availability, and delivery status. This helps to improve customer satisfaction and loyalty.

Costs: IoT can be used to automate tasks, such as monitoring and controlling equipment, which can help to reduce costs. The company uses IoT to monitor and regulate the temperature in the building. They also ensure the proper regulation of the temperature in unoccupied rooms to conserve energy and cost electricity cost.

Speed of product development: IoT can also be used to collect data from products in the field, which can be used to improve the design and development of new products. For example, the company used IoT to collect information about how users use their products and use those data to improve the next iteration of the products.

They also stated some of the concerns they have with the deployment of IoT, such as:

Unauthorized access: IoT devices are often connected to the internet, which makes them vulnerable to unauthorized access.

Data breaches: IoT devices can collect a lot of data about users, which can be used for malicious purposes if it is not properly secured.

Privacy concerns: Some users may be concerned about the amount of data that IoT devices collect about them.

Therefore, it is noteworthy that organizations that successfully adopt IoT need to address these challenges in order to protect their users and their data.

References

- [1] Bikash K. Pradhan, Deepti Bharti, Sumit Chakravarty, Sirsendu Sekhar Ray, Vera V. Voinova, Anton P. Bonartsev, and Kunal Pal. Internet of things and robotics in transforming current-day healthcare services. *Journal of Healthcare Engineering*, 2021, 2021.
- [2] Akash Bharti, Malgari Harivardhan Reddy, P. Raja, Mukesh, Nitin Kumar, and Ratish. Agrobot- an iot-based automated multi-functional robot. In *2022 IEEE Conference on Interdisciplinary Approaches in Technology and Management for Social Innovation (IATMSI)*, pages 1–6, 2022.
- [3] Alberto Sanfeliu, Norihiro Hagita, and Alessandro Saffiotti. Network robot systems. *Robotics and autonomous systems*, 56(10):793–797, 2008.
- [4] A. Saffiotti, M. Broxvall, M. Gritti, K. LeBlanc, R. Lundh, J. Rashid, B.S. Seo, and Y.J. Cho. The peis-ecology project: Vision and results. In *2008 IEEE/RSJ International Conference on Intelligent Robots and Systems*, pages 2329–2335, 2008.
- [5] Jong-Hwan Kim, Kang-Hee Lee, Yong-Duk Kim, Naveen Suresh Kuppuswamy, and Jun Jo. Ubiquitous robot: A new paradigm for integrated services. In *Proceedings 2007 IEEE International Conference on Robotics and Automation*, pages 2853–2858, 2007.
- [6] Ben Kehoe, Sachin Patil, Pieter Abbeel, and Ken Goldberg. A survey of research on cloud robotics and automation. *IEEE Transactions on Automation Science and Engineering*, 12(2):398–409, 2015.
- [7] Guoqiang Hu, Wee Peng Tay, and Yonggang Wen. Cloud robotics: architecture, challenges and applications. *IEEE Network*, 26(3):21–28, 2012.
- [8] Koji Kamei, Shuichi Nishio, Norihiro Hagita, and Miki Sato. Cloud networked robotics. *IEEE Network*, 26(3):28–34, 2012.
- [9] Ankur Roy Chowdhury. Iot and robotics: a synergy. *PeerJ Preprints*, 5:e2760v1, 2017.
- [10] Pieter Simoens, Christof Mahieu, Femke Ongenaes, Femke De Backere, Stijn De Pestel, Jelle Nelis, Filip De Turck, Shirley A Elprama, Katriina Kilpi, Charlotte Jewell, et al. Internet of robotic things: Context-aware and personalized interventions of assistive social robots (short paper). In *2016 5th IEEE International Conference on Cloud Networking (Cloudnet)*, pages 204–207. IEEE, 2016.
- [11] Cristanel Razafimandimby, Valeria Loscri, and Anna Maria Vegni. A neural network and iot based scheme for performance assessment in internet of robotic things. In *2016 IEEE first international conference on internet-of-things design and implementation (IoTDI)*, pages 241–246. IEEE, 2016.
- [12] Jihye Oh, Yoosang Park, Jongsun Choi, and Jaeyoung Choi. A rule-based context transforming model for robot services in internet of things environment. In *2017 14th International Conference on Ubiquitous Robots and Ambient Intelligence (URAI)*, pages 331–336, 2017.
- [13] Vito Scilimati, Antonio Petitti, Pietro Boccadoro, Roberto Colella, Donato Di Paola, Annalisa Milella, and Luigi Alfredo Grieco. Industrial internet of things at work: a case study analysis in robotic-aided environmental monitoring. *IET Wirel. Sens. Syst.*, 7:155–162, 2017.
- [14] Yan-You Chen, Jhing-Fa Wang, Po-Chuan Lin, Po-Yi Shih, Hsin-Chun Tsai, and Da-Yu Kwan. Human-robot interaction based on cloud computing infrastructure for senior companion. In *TENCON 2011 - 2011 IEEE Region 10 Conference*, pages 1431–1434, 2011.
- [15] Michal Podpora, Arkadiusz Gardecki, Ryszard Beniak, Bartłomiej Klin, Jose Lopez Vicario, and Aleksandra Kawala-Sterniuk. Human interaction smart subsystem—extending speech-based human-robot interaction systems with an implementation of external smart sensors. *Sensors*, 20(8):2376, 2020.

- [16] Yoshiaki Mizuchi and Tetsunari Inamura. Cloud-based multimodal human-robot interaction simulator utilizing ros and unity frameworks. In *2017 IEEE/SICE International Symposium on System Integration (SII)*, pages 948–955, 2017.
- [17] Chrisantus Eze and Christopher Crick. Enhancing human-robot collaboration by exploring intuitive augmented reality design representations. *arXiv preprint arXiv:2303.05539*, 2023.
- [18] S. Poonguzhali and Thandapani Gomathi. Design and implementation of ploughing and seeding of agriculture robot using iot. In *Advances in Intelligent Systems and Computing*, 2020.
- [19] Gulbir Singh and Kuldeep Kumar Yogi. Internet of things-based devices/robots in agriculture 4.0. In *Sustainable Communication Networks and Application: Proceedings of ICSCN 2021*, pages 87–102. Springer, 2022.
- [20] CB Sivaparthipan, Bala Anand Muthu, Gunasekaran Manogaran, Balajee Maram, Revathi Sundarasekar, Sujatha Krishnamoorthy, Ching-Hsien Hsu, and Karthik Chandran. Innovative and efficient method of robotics for helping the parkinson’s disease patient using iot in big data analytics. *Transactions on Emerging Telecommunications Technologies*, 31(12):e3838, 2020.
- [21] S Porkodi and D Kesavaraja. Healthcare robots enabled with iot and artificial intelligence for elderly patients. *AI and IoT-Based Intelligent Automation in Robotics*, pages 87–108, 2021.
- [22] Ramyad Hadidi, Jiashen Cao, Matthew Woodward, Michael S. Ryoo, and Hyesoon Kim. Distributed perception by collaborative robots. *IEEE Robotics and Automation Letters*, 3(4):3709–3716, 2018.
- [23] Zhihui Du, Ligang He, Yinong Chen, Yu Xiao, Peng Gao, and Tong Wang. Robot cloud: Bridging the power of robotics and cloud computing. *Future Gener. Comput. Syst.*, 74:337–348, 2017.
- [24] Kaustubh Gawli, Parinay Karande, Pravin Belose, Tushar Bhadirke, and Akansha Bhargava. Internet of things (iot) based robotic arm. *Int. Res. J. Eng. Technol*, 4(03), 2017.
- [25] Anis Koubaa, Maram Alajlan, and Basit Qureshi. Roslink: bridging ros with the internet-of-things for cloud robotics. *Robot Operating System (ROS) The Complete Reference (Volume 2)*, pages 265–283, 2017.
- [26] Luigi Alfredo Grieco, Alessandro Rizzo, Simona Colucci, Sabrina Sicari, Giuseppe Piro, Donato Di Paola, and Gennaro Boggia. Iot-aided robotics applications: Technological implications, target domains and open issues. *Computer Communications*, 54:32–47, 2014.
- [27] Fritz Allhoff and Adam Henschke. The internet of things: Foundational ethical issues. *Internet Things*, 1-2:55–66, 2018.
- [28] Amanda J. C. Sharkey and Noel E. Sharkey. Granny and the robots: ethical issues in robot care for the elderly. *Ethics and Information Technology*, 14:27 – 40, 2010.