



A ROBUST OPTIMIZATION APPROACH MODEL FOR A MULTI-VACCINE MULTI-ECHELON SUPPLY CHAIN

A. BOUCHENINE^{1,2*}, I. ALMARAJ^{1,2}

¹Department of Industrial and Systems Engineering King Fahd University of Petroleum and Minerals, 5063, Dhahran 31261, Saudi Arabia

²Interdisciplinary Center for Smart Mobility and Logistics, King Fahd University of Petroleum and Minerals, 5063, Dhahran 31261, Saudi Arabia <u>b92.abderrahmen@gmail.com</u>, <u>g202113210@kfupm.edu.sa</u>, almaraj@kfupm.edu.sa

ABSTRACT

This research investigates a multi-product, multi-echelon and multi-period vaccine supply chain (SC) network model under uncertainty and quality inspection errors. The objective function seeks optimizing the total cost (economic cost) of the SC. Moreover, the proposed model is formulated as a Mixed Integer Linear Programming problem (MILP) under multiple sources of uncertain parameters including demand, inspection errors, vaccine waste generated in healthcare centers, and defective treatment rate of vaccine waste. To provide meaningful solutions which are robust against future fluctuation of parameters, the robust optimization approach is utilized to incorporate the decision maker's risk attitude under different type of uncertainty sets namely, box, polyhedral and combination of interval polyhedral. The performance of the proposed model is demonstrated through an illustrative example. The results show the effect of different types of uncertainties on the overall objective function. Managerial insights and research implications in terms of reverse vaccine SC is advised and future research directions are proposed.

Keywords: vaccine supply chain, robust optimization, inspection errors, uncertainty sets.

1 INTRODUCTION AND LITERATURE REVIEW

Vaccines are one of the most cost-effective methods to contain outbreaks. Over years, vaccination has proven to be the most efficient way to prevent and control the spread of infectious diseases [1]. Vaccine supply chain has drastically affected by the emergence of COVID-19 pandemic in the last two-years. Therefore, distribution of vaccines become a challenge for policymakers. Moreover, the World Health Organization (WHO) defined priorities for containing epidemics by distributing mass vaccination (especially for developing countries) into three main priorities namely, products and packaging, immunization supply system efficiency, and environmental impact of immunization supply systems [2]. Recently, many researchers have extensively addressed these preferences in the literature in order to tackle the vaccine supply chain problems through its life cycle. Most importantly, a focus has been shaded on four components of the vaccine supply chain; product, production, allocation and distribution [2]. Vaccine delivery may take different levels to the patients, for instance, from supplier to distribution centers and finally to medical centers (hospitals, school/university medical centers), thus, the mass vaccination planning dilemma presents a difficulty for scholars and policymakers [3]. Another issue that may arise during a pandemic containment is the huge amounts of medical waste generated

^{*} Corresponding Author: <u>b92.abderrahmen@gmail.com</u>, <u>g202113210@kfupm.edu.sa</u> (A.Bouchenine).





from healthcare centers due to patient's vaccination campaign. Because it is hazardous, this type of waste needs to be handled accordingly [4]. Consequently, vaccination waste represents an additional risk that needs to be handled with caution and disposed of so as to protect medical staff and those working on the containment effort [4]. Vaccine supply chain is prone to disruption by many factors, one of the major causes that may lead to shortages and stockouts of vaccines in the market is imperfect or contaminated items (defective items). As results, vaccine inspection could take place in different stages along its distribution to the end user.

Since the appearance of COVID-19 outbreak, many research have been conducted on vaccine supply chain. For instance, Gilani and Sahebi.[5] presented a mathematical model which propose a robust optimization model to address the vaccination distribution as an uncertain parameter, based on a polyhedral uncertainty set. Manupati et al.[6] suggested a decision support in order to distribute the vaccine and give access to it. In terms of vaccine distribution, many aspects have been investigated in the literature; Bertsimas et al.[7] presented the location of vaccine facilities in the mass vaccination campaign using a data-driven method to optimize COVID-19 vaccine supply chain. Duijzer et al.[2] proposed a literature review on vaccine distribution where many structures and frameworks have been identified.

The existing literature on vaccine quality control along with its waste management need to be extended, since quite few works have combined these issues together in the literature. In contrast, cold supply chain has been drastically carried out during the past years in different setting.

To this end, the vaccine SC with inspection errors along with its waste are critical aspect for stakeholders during an outbreak like COVID-19, which limit the access to the vaccine items and cause shortages at the healthcare centers level. According to the conducted literature, vaccine SC with inspection errors and its waste management have not been addressed before in the literature, this motivates us to investigate the proposed problem.

The rest of the manuscript is structured as follows; first, we formulate the deterministic model and define the problem, then the robust convex optimization approach is introduced, the deterministic model is transformed into a robust counterpart program for all uncertainty sets, interval-polyhedral, polyhedral and box. Next, to validate the proposed model, an illustrative example is introduced; computational results and analysis are conducted. Finally, the paper is concluded with comprehensive discussion along with conclusion and future extensions.

2 PROBLEM STATEMENT AND FORMULATION

In this work, a vaccine supply chain system comprised of multiple periods, multiproduct, and echelons are considered. The flow of vaccine is depicted in figure-1, and can be described as follows; the vaccine orders are received from suppliers(s) to a set of healthcare distribution centers for inspection, and then are moved to the healthcare centers according to the demand. Furthermore, due to a massive vaccination campaign, a considerable amount of vaccine waste is generated. Consequently, the vaccine wastes resulted from healthcare centers are shipped to vaccine waste storage centers along with defective items from the distribution centers. It is assumed that vaccine storage centers have an inventory in order to handle the massive vaccine waste generated from healthcare centers have a defective treatment rate, which cannot treat all the generated vaccine waste directly due to machine breakdowns, periodic maintenance. Next, vaccine waste is transported to possible treatment facilities, in practice, these centers are devoted to treating special medical waste generated by hospitals and clinics





using specialized technology. Finally, the treated wastes are disposed through landfills. The supply chain facilities are considered to be fixed and predefined. The provided healthcare distribution centers serve as inspection unit in which the vaccine orders received are inspected and screened for any defects, in addition, type I & II errors ($\gamma_1 \& \gamma_2$) assumed to occur during the inspection and considered as uncertain parameters. The objective function seeks to minimize the total cost of the proposed supply chain problem to better serve the healthcare centers with vaccine items and get dispose of vaccine waste generated in an efficient manner.

The following are the problem's primary presumptions:

- It is assumed that items in the potential healthcare distribution centers are subject to partial disruption due to inspection errors.
- Healthcare distribution centers consists of inspection units and warehouses. The received vaccine items are all inspected and screened for any defects in the inspection units and then moved to the warehouses. While defective items are discarded directly through the storage waste centers.



Figure 1: Supply chain network for the proposed problem.

2.1 Notation

Sets	Parameters
S Set of possible suppliers $s \in S$.	FS_s The fixed cost of supplier selection $s \in S$ at time t.
W Set of potential distribution centers $w \in W$.	FW_w The fixed cost of opening a warehouse $w \in W$ at
H Set of healthcare centers $h \in H$.	time t.
0 Set of potential treatment centers $o \in O$.	FG _g The fixed cost of opening vaccine waste storage
G Set of potential storage centers $g \in G$.	center $g \in G$ at time t.
L Set of potential landfills $l \in L$.	FO_0 The fixed cost of opening a treatment center $o \in C$
P Set of vaccine products types $p \in P$.	0 at time t.
T Set of time periods $t \in T$.	FL_1 The fixed cost of opening a landfill $1 \in L$ at time t.





Decision variables	D_{hpt} The demand of vaccine items $p \in P$ in the
Decision variables QS_{swpt} Amount of vaccine ordered from supplier $s \in S$ to distribution centers $w \in W$ at time t. QW_{whpt} Amount of vaccine shipped from distributioncenters $w \in W$ to healthcare centers $h \in H$ at time t. QD_{wgpt} Amount of defective vaccine shipped fromdistribution centers $w \in W$ to vaccine waste storagecenter $g \in G$ at time t. QU_{whpt} Amount of unmet demand of vaccine items tothe healthcare center $h \in H$ at time t. QH_{hgt} Amount of vaccine waste shipped fromhealthcare centers $h \in H$ to vaccine waste storagecenters $g \in G$ at time t. QG_{got} Amount of vaccine waste shipped from wastestorage centers $g \in G$ to treatment facility $o \in O$ attime t. QO_{olt} Amount of treated vaccine waste shipped fromtreatment centers $o \in O$ to landfill $l \in L$ at time t. INV_{gt} Inventory level of vaccine waste at the wastestorage center $g \in G$ at time t. $Y_{wt} = 1$: If an order is placed at time t. 0, otherwise. $S_{st} = 1$: If a distribution center $w \in W$ is opened attime t, 0 otherwise. $G_{gt} = 1$: If storage center $o \in O$ is opened at time t, 0otherwise. $Q_{ot} = 1$: If a landfill $l \in L$ is opened at time t, 0otherwise. $L_{lt} = 1$: If landfill $l \in L$ is opened at time t, 0otherwise. U U M <td>D_{hpt} The demand of vaccine items p ∈ P in the healthcare center h ∈ H at time t. <i>WW</i>_{ht} The amount of vaccine waste generated in the healthcare center h ∈ H at time t. <i>KW</i>_{wp} Ordering cost per lot size of vaccine items p ∈ P incurred at the distribution center w ∈ W. HCW_{wp} The inventory holding cost of vaccine items p ∈ P at the distribution center w ∈ W. p_{hp} The shortage cost of vaccine items in the healthcare center h ∈ H. c_{sp} The purchasing cost per vaccine items p ∈ P at the supplier s ∈ S. HCG_g The holding cost of vaccine waste in the waste storage centers g ∈ G. TC_o Treatment cost incurred in treatment center o ∈ 0. Ø The defective treatment rate in the potential treatment center o ∈ 0. I_{wp} Inspection cost of the vaccine items. (1 − p) The probability of defective items. p The apparent probability of non-defective items. (1 − p) The apparent probability of non-defective items. y₁ Probability of type I error of inspection. Y₂ Probability of type I error of inspection. TS_{sw} Transportation cost of vaccine from supplier to distribution center. TW_{wh} Transportation cost of defective vaccine items from distribution center. TW_{wh} Transportation cost of vaccine from distribution center. TW_{wh} Transportation cost of vaccine from distribution center. TM_{wg} Transportation cost of vaccine from distribution center. TM_{wg} Transportation cost of vaccine from distribution center. TH_{hg} Transportation cost of vaccine waste from healthcare centers.</td>	D _{hpt} The demand of vaccine items p ∈ P in the healthcare center h ∈ H at time t. <i>WW</i> _{ht} The amount of vaccine waste generated in the healthcare center h ∈ H at time t. <i>KW</i> _{wp} Ordering cost per lot size of vaccine items p ∈ P incurred at the distribution center w ∈ W. HCW _{wp} The inventory holding cost of vaccine items p ∈ P at the distribution center w ∈ W. p _{hp} The shortage cost of vaccine items in the healthcare center h ∈ H. c _{sp} The purchasing cost per vaccine items p ∈ P at the supplier s ∈ S. HCG _g The holding cost of vaccine waste in the waste storage centers g ∈ G. TC _o Treatment cost incurred in treatment center o ∈ 0. Ø The defective treatment rate in the potential treatment center o ∈ 0. I _{wp} Inspection cost of the vaccine items. (1 − p) The probability of defective items. p The apparent probability of non-defective items. (1 − p) The apparent probability of non-defective items. y ₁ Probability of type I error of inspection. Y ₂ Probability of type I error of inspection. TS _{sw} Transportation cost of vaccine from supplier to distribution center. TW _{wh} Transportation cost of defective vaccine items from distribution center. TW _{wh} Transportation cost of vaccine from distribution center. TW _{wh} Transportation cost of vaccine from distribution center. TM _{wg} Transportation cost of vaccine from distribution center. TM _{wg} Transportation cost of vaccine from distribution center. TH _{hg} Transportation cost of vaccine waste from healthcare centers.
Uncertain parameters	TM_{go} Transportation cost of vaccine waste from the
$\begin{array}{lll} D_{hpt} & \text{Ihe demand of vaccine items } p \in P \text{ in the} \\ \text{healthcare center } h \in H \text{ at time t.} \\ \widehat{VW}_{ht} & \text{The amount of vaccine waste generated in the} \\ \text{healthcare center } h \in H \text{ at time t.} \\ \widetilde{\Theta} & \text{The defective treatment rate in the potential} \\ \text{treatment center } o \in 0. \\ \widehat{\gamma}_1 & \text{Probability of type I error of inspection.} \\ \widehat{\gamma}_2 & \text{Probability of type II error of inspection.} \end{array}$	$ \begin{array}{ll} \text{waste storage center to treatment center.} \\ \text{TO}_{ol} & \text{Transportation cost of treated vaccine waste} \\ \text{potential o landfills at time t.} \\ \text{CS}_{sp} & \text{The supplier capacity of vaccine } p \in P. \\ \text{CW}_{wp} & \text{The distribution center capacity of vaccine } p \in P. \\ \text{CG}_g & \text{The waste storage center capacity } g \in G. \\ \text{CO}_o & \text{The treatment center capacity, } o \in O. \\ \text{CL}_l & \text{The landfills capacity, } l \in L. \\ \text{M} & \text{Big number.} \end{array} $

The deterministic problem is formulated as follows:

$$\begin{split} \text{Minimize } Z_1 &= \sum_{t \in T} \sum_{s \in S} FS_s * S_{st} + \sum_{t \in T} \sum_{w \in W} FW_w * W_{wt} + \sum_{t \in T} \sum_{g \in G} FG_g * G_{gt} \\ &+ \sum_{t \in T} \sum_{o \in O} FO_o * O_{ot} + \sum_{t \in T} \sum_{l \in L} FL_l * L_{lt} + \sum_{t \in T} \sum_{s \in S} \sum_{w \in W} \sum_{p \in P} QS_{swpt} * TS_{swp} \\ &+ \sum_{t \in T} \sum_{w \in W} \sum_{p \in P} KW_{wpt} * Y_{wt} + \sum_{t \in T} \sum_{s \in S} \sum_{w \in W} \sum_{p \in P} QS_{swpt} * c_{spt} \\ &+ \sum_{t \in T} \sum_{s \in S} \sum_{w \in W} \sum_{p \in P} (QS_{swpt} * I_{wp}) + \sum_{t \in T} \sum_{s \in S} \sum_{w \in W} \sum_{p \in P} (QS_{swpt} * HCW_w) \end{split}$$





$$+\sum_{t\in T}\sum_{w\in W}\sum_{h\in H}\sum_{p\in P}QW_{whpt}*(1-\bar{p})*TW_{whp}$$

$$+\sum_{t\in T}\sum_{w\in W}\sum_{h\in H}\sum_{p\in P}QU_{whpt}*p_{hp} + \sum_{t\in T}\sum_{w\in W}\sum_{g\in G}\sum_{p\in P}QD_{wgpt}*(\bar{p})*TG_{wg}$$

$$+\sum_{t\in T}\sum_{h\in H}\sum_{g\in G}QH_{hgt}*TH_{hg} + \sum_{t\in T}\sum_{g\in G}\sum_{o\in O}QG_{got}*TM_{go}$$

$$+\sum_{t\in T}\sum_{o\in O}\sum_{l\in L}QO_{olt}*TO_{ol} + \sum_{t\in T}\sum_{g\in G}INV_{gt}*HCG_{g} + \sum_{t\in T}\sum_{g\in G}\sum_{o\in O}QG_{got}*(1-\tilde{\Theta})*TC_{o}$$
Direct to:

Subject to:

$$\sum_{s \in S} QS_{swpt} * (1 - \bar{p}) \ge \sum_{h \in H} QW_{whpt} + \sum_{g \in G} QD_{wgpt} * \bar{p} \quad \forall p, w, t$$
⁽²⁾

$$\sum_{w \in W} QW_{whpt} * (1 - \bar{p}) + QU_{hpt} \ge \tilde{D}_{hpt} \quad \forall p, h, t$$
(3)

$$\sum_{w \in W} QS_{swpt} \le CS_{sp} * S_{st} \quad \forall \, p, s, t \tag{4}$$

$$\sum QW_{whpt} \le CW_{wp} * W_{wt} \quad \forall p, w, t$$
(5)

$$\sum_{w \in W}^{h \in H} QD_{wgpt} * \bar{p} + \sum_{h \in H} QH_{hgt} \le CG_g * G_{gt} \quad \forall p, g, t$$
(6)

$$\sum QG_{got} * (1 - \tilde{\Theta}) \le CO_o * O_{ot} \quad \forall o, t$$
(7)

$$\sum_{j=0}^{g \in G} QO_{olt} \leq CL_l * L_{lt} \quad \forall l, t$$
(8)

$$\sum_{q\in G}^{o\in O} QH_{hgt} = \widetilde{VW}_{ht} \,\,\forall \,\,h,t \tag{9}$$

$$INV_{gt} = INV_{g(t-1)} + \sum_{w \in W} \sum_{p \in P} QD_{wgpt} * \bar{p} + \sum_{h \in H} QH_{hgt} - \sum_{o \in O} QG_{got} * (1 - \tilde{\Theta}) \quad \forall g, t$$

$$INV_{gt} \leq CC + C + V = V = t$$

$$(10)$$

$$\sum_{h \in H} QH_{hgt} + \sum_{v \in W} \sum_{g \in D} QD_{wgpt} * \bar{p} \le \sum_{g \in O} QG_{got} \quad \forall g, t$$
(11)
(12)

$$\sum_{g\in G}^{h\in H} QG_{got} * (1-\tilde{\Theta}) \le \sum_{l\in L} QO_{olt} \quad \forall o, t$$
(13)

$$\sum_{s\in\mathcal{S}}^{s} QS_{swpt} \le M * Y_{wt} \forall p, w, t$$
(14)

$$\sum QH_{hgt} \le M * G_{gt} \forall g, t$$
⁽¹⁵⁾

$$\begin{split} & \stackrel{h \in H}{\underset{S_{st}, W_{wt}, G_{gt}, O_{ot}, L_{lt}, Y_{wt} \in \{0, 1\} \,\forall \, t \in T, s \in S, w \in W, g \in G, o \in O, l \in L \,. \end{split}$$

$$QS_{swpt}, QW_{whpt}, QD_{wgpt}, QU_{whpt}, QH_{hgt}, QG_{got}, QO_{olt}, INV_{gt} \ge 0$$
(17)

Equation (1) minimizes the total cost of the SC; constraint (2) states that the order amount of vaccine items from the supplier should be greater than the amount of perfect and defective vaccine shipped from the Healthcare distribution centers to healthcare centers and from distribution centers to vaccine waste storages respectively. Constraint (3) maintain the demand in the healthcare center, constraint (4), (5), (6), (7), and (8) are capacity limitation for the supplier, warehouse vaccine waste storages, vaccine waste treatment centers and landfills respectively. (9) Ensure that the vaccine waste generated





(19)

in the healthcare centers equal to the total amount of vaccine waste shipped to the storage center. (10) Represents the inventory balance at the vaccine waste storages, (11) limits the vaccine waste inventory to not exceed the storage center capacity, (12) is the flow balance of vaccine waste and defective vaccine items shipped from healthcare centers and distribution centers respectively to vaccine waste storages. (13) Are the flow balance of vaccine wastes between treatment centers and landfills. (14) States that if an order is placed, a cost is incurred for each supplier. (15) Ensure the assignment of healthcare centers to the opened storage centers. (16) Are binary constraints, (17) is non-negativity constraints.

It is assumed that all vaccine units received from the supplier(s) are screened and inspected in the distribution centers. However, the inspection procedure is not error-free and two types of errors occur; type I error (γ_1) is occurred when misclassifying of a conforming vaccine unit occurs, and type II error (γ_2) is committed when a misclassifying of a non-conforming vaccine unit occurs. The probability of underlying errors is constant in all distribution centers. If the proportion of defective units in a vaccine order is denoted as p, then the apparent non-defective items probability is obtained as follows.

$$(1-p)(1-\tilde{\gamma}_1) + p \,\tilde{\gamma}_2 = 1 - \tilde{\gamma}_1 - p(1-\tilde{\gamma}_1 - \tilde{\gamma}_2) = 1 - \bar{p}$$
(18)
Where

$$\bar{p} = \tilde{\gamma}_1 + p(1 - \tilde{\gamma}_1 - \tilde{\gamma}_2)$$

The apparent probability of defective items.

$$p(1 - \tilde{\gamma}_2) + (1 - p)(\tilde{\gamma}_1) = p - p\tilde{\gamma}_2 - p\tilde{\gamma}_1 + \tilde{\gamma}_1 = \tilde{\gamma}_1 + p(1 - \tilde{\gamma}_1 - \tilde{\gamma}_2) = \bar{p}$$
(20)

3 ROBUST CONVEX OPTIMIZATION

Robust optimization (RO) is young research field which has been developed in the last 2 decades. RO is very practical, since it is suited to the available data at hand and leads tractable formulations [8]. Different approaches have been discussed in literature; the most well-known concepts are adjustable robust optimization introduced by Ben-Tal et al.[9], while interval and budget of uncertainty are coined by Bertsimas and Sim [10]. The proposed model is formulated following the approach provided by Li and al.[11], which has the flexibility of choosing the desired uncertainty (box, polyhedral, combined interval-polyhedral) set based on the decision maker's risk attitude.

3.1 Definition

By considering uncertainty in the deterministic model the robust counterparts can be formulated by introducing the uncertain parameter within the desired studied set (box, polyhedral, combined interval-polyhedral). In the following we show the combined interval-interval-polyhedral robust counterpart formulation based on Bertsimas and Sim [10], Li et al.[11]:

Let consider the following deterministic linear optimization problem:

 $max c^T x_j \tag{21}$

$$s. t. A x_j \le b_j \tag{22}$$

 $x \in X$

Where c^T , A, b_j and X are n-vector of coefficients, $m \times n$ matrix of coefficients consumptions, m-vector of the Right-Hand-Side (RHS) values, and the uncertainty set of solutions. Assume that c^T , $A(a_{ij})$ and b_j are uncertain parameters and considered as bounded, symmetric and independent. Then these parameters take the values in $[c_j - \hat{c}_j, c_j + \hat{c}_j]$, $[a_{ij} - \hat{a}_{ij}, a_{ij} + \hat{a}_{ij}]$, and $[b_j - \hat{b}_j, b_j + \hat{b}_j]$ where c_j , a_{ij} and b_j stand for the nominal value of the parameters; \hat{c}_j and \hat{a}_{ij} depict the parameter's perturbation. Then the equation can be rewritten as follows:





$$max \sum_{j \in J} \tilde{c}_j x_j$$
(24)

s.t. $\sum_{i=J} \tilde{a}_{ij} x_j \leq \tilde{b}_j \quad \forall i \in I$
(25)

Where \tilde{c}_j , \tilde{a}_{ij} and \tilde{b}_j represent the true values which are subject to uncertainty. Therefore, the above problem is formulated as follows:

$$max \sum_{j \in J} c_j x_j + z_0 \Gamma_0 + \sum_{j \in J} p_{0j}$$
(26)

$$s.t.\sum_{j\in J}a_{ij}x_j + [z_i\Gamma_i + \sum_{j\in J}p_{ij} + p_{i0}] \le b_j \quad \forall i \in I$$
(27)

$$\begin{aligned} z_0 + p_{0j} &\geq \hat{c}_j \forall j \in J_0 \\ z_i + p_{ij} &\geq \hat{a}_j \forall j \in J_i \\ z_i + p_{io} &\geq \hat{b}_j \forall j \in J_i \end{aligned}$$

(31) $z_0, z_i, p_{0i}, p_{ii}, p_{i0} \ge 0$

Where $z_0, z_i, p_{0i}, p_{ij}, p_{i0}$ are auxiliary variables, J_i indicates the index subset containing the variable indices of coefficients which are subject to uncertainty. Γ_i is the adjustable uncertainty set parameter for the combined interval-polyhedral uncertainty set.

3.2 Combined Interval-Polyhedral robust counterpart formulation

The proposed model is formulated as a robust convex optimization problem with different uncertainty sets; interval-polyhedral, polyhedral and box.

Robust parameters	Robust variables
$ \begin{split} &\Gamma_{DEF}, \Gamma_{TR}, \Gamma_D, \Gamma_{VW} \text{Polyhedral adjustable uncertain} \\ &\text{parameters for inspection errors, treatment rate,} \\ &\text{demand and vaccine waste respectively.} \\ & \hat{p}, \widehat{\Theta}_o, \widehat{D_{hpt}}, \widehat{VW_{ht}} \text{Parameter deviation from} \\ &\text{nominal values for inspection errors, treatment} \\ &\text{rate, demand and vaccine waste respectively.} \end{split} $	$\begin{split} & Z_7, Z_8, Z_9 \text{Combined interval-polyhedral auxiliary} \\ & \text{variables.} \\ & m_{\text{DEF}}, W_{whpt}^{\text{DEF}}, W_{wgpt}^{\text{DEF}}, W_{swpt}^{\text{DEF}} \text{Auxiliary variable to the} \\ & \text{change in inspection errors.} \\ & m_{\text{TR}}, W_{got}^{\text{TR}}, W_{hgt}^{\text{TR}} \text{Auxiliary variable to the change in} \\ & \text{treatment rate.} \\ & m_D, W_{hpt}^D \text{Auxiliary variable to the change in demand.} \\ & m_{\text{VW}}, W_{ht}^{\text{VW}} \text{Auxiliary variable to the change in vaccine} \\ & \text{waste.} \end{split}$

The combined interval-polyhedral robust counterpart is formulated by taking into consideration the uncertainties in the objective function and changing them into constraints; (for the proof see Li et al. [11]).

The constraints contain uncertain parameters are replaced by its robust counterparts then added to the deterministic model as follows.

$$Z_7 - \sum_{t \in T} \sum_{w \in W} \sum_{h \in H} \sum_{p \in P} QW_{whpt} * TW_{whp} * (1 - \bar{p}) - \sum_{t \in T} \sum_{w \in W} \sum_{h \in H} \sum_{p \in P} W_{whpt}^{DEF} - \Gamma_{DEF} * m_{DEF} \ge 0$$

$$(32)$$

$$Z_{8} - \sum_{t \in T} \sum_{w \in W} \sum_{g \in G} \sum_{p \in P} QD_{wgpt} * TG_{wg} * \bar{p} + \sum_{t \in T} \sum_{w \in W} \sum_{h \in H} \sum_{p \in P} W_{wgpt}^{DEF} + \Gamma_{DEF} * m_{DEF} \ge 0$$

$$(33)$$

$$m_{DEF} + W_{whpt}^{DEF} \ge \hat{p} * QW_{whpt} \quad \forall w, h, p, t$$
(34)

$$m_{DEF} + W_{wgpt}^{DEF} \ge \hat{p} * QD_{wgpt} \quad \forall w, g, p, t$$

$$m_{DEF} \ge 0, W_{wppt}^{DEF}, W_{wgpt}^{DEF} \ge 0$$
(35)
(36)

$$m_{DEF} \ge 0, W_{whpt}^{DEF}, W_{wgpt}^{DEF} \ge 0$$





$$Z_9 - \sum_{t \in T} \sum_{g \in G} \sum_{o \in O} QG_{got} * TC_o * (1 - \Theta) - \sum_{t \in T} \sum_{g \in G} \sum_{o \in O} W_{got}^{TR} - \Gamma_{TR} * m_{TR} \ge 0$$

$$(37)$$

$$m_{TR} + W_{got}^{TR} \ge 0 * QG_{got} \forall g, o, t$$

$$m_{TR} \ge 0, W_{got}^{TR} \ge 0$$
(38)
(38)
(38)
(39)

$$\sum_{s\in\mathcal{S}} QS_{swpt} * (1 - \bar{p}) - \sum_{s\in\mathcal{S}} W_{swpt}^{DEF} - \Gamma_{DEF} * m_{DEF} \ge \sum_{h\in H} QW_{whpt}$$
(40)

$$+ \sum_{g \in G} QD_{wgpt} * \bar{p} + \sum_{g \in G} W_{wgpt}^{DEF} + \Gamma_{DEF} * m_{DEF} \quad \forall w, p, t$$
$$m_{DEF} + W_{swnt}^{DEF} \ge \hat{p} * QS_{swnt} \quad \forall s, w, p, t$$

$$\begin{split} m_{DEF} + W_{swpt}^{DEF} &\geq \hat{p} * QS_{swpt} \quad \forall s, w, p, t \\ m_{DEF} + W_{wgpt}^{DEF} &\geq \hat{p} * QD_{wgpt} \quad \forall w, g, p, t \end{split}$$

$$\end{split}$$

$$\end{split}$$

$$\end{split}$$

$$m_{DEF} \ge 0, W_{swpt}^{DEF}, W_{wgpt}^{DEF} \ge 0$$

$$\sum_{v=1}^{\infty} OW_{wkmt} * (1 - \bar{p}) - \Gamma_{DEF} * m_{DEF} - \sum_{v=1}^{\infty} W_{wkmt}^{DEF} + W_{kmt}^{D} + \Gamma_{D} * m_{D} + OU_{kmt}$$
(43)
(44)

$$\sum_{w \in W} QW_{whpt} * (1 - \bar{p}) - \Gamma_{DEF} * m_{DEF} - \sum_{w \in W} W_{whpt}^{DEF} + W_{hpt}^{D} + \Gamma_{D} * m_{D} + QU_{hpt}$$

$$\geq D_{hpt} \quad \forall h, p, t \qquad (44)$$

$$m_{DEF} + W_{whpt}^{DEF} \ge \hat{p} * QW_{whpt} \quad \forall w, h, p, t$$
(45)

$$m_D + W_{hpt}^D \ge \tilde{D}_{hpt} \forall h, p, t$$

$$m_{--} m_{--} m_{---} 0 W_{---}^D W_{----}^{DEF} \ge 0$$

$$(46)$$

$$(47)$$

$$\sum_{w \in W} QD_{wgpt} * \bar{p} + \Gamma_{DEF} * m_{DEF} + \sum_{w \in W} W_{wgpt}^{DEF} + \sum_{h \in H} QH_{hgt} \le CG_g * G_{gt} \quad \forall g, p, t$$

$$\tag{48}$$

$$m_{DEF} + W_{wgpt}^{DEF} \ge \hat{p} * QD_{wgpt} \quad \forall w, g, p, t$$
(49)

$$m_{DEF} \ge 0, W_{wgpt}^{DEF} \ge 0$$

$$\sum QG_{got} * (1 - \theta) - \Gamma_{TR} * m_{TR} - \sum W_{got}^{TR} \le CO_o * O_{ot} \quad \forall o, t$$
(50)
(51)

$$m_{TR} + W_{got}^{TR} \ge \hat{\Theta} * QG_{got} \forall g, o, t$$
(52)

$$m_{TR} \ge 0, W_{got}^{TR} \ge 0 \tag{53}$$

$$\sum_{g \in G} QH_{hgt} + W_{ht}^{VW} + \Gamma_{VW} * m_{VW} = VW_{ht} \forall h, t$$
(54)

$$m_{VW} + W_{ht}^{VW} \ge \widehat{VW_{ht}} \quad \forall h, t$$
(55)

$$m_{VW} \ge 0, W_{ht}^{VW} \ge 0 \tag{56}$$

$$INV = INV + \frac{1}{2} \sum OD + \frac{1}{2} + \Gamma + m + \sum W^{DEF} \tag{57}$$

$$INV_{gt} = INV_{g(t-1)} + \sum_{w \in W} \sum_{p \in P} QD_{wgpt} * \bar{p} + \Gamma_{DEF} * m_{DEF} + \sum_{w \in W} W_{wgpt}^{DEF}$$
(57)

$$+\sum_{h\in H} QH_{hgt} - \sum_{o\in O} QG_{got} * (1-\Theta) + \Gamma_{TR} * m_{TR} + \sum_{o\in O} W_{got}^{TR} \quad \forall g, p, t$$

$$\geq \hat{p} * QD_{wapt} \quad \forall w, g, p, t$$
(58)

$$m_{DEF} + W_{wgpt}^{DEF} \ge \hat{p} * QD_{wgpt} \quad \forall w, g, p, t$$

$$m_{TR} + W_{got}^{TR} \ge \hat{\Theta} * QG_{got} \forall g, o, t$$
(58)
(59)

$$m_{TR}, m_{DEF} \ge 0, W_{got}^{TR}, W_{wgpt}^{DEF} \ge 0$$
 (60)

$$\sum_{h \in H} QH_{hgt} + \sum_{w \in W} \sum_{p \in P} QD_{wgpt} * \bar{p} + \Gamma_{DEF} * m_{DEF} + \sum_{w \in W} \sum_{p \in P} W_{wgpt}^{DEF} \le \sum_{o \in O} QG_{got} \quad \forall \ g, o, t$$

$$(61)$$

$$m_{DEF} + W_{wgpt}^{DEF} \ge \hat{p} * QD_{wgpt} \quad \forall w, g, p, t$$

$$m_{DEF} \ge 0, W_{wgnt}^{DEF} \ge 0$$
(62)
(63)

$$\sum_{g \in G} QG_{got} * (1 - \theta) - \Gamma_{TR} * m_{TR} - \sum_{g \in G} W_{got}^{TR} \le \sum_{l \in L} QO_{olt} \quad \forall o, t$$
(64)

$$m_{TR} + W_{got}^{TR} \ge \hat{\Theta} * QG_{got} \forall g, o, t$$

$$m_{TR} \ge 0, W_{aot}^{TR} \ge 0$$
(65)
(66)

Constraints (4), (5), (8), (11), (14), (15), (16) and (17) remain the same as in the deterministic.





4 RESULTS AND ANALYSIS

The uncertain parameters we consider are type I and type II errors (γ_1, γ_2) with 10% deviation of coefficient, demand D_{hpt} and generated amount of waste in the healthcare centers VW_{ht} with 15 % perturbation from nominal values, and finally a 10 % of deviation of defective treatment rate of waste Θ . Moreover, the uncertain parameters are assumed to be subject to bounded uncertainty. The three-uncertainty sets considered are, box, polyhedral and interval polyhedral, the three proposed robust approaches are carried out for the uncertain parameters separately, and all of them simultaneously afterwards. Table-1 depicts the size of the adopted example with small size inputs.

	No. of time periods	No. of products (vaccines)	No. of Suppliers	No. of distributi on centers	No. of healthc are centers	No. of Vaccine waste storages	No. of vaccine waste treatment centers	No. of land fills
Size of the example	12	3	3	4	3	4	3	3

Table 1: The size of the illustrative example.

In order to provide stakeholders with a meaningful interpretation on the three approaches applied to our model, a comparison is conducted with an extensive computation based on the decision maker's risk attitude to help make better decisions. The problem is coded in Python 3.11.4 [12] and solved with Gurobi 10.0 [13] on Laptop Core(TM) i7 with 16 GB, 3.00 GHz of RAM. Table-2 shows the perturbation of the four random parameters for each uncertainty set in the worst-case scenario i.e.(Ψ =1, $\Gamma_i = |J_i|$) with 1%, 5% and 10% from the nominal values, moreover the robust objective function along with the average unmet demand, average vaccine inventory waste and price of robustness are computed, optimality gaps and solution time are calculated.

	scenario for the three uncertainty sets.						
	Deviation of the uncertain parameters	Robust objective function	Average Unmet demand	Average Vaccine Inventory- waste	Price of robustness %	Optimality gap %	CPU time
	1%	6.02055×10^{7}	57.29904	665.2994	29.87	0.0034	1
Box	5%	6.25635×10^7	65.93386	724.4574	34.95	0.0099	1
	10%	6.55994×10^{7}	76.77277	669.2883	41.5	0.0003	2
	1%	6.72895×10^7	79.94379	144.2217	45.15	0.0090	3
Polyhedral	5%	9.96763×10^7	217.3719	322.8301	115.01	0.01	4
	10%	14.7974×10^{7}	400.5709	631.1597	219.2	0.0093	3
Polyhedral	1%	5.643×10^{7}	49.29007	126.8978	21.72	0.01	195
+ Interval	5%	5.83877×10^7	57.3647	137.235	25.95	0.0058	125
	10%	6.08649×10^{7}	67.0765	148.1362	31.29	0.0093	135

Table 2: Deviation of the uncertain parameters in the worst-case

It can be concluded that the combined interval-polyhedral uncertainty set is less conservative in the worst-case scenario and gives robust solutions with 21.72 %, 25.95 and





31.29 % worse than the deterministic model, for the three deviations 1%,5% and 10% respectively. While box and polyhedral uncertainty sets are providing more conservative robust solutions in the same studied scenario. In addition, the interval-polyhedral uncertainty sets are able to provide less shortages and vaccine inventory waste in the worst-case scenario compared with other sets. Figure-2 depicts the average amount of unmet demand and vaccine inventory waste in terms of the uncertainty sets with different level of robustness. it can be observed that the polyhedral uncertainty set provides much worse results in terms of the average amounts of shortages and vaccine inventory waste compared to the other investigated sets.

From this point of view, and based on figure-3 it can be observed that the combined interval-polyhedral set is less conservative when the level of robustness is approximately $\Gamma_i > 0.8$. On the other hand, when the set size parameter is around $\Psi \leq 0.8$ the box uncertainty set is less conservative and could provide good solutions.



Figure 2: Average amount of unmet demand & vaccine inventory waste versus box, polyhedral, interval-polyhedral uncertainty sets.

In terms of solution time, the interval-polyhedral uncertainty set has much computational time compared to the other studied sets, while the optimality gap is showing marginal results for almost all the three sets.

Next, we study the combined interval-polyhedral set-in depth to see the effect of the four random parameters on the proposed model, and provide robust as well as feasible solutions for the problem.



Figure 3: Total cost versus box, polyhedral, interval polyhedral with level of robustness.





four uncertain parameters (worst-case scenario $\Gamma_i = J_i $)				
Uncertain parameter	l and type II errors	Treatment rate	Demand	Vaccine Inventory waste
Objective function (Interval-polyhedral)	5.67417×10^{7}	4.6556×10^7	4.9144×10^{7}	4.86644×10^{7}

The combined interval polyhedral uncertainty set approach is applied to the proposed model in the worst-case scenario for the uncertain parameters separately first, and then all simultaneously. From table-3, it can be concluded that type I&II uncertain parameters with $\Gamma_{\text{DEF}} = 1$ exert the biggest effect in terms of cost, with 22.4% worse than the deterministic, followed by demand, vaccine waste and defective treatment rate uncertainties with 6.01%, 4.97% and 0.42% of price of robustness respectively. To see the deterioration of the cost in terms the decision maker's risk attitude, type I&II and demand uncertainties are combined with defective treatment rate and vaccine waste random parameters. Figure-485 show the effect of incorporating the latter mentioned parameters with type I&II and demand uncertain parameters, we can observe the increase of the objective function gradually as Γ_{DEF} and Γ_{D} increase in the range $\Gamma_{\text{D}} \in [0, |J_i|]$, respectively.



11

5 DISCUSSION

In this research, a multi-echelon multi-vaccine reverse supply chain problem is studied. In addition, a robust optimization approach is adopted to provide robust and feasible solution and protect against parameters deviation. First, we address all three uncertainty sets for our proposed problem, computational results show that the Interval-polyhedral uncertainty set is less conservative when $\Gamma_i > 0.8$ compared to other sets. However, when $\Psi_i \leq 0.8$ the box uncertainty is less conservative than polyhedral and combined intervalpolyhedral uncertainty sets. Moreover, the three uncertainty sets are compared in terms of the average unmet vaccine demand and vaccine inventory waste, as expected the combined interval-polyhedral uncertainty set provides the best results with less amount of vaccine shortages and vaccine inventory waste among the three sets in the worst casescenario. While the box uncertainty set with $\Psi_i = 0.5$ shows better solutions than others. The four uncertain parameters are further investigated based on combined intervalpolyhedral uncertainty set. Extensive computations are conducted for the proposed approach. The computational results are able to provide robust solution for all uncertain parameters separately and simultaneously afterwards. Moreover, considering only deviation of type I&II parameters, with $\Gamma_{\text{DEF}} = |T|$ the solution is 22.4% worse than the deterministic, while demand uncertainty solution is 6.01% worse.

The obtained result also suggests that vaccine waste randomness has more pronounced effect on the objective function with 4.97% worse than the deterministic compared to defective treatment rate deviation, which has 0.42%.

The above results show the sensivity of the proposed model (objective function) to parameters deviation, specifically to inspection errors randomness incorporated in the problem. In addition, taking into account uncertain parameters gradually deteriorate the total cost, while ignoring it could lead to sub-optimality or infeasibility.

It could be concluded that the proposed model is greatly affected by the uncertainty in inspection (type I&II errors), which calls for decision maker to be robust against uncertainty, shortages and disruptions in vaccine supply. Moreover, considering multiple uncertainties in the proposed model could improve the robustness of the supply chain network and help policymakers for better planning.

6 CONCLUSION

This manuscript contributes to the existing literature by proposing a new MILP model for multi-vaccine multi-echelon supply chain to help provide access to different types of vaccines during an outbreak such as COVID-19 pandemic and get dispose of infectious waste generated from massive vaccination campaign efficiently. While taking into consideration the decision maker's risk attitude by providing robust and feasible solutions in acceptable computational time in face of multiple uncertainties, such as inspection errors, demand, vaccine waste and defective treatment rate, which lie within box, polyhedral and interval-polyhedral uncertainty sets.

Further research could be focusing on optimizing the set size of the desired studied uncertainty set to provide less conservative solutions and account for the decision maker's risk behavior. Another interesting aspect of extending the on-hand problem by transforming the single objective into bi-objective or multi-objective function. While computation complexity could be handled by developing an exact or metaheuristic algorithm for a largescale problem. Perishability of vaccines and its deterioration could be incorporated in the model along with inventory in healthcare centers.

Declaration of Competing Interest

The authors declare no conflict of interest.

Acknowledgments

The authors would like to acknowledge the support provided by the Deanship of Research Oversight and Coordination at King Fahd University of Petroleum & Minerals (KFUPM).

7 REFERENCES

- [1] Yang, Y., Bidkhori, H., & Rajgopal, J. (2021). Optimizing vaccine distribution networks in low and middle-income countries. Omega, 99, 102197. https://doi.org/10.1016/j.omega.2020.102197
- [2] Duijzer, L. E., van Jaarsveld, W., & Dekker, R. (2018). Literature review: The vaccine supply chain. European Journal of Operational Research, 268(1), 174-192. https://doi.org/10.1016/j.ejor.2018.01.015
- [3] Tang, L., Li, Y., Bai, D., Liu, T., & Coelho, L. C. (2022). Bi-objective optimization for a multi period COVID-19 vaccination planning problem. Omega, 110, 102617. <u>https://doi.org/10.1016/j.omega.2022.102617</u>
- [4] Dasaklis, T. K., Pappis, C. P., & Rachaniotis, N. P. (2012). Epidemics control and logistics operations: A review. International Journal of Production Economics, 139(2), 393-410. <u>https://doi.org/10.1016/j.ijpe.2012.05.023</u>
- [5] Gilani, H., & Sahebi, H. (2022). A data-driven robust optimization model by cutting hyperplanes on vaccine access uncertainty in COVID-19 vaccine supply chain. Omega, 110, 102637. <u>https://doi.org/10.1016/j.omega.2022.102637</u>
- [6] Manupati, V. K., Schoenherr, T., Subramanian, N., Ramkumar, M., Soni, B., & Panigrahi, S. (2021). A multi-echelon dynamic cold chain for managing vaccine distribution. Transportation Research Part E: Logistics and Transportation Review, 156, 102542. <u>https://doi.org/10.1016/j.tre.2021.102542</u>
- [7] Bertsimas, D., Digalakis Jr, V., Jacquillat, A., Li, M. L., & Previero, A. (2022). Where to locate COVID-19 mass vaccination facilities? Naval Research Logistics (NRL), 69(2), 179-200. <u>https://doi.org/10.1002/nav.22007</u>
- [8] Gorissen, B. L., Yanıkoğlu, İ., & den Hertog, D. (2015). A practical guide to robust optimization. Omega, 53, 124-137. <u>https://doi.org/10.1016/j.omega.2014.12.006</u>
- [9] Ben-Tal, A., Goryashko, A., Guslitzer, E., & Nemirovski, A. (2004). Adjustable robust solutions of uncertain linear programs. Mathematical Programming, 99(2), 351-376. <u>https://doi.org/10.1007/s10107-003-0454-y</u>
- [10] Bertsimas, D., & Sim, M. (2003). Robust discrete optimization and network flows. Mathematical Programming, 98(1), 49-71. <u>https://doi.org/10.1007/s10107-003-0396-4</u>
- [11] Li, Z., & Floudas, C. A. (2014). A Comparative Theoretical and Computational Study on Robust Counterpart Optimization: III. Improving the Quality of Robust Solutions. Industrial & Engineering Chemistry Research, 53(33), 13112-13124. https://doi.org/10.1021/ie501898n
- [12] 3.11.4 Documentation. (n.d.). Retrieved August 11, 2023, from https://docs.python.org/3/
- [13] Python API Overview. (n.d.). Gurobi Optimization. Retrieved August 11, 2023, from https://www.gurobi.com/documentation/10.0/refman/py_python_api_overview.html