

Revealing Trends in Datasets from the 2022 ACL and EMNLP Conferences

Jesse Atuhurra, Hidetaka Kamigaito

Information Science Division

Nara Institute of Science and Technology, Ikoma, Japan.

{atuhurra.jesse.ag2, kamigaito.h}@naist.ac.jp

Abstract

Natural language processing (NLP) has grown significantly since the advent of the Transformer architecture. Transformers have given birth to pre-trained large language models (PLMs). There has been tremendous improvement in the performance of NLP systems across several tasks. NLP systems are on par or, in some cases, better than humans at accomplishing specific tasks. However, it remains the norm that *better quality datasets at the time of pretraining enable PLMs to achieve better performance, regardless of the task*. The need to have quality datasets has prompted NLP researchers to continue creating new datasets to satisfy particular needs. For example, the two top NLP conferences, ACL and EMNLP, accepted ninety-two papers in 2022, introducing new datasets. This work aims to uncover the trends and insights mined within these datasets. Moreover, we provide valuable suggestions to researchers interested in curating datasets in the future.

1 Introduction

Natural language processing (NLP) has grown significantly since the advent of the Transformer architecture. Transformers have given birth to a new pre-trained of large language models (PLMs).

There has been tremendous improvement in the performance of NLP systems across several tasks. NLP systems are on par or, in some cases, better than humans at accomplishing specific tasks.

However, it remains the norm that *better quality datasets at the time of training enable PLMs to perform better, regardless of the task*. The need to have quality datasets has prompted NLP researchers to continue creating new datasets to satisfy particular needs. For example, the two top NLP conferences, ACL and EMNLP, accepted ninety-two papers in 2022, introducing new datasets. This work aims to uncover the trends and insights mined within these datasets. Figure 1 shows the main NLP tasks for




Figure 1: An overview of major NLP tasks covered in datasets published in ACL and EMNLP in 2022.

which authors created new datasets, which were published at both EMNLP and ACL in the year 2022. The red box in Figure 1 indicates the tasks in both ACL and EMNLP datasets.

We draw inspiration from (Gollapalli and Li, 2015), who previously studied the significant themes across NLP conferences from 1996 to 2014. The more recent work to examine the disparate sources utilized to construct new datasets is the study by (Yu et al., 2022). We aim to reveal insights such as significant author affiliations in creating datasets for training NLP models.

Lastly, we provide helpful suggestions to researchers interested in curating datasets in the future.

2 Scope of this Study

This paper’s analysis and findings are based only on documents accepted at the two top-tier NLP conferences, ACL2022 and EMNLP2022. These conferences are a good measure of contemporary NLP needs; thus, the work published in these two conferences best reflects the trajectory in which NLP research is headed. ¹

¹The LREC conference is a significant collection of datasets, but we aim at conferences considered top tier in NLP.



Figure 2: Datasets, major NLP tasks, and author-affiliation for datasets published at ACL and EMNLP in 2022.

Article Retrieval To get the relevant papers during this study, we used the keywords *dataset* and *corpus*. Initially, we obtained 130 papers. We then verified that each article introduced a new dataset or corpus. After this inspection, only 92 papers remained. The resulting papers were scrutinized to extract the following attributes: *name of dataset*, *dataset size*, *NLP topic*, *primary baselines*, *multilingualism*, *multimodality*, and *author-affiliation*. These attributes were chosen to extract as much relevant information as possible, the kind of information that would permit us to understand the recent trend in curating new NLP datasets.

3 NLP Tasks Coverage in Datasets

First, we set out to categorize the significant tasks represented in the datasets to provide a candid analysis of the datasets. Figure 1 shows the significant topics that are covered by the datasets published at ACL—in the *green box*; and topics covered by datasets published at EMNLP—in the *blue box*. Topics common to ACL and EMNLP are shown in the middle—in the *red box*.

In addition, from both Table 1 and Table 2, it is evident that *text generation*, *text summarization*, *text or token classification*, *information extraction*, *natural language understanding*, *question answering* are the focal point for dataset creation for NLP researchers.

Table 1 indicates the list of the significant NLP

Major topics in ACL 2022
Dialogue Reasoning, Document Retrieval, Reading Comprehension, Question Answering, Causal Reasoning, Bias Detection, Natural Language Generation, Argument Mining, Legal NLU, Multimodal chat translation, Multimodal dialogue sentiment analysis, Text Generation, Abstractive Summarization, Genomics Data Summary Generation, Hate Speech Detection, Automated Fact Checking, Explainable Feedback, Multilingual Relation Extraction, Automatic Speech Recognition, Sign Language Recognition, Chinese Synesthesia Detection, Visual Question Answering, Cultural Background Prediction, Dialogue, Legal Event Detection, Controllable Text Generation, Dialogue Safety, Multilingual Document Understanding, Semantic Entity Recognition

Table 1: The NLP topics in datasets at ACL 2022.

Major topics in EMNLP 2022
Multilingual image captioning, Coreference Resolution, Event conference, Temporal, Causal, and Subevent Relation Extraction, Multi-Domain Language Modeling, Model bias, Gender accuracy in translation, Open domain chatbots, Drug safety, Named Entity Recognition, Event extraction, Figurative Language Identification, Paraphrase identification and generation, Extractive Summarization, Dialogue Summarization, Question Matching, Hate Speech in Dialogue, Language Modeling, Image captioning, Visual storytelling, Speech Recognition, Reading Comprehension, Reasoning, Data Augmentation, Relational Extraction, Sequence Labeling, Offensive Language detection, Dialog Generation, Patent Classification, Zero-shot Learning, Multimodal dialogue summarization, response generation, Topic Modeling, Commonsense knowledge, Movie Understanding and Narrating, Visual Entity Linking, Question Answering, Multimodal Information Extraction, Natural Language Inference, Text-to-SQL, Politeness Classification, Graphs Extraction, Source code generation, Post-OCR text correction, Hate Speech Detection, Event Extraction

Table 2: The NLP topics in datasets at EMNLP 2022.

topics tasks represented in the papers that introduced datasets and were published at ACL in 2022. Similarly, the NLP topics covered in the datasets published at EMNLP 2022 are shown in Table 2.

Data size (# instances)	Dataset Count
≤ 500	3
500 - 1,000	2
1,000 - 1,500	3
1,500 - 2,000	1
2,000 - 3,000	2
3,000 - 4,000	5
4,000 - 5,000	4
5,000 - 10,000	8
10,000 - 50,000	24
50,000 - 100,000	5
100,000 - 500,000	13
500,000 - 1,000,000	0
$\geq 1,000,000$	3

Table 3: Dataset size at ACL and EMNLP in 2022.

4 Dataset size

The number of sentences in datasets published at ACL and EMNLP is essential to understanding the number of sentences required to build an NLP system with satisfactory performance. We have summarized the size of datasets in Table 3 from which it is evident that most datasets have data samples in the range of 10,000 to 50,000.

5 Collaboration in Dataset Construction

It is important to list all the affiliations of authors at both conferences to understand the level of collaboration, especially between academic and industry researchers. Table 4 and Table 5 indicate all the institutions, academic or industry, to which the authors are affiliated.

The big winners in academia include Tsinghua University, the University of Washington, the Singapore University of Technology and Design, the National University of Singapore, Nanyang Technological University, the Hong Kong University of Science and Technology, and Stanford.

The industry’s big winners include Microsoft Research, Adobe Research, Google Research, Huawei Noah’s Ark Lab, Alibaba DAMO Academy, and Tencent AI Lab.

Collaboration There are 26 papers in which all the authors belong to *one* institution, either academic or industry. Moreover, the number of documents in which all the authors are from *one* academic institution is 20.

Most papers consist of authors hailing from both academia and industry. This points to the advantages enjoyed when industry and academia researchers collaborate. It re-emphasizes long-held beliefs that the industrial labs provide the practical

use cases, large-scale data, computing resources, and funds to foot the costs necessary to build a new dataset. In contrast, academia provides theoretical insights, novel methodologies, and expertise in meticulous experimental design. Out of the forty-three papers in which the industry and academic researchers collaborated, the number of academic *last authors* is 20 while industry *last authors* is 23. There are also few academia-academia collaborations.

6 Major Baselines

We discuss contemporary baselines for major tasks. Full details in Table 6.

7 The Rise of Multimodality

The growing demand for NLP systems that accept at least two modalities as input, for example, *text* and *image*, leads to a further increase in demand for multimodal datasets.

Such multimodal datasets make it possible to meet the needs for both textual and visual embeddings when training *visual-language* systems for tasks such as multimodal dialogue summarization, multimodal response generation, visual question answering, multimodal dialogue sentiment analysis, visual storytelling, visual entity linking, multimodal information extraction, among other things.

Papers which introduced multimodal datasets include: MSCTD (Liang et al., 2022), WikiDiverse (Wang et al., 2022f), DuReader_vis (Qi et al., 2022), XFUND (Xu et al., 2022a), Crossmodal-3600 (Thapliyal et al., 2022), FigMememes (Liu et al., 2022b), (Leong et al., 2022), JDDC 2.1 (Zhao et al., 2022c), Sun et al. (2022c), and (Thapa et al., 2022).

MSCTD (Liang et al., 2022) consists of 142,871 English-Chinese utterance pairs and supports the development of multimodal chat translation and dialogue sentiment analysis. WikiDiverse (Wang et al., 2022f) contains 8K image captions and makes evaluating multimodal entity linking (MEL) systems possible. DuReader_vis (Qi et al., 2022) includes 15K QA pairs in Chinese and 158K document images, making evaluating visual question answering (VQA) systems possible. XFUND (Xu et al., 2022a) introduced 1,393 forms and supports multilingual document understanding, semantic entity recognition, and relation extraction for seven languages, that is, Chinese, Japanese, Spanish, French, Italian, German, and Portuguese. Crossmodal-3600 (Thapliyal et al., 2022) com-

Author Affiliation at ACL 2022

University of Michigan, Singapore University of Technology and Design, Maastricht University, Carnegie Mellon University, Google Research, Harbin Institute of Technology, University of California Irvine, IBM Research, Tencent, Rensselaer Polytechnic Institute, University of Washington, University of Notre Dame, Syracuse University, Hong Kong Univ. of Sci and Tech, Georgia Institute of Technology, University of California Los Angeles, Columbia University, IBM Research Ireland, Université Paris-Saclay, ObTIC, Sorbonne Université, Université de Lorraine, Shanghai Jiao Tong University, Microsoft Research Asia, Xi'an Jiaotong University, DAMO Academy Alibaba Group, The Chinese University of Hong Kong, National University of Singapore, Tsinghua University, Cloud BU Huawei Technologies, ETH Zurich, Noah's Ark Lab Huawei Technologies, Nanyang Technological University, University of Copenhagen, Universität Hamburg, Bucerius Law School, Stanford Law School, Athens University of Economics and Business, University of Sheffield, Chicago Kent College of Law, Beijing Jiaotong University, University of Tokyo, RIKEN AIP, Yahoo Japan, Toyota Technological Institute at Chicago, Duke University, University of Science and Technology of China, MIT, Microsoft Research, Allen Institute for AI, Microsoft, University of Waterloo, Fudan University, Shopee-Singapore, Vipshop (China) Co.Ltd, Fudan-Aishu Cognitive Intelligence Joint Research Center, Technical University of Darmstadt, IIT Delhi, Babylon Health, University of Aberdeen, University of Manchester, Soochow University, Chinese Academy of Social Sciences, University of Essex, Baidu Inc, Dartmouth College, California Institute of Technology, UC Santa Barbara, Vector Institute, Beijing Academy of Artificial Intelligence, Beijing Powerlaw Intelligent Technology Co, LMU Munich, Microsoft Azure AI, WeChat AI Tencent, Tencent AI Lab

Table 4: At ACL 2022, there were 66 unique institutions to which dataset authors are affiliated.

Author Affiliation at EMNLP 2022

Google Research, Bar Ilan University, Intel Labs Israel, Salesforce AI Research, Shanghai Mental Health Center, University of Cambridge, AWS AI Labs, Yonsei University, Seoul National University, University of Warwick, Northeastern University, AstraZeneca, King's College London, The Alan Turing Institute, Institut Polytechnique de Paris, Télécom-Paris, École Polytechnique, Korea University, Adobe Research, AIGEN Sciences, Hong Kong University of Science and Technology, University of Science and Technology of China, Microsoft Azure Cognitive Services Research, Heidelberg University, SRH Hochschule Heidelberg, Beijing University of Posts and Telecommunications, Soochow University, Fudan University, Baidu Inc, University of Trento, Free University of Bozen-Bolzano, Fondazione Bruno Kessler, University of Dayton Research Institute, SIL International, Masakhane, Carnegie Mellon University, Microsoft Semantic Machines, University of Utah, Meta AI, University of Oregon, Adobe Research, UC San Diego, UMass Amherst, DAMO Academy Alibaba Group, Singapore University of Technology and Design, Hong Kong Polytechnic University, KAIST, SoftlyAI Research, IIT Kharagpur, Goldman Sachs Data Science and ML Group, Leibniz University of Hannover, IIT Patna, Bosch Center for Artificial Intelligence, Heidelberg University, Shanghai AI Laboratory, Huawei Noah's Ark Lab, University of Washington, The University of Hong Kong, JD AI Research, Umeå University, Adlede AB, Zhejiang University, AZFT Joint Lab for Knowledge Engine, UNC Chapel Hill, Allen Institute for AI, Tencent AI Lab, Renmin University of China, Hong Kong Polytechnic University, Chinese Academy of Sciences, University of Chinese Academy of Sciences, Islamic University of Technology, Chinese University of Hong Kong, Tsinghua University, IT University of Copenhagen, LMU Munich, Munich Center for ML, Shanghai AI Lab, University of Melbourne, RMIT University, MBZUAI, Data Friendly Space, ToggleCorp Solutions, Johannes Kepler University Linz, Stony Brook University, University of Arizona, Stanford University, VinAI Research, Hanoi University of Science and Technology, University of Oxford, University of Texas at Austin, UC Santa Barbara, Southeast University, Nanjing Origin Information Technology Company, IIT Bombay, Uniphore, HuggingFace, Yale University, University of Southern California, Kakao Corp, Soongsil University, Seoul National University, Virginia Tech, Jamia Millia, University of Sydney, University of New South Wales, University of Notre Dame

Table 5: At EMNLP 2022, there were 103 unique institutions to which dataset authors are affiliated.

NLP Task	Baselines
Question Answering	BERT, DistilBERT, BART
Abstractive Summarization	Transformer, BART, BM25, T5, PEGASUS, Longformer
Extractive Summarization	BERT, RoBERTa, Longformer
Event Extraction	Pipeline approach: OneIE, FourIE; and for Joint approach: BERT, RoBERTa
Relation Extraction	BERT, RoBERTa, SciBERT, PubmedBERT, BioBERT, BlueBERT
Coreference Resolution, Event Coreference	RoBERTa, Deep Passage Retrieval
Text Generation, NLG	LexRank, TextRank, MMR, LSTM-CRF, BART
Hate Speech Detection	HateBERT, ToxDectRoBERTa and LSTM, BERT, RoBERTa, DeBERTa
Natural Language Understanding	TFIDF-SVM, BERT, RoBERTa, DeBERTa, Longformer, BigBird
Named Entity Recognition	BERT, RoBERTa
Machine translation	mBERT, mBART, mT5, OPUS-MT
Image captioning	ViT, mT5, CIDEr, InceptionV3

Table 6: The major baselines from papers in our study.

prises 3,600 images and 261,373 image captions necessary to support the development of multilingual image captioning systems. FigMememes (Liu et al., 2022b), which contains 5,141 labels, makes it possible to identify figurative language in politically-opinionated memes. BLOOM (Leong et al., 2022) is a massive dataset that covers 363 languages and supports the development of image captioning, visual storytelling, speech synthesis

and recognition, and language modeling. On the other hand, JDDC 2.1 (Zhao et al., 2022c) enables the development of query writing, response generation, discourse parsing, and summarization tasks in Chinese. MovieUN (Zhang et al., 2022) enables movie understanding in Chinese. To allow the development of visual entity linking systems, Sun et al. (2022c) developed a new dataset. Thapa et al. (2022)’s dataset enables hate speech detection in natural language.

8 Quantifying the Language Gap: Monolingual vs. Multilingual Data

Unsurprisingly, most datasets published at ACL and EMNLP conferences contain English text. However, there is a notable number of non-English datasets, too. To study the multilingual aspect of these datasets, we categorized the datasets into (i) *Non-English and Monolingual*, which includes only datasets curated with data in one language and that language is not English; and (ii) *Multilingual* in which the data is curated in more than one language.

We have provided further details for all the




Figure 3: The number of non-English monolingual datasets. *Patois** refers to *Jamaican Patois*.

Monolingual Dataset	Language
French CrowS-Pairs (Névéol et al., 2022) and Louis and Spanakis (2022)	French
BanglaRQA (Ekram et al., 2022)	Bangla
Maheshwari et al. (2022)	Sanskrit
KOLD (Jeong et al., 2022) and APEACH (Yang et al., 2022a)	Korean
JamPatoisNLI (Armstrong et al., 2022)	Jamaican Patois
Jiang et al. (2022), DuReader_vis (Qi et al., 2022), D4 (Yao et al., 2022a), Title2Event (Deng et al., 2022), DuQM Zhu et al. (2022); (Zhao et al., 2022b), JDDC 2.1 (Zhao et al., 2022c), MovieUN (Zhang et al., 2022), (Zhou et al., 2022)	Chinese

Table 7: The Non-English but *monolingual* datasets.

datasets in the Appendix B.

Non-English and Monolingual This category includes datasets containing only one language and that language is not English. Refer to Table 7.

The five languages represented in this category are: **French**—French CrowS-Pairs (Névéol et al., 2022) and Louis and Spanakis (2022); **Bangla**—BanglaRQA (Ekram et al., 2022); **Korean**—KOLD (Jeong et al., 2022) and APEACH (Yang et al., 2022a); **Jamaican Patois**—JamPatoisNLI (Armstrong et al., 2022); **Chinese**—Jiang et al. (2022), DuReader_vis (Qi et al., 2022), LEVEN (Yao et al., 2022b), D4 (Yao et al., 2022a), Title2Event (Deng et al., 2022), DuQM (Zhu et al., 2022), (Zhao et al., 2022b), JDDC 2.1 (Zhao et al., 2022c), MovieUN (Zhang et al., 2022) and (Zhou et al., 2022).

Moreover, Maheshwari et al. (2022) introduced a benchmark dataset for **Sanskrit**.

Multilingual These datasets contain multiple languages (see Table 9). MSCTD (Liang et al., 2022) in English and Chinese; Filighera et al. (2022) in English and German; DiS-ReX (Bhar-

tiya et al., 2022) in English, French, Spanish and German; Maronikolakis et al. (2022) in Brazilian Portuguese, German, Hindi, Swahili and English; XFUND (Xu et al., 2022a) in 7 languages Chinese, Japanese, Spanish, French, Italian, German and Portuguese; Crossmodal-3600 (Thapliyal et al., 2022) in 36 languages; MT-GenEval Currey et al. (2022) in Arabic, French, German, Hindi, Italian, Portuguese, Russian and Spanish; IndicNLG Benchmark Kumar et al. (2022) in 11 Indic languages; EUR-Lex-Sum (Aumiller et al., 2022) in 24 official European languages; ClidSum (Wang et al., 2022b) in English, German and Chinese; BLOOM (Leong et al., 2022) in 363 languages; MEE (Pouran Ben Veyseh et al., 2022) in 8 languages English, Spanish, Portuguese, Polish, Turkish, Hindi, Korean, and Japanese; HumSet (Fekih et al., 2022) in English, Spanish, French; Lai et al. (2022) in 5 languages English, Danish, Spanish, Turkish, and Urdu; TyDiP (Srinivasan and Choi, 2022) in 9 languages Hindi, Korean, Spanish, Tamil, French, Vietnamese, Russian, Afrikaans, Hungarian; and ClassBases (Wiriathamabhum, 2022) in English, Spanish, Portuguese.

9 Source of Data, Dataset Creation

A thorough analysis of the sources of texts and images (see Table 8) used to construct the datasets reveals the following. 1) Diverse **online resources** play a critical role in availing the texts, images, and videos leveraged to construct datasets. The online sources vary from GitHub repositories, online forums, search engines and e-commerce, e.g., Baidu and JD.com; social media platforms, e.g., Reddit and Twitter; digital book collections; video and TV streaming platforms, e.g., YouTube and Xigua Video, and NGO and government websites. 2) **Wikipedia and news articles** remain a profound source of texts needed to construct new corpora. 3) The **materials** used to construct datasets include English language exams, patents, news articles, textbooks, medical reports, image collections, and movie clips. 4) **Crowdsourcing**, which involves recruiting human annotators, remains a relevant method to collect data. 5) While most datasets introduce entirely new data, some authors re-purpose **existing datasets**, creating new corpora that suit new tasks or analyses. 6) We note that **prompting large language models (LLMs)** to generate training examples has emerged as a new method to overcome the time and budget constraints that

Data Source	Tests	Legal	Govt	Book	Crowdsourcing	Online	Movie,TV	Prompting	News	Med.	OldData
Count	1	3	2	4	15	31	2	2	7	3	6

Table 8: Sources of text, image, and video used to construct datasets. Test* refers to language test materials. Legal* refers to legal documents e.g., law articles and patents. Govt means government websites. Online* includes forums, GitHub, e-commerce platforms, search engines, and social media. Med* refers to medical reports and biomedical literature. oldData* refers to existing datasets modified to create new datasets.

Multilingual Dataset	# Lang.	Language
MSCTD (Liang et al., 2022)	2	English, Chinese
Filighera et al. (2022)	2	English, German
ClidSum (Wang et al., 2022b)	3	English, German, Chinese
ClassBases (Wiriathammabhum, 2022)	3	English, Spanish, Portuguese
HumSet (Fekih et al., 2022)	3	English, Spanish, French
DiS-ReX (Bhartiya et al., 2022)	4	English, French, Spanish, German
Maronikolakis et al. (2022)	5	Brazilian Portuguese, German, Hindi, Swahili, English
Lai et al. (2022)	5	English, Danish, Spanish, Turkish, Urdu
XFUND (Xu et al., 2022a)	7	Chinese, Japanese, Spanish, French, Italian, German, Portuguese
MEE (Pouran Ben Veyseh et al., 2022)	8	English, Spanish, Portuguese, Polish, Turkish, Hindi, Korean, Japanese
MT-GenEval (Curry et al., 2022)	8	Arabic, French, German, Hindi, Italian, Portuguese, Russian, Spanish
TyDiP (Srinivasan and Choi, 2022)	9	Hindi, Korean, Spanish, Tamil, French, Vietnamese, Russian, Afrikaans, Hungarian
IndicNLG Benchmark (Kumar et al., 2022)	11	Assamese, Bengali, Gujarati, Hindi, Marathi, Odiya, Punjabi, Kannada, Malayalam, Tamil, Telugu
EUR-Lex-Sum (Aumiller et al., 2022)	24	Bulgarian, Croatian, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Greek, Hungarian, Irish, Italian, Latvian, Lithuanian, Maltese, Polish, Portuguese, Romanian, Slovak, Slovenian, Spanish, Swedish
Crossmodal-3600 (Thapliyal et al., 2022)	36	Arabic, Bengali, Chinese-Simplified, Croatian, Cusco Quechua, Czech, Danish, Dutch, English, Filipino, Finnish, French, German, Greek, Hebrew, Hindi, Hungarian, Indonesian, Italian, Japanese, Korean, Maori, Norwegian, Persian, Polish, Portuguese, Romanian, Russian, Spanish, Swahili, Swedish, Telugu, Thai, Turkish, Ukrainian, Vietnamese.
BLOOM Leong et al. (2022)	363	Full list of 363 languages in Appendix C.

Table 9: Multilingual datasets in order of increasing number of languages.

come with recruiting human annotators.

10 Conclusion

Our study focuses exclusively on datasets and NLP methodologies presented at the ACL and EMNLP conferences in 2022, selected for their outstanding quality and influential insights in natural language processing. These conferences are recognized for

setting trends and directions in NLP research, ensuring that our analysis reflects the forefront of the discipline. Despite the narrow scope, we anticipate our findings will offer substantial value by highlighting innovative datasets introduced at these venues, serving as a vital resource and guide for researchers aiming to develop new datasets in NLP.

Acknowledgements

We thank Iqra Ali from the NAIST-NLP group for helping with gathering information about the data sources.

References

- Ruth-Ann Armstrong, John Hewitt, and Christopher Manning. 2022. [JamPatoisNLI: A jamaican patois natural language inference dataset](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 5307–5320, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Dennis Aumiller, Ashish Chouhan, and Michael Gertz. 2022. [EUR-lex-sum: A multi- and cross-lingual dataset for long-form summarization in the legal domain](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 7626–7639, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Elisa Bassignana and Barbara Plank. 2022. [CrossRE: A cross-domain dataset for relation extraction](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 3592–3604, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Mohaddeseh Bastan, Mihai Surdeanu, and Niranjan Balasubramanian. 2022. [BioNLI: Generating a biomedical NLI dataset using lexico-semantic constraints for adversarial examples](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 5093–5104, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Abhyuday Bhartiya, Kartikeya Badola, and Mausam . 2022. [DiS-ReX: A multilingual dataset for distantly supervised relation extraction](#). In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers)*, pages 849–863, Dublin, Ireland. Association for Computational Linguistics.
- Helena Bonaldi, Sara Dellantonio, Serra Sinem Tekiroğlu, and Marco Guerini. 2022. [Human-machine collaboration approaches to build a dialogue dataset for hate speech countering](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 8031–8049, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Shulin Cao, Jiaxin Shi, Liangming Pan, Lunyiu Nie, Yutong Xiang, Lei Hou, Juanzi Li, Bin He, and Hanwang Zhang. 2022. [KQA pro: A dataset with explicit compositional programs for complex question answering over knowledge base](#). In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 6101–6119, Dublin, Ireland. Association for Computational Linguistics.
- Ilias Chalkidis, Abhik Jana, Dirk Hartung, Michael Bommarito, Ion Androutsopoulos, Daniel Katz, and Nikolaos Aletras. 2022. [LexGLUE: A benchmark dataset for legal language understanding in English](#). In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 4310–4330, Dublin, Ireland. Association for Computational Linguistics.
- Mingda Chen, Zewei Chu, Sam Wiseman, and Kevin Gimpel. 2022. [SummScreen: A dataset for abstractive screenplay summarization](#). In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 8602–8615, Dublin, Ireland. Association for Computational Linguistics.
- Liying Cheng, Lidong Bing, Ruidan He, Qian Yu, Yan Zhang, and Luo Si. 2022a. [IAM: A comprehensive and large-scale dataset for integrated argument mining tasks](#). In *Proceedings of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 2277–2287, Dublin, Ireland. Association for Computational Linguistics.
- Zhoujun Cheng, Haoyu Dong, Zhiruo Wang, Ran Jia, Jiaqi Guo, Yan Gao, Shi Han, Jian-Guang Lou, and Dongmei Zhang. 2022b. [HiTab: A hierarchical table dataset for question answering and natural language generation](#). In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 1094–1110, Dublin, Ireland. Association for Computational Linguistics.
- Yew Ken Chia, Lidong Bing, Sharifah Mahani Aljunied, Luo Si, and Soujanya Poria. 2022. [A dataset for hyper-relational extraction and a cube-filling approach](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 10114–10133, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Anna Currey, Maria Nadejde, Raghavendra Reddy Papagari, Mia Mayer, Stanislas Lauly, Xing Niu, Benjamin Hsu, and Georgiana Dinu. 2022. [MT-GenEval: A counterfactual and contextual dataset for evaluating gender accuracy in machine translation](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 4287–4299, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Haolin Deng, Yanan Zhang, Yangfan Zhang, Wangyang Ying, Changlong Yu, Jun Gao, Wei Wang, Xiaoling Bai, Nan Yang, Jin Ma, Xiang Chen, and Tianhua Zhou. 2022. [Title2Event: Benchmarking open event extraction with a large-scale Chinese title dataset](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 6511–6524, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Li Du, Xiao Ding, Kai Xiong, Ting Liu, and Bing Qin. 2022. [e-CARE: a new dataset for exploring explainable causal reasoning](#). In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 432–446, Dublin, Ireland. Association for Computational Linguistics.
- Alon Eirew, Avi Caciularu, and Ido Dagan. 2022. [Cross-document event coreference search: Task, dataset and](#)

- modeling. In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 900–913, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Anton Eklund and Mona Forsman. 2022. **Topic modeling by clustering language model embeddings: Human validation on an industry dataset**. In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing: Industry Track*, pages 635–643, Abu Dhabi, UAE. Association for Computational Linguistics.
- Syed Mohammed Sartaj Ekram, Adham Arik Rahman, Md. Sajid Altaf, Mohammed Saidul Islam, Mehrab Mustafy Rahman, Md Mezbaur Rahman, Md Azam Hossain, and Abu Raihan Mostofa Kamal. 2022. **BanglaRQA: A benchmark dataset for under-resourced Bangla language reading comprehension-based question answering with diverse question-answer types**. In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 2518–2532, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Selim Fekih, Nicolo’ Tamagnone, Benjamin Minixhofer, Ranjan Shrestha, Ximena Contla, Ewan Oglethorpe, and Navid Rekabsaz. 2022. **HumSet: Dataset of multilingual information extraction and classification for humanitarian crises response**. In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 4379–4389, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Anna Filighera, Siddharth Parihar, Tim Steuer, Tobias Meuser, and Sebastian Ochs. 2022. **Your answer is incorrect... would you like to know why? introducing a bilingual short answer feedback dataset**. In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 8577–8591, Dublin, Ireland. Association for Computational Linguistics.
- Deepanway Ghosal, Siqi Shen, Navonil Majumder, Rada Mihalcea, and Soujanya Poria. 2022. **CICERO: A dataset for contextualized commonsense inference in dialogues**. In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 5010–5028, Dublin, Ireland. Association for Computational Linguistics.
- Sujatha Das Gollapalli and Xiaoli Li. 2015. **EMNLP versus ACL: Analyzing NLP research over time**. In *Proceedings of the 2015 Conference on Empirical Methods in Natural Language Processing*, pages 2002–2006, Lisbon, Portugal. Association for Computational Linguistics.
- Yanzhu Guo, Chloé Clavel, Moussa Kamal Eddine, and Michalis Vazirgiannis. 2022. **Questioning the validity of summarization datasets and improving their factual consistency**. In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 5716–5727, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Thomas Hartvigsen, Saadia Gabriel, Hamid Palangi, Maarten Sap, Dipankar Ray, and Ece Kamar. 2022. **ToxiGen: A large-scale machine-generated dataset for adversarial and implicit hate speech detection**. In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 3309–3326, Dublin, Ireland. Association for Computational Linguistics.
- Younghoon Jeong, Juhyun Oh, Jongwon Lee, Jaimeen Ahn, Jihyung Moon, Sungjoon Park, and Alice Oh. 2022. **KOLD: Korean offensive language dataset**. In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 10818–10833, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Xiaotong Jiang, Qingqing Zhao, Yunfei Long, and Zhongqing Wang. 2022. **Chinese synesthesia detection: New dataset and models**. In *Findings of the Association for Computational Linguistics: ACL 2022*, pages 3877–3887, Dublin, Ireland. Association for Computational Linguistics.
- Hisashi Kamezawa, Noriki Nishida, Nobuyuki Shimizu, Takashi Miyazaki, and Hideki Nakayama. 2022. **RN-Sum: A large-scale dataset for automatic release note generation via commit logs summarization**. In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 8718–8735, Dublin, Ireland. Association for Computational Linguistics.
- Kashif Khan, Ruizhe Wang, and Pascal Poupart. 2022. **WatClaimCheck: A new dataset for claim entailment and inference**. In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 1293–1304, Dublin, Ireland. Association for Computational Linguistics.
- Hyunjae Kim, Jaehyo Yoo, Seunghyun Yoon, Jinhyuk Lee, and Jaewoo Kang. 2022a. **Simple questions generate named entity recognition datasets**. In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 6220–6236, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Minju Kim, Chaehyeon Kim, Yong Ho Song, Seungwon Hwang, and Jinyoung Yeo. 2022b. **BotsTalk: Machine-sourced framework for automatic curation of large-scale multi-skill dialogue datasets**. In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 5149–5170, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Wojciech Kryscinski, Nazneen Rajani, Divyansh Agarwal, Caiming Xiong, and Dragomir Radev. 2022. **BOOKSUM: A collection of datasets for long-form narrative summarization**. In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 6536–6558, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.

- Aman Kumar, Himani Shrotriya, Prachi Sahu, Amogh Mishra, Raj Dabre, Ratish Puduppully, Anoop Kunchukuttan, Mitesh M. Khapra, and Pratyush Kumar. 2022. [IndicNLG benchmark: Multilingual datasets for diverse NLG tasks in Indic languages](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 5363–5394, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Philippe Laban, Chien-Sheng Wu, Wenhao Liu, and Caiming Xiong. 2022. [Near-negative distinction: Giving a second life to human evaluation datasets](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 2094–2108, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Viet Lai, Hieu Man, Linh Ngo, Franck Dernoncourt, and Thien Nguyen. 2022. [Multilingual SubEvent relation extraction: A novel dataset and structure induction method](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 5559–5570, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Colin Leong, Joshua Nemecek, Jacob Mansdorfer, Anna Filighera, Abraham Owodunni, and Daniel Whitenack. 2022. [Bloom library: Multimodal datasets in 300+ languages for a variety of downstream tasks](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 8608–8621, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Yunlong Liang, Fandong Meng, Jinan Xu, Yufeng Chen, and Jie Zhou. 2022. [MSCTD: A multimodal sentiment chat translation dataset](#). In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 2601–2613, Dublin, Ireland. Association for Computational Linguistics.
- Alisa Liu, Swabha Swayamdipta, Noah A. Smith, and Yejin Choi. 2022a. [WANLI: Worker and AI collaboration for natural language inference dataset creation](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 6826–6847, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Chen Liu, Gregor Geigle, Robin Krebs, and Iryna Gurevych. 2022b. [FigMemes: A dataset for figurative language identification in politically-opinionated memes](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 7069–7086, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Qi Liu, Zihuiwen Ye, Tao Yu, Linfeng Song, and Phil Blunsom. 2022c. [Augmenting multi-turn text-to-SQL datasets with self-play](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 5608–5620, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Qianchu Liu, Diana McCarthy, and Anna Korhonen. 2022d. [Measuring context-word biases in lexical semantic datasets](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 2699–2713, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Shuaiqi Liu, Jiannong Cao, Ruosong Yang, and Zhiyuan Wen. 2022e. [Long text and multi-table summarization: Dataset and method](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 1995–2010, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Zejie Liu, Xiaoyu Hu, Deyu Zhou, Lin Li, Xu Zhang, and Yanzheng Xiang. 2022f. [Code generation from flowcharts with texts: A benchmark dataset and an approach](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 6069–6077, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Antoine Louis and Gerasimos Spanakis. 2022. [A statutory article retrieval dataset in French](#). In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 6789–6803, Dublin, Ireland. Association for Computational Linguistics.
- Weicheng Ma, Samiha Datta, Lili Wang, and Soroush Vosoughi. 2022. [EnCBP: A new benchmark dataset for finer-grained cultural background prediction in English](#). In *Findings of the Association for Computational Linguistics: ACL 2022*, pages 2811–2823, Dublin, Ireland. Association for Computational Linguistics.
- Ayush Maheshwari, Nikhil Singh, Amrith Krishna, and Ganesh Ramakrishnan. 2022. [A benchmark and dataset for post-OCR text correction in Sanskrit](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 6258–6265, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Antonis Maronikolakis, Axel Wisioerek, Leah Nann, Haris Jabbar, Sahana Udupa, and Hinrich Schuetze. 2022. [Listening to affected communities to define extreme speech: Dataset and experiments](#). In *Findings of the Association for Computational Linguistics: ACL 2022*, pages 1089–1104, Dublin, Ireland. Association for Computational Linguistics.
- Dheeraj Mekala, Tu Vu, Timo Schick, and Jingbo Shang. 2022. [Leveraging QA datasets to improve generative data augmentation](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 9737–9750, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Rajdeep Mukherjee, Abhinav Bohra, Akash Banerjee, Soumya Sharma, Manjunath Hegde, Afreen Shaikh,

- Shivani Shrivastava, Koustuv Dasgupta, Niloy Ganguly, Saptarshi Ghosh, and Pawan Goyal. 2022. [ECT-Sum: A new benchmark dataset for bullet point summarization of long earnings call transcripts](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 10893–10906, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Kai Nakamura, Sharon Levy, Yi-Lin Tuan, Wenhu Chen, and William Yang Wang. 2022. [HybriDialogue: An information-seeking dialogue dataset grounded on tabular and textual data](#). In *Findings of the Association for Computational Linguistics: ACL 2022*, pages 481–492, Dublin, Ireland. Association for Computational Linguistics.
- Aur lie N v ol, Yoann Dupont, Julien Bezan on, and Kar n Fort. 2022. [French CrowS-pairs: Extending a challenge dataset for measuring social bias in masked language models to a language other than English](#). In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 8521–8531, Dublin, Ireland. Association for Computational Linguistics.
- Yulia Otmakhova, Karin Verspoor, Timothy Baldwin, Antonio Jimeno Yepes, and Jey Han Lau. 2022. [M3: Multi-level dataset for multi-document summarisation of medical studies](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 3887–3901, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Alex Papadopoulos Korfiatis, Francesco Moramarco, Radmila Sarac, and Aleksandar Savkov. 2022. [Pri-Mock57: A dataset of primary care mock consultations](#). In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers)*, pages 588–598, Dublin, Ireland. Association for Computational Linguistics.
- Amir Pouran Ben Veyseh, Javid Ebrahimi, Franck Dernoncourt, and Thien Nguyen. 2022. [MEE: A novel multilingual event extraction dataset](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 9603–9613, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Subhash Pujari, Jannik Str tgen, Mark Giereth, Michael Gertz, and Annemarie Friedrich. 2022. [Three real-world datasets and neural computational models for classification tasks in patent landscaping](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 11498–11513, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Le Qi, Shangwen Lv, Hongyu Li, Jing Liu, Yu Zhang, Qiaoqiao She, Hua Wu, Haifeng Wang, and Ting Liu. 2022. [DuReader_{vis}: A Chinese dataset for open-domain document visual question answering](#). In *Findings of the Association for Computational Linguistics: ACL 2022*, pages 1338–1351, Dublin, Ireland. Association for Computational Linguistics.
- Yincen Qu, Ningyu Zhang, Hui Chen, Zelin Dai, Chengming Wang, Xiaoyu Wang, Qiang Chen, and Huajun Chen. 2022. [Commonsense knowledge salience evaluation with a benchmark dataset in E-commerce](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 14–27, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Abhilasha Ravichander, Matt Gardner, and Ana Marasovic. 2022. [CONDAQA: A contrastive reading comprehension dataset for reasoning about negation](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 8729–8755, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Machel Reid, Victor Zhong, Suchin Gururangan, and Luke Zettlemoyer. 2022. [M2D2: A massively multi-domain language modeling dataset](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 964–975, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Chenhui Shen, Liying Cheng, Ran Zhou, Lidong Bing, Yang You, and Luo Si. 2022. [MReD: A meta-review dataset for structure-controllable text generation](#). In *Findings of the Association for Computational Linguistics: ACL 2022*, pages 2521–2535, Dublin, Ireland. Association for Computational Linguistics.
- Eric Michael Smith, Melissa Hall, Melanie Kambadur, Eleonora Presani, and Adina Williams. 2022. [“I’m sorry to hear that”: Finding new biases in language models with a holistic descriptor dataset](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 9180–9211, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Anirudh Srinivasan and Eunsol Choi. 2022. [TyDiP: A dataset for politeness classification in nine typologically diverse languages](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 5723–5738, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Abigail Sticha and Paul Brenner. 2022. [Hybrid knowledge engineering leveraging a robust ML framework to produce an assassination dataset](#). In *Proceedings of the 5th Workshop on Challenges and Applications of Automated Extraction of Socio-political Events from Text (CASE)*, pages 106–116, Abu Dhabi, United Arab Emirates (Hybrid). Association for Computational Linguistics.
- Haitian Sun, William Cohen, and Ruslan Salakhutdinov. 2022a. [ConditionalQA: A complex reading comprehension dataset with conditional answers](#). In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 3627–3637, Dublin, Ireland. Association for Computational Linguistics.

- Hao Sun, Guangxuan Xu, Jiawen Deng, Jiale Cheng, Chujie Zheng, Hao Zhou, Nanyun Peng, Xiaoyan Zhu, and Minlie Huang. 2022b. [On the safety of conversational models: Taxonomy, dataset, and benchmark](#). In *Findings of the Association for Computational Linguistics: ACL 2022*, pages 3906–3923, Dublin, Ireland. Association for Computational Linguistics.
- Wen Sun, Yixing Fan, Jiafeng Guo, Ruqing Zhang, and Xueqi Cheng. 2022c. [Visual named entity linking: A new dataset and a baseline](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 2403–2415, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Zhaoyue Sun, Jiazheng Li, Gabriele Pergola, Byron Wallace, Bino John, Nigel Greene, Joseph Kim, and Yulan He. 2022d. [PHEE: A dataset for pharmacovigilance event extraction from text](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 5571–5587, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Federico Tavella, Viktor Schlegel, Marta Romeo, Aphrodite Galata, and Angelo Cangelosi. 2022. [WLASL-LEX: a dataset for recognising phonological properties in American Sign Language](#). In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers)*, pages 453–463, Dublin, Ireland. Association for Computational Linguistics.
- Surendrabikram Thapa, Aditya Shah, Farhan Jafri, Usman Naseem, and Imran Razzak. 2022. [A multi-modal dataset for hate speech detection on social media: Case-study of russia-Ukraine conflict](#). In *Proceedings of the 5th Workshop on Challenges and Applications of Automated Extraction of Socio-political Events from Text (CASE)*, pages 1–6, Abu Dhabi, United Arab Emirates (Hybrid). Association for Computational Linguistics.
- Ashish V. Thapliyal, Jordi Pont Tuset, Xi Chen, and Radu Soricut. 2022. [Crossmodal-3600: A massively multilingual multimodal evaluation dataset](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 715–729, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Deeksha Varshney, Aizan Zafar, Niranshu Behera, and Asif Ekbal. 2022. [CDialoG: A multi-turn covid-19 conversation dataset for entity-aware dialog generation](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 11373–11385, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Alex Wang, Richard Yuanzhe Pang, Angelica Chen, Jason Phang, and Samuel R. Bowman. 2022a. [SQuALITY: Building a long-document summarization dataset the hard way](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 1139–1156, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Jiaan Wang, Fandong Meng, Ziyao Lu, Duo Zheng, Zhixu Li, Jianfeng Qu, and Jie Zhou. 2022b. [ClidSum: A benchmark dataset for cross-lingual dialogue summarization](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 7716–7729, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Mu-Chun Wang, Zixuan Liu, and Sheng Wang. 2022c. [Textomics: A dataset for genomics data summary generation](#). In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 4878–4891, Dublin, Ireland. Association for Computational Linguistics.
- Shuohang Wang, Ruochen Xu, Yang Liu, Chenguang Zhu, and Michael Zeng. 2022d. [ParaTag: A dataset of paraphrase tagging for fine-grained labels, NLG evaluation, and data augmentation](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 7111–7122, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Xiaozhi Wang, Yulin Chen, Ning Ding, Hao Peng, Zimu Wang, Yankai Lin, Xu Han, Lei Hou, Juanzi Li, Zhiyuan Liu, Peng Li, and Jie Zhou. 2022e. [MAVEN-ERE: A unified large-scale dataset for event coreference, temporal, causal, and subevent relation extraction](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 926–941, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Xuwu Wang, Junfeng Tian, Min Gui, Zhixu Li, Rui Wang, Ming Yan, Lihan Chen, and Yanghua Xiao. 2022f. [WikiDiverse: A multimodal entity linking dataset with diversified contextual topics and entity types](#). In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 4785–4797, Dublin, Ireland. Association for Computational Linguistics.
- Peratham Wiriyathamabhum. 2022. [ClassBases at the CASE-2022 multilingual protest event detection task: Multilingual protest news detection and automatically replicating manually created event datasets](#). In *Proceedings of the 5th Workshop on Challenges and Applications of Automated Extraction of Socio-political Events from Text (CASE)*, pages 149–154, Abu Dhabi, United Arab Emirates (Hybrid). Association for Computational Linguistics.
- Yiheng Xu, Tengchao Lv, Lei Cui, Guoxin Wang, Yijuan Lu, Dinei Florencio, Cha Zhang, and Furu Wei. 2022a. [XFUND: A benchmark dataset for multilingual visually rich form understanding](#). In *Findings of the Association for Computational Linguistics: ACL 2022*, pages 3214–3224, Dublin, Ireland. Association for Computational Linguistics.

- Ying Xu, Dakuo Wang, Mo Yu, Daniel Ritchie, Bingsheng Yao, Tongshuang Wu, Zheng Zhang, Toby Li, Nora Bradford, Branda Sun, Tran Hoang, Yisi Sang, Yufang Hou, Xiaojuan Ma, Diyi Yang, Nanyun Peng, Zhou Yu, and Mark Warschauer. 2022b. [Fantastic questions and where to find them: FairytaleQA – an authentic dataset for narrative comprehension](#). In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 447–460, Dublin, Ireland. Association for Computational Linguistics.
- Kichang Yang, Wonjun Jang, and Won Ik Cho. 2022a. [APEACH: Attacking pejorative expressions with analysis on crowd-generated hate speech evaluation datasets](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 7076–7086, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Xianjun Yang, Ya Zhuo, Julia Zuo, Xinlu Zhang, Stephen Wilson, and Linda Petzold. 2022b. [PcMSP: A dataset for scientific action graphs extraction from polycrystalline materials synthesis procedure text](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 6033–6046, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Binwei Yao, Chao Shi, Likai Zou, Lingfeng Dai, Mengyue Wu, Lu Chen, Zhen Wang, and Kai Yu. 2022a. [D4: a Chinese dialogue dataset for depression-diagnosis-oriented chat](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 2438–2459, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Feng Yao, Chaojun Xiao, Xiaozhi Wang, Zhiyuan Liu, Lei Hou, Cunchao Tu, Juanzi Li, Yun Liu, Weixing Shen, and Maosong Sun. 2022b. [LEVEN: A large-scale Chinese legal event detection dataset](#). In *Findings of the Association for Computational Linguistics: ACL 2022*, pages 183–201, Dublin, Ireland. Association for Computational Linguistics.
- Jiacheng Ye, Jiahui Gao, Qintong Li, Hang Xu, Jiangtao Feng, Zhiyong Wu, Tao Yu, and Lingpeng Kong. 2022a. [ZeroGen: Efficient zero-shot learning via dataset generation](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 11653–11669, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Jiacheng Ye, Jiahui Gao, Zhiyong Wu, Jiangtao Feng, Tao Yu, and Lingpeng Kong. 2022b. [ProGen: Progressive zero-shot dataset generation via in-context feedback](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 3671–3683, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Xinyan Yu, Trina Chatterjee, Akari Asai, Junjie Hu, and Eunsol Choi. 2022. [Beyond counting datasets: A survey of multilingual dataset construction and necessary resources](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 3725–3743, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Qi Zhang, Zihao Yue, Anwen Hu, Ziheng Wang, and Qin Jin. 2022. [MovieUN: A dataset for movie understanding and narrating](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 1873–1885, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Chao Zhao, Faeze Brahman, Kaiqiang Song, Wenlin Yao, Dian Yu, and Snigdha Chaturvedi. 2022a. [NarraSum: A large-scale dataset for abstractive narrative summarization](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 182–197, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Kaifu Zhao, Le Yu, Shiyao Zhou, Jing Li, Xiapu Luo, Yat Fei Aemon Chiu, and Yutong Liu. 2022b. [A fine-grained Chinese software privacy policy dataset for sequence labeling and regulation compliant identification](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 10266–10277, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Nan Zhao, Haoran Li, Youzheng Wu, and Xiaodong He. 2022c. [JDDC 2.1: A multimodal Chinese dialogue dataset with joint tasks of query rewriting, response generation, discourse parsing, and summarization](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 12037–12051, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Jingyan Zhou, Jiawen Deng, Fei Mi, Yitong Li, Yasheng Wang, Minlie Huang, Xin Jiang, Qun Liu, and Helen Meng. 2022. [Towards identifying social bias in dialog systems: Framework, dataset, and benchmark](#). In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 3576–3591, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Hongyu Zhu, Yan Chen, Jing Yan, Jing Liu, Yu Hong, Ying Chen, Hua Wu, and Haifeng Wang. 2022. [Duqm: A chinese dataset of linguistically perturbed natural questions for evaluating the robustness of question matching models](#).

A Dataset Size

B Dataset details

Details for all the datasets surveyed. Due to a space limitation, we split the table into seven parts. Therefore, the Tables [10](#), [11](#), [12](#), [13](#), [14](#), [15](#), [16](#) are a presented in a continuous manner.

C BLOOM Dataset

Table [17](#) shows all the languages represented in the BLOOM dataset.




Figure 4: The varying sizes of datasets. Most datasets tend to have between 10K—50K samples.

Paper/ Dataset	Size (#sentences)	NLP Topic	Baselines	Multi-lingual?	Multi-modal?
Track: ACL 2022					
Ghosal et al. (2022) CICERO: A Dataset for Contextualized Commonsense Inference in Dialogues	53,105 inst.	dialogue reasoning	GLUCOSE-T5, RoBERTa-large, ELECTRA-large, T5-large, Unified QA Large	No	No
Louis and Spanakis (2022) A Statutory Article Retrieval Dataset in French	1,100	Statutory article retrieval	TF-IDF, BM25, word2vec, fast-Text, RoBERTa, CamemBERT	No (French)	No
Sun et al. (2022a) ConditionalQA: A Complex Reading Comprehension Dataset with Conditional Answers	3,427 questions	Reading Comprehension, QA	ETC, DocHopper, FiD, Human	No	No
Du et al. (2022) e-CARE: a New Dataset for Exploring Explainable Causal Reasoning	21,000	Causal Reasoning	BERT, RoBERTa, XLNet, ALBERT, GPT2, BART	No	No
Xu et al. (2022b) Fantastic Questions and Where to Find Them: FairytaleQA – An Authentic Dataset for Narrative Comprehension	10,580 questions	Question answering	BERT, DistilBERT, BART	No	No
Névéol et al. (2022) French CrowS-Pairs: Extending a challenge dataset for measuring social bias in masked language models to a language other than English	1,679 sentence pairs	Bias	CamemBERTbase, FlauBERT-base, FrALBERT	No (French)	No
Cheng et al. (2022b) HiTab: A Hierarchical Table Dataset for Question Answering and Natural Language Generation	3,597 tables	QA, NLG	Neural Symbolic Machine, TaPas, MML, REINFORCE, MAPO	No	No
Cheng et al. (2022a) IAM: A Comprehensive and Large-Scale Dataset for Integrated Argument Mining Tasks	69,666 sentences	Argument Mining	RoBERTa-base	No	No
Cao et al. (2022) KQA Pro: A Dataset with Explicit Compositional Programs for Complex Question Answering over Knowledge Base	117,970 sentences	QA	KVMemNet, SRN, Embed-KGQA, RGCN, BART	No	No
Chalkidis et al. (2022) LexGLUE: A Benchmark Dataset for Legal Language Understanding in English	Combination of existing datasets	Legal NLU	TFIDF-SVM, BERT, RoBERTa, DeBERTa, Longformer, BigBird, Legal-BERT, CaseLaw-BERT	No	No
Liang et al. (2022) MSCTD: A Multimodal Sentiment Chat Translation Dataset	142,871 English-Chinese utterance pairs	Multimodal chat translation; dialogue sentiment analysis	many	Yes (English, Chinese)	Yes
Kamezawa et al. (2022) RNSum: A Large-Scale Dataset for Automatic Release Note Generation via Commit Logs Summarization	82,000 English release notes	Release Note Generation	Glyph, Clustering, BERT, CodeBERT, BART	No	No
Chen et al. (2022) SummScreen: A Dataset for Abstractive Screenplay Summarization	26,900 instances	Abstractive Summarization	Longformer, standard Transformer, BART-large, BM25, ROUGE	No	No
Wang et al. (2022c) Textomics: A Dataset for Genomics Data Summary Generation	22,273 pairs of genomics data	Genomics Data Summary Generation	kNN-Vec2Text, SPECTER, SciBERT, BioBERT, SentBERT, BERT, SentBERT	No	No
Hartvigsen et al. (2022) TOXIGEN: A Large-Scale Machine-Generated Dataset for Adversarial and Implicit Hate Speech Detection	274k toxic and benign statements	Hate Speech Detection	HateBert, ToxDectRoBERTa	No	No
Khan et al. (2022) WatClaimCheck: A new Dataset for Claim Entailment and Inference	33,721 claims	Automated fact checking	TF-IDF, BERT, Bi-LSTM and Bi-GRU, hierarchical attention networks, RoBERTa-base	No	No
Wang et al. (2022f) WikiDiverse: A Multimodal Entity Linking Dataset with Diversified Contextual Topics and Entity Types	8K captions	Multimodal Entity Linking, NER	BM25, WikiVec, BLINK, CLIP, BERT, UNITER, UNITER*, LXMERT	No	Yes

Table 10: This table shows details for the name of the paper, the size of the dataset, the NLP topic of interest, baselines and multilingualism or multimodality status of the dataset (Part I).

Paper/ Dataset	Size (#sentences)	NLP Topic	Baselines	Multi-lingual?	Multi-modal?
Track: ACL 2022 continued					
Wang et al. (2022f) WikiDiverse: A Multimodal Entity Linking Dataset with Diversified Contextual Topics and Entity Types	8K captions	Multimodal Entity Linking, NER	BM25, WikiVec, BLINK, CLIP, BERT, UNITER, UNITER*, LXMERT	No	Yes
Filighera et al. (2022) Your Answer is Incorrect... Would you like to know why? Introducing a Bilingual Short Answer Feedback Dataset	4,519 submissions	Explainable feedback systems	T5-base, mT5-base models	Yes (English, German)	No
Bhartiya et al. (2022) DiS-ReX: A Multilingual Dataset for Distantly Supervised Relation Extraction	1.8 million sentences	Multilingual relation extraction	mBERT	Yes (English, French, Spanish, German)	No
Papadopoulos Korfiatis et al. (2022) Pri-Mock57: A Dataset Of Primary Care Mock Consultations	56 mock consultations	Automatic Speech Recognition	ASR Benchmarks (Kaldi, NeMo QuartzNet, Conformer, Google Cloud Speech-to-text, Amazon Transcribe Medical, Azure Speech-to-text) Consultation Note Generation Benchmarks (BART-CNN, BERT-ext, Random, BART-finet)	No	No
Tavella et al. (2022) WLASL-LEX: a Dataset for Recognising Phonological Properties in American Sign Language	Sign language recognition	–	MLP, LSTM, GRU, I3D 3D Convolutional Neural Network, Spatio-Temporal Graph Convolutional Network	No	No
Track: Findings of ACL 2022					
Jiang et al. (2022) Chinese Synesthesia Detection: New Dataset and Models	7,217 sentences	synesthesia detection	BiLSTM+CRF, BERT+CRF, SR-BiLSTM, PF-BERT	No (Chinese)	No
Qi et al. (2022) DuReader_vis: A Chinese Dataset for Open-domain Document Visual Question Answering	15K QA pairs; 158,000 document images	Visual Question Answering	DocVRE->BM25, DocVQA->RobertaXLM-base, BERT-base-Chinese	No (Chinese)	Yes
Ma et al. (2022) EnCBP: A New Benchmark Dataset for Finer-Grained Cultural Background Prediction in English 18K documents	cultural background prediction	many	No	No	
Nakamura et al. (2022) HybriDialogue: An Information-Seeking Dialogue Dataset Grounded on Tabular and Textual Data	4,844 dialogues	Dialogue	Okapi BM25 retriever, SentenceBERT, TaPas, DialoGPT	No	No
Yao et al. (2022b) LEVEN: A Large-Scale Chinese Legal Event Detection Dataset	63,616 sentences	Legal Event Detection	BiLSTM, BiLSTM+CRF, BERT, BERT+CRF, DMCNN, DMBERT	No (Chinese)	No
Maronikolakis et al. (2022) Listening to Affected Communities to Define Extreme Speech: Dataset and Experiments	20,297 social media passages	hate speech detection	mBERT, XLM-R, langBERT	Yes (Brazilian Portuguese, German, Hindi, Swahili, English)	No

Table 11: This table shows details for the name of the paper, the size of the dataset, the NLP topic of interest, baselines and multilingualism or multimodality status of the dataset (Part II).

Paper/ Dataset	Size (#sentences)	NLP Topic	Baselines	Multi-lingual?	Multi-modal?
Track: Findings of ACL 2022 continued					
Shen et al. (2022) MReD: A Meta-Review Dataset for Structure-Controllable Text Generation	45k meta-review sentences	Controllable Text Generation	Extractive Baselines (LexRank, TextRank, MMR, n LSTM-CRF, bart-large-cnn)	No	No
Sun et al. (2022b) On the Safety of Conversational Models: Taxonomy, Dataset, and Benchmark	11,492 utterances	Dialogue safety	DialoGPT, Blenderbot, Plato-2, PerspectiveAPI, Detoxify, Build it, Break it Fix it, BotAdversarial Dialogue Safety Classifier	No	No
Xu et al. (2022a) XFUND: A Benchmark Dataset for Multilingual Visually Rich Form Understanding	1,393 forms	multilingual document understanding, Semantic Entity Recognition, Relation Extraction	LayoutXLM, XLM-RoBERTa, InfoXLM	7 languages (Chinese, Japanese, Spanish, French, Italian, German, Portuguese)	Yes
Track: EMNLP 2022					
Thapliyal et al. (2022) Crossmodal-3600: A Massively Multilingual Multimodal Evaluation Dataset	3600 images; 261,375 captions	multilingual image captioning	ViT, mT5, CIDEr	36 languages	Yes
Eirwe et al. (2022) Cross-document Event Coreference Search: Task, Dataset and Modeling	2,772,968 passages	Coreference Resolution; event coreference	Deep Passage Retrieval (DPR)	No	No
Wang et al. (2022e) MAVEN-ERE: A Unified Large-scale Dataset for Event Coreference, Temporal, Causal, and Subevent Relation Extraction	103,193 event coreference chains, 1,216,217 temporal relations, 57,992 causal relations, and 15,841 subevent relations	Event Coreference, Temporal, Causal, and Subevent Relation Extraction	RoBERTa-BASE	No	No
Reid et al. (2022) M2D2: A Massively Multi-Domain Language Modeling Dataset	8.5B tokens	Multi-Domain Language Modeling	112M GPT2	No	No
Wang et al. (2022a) SQUALITY: Building a Long-Document Summarization Dataset the Hard Way	100 stories, 625 examples	Summarization	BART-large, Dense Passage Retriever, PEGASUS, Longformer Encoder-Decoder (LED-base), Human Evaluation	No	No
Laban et al. (2022) Near-Negative Distinction: Giving a Second Life to Human Evaluation Datasets	N/A	NLG evaluation	GLUE, GLGE, GEM, BARTScore,	No	No
Yao et al. (2022a) D4: a Chinese Dialogue Dataset for Depression-Diagnosis-Oriented Chat	1339 dialogues	Dialogue (Depression-Diagnosis-Oriented Chat)	BART, CPT, BERT	No (Chinese)	No
Liu et al., 2022d) Measuring Context-Word Biases in Lexical Semantic Datasets	N/A	Model bias	BERT	No	No
Currey et al. (2022) MT-GenEval: A Counterfactual and Contextual Dataset for Evaluating Gender Accuracy in Machine Translation	300 sentences	Gender accuracy in translation	Gender Evaluation Benchmarks— WinoMT, MuST-SHE, GeBioCorpus, Simple-GEN. Model— Transformer-base	Yes (Arabic, French, German, Hindi, Italian, Portuguese, Russian, Spanish.)	No

Table 12: This table shows details for the name of the paper, the size of the dataset, the NLP topic of interest, baselines and multilingualism or multimodality status of the dataset (Part III).

Paper/ Dataset	Size (#sentences)	NLP Topic	Baselines	Multi-lingual?	Multi-modal?
Track: EMNLP 2022 continued					
Kim et al. (2022b) BotsTalk: Machine-sourced Framework for Automatic Curation of Large-scale Multi-skill Dialogue Datasets	300K conversations	Dialogues, open-domain chatbots	256-M parameter poly-encoder, BART, Human Evaluation	No	No
Kumar et al. (2022) IndicNLG Benchmark: Multilingual Datasets for Diverse NLG Tasks in Indic Languages	8M examples across 5 tasks (biography generation using Wikipedia infoboxes, news headline generation, sentence summarization, paraphrase generation and, question generation) and 11 languages	Multilingual NLG	IndicBART, mBART, YAN-MTT toolkit	Yes. 11 languages from o two language families i.e., Indo-Aryan and Dravidian as, bn, gu,hi, kn, ml, mr, or, pa, ta, te	No
Sun et al. (2022d) PHEE: A Dataset for Pharmacovigilance Event Extraction from Text	5000 events	drug safety	ACE for NER, EEQA for Extractive QA, BioBERT, SciFive for Generative QA, T5	No	No
Guo et al. (2022) Questioning the Validity of Summarization Datasets and Improving Their Factual Consistency	306,522 samples	abstractive summarization	BART-base	No	No
Kim et al. (2022a) Simple Questions Generate Named Entity Recognition Datasets	N/A	Framework to generate NER datasets	RoBERTa, BOND, TALLOR, GeNER	No	No
Deng et al. (2022) Title2Event: Benchmarking Open Event Extraction with a Large-scale Chinese Title Dataset	42,000 news titles in 34 topics	Event extraction	BERT	No (Chinese)	No
Liu et al. (2022b) FigMemes: A Dataset for Figurative Language Identification in Politically-Opinionated Memes	5,141 labels	figurative language classification in politically-opinionated memes	SentenceBERT, Text only (BERT, DeBERTa) Image only (ConvNeXt, CLIP-CNN), Multimodal (CLIP, VinVL, BERT+CLIP, CLIP-MM-OOD)	No	Yes
Wang et al. (2022d) ParaTag: A Dataset of Paraphrase Tagging for Fine-Grained Labels, NLG Evaluation, and Data Augmentation	30k sentence pairs	Paraphrase identification and generation	(1) Paraphrasing detection — BERT, RoBERTa, DeBERTa-v3 (2) Paraphrasing generation — BART	No	No
Aumiller et al. (2022) EUR-Lex-Sum: A Multi- and Cross-lingual Dataset for Long-form	Summarization in the Legal Domain	1,500 document/summary pairs per language Extractive Summarization	Zero-shot Extractive Baselines—LexRank AND Cross-lingual Baselines—Longformer Encoder Decoder (LED) AND translation—OPUS-MT	Yes (24 official European languages)	No
Wang et al. (2022b) ClidSum: A Benchmark Dataset for Cross-Lingual Dialogue Summarization	67k+ dialogues AND 112k+ summaries	Dialogue Summarization	mBART-50	Yes (English, German and Chinese)	No
Zhu et al. (2022) DuQM: A Chinese Dataset of Linguistically Perturbed Natural Questions for Evaluating the Robustness of Question Matching Models	10,121 examples	Chinese Question Matching	BERT-b, ERNIE-b, RoBERTa-b, MacBERT-b	No (Chinese)	No
Bonaldi et al. (2022) Human-Machine Collaboration Approaches to Build a Dialogue Dataset for Hate Speech Countering	3059 dialogues	Hate Speech in Dialogue	DialogGPT, T5-2m, T5-1m	English	No

Table 13: This table shows details for the name of the paper, the size of the dataset, the NLP topic of interest, baselines and multilingualism or multimodality status of the dataset (Part IV).

Paper/ Dataset	Size (#sentences)	NLP Topic	Baselines	Multi-lingual?	Multi-modal?
Track: EMNLP 2022 continued					
Leong et al. (2022) Bloom Library: Multimodal Datasets in 300+ Languages for a Variety of Downstream Tasks	–	Language modeling, Image captioning, Visual storytelling, and Speech synthesis/recognition	Language Modeling—DistilBERT, RoBERTa; Image Captioning— InceptionV3; Speech Recognition— Wav2Vec2 XLS-R	Yes. 363 languages across 32 language families	Yes
Ravichander et al. (2022) CONDAQ: A Contrastive Reading Comprehension Dataset for Reasoning about Negation	14,182 question-answer pairs	Reading Comprehension, Reasoning	Full fine-tuning (BERT, RoBERTa, DeBERTa, T5 variant namely UnifiedQA-v2-3b) AND Few-shot setting (UnifiedQA-v2-Base, Large, 3B , InstructGPT-orig ie. text-davinci-002) and Human Evaluation	No	No
Smith et al. (2022) “I’m sorry to hear that”: Finding New Biases in Language Models with a Holistic Descriptor Dataset	459,758 sentences	Bias	GPT2-large, RoBERTa, DialoGPT, BlenderBot 2.0	No	No
Pouran Ben Veyseh et al. (2022) MEE: A Novel Multilingual Event Extraction Dataset	50K event mentions	Event Extraction	Pipeline approach — OneIE, FourIE; Joint approach— mBERT, XLM-RoBERTa	Yes. 8 languages (English, Spanish, Portuguese, Polish, Turkish, Hindi, Korean, and Japanese)	No
Mekala et al. (2022) Leveraging QA Datasets to Improve Generative Data Augmentation	N/A	Generate synthetic data (Data Augmentation)	BERT-base, BackTranslation, PEGASUS, EDA, LAMBADA	No	No
Chia et al. (2022) A Dataset for Hyper-Relational Extraction and a Cube-Filling Approach	44,372 unique facts	Relational Extraction	BERT, Feed-forward network. Pipeline Baseline—UniRE, BERT-Tagger, DistilBERT. Generative Baseline— BART	No	No
Zhao et al. (2022b) A Fine-grained Chinese Software Privacy Policy Dataset for Sequence Labeling and Regulation Compliant Identification	11K sentences, 52K fine-grained annotations	Sequence Labeling	Hidden Markov Model (HMM), Conditional Random Field (CRF), BiLSTM, BiLSTM-CRF, BERT-BiLSTM-CRF	No (chinese)	No
Jeong et al. (2022) KOLD: Korean Offensive Language Dataset	40,429 comments	Offensive Language detection	Korean BERT and RoBERTa models	No (Korean)	No
Mukherjee et al. (2022) ECTSum: A New Benchmark Dataset For Bullet Point Summarization of Long Earnings Call Transcripts	2,425 document-summary pairs	Summarization	FinBERT, T5, LexRank, PacSum , SummaRuNNer, BertSumEXT, MatchSum, BART, Pegasus, BigBird, Longformer Encoder Decoder	No	No
Varshney et al. (2022) CDialog: A Multi-turn Covid-19 Conversation Dataset for Entity-Aware Dialog Generation	1,012 dialogs and 7,982 utterances	Entity-Aware Dialog Generation	BioBERT-BASE, GPT-2, DialogGPT-finetune, BERT, BART, Human Evaluation.	No	No
Pujari et al. (2022) Three Real-World Datasets and Neural Computational Models for Classification Tasks in Patent Landscaping	9,465 instances (Injection-Valve)	Patent Classification	SciBERT, Transformer-based Multi-task Model	No	No

Table 14: This table shows details for the name of the paper, the size of the dataset, the NLP topic of interest, baselines and multilingualism or multimodality status of the dataset (Part V).

Paper/ Dataset	Size (#sentences)	NLP Topic	Baselines	Multi-lingual?	Multi-modal?
Track: EMNLP 2022 continued					
Ye et al. (2022a) ZeroGen: Efficient Zero-shot Learning via Dataset Generation	N/A	Zero-shot Learning	GPT2, GPT2-large, GPT2-XL, LSTM, DistilBERT	No	No
Zhao et al. (2022c) JDDC 2.1: A Multimodal Chinese Dialogue Dataset with Joint Tasks of Query Rewriting, Response Generation, Discourse Parsing, and Summarization	246K dialogue sessions, 3M utterances, and 507K images	multimodal dialogue response generation task, query rewriting task, dialogue discourse parsing task, dialogue summarization	BERT, k-NN, ResNet18, GPT-2, TransResNet	No (Chinese)	Yes
Eklund and Forsman (2022) Topic Modeling by Clustering Language Model Embeddings: Human Validation on an Industry Dataset	N/A	Topic Modeling	BERT, UMAP, HDBSCAN	No	No
Track: Findings of EMNLP 2022					
Qu et al. (2022) Commonsense Knowledge Salience Evaluation with a Benchmark Dataset in E-commerce	30K entities and relations	salience of commonsense knowledge (CSK)	BERTSAGE, KG-BERT, StAR, GenKGC, PKGC,	No	No
Zhao et al. (2022a) NarraSum: A Large-Scale Dataset for Abstractive Narrative Summarization	122K narratives	Abstractive Summarization	RANDOM, LEAD, TEXTRANK, LEXRANK, HSG, PRESUMM; Extractive summarization — BERT, ROBERTA, LONGFORMER; Abstractive summarization — BART, T5, PEGASUS, LED	No	No
Zhang et al. (2022) MovieUN: A Dataset for Movie Understanding and Narrating	TNG task—3,253 long video clips and MCN task—33,060 video clips	Movie Understanding and Narrating	Vanilla Transformer, OVP, CLIP, MIL-NCE, e Arcface model	No (Chinese)	Yes
Liu et al. (2022e) Long Text and Multi-Table Summarization: Dataset and Method	21,125 annual reports from 3,794 companies	long text and multi-table summarization	LexRank, TextRank, BART, PEGASUS, T5, BigBird-PEGASUS, Longformer Encoder Decoder (LED)	No	No
Sun et al. (2022c) Visual Named Entity Linking: A New Dataset and A Baseline	48K images, 120K named entities	Visual Entity Linking	ResNet, CLIP,	No	Yes
Ekram et al. (2022) BanglaRQA: A Benchmark Dataset for Under-resourced Bangla Language Reading Comprehension-based Question Answering with Diverse Question-Answer Types	14,889 question-answer pairs	QA	BanglaT5, mT5, BanglaBERT, mBERT	No (Bangla)	No
Zhou et al. (2022) Towards Identifying Social Bias in Dialog Systems: Framework, Dataset, and Benchmark	28K context-response pairs	Dialog systems	Bert-Base-Chinese, VANILLA, MIXTURE-OF EXPERTS, CDIAL-GPT, EVA, CPM	No (Chinese)	No
Bassignana and Plank (2022) CrossRE: A Cross-Domain Dataset for Relation Extraction	5,265 sentences and 18,608 relations	Relation Extraction	BERT	No	No
Ye et al. (2022b) ProGen: Progressive Zero-shot Dataset Generation via In-context Feedback		Dataset Generation	LSTM, DistilBERT	??	??
Otmakhova et al. (2022) M3: Multi-level dataset for Multi-document summarisation of Medical studies	6365 document	Multi-document summarization	BART, BioBART, Pegasus, BigBird Pegasus, Primera	No	No

Table 15: This table shows details for the name of the paper, the size of the dataset, the NLP topic of interest, baselines and multilinguality or multimodality status of the dataset (Part VI).

Paper/ Dataset	Size (#sentences)	NLP Topic	Baselines	Multi-lingual?	Multi-modal?
Track: Findings of EMNLP 2022 continued					
Fekih et al. (2022) HumSet: Dataset of Multilingual Information Extraction and Classification for Humanitarian Crises Response	148,621 entries and 62 different tags	Multilingual Information Extraction	Entry extraction— LEAD4, XtremeDistil, XLM-R-Base and Entry classification— FastText, XtremeDistil, XLM-R-Base	Yes (English, French, Spanish)	No
Bastan et al. (2022) BioNLI: Generating a Biomedical NLI Dataset Using Lexico-semantic Constraints for Adversarial Examples	21997 instances	NLI	PubMedBERT, BioLinkBERT,	No	No
Armstrong et al. (2022) JamPatoisNLI: A Jamaican Patois Natural Language Inference Dataset	650 examples	Patois NLI	English BERT, multilingual BERT, English RoBERTa, XLM-RoBERTa	No (Patois)	No
Lai et al. (2022) Multilingual SubEvent Relation Extraction: A Novel Dataset and Structure Induction Method	3,591 documents	Relation Extraction	RoBERTa-base, mBERT, XLMR, StructLR, TacoLM, Joint, EventSeg, SCS	Yes. 5 languages (English, Danish, Spanish, Turkish, and Urdu)	No
Liu et al. (2022c) Augmenting Multi-Turn Text-to-SQL Datasets with Self-Play	–	Text-to-SQL	PICARD/ T5-Base, T5-Large	No	No
Srinivasan and Choi (2022) TyDiP: A Dataset for Politeness Classification in Nine Typologically Diverse Languages	4.5K examples	Politeness Classification	English-RoBERTa, XLM-RoBERTa, GPT3 Davinci-002	Yes. 9 languages (Hindi, Korean, Spanish, Tamil, French, Vietnamese, Russian, Afrikaans, and Hungarian.)	No
Yang et al. (2022b) PcMSP: A Dataset for Scientific Action Graphs Extraction from Polycrystalline Materials Synthesis Procedure Text	305 documents, 2468 sentences, 14592 entities, 13968 relations	Action Graphs Extraction	BERT-base, SciBERT, MatBERT	No	No
Liu et al. (2022f) Code Generation From Flowcharts with Texts: A Benchmark Dataset and An Approach	320 flowcharts	source code generation	LSTM, Transformer	No	No
Maheshwari et al. (2022) A Benchmark and Dataset for Post-OCR text correction in Sanskrit	218,000 sentences,	Post-OCR text correction	CopyNet, mBART, mT5, ByT5, IndicBART	No (Sanskrit)	No
Kryscinski et al. (2022) BOOKSUM: A Collection of Datasets for Long-form Narrative Summarization	405 documents,	Summarization	Lead-3, CNN-LSTM Extractor, BertExt, MatchSum, BART, T5, PEGASUS	No	No
Liu et al. (2022a) WANLI: Worker and AI Collaboration for Natural Language Inference Dataset Creation	107,885 examples	NLI	RoBERTa-large, GPT-3	No	No
Yang et al. (2022a) APEACH: Attacking Pejorative Expressions with Analysis on Crowd-Generated Hate Speech Evaluation Datasets	–	hate speech detection	KoBERT, DistilKoBERT, KoELECTRA, KcBERT, SoongsilBERT	No (Korean)	No
Thapa et al. (2022) A Multi-Modal Dataset for Hate Speech Detection on Social Media: Case-study of Russia-Ukraine Conflict	5,680 text-image pairs	Hate Speech Detection	ResNet+BERT, VisualBERT, CLIP; Text unimodal—LSTM, BERT, RoBERTa, and Visual unimodal—DenseNet, ResNet, VGG-19	No	Yes
Sticha and Brenner (2022) Hybrid Knowledge Engineering Leveraging a Robust ML Framework to Produce an Assassination Dataset	7,457 assassination events	Socio-political event Extraction	SVM, BERT, Longformer,	No	No
Wiriyathamabhum (2022) ClassBases at the CASE-2022 Multilingual Protest Event Detection Task: Multilingual Protest News Detection and Automatically Replicating Manually Created Event Datasets COVID-related protest	event datasets from the New York Times news corpus	event detection	document classification—XLM-RoBERTa-base, mLUKE-base and XLM-RoBERTa-large AND sentence classification— mLUKE-base AND token classification—XLM-RoBERTa-base	Yes (English, Spanish and Portuguese)	No

Table 16: This table shows details for the name of the paper, the size of the dataset, the NLP topic of interest, baselines and multilingualism or multimodality status of the dataset (Part VII).

The 363 Languages in BLOOM Library

Ghotuo[aaa]; Ayta, Ambala[abc]; Dangme[ada]; Adangbe[adq]; Akeu[aeu]; Afrikaans[afz]; Aghem[agq]; Esimbi[ags]; Akha[ahk]; Arosi[aiia]; Amri Karbi[ajz]; Akan[aka]; Yanasha[ame]; Amharic[amh]; Alamblak[amp]; Amuzgo, Guererero[amu]; Obolo[ann]; Athpariya[aph]; Awadhi[awa]; Awa[awb]; Nahuatl, Western Durango[azn]; Awing[azo]; Tuki[bag]; Bamanankan[bam]; Bambili-Bambui[baw]; Bamun[bax]; Babanki[bbk]; Balochi, Southern[bcc]; Bamenyam[bce]; Iceve-Maci[bec]; Benabena[bef]; Bengali[ben]; Bafut[bfd]; Mmen[bfm]; Bunak[bfu]; Bangandu[bgf]; Bhojpuri[bho]; Buwal[bhs]; Bislama[bis]; Banjar[bjn]; Binumarien[bjr]; Baka[bkc]; Bakoko[bkh]; Kom[bkm]; Baikenob[bkx]; Aweer[bob]; Tibetan, Central[bod]; Bozo, Teyaxo[boz]; Wumboko[bqm]; Braj Bhasha[bra]; Lave[brb]; Mokpwe[bri]; Bru, Western[brv]; Akoose[bss]; Ntcham[bud]; Terei[buo]; Bafaw-Balong[bwt]; Bunu, Bu-Nao[bwx]; Tairaha[bxa]; Bukusu[bxx]; Batak[bya]; Bozo, Jenaama[bze]; Bisu[bzi]; Kaqchikel[cak]; Kakataibo-Kashibo[cbr]; Cebuano[ceb]; Kagayanen[ceg]; Chontal, Highland Oaxaca[chd]; Dene[chp]; Cimbrian[cim]; Kurdish, Central[ckb]; Chontal, Lowland Oaxaca[clo]; Chinese, Mandarin[cmn]; Chinese, Mandarin[cmn]; Mnong, Central[cmo]; Cree, Swampy[csw]; Gichuka[cuh]; Cuvok[cuv]; Dagbani[dag]; Fataluku[ddg]; Dedua[ded]; German, Standard[deu]; Chidigo[dig]; Zarma[dje]; Kinabatangan, Upper[dmg]; Dani, Western[dnw]; Kadazan Dusun[dtg]; Lotud[dtu]; Dotyali[dty]; Chiduruma[dug]; Elip[ekm]; Markweeta[enb]; En[enc]; English[eng]; Ewondo[ewo]; Filipino[fil]; Fali[fli]; Fon[fon]; French[fra]; Fulfulde, Adamawa[fub]; Fulfulde, Western Niger[fuh]; Galolen[gal]; Gadaba, Bodo[gbj]; Gavar[gou]; German, Swiss[gsu]; Wayuu[guc]; Gujarati[guj]; Ekegusii[guz]; Gawri[gwc]; Hakö[hao]; Haitian Creole[hat]; Hausa[hau]; Nya Huba[hbb]; Kamwe[hig]; Hiligaynon[hil]; Hindi[hin]; Halia[hla]; Mina[hna]; Hre[hre]; Haroi[hro]; Idaté[idt]; Ilocano[ilo]; Indonesian[ind]; Inoke-Yate[ino]; Isu[isu]; Italian[ita]; Ngomba[jgo]; Mixtec, Western Juxtlahuaca[jmx]; Japanese[jpn]; Jarai[jra]; Kalanguya[kak]; Kamba[kam]; Kananda[kan]; Kamano[kbq]; Ap Ma[kbx]; Kanuri, Manga[kby]; Kanuri, Manga[kby]; Q'eqchi'[kek]; Kenyang[ken]; Lü[khb]; Khmer[khm]; Gikuyu[kik]; Kinyarwanda[kin]; Kyrgyz[kir]; Q'anjob'al[kjb]; Kâte[kmg]; Kurdish, Northern[kmr]; Kamasaui[kms]; Kanite[kmu]; Korean[kor]; Kimaragang[kqr]; Krung[krr]; Karen, S'gaw[ksw]; Lahta[kvt]; Kwaio[kwd]; Kwakum[kwu]; Khirwar[kwx]; Koli, Wadiyari[kxp]; Kenga[kyq]; Lango[laj]; Laru[lan]; Lao[lao]; Lohorung[lbr]; Lefa[lfa]; Lugbara[lgg]; Lengo[lgr]; Lhomi[lhm]; Lahu[lhu]; Lukabaras[lkb]; Lole[llg]; Limbum[lmp]; Lamso[lms]; Narim[lol]; Lacid[lsi]; Lutachoni[lts]; Ganda[lug]; Lawa, Eastern[lwl]; Maithili[mai]; Malayalam[mal]; Mam[mam]; Marathi[mar]; Mandar[mdr]; Matal[mfh]; Mefe[mfj]; Mpumpong[mgg]; Mambae[mgm]; Meta'[mgo]; Malila[mgq]; Lhao Vo[mhx]; Mixtec, Ayutla[mii]; Makasae[mkz]; Manambu[mle]; Kiwiliwana[mlk]; Moloko[mlw]; Mmaala[mmu]; Naba[mne]; Mundani[mnf]; Mon[mnw]; Bari[mot]; Mamasa[mqj]; Cheke Holo[mrm]; Mandaya[mry]; Masbatenyio[msb]; Muthuvan[muv]; Marwari[mve]; Mada[mxu]; Burmese[mya]; Sénoufo, Mamara[myk]; Masaaba[myx]; Mumuye[mzm]; Naasioi[nas]; Sibe[nco]; Newar[nw]; Ngemba[nge]; Ngwo[ngn]; Nahuatl, Isthmus-Mecayapan[nhx]; Njem[njy]; Ngombale[nla]; Dutch[nld]; Nahuatl, Orizaba[nlv]; Thai, Northern[nod]; Nepali[npi]; Naskapi[nsk]; Nehan[nsn]; Sotho, Northern[nso]; Naga, Tangshang[nst]; Nyole[nuj]; Ngwe[nwe]; Tanna, Southwest[nwi]; Nauete[nxa]; Nuauulu, South[nxl]; Chichewa[nya]; Nyoro[nyo]; Nyungwe[nyu]; Mbembe, Tigon[nza]; Oadki[odk]; Oji-Cree[ojis]; Okiek[oki]; Tairora, South[omw]; Odia[ory]; Koonzime[ozm]; Pagibete[pae]; Pangasinan[pag]; Punjabi, Eastern[pan]; Pashto, Southern[pbt]; Palaung, Ruching[pce]; Paniya[pcg]; Kayan[pdu]; Indonesian, Peranakan[pea]; Persian, Iranian[pes]; Petats[pex]; Pijin[pij]; Kipfokomo[pkb]; Pamona[pmf]; Pana[pnz]; Portuguese[por]; Gapapaiwa[pwg]; Quechua, Huallaga[qub]; K'iche'[quc]; Quechua, Lambayeque[quf]; Quechua, Cusco[quz]; Quechua, Eastern Apurímac[qve]; Quechua, Huamán-Dos de Mayo Huánuco[qvh]; Quechua, Margos-Yarowilca-Lauricocha[qvm]; Quichua, Napo[qvo]; Quechua, Panao[qxh]; Rendille[rel]; Ranglong[rml]; Romanian[ron]; Rotokas[roo]; Rusyn[rue]; Roviana[rug]; Russian[rus]; Sanskrit[san]; Samburu[sag]; Santhali[sat]; Sos Kundi[sdk]; Semai[sea]; Surigaonon[sgd]; Shan[shn]; Sama, Central[sml]; Soninke[snk]; Sangil[snl]; Somali[som]; Sotho, Southern[sot]; Swo[sox]; Spanish[spa]; Saposa[sps]; Waata[ssn]; Arammba[stk]; Swahili[swh]; Swahili[swh]; Suba[sub]; Syuba[syw]; Tamang, Eastern[taj]; Tamil[tam]; Tiang[tbj]; Panchpargania[tbd]; Emberá-Tadó[tdc]; Tamang, Western[tgd]; Tetun Dili[tet]; Teso[teo]; Tetun[tet]; Tajik[tgk]; Tagalog[tgl]; Thai[tha]; Tharu, Madhya Ksetriya[the]; Kitharaka[thk]; Tharu, Danga[thl]; Tha[thy]; Teop[tio]; Tukude[tgd]; Lenakel[tnl]; Tanna, North[tnn]; Whitesands[tnp]; Tontemboan[tnt]; Toma[tod]; Tombulu[tom]; Tok Pisin[tpi]; Me'phaa, Tlacoapa[tpl]; Tampuan[tpu]; Tsamai[tsb]; Setswana[tsn]; Tsonga[tso]; Turkana[tuv]; Turka[tuz]; Taveta[tvs]; Tz'utujil[tzj]; Muduga[udg]; Mundari[unr]; Urdu[urd]; Uzbek, Northern[uzn]; Venda[ven]; Vietnamese[vie]; Vili[vif]; Waray-Waray[war]; Wa, Vo[wbm]; Wagdi[wbr]; Wambon[wms]; Comorian, Ndzwani[wni]; Wanukaka[wnk]; Watakataui[wtk]; Xhosa[xho]; Kgoro[xkg]; Mbudum[xmd]; Mengaka[xmg]; Malay, Manado[xmm]; Soga[xog]; Mixtec, Yoloxóchitl[xty]; Nugunu[yas]; Yangben[yav]; Yemba[ybb]; Yakkha[ybh]; Yamphu[ybi]; Yiddish, Eastern[ydd]; Yiddish, Eastern[ydd]; Ravula[yea]; Riag Lai[yin]; Yamap[ymp]; Zapotec, Mitla[zaw]; Malay[zlm]; Tokano[zuh]; Zulu[zul]

Table 17: The full list of languages in the BLOOM (Leong et al., 2022) dataset.