

Human-AI Collaborative Big-Thick Data Collection

Haonan ZHAO, Ivan KAYONGO, Leonardo MALCOTTI, and Fausto GIUNCHIGLIA,
DISI, University of Trento, Italy.

Abstract. By *Big-Thick* data, we mean large-scale sensor data (*big data*) which provides an objective view of reality, coupled with *thick data*, i.e., data generated by people, which describes their subjective view of the reality described by big data. Big-thick data enables a machine understanding of human behavior and activities, as well as the human interpretation of what they are doing, i.e., their own personal descriptions of the *why*, *what*, and *how*. The goal of this short paper is to provide a high-level description of a platform, called i-Log, that enables the collection of big-thick data. Its core components are: tools for collecting sensor data as well as the user feedback (e.g., user answers to machine questions), and a dashboard which provides visual qualitative and quantitative feedback on how things are evolving, as well as suitable notifications to the user.

Keywords. Human-AI Collaboration, Big-thick data, Context-awareness

1. Introduction

Smartphone sensors are capable of amassing vast quantities of data, facilitating a quantitative understanding of the world through metrics and patterns [1,2]. This data is often termed as *Big Data* [3]. Conversely, *Thick Data* adds a qualitative aspect to comprehending human experiences and behaviors [4]. While *Big data* provides large-scale quantitative insights, thick data delivers qualitative insights into human behavior. When both are integrated to form *Big-thick data*, they render a more holistic view of human needs and preferences to machines [4,5]. One of the key elements of Big-Thick data is *context* [6,7,8,9] and can be acquired by use of context applications [10] that collect both sensors and self-reports [11,12]. The latter is particularly aimed at capturing the subjective contextual aspects of user situations. However, the current quality of data does not scale to the requirements of big-thick data. A major challenge arises from the fact that sending a high number of questions to humans results in low-quality answers and, therefore, poor quality data [13].

In light of the above, our research objective in this short paper is *to provide a high level description of a system that enables collection of high-quality Big-Thick data*. Our aim is to collect Big-Thick data from both an objective and a subjective perspective, while monitoring the data collection process. For the monitoring, our system enables participants to visualize their collected data via a dashboard, thereby providing feedback on their lifestyle and behavior. This enhances the overall user experience and consequently bolsters the collaboration between humans and AI.

2. Logical Architecture and Dashboard

Figure 1 shows the architecture of the i-log system. Two user roles exist, i.e., the *researcher* who creates the experiment and a *participant*, who takes part in the experiment.

April 2024




Figure 1. Logical architecture

The Big-Thick data collection process starts with the researcher’s data collection planning process. The researcher uses the Planner component, to plan the experiment, which plan is stored in the scheduler database, and at the right time, these are sent to the context data collection application where participants provide answers and sensor data. Participants can modify the plan to suit their time through the re-planner component of the Calendar. Data collected during the execution of the plan is archived in the Long Term Memory database whereas data collection quality statistics are stored in the scheduler DB. Furthermore, the Machine Learning component helps determine the right time to ask questions based on the personal context and re-plan modification made by a participant.




Figure 2. Comparison of a participant’s answers (green line) with two other participants (orange and blue lines). The y-axis shows answered questions and x-axis, selected days of the experiment

The visualization component, in the dashboard, is used to monitor the execution of the experiment plan, enabling real-time viewing and exploration of the amassed big-thick data, in Figure 2 provides an example from the WeNet project, showcasing three participants as a demonstration. Details regarding the questions, sensor collection information, and experiment details can be found at [14].

3. Conclusion

In this paper, we have presented i-Log, a novel system for Big-Thick data collection, designed to enhance user experience and improve the quality of collected data. Our system incorporates a visualization component, allowing monitoring of the experiment’s progress and gain insights from the data. Future work will focus on evaluating the system in real-world scenarios and addressing potential ethical and privacy implications.

References

- [1] Yürür Ö, Liu CH, Sheng Z, Leung VC, Moreno W, Leung KK. Context-awareness for mobile sensing: A survey and future directions. *IEEE Communications Surveys & Tutorials*. 2014;18(1):68-93.
- [2] Bontempelli A, Britez MR, Li X, Zhao H, Erculiani L, Teso S, et al. Lifelong Personal Context Recognition. *arXiv preprint arXiv:220510123*. 2022.
- [3] Das TK, Kumar PM. Big data analytics: A framework for unstructured data analysis. *International Journal of Engineering Science & Technology*. 2013;5(1):153.
- [4] Bornakke T, Due BL. Big–Thick Blending: A method for mixing analytical insights from big and thick data sources. *Big Data & Society*. 2018;5(1):2053951718765026.
- [5] Gomez Ortega A, Van Kollenburg J, Shen Y, Murray-Rust D, Nedić D, Jimenez JC, et al. SIG on Data as Human-Centered Design Material. In: *CHI Conference on Human Factors in Computing Systems Extended Abstracts*; 2022. p. 1-4.
- [6] Giunchiglia F, Bignotti E, Zeni M. Personal context modelling and annotation. In: *2017 IEEE International Conference on Pervasive Computing and Communications Workshops (PerCom Workshops)*. IEEE; 2017. p. 117-22.
- [7] Giunchiglia F, Zeni M, Gobbi E, Bignotti E, Bison I. Mobile social media usage and academic performance. *Computers in Human Behavior*. 2018;82:177-85.
- [8] Li X, Rodas-Britez M, Busso M, Giunchiglia F. Representing habits as streams of situational contexts. In: *Advanced Information Systems Engineering Workshops: CAiSE 2022 International Workshops*. Springer; 2022. p. 86-92.
- [9] Giunchiglia F. Contextual reasoning. *Epistemologia, special issue: I Linguaggi e le Macchine*. 1993;16:345-64.
- [10] Zeni M, Zaihrayeu I, Giunchiglia F. Multi-device activity logging. In: *Proceedings of the 2014 ACM International Joint Conference on Pervasive and Ubiquitous Computing: Adjunct Publication*; 2014. p. 299-302.
- [11] Zeni M, Zhang W, Bignotti E, Passerini A, Giunchiglia F. Fixing Mislabeling by Human Annotators Leveraging Conflict Resolution and Prior Knowledge. *Proceedings of the ACM on Interactive, Mobile, Wearable and Ubiquitous Technologies*. 2019;3(1):32.
- [12] Zeni M, Bison I, Gauckler B, Fernando R, Giunchiglia F. Improving time use measurement with personal big data collection - the experience of the European Big Data Hackathon 2019. *Journal of Official Statistics*. 2020.
- [13] Mehrotra A, Vermeulen J, Pejovic V, Musolesi M. Ask, but don't interrupt: the case for interruptibility-aware mobile experience sampling. In: *Adjunct Proceedings of the 2015 ACM International Joint Conference on Pervasive and Ubiquitous Computing and Proceedings of the 2015 ACM International Symposium on Wearable Computers*; 2015. p. 723-32.
- [14] Giunchiglia F, Bison I, Busso M, Chenu-Abente R, Rodas M, Zeni M, et al. A worldwide diversity pilot on daily routines and social practices (2020). University of Trento Report. 2021.