

# Quantum diffusion of prices and profits

Edward W. Piotrowski

Institute of Theoretical Physics, University of Białystok,  
Lipowa 41, Pl 15424 Białystok, Poland

e-mail: [ep@alpha.uwb.edu.pl](mailto:ep@alpha.uwb.edu.pl)

Jan Śladkowski

Institute of Physics, University of Silesia,  
Uniwersytecka 4, Pl 40007 Katowice, Poland

e-mail: [sladk@us.edu.pl](mailto:sladk@us.edu.pl)

## Abstract

We discuss the time evolution of quotations of stocks and commodities and show that corrections to the orthodox Bachelier model inspired by quantum mechanical time evolution of particles may be important. Our analysis shows that traders tactics can interfere as waves do and trader's strategies can be reproduced from the corresponding Wigner functions. The proposed interpretation of the chaotic movement of market prices imply that the Bachelier behaviour follows from short-time interference of tactics adopted (paths followed) by the rest of the world considered as a single trader and the Ornstein-Uhlenbeck corrections to the Bachelier model should qualitatively matter only for large time scales. The famous smithonian invisible hand is interpreted as a short-time tactics of whole the market considered as a single opponent. We also propose a solution to the currency preference paradox.

# 1 Introduction

We have formulated a new approach to quantum game theory [1]-[3] that is suitable for description of market transactions in term of supply and demand curves [4]-[8]. In this approach quantum strategies are vectors (called states) in some Hilbert space and can be interpreted as superpositions of trading decisions. Tactics or moves are performed by unitary transformations on vectors in the Hilbert space (states). The idea behind using quantum games is to explore the possibility of forming linear combination of amplitudes that are complex Hilbert space vectors (interference, entanglement [3]) whose squared absolute values give probabilities of players actions. It is generally assumed that a physical observable (e.g. energy, position), defined by the prescription for its measurement, is represented by a linear Hermitian operator. Any measurement of an observable produces an eigenvalue of the operator representing the observable with some probability. This probability is given by the squared modulus of the coordinate corresponding to this eigenvalue in the spectral decomposition of the state vector describing the system. This is often an advantage over classical probabilistic description where one always deals directly with probabilities. The formalism has potential applications outside physical laboratories [4]. Strategies and not the apparatus or installation for actual playing are at the very core of the approach. Spontaneous or institutionalized market transactions are described in terms of projective

operation acting on Hilbert spaces of strategies of the traders. Quantum entanglement is necessary (non-trivial linear combinations of vectors-strategies have to be formed) to strike the balance of trade. This approach predicts the property of undividity of attention of traders (no cloning theorem) and unifies the English auction with the Vickrey's one attenuating the motivation properties of the later [5]. Quantum strategies create unique opportunities for making profits during intervals shorter than the characteristic thresholds for an effective market (Brown motion) [5]. On such market prices correspond to Rayleigh particles approaching equilibrium state. Although the effective market hypothesis assumes immediate price reaction to new information concerning the market the information flow rate is limited by physical laws such as the constancy of the speed of light. Entanglement of states allows to apply quantum protocols of super-dense coding [6] and get ahead of "classical trader". Besides, quantum version of the famous Zeno effect [4] controls the process of reaching the equilibrium state by the market. Quantum arbitrage based on such phenomena seems to be feasible. Interception of profitable quantum strategies is forbidden by the impossibility of cloning of quantum states.

There are apparent analogies with quantum thermodynamics that allow to interpret market equilibrium as a state with vanishing financial risk flow. Euphoria, panic or herd instinct often cause violent changes of market prices.

Such phenomena can be described by non-commutative quantum mechanics. A simple tactics that maximize the trader's profit on an effective market follows from the model: *accept profits equal or greater than the one you have formerly achieved on average* [7].

The player strategy  $|j\rangle$  belongs to some Hilbert space and have two important representations  $\langle q|j\rangle$  (demand representation) and  $\langle p|j\rangle$  (supply representation) where  $q$  and  $p$  are logarithms of prices at which the player is buying or selling, respectively [4, 8]. After consideration of the following facts:

error theory: second moments of a random variable describe errors

M. Markowitz's portfolio theory

L. Bachelier's theory of options: the random variable  $\zeta + p^2$  measures joint risk for a stock buying-selling transaction ( and Merton & Scholes works that gave them Nobel Prize in 1997)

we have defined canonically conjugate Hermitian operators (observables) of demand  $Q_k$  and supply  $P_k$  corresponding to the variables  $q$  and  $p$  characterizing strategy of the  $k$ -th player. This led us to the definition of the

---

<sup>1</sup>We use the standard Dirac notation. The symbol  $|j\rangle$  with a letter in it denoting a vector parameterized by is called a *ket*; the symbol  $\langle j|$  with a letter in it is called a *bra*. Actually a *bra* is a dual vector to the corresponding *ket*. Therefore scalar products of vectors take the form  $\langle j|i\rangle$  (*bracket*) and the expectation value of an operator  $A$  in the state  $|j\rangle$  is given by  $\langle j|A|i\rangle$

observable that we call *the risk inclination operator*:

$$H(\mathbb{P}_k; \mathbb{Q}_k) := \frac{(\mathbb{P}_k - \mathbb{P}_0)^2}{2m} + \frac{m!^2 (\mathbb{Q}_k - \mathbb{Q}_0)^2}{2};$$

where  $\mathbb{P}_{k0} := \frac{k\hbar}{k\hbar - j_{ik}} \mathbb{P}_{kj_{ik}}$ ,  $\mathbb{Q}_{k0} := \frac{k\hbar}{k\hbar - j_{ik}} \mathbb{Q}_{kj_{ik}}$ ,  $! := \frac{2}{\hbar}$ . denotes the characteristic time of transaction [7, 8] which is, roughly speaking, an average time spread between two opposite moves of a player (e. g. buying and selling the same commodity). The parameter  $m > 0$  measures the risk asymmetry between buying and selling positions. Analogies with quantum harmonic oscillator allow for the following characterization of quantum market games. One can introduce the constant  $\hbar_E$  that describes the minimal inclination of the player to risk,  $[\mathbb{P}_k; \mathbb{Q}_k] = \frac{i}{2} \hbar_E$ . As the lowest eigenvalue of the positive definite operator  $H$  is  $\frac{1}{2} \frac{\hbar_E}{2}!$ ,  $\hbar_E$  is equal to the product of the lowest eigenvalue of  $H(\mathbb{P}_k; \mathbb{Q}_k)$  and  $2 \cdot 2$  is in fact the minimal interval during which it makes sense to measure the profit. Let us consider a simple market with a single commodity  $G$ . A consumer (trader) who buys this commodity measures his/her profit in terms of the variable  $w = -q$ . The producer who provides the consumer with the commodity uses  $w = p$  to this end. Analogously, an auctioneer uses the variable  $w = q$  (we neglect the additive or multiplicative constant brokerage) and a middleman who reduces the store and sells twice as much as he buys would use the variable  $w = 2p - q$ . Various subjects active on the market may manifest different levels of activity. Therefore it is useful to define a standard for the "canonical" variables  $p$  and  $q$  so that the

risk variable [8] takes the simple form  $\frac{p^2}{2} + \frac{q^2}{2}$  and the variable  $w$  measuring the profit of a concrete market subject dealing in the commodity  $G$  is given by

$$uq + vp + w(u;v) = 0; \quad (1)$$

where the parameters  $u$  and  $v$  describe the activity. The dealer can modify his/her strategy  $j \in L^2$  to maximize the profit but this should be done within the specification characterized by  $u$  and  $v$ . For example, let us consider a fundholder who restricts himself to purchasing realties. From his point of view, there is no need nor opportunity of modifying the supply representation of his strategy because this would not increase the financial gain from the purchases. One can easily show by recalling the explicit form of the probability amplitude  $j \in L^2$  that the triple  $(u;v;j \in L^2)$  describes properties of the profit random variable  $w$  gained from trade in the commodity  $G$ . We will use the Wigner function  $W(p;q)$  defined on the phase space  $(p;q)$

$$\begin{aligned} W(p;q) &= \frac{1}{h_E} \int_{-\infty}^{\infty} e^{i(j_E - 1)px} \frac{hq + \frac{x}{2}j - ih \cdot j - \frac{x}{2}i}{h \cdot j - i} dx \\ &= \frac{1}{h_E} \int_{-\infty}^{\infty} e^{i(j_E - 1)qx} \frac{hp + \frac{x}{2}j - ih \cdot p - \frac{x}{2}i}{h \cdot j - i} dx; \end{aligned}$$

to measure the (pseudo-)probabilities of the players behaviour implied by his/her strategy  $j \in L^2$  (the positive constant  $h_E = 2 \cdot j_E$  is the dimensionless economical counterpart of the Planck constant discussed in the previous section [4, 8]). Therefore if we fix values of the parameters  $u$  and  $v$  then the

probability distribution of the random variable  $w$  is given by a marginal distribution  $W_{u,v}(w)dw$  that is equal to the Wigner function  $W(p;q)$  integrated over the line  $up + vq + w = 0$ :

$$W_{u,v}(w) := \int_{\mathbb{R}^2} W(p;q) \delta(uq + vp + w; 0) dp dq; \quad (2)$$

where the Dirac delta function is used to force the constraint  $(-uq + vp + w; 0)$ . The above integral transform  $(W : \mathbb{R}^2 \rightarrow \mathbb{R}) \rightarrow (W : \mathbb{P}^2 \rightarrow \mathbb{R})$  is known as the Radon transform [9]. Let us note that the function  $W_{u,v}(w)$  is homogeneous of the order -1, that is

$$W_{-u;-v}(-w) = |u|^{-1} |v|^{-1} W_{u,v}(w) :$$

Some special examples of the (pseudo-) measure  $W_{u,v}(w)dw$  where previously discussed in [4, 8, 10]. The squared absolute value of a pure strategy in the supply representation is equal to  $W_{0,1}(p) (|p|^2 = W_{0,1}(p))$  and in the demand representation the relation reads  $|q|^2 = W_{1,0}(q)$ . It is positive definite in these cases for all values of  $u$  and  $v$ . If we express the variables  $u$  and  $v$  in the units  $\frac{1}{\epsilon^{\frac{1}{2}}}$  then the definitions of  $W(p;q)$  and  $W_{u,v}$  lead to the following relation between  $W_{u,v}(w)$  in  $|p|^2$  or  $|q|^2$  for both representations<sup>2</sup> [11]:

$$W_{u,v}(w) \frac{1}{2 |v|} \int_{-1}^1 e^{\frac{i}{2v} (up^2 + 2pw)} |p|^2 dp = \quad (3)$$

---

<sup>2</sup>One must remember that switching roles of  $p$  and  $q$  must be accompanied by switching  $u$  with  $v$

The integral representation of the Dirac delta function

$$\delta(uq + vp + w; 0) = \frac{1}{2\pi} \int_{-\infty}^{\infty} e^{ik(uq + vp + w)} dk \quad (4)$$

helps with finding the reverse transformation to (2). The results is:

$$W(p; q) = \frac{1}{4\pi^2} \int_{\mathbb{R}^3} \cos(uq + vp + w) W_{u,v}(w) du dv dw : \quad (5)$$

Traders using the same strategy (or single traders that can adapt their moves to variable market situations) can form sort of "tomographic pictures" of their strategies by measuring profits from trading in the commodity  $G$ . These pictures would be influenced by various circumstances and characterized by values of  $u$  and  $v$ . These data can be used for reconstruction of the respective strategies expressed in terms the Wigner functions  $W(p; q)$  according to the formula (5).

### 1.1 Example: marginal distribution of an adiabatic strategy

Let us consider the Wigner function of the  $n$ -th excited<sup>3</sup> state of the harmonic oscillator [12]

$$W_n(p; q) dp dq = \frac{(1)^n}{n!} e^{-\frac{2H(p; q)}{\hbar}} L_n \frac{4H(p; q)}{\hbar} dp dq;$$

where  $L_n$  is the  $n$ -th Laguerre polynomial. We can calculate (cf. the definition (2)) marginal distribution corresponding to a fixed risk strategy (that is the

---

<sup>3</sup>Eigenvalues of the operator  $H(p; q)$  can be parameterized by natural numbers including 0. The  $n$ -th eigenvalue is equal to  $n + \frac{1}{2}$  in units of  $\hbar$ . The lowest eigenvalue state is called the ground state; the others are called excited states.



associated risk is not a random variable). We call such a strategy an adiabatic strategy [4]. The identity [13]

$$\int_0^\infty e^{ikw} L_n\left(\frac{k^2}{2}\right) dk = \frac{2^{n+1} P_n(w)}{n!} e^{-w^2} H_n^2(w);$$

where  $H_n(w)$  are the Hermite polynomials, Eq. (4) and the generating function for the Laguerre polynomials,  $\frac{1}{1-t} e^{\frac{x t}{1-t}} = \sum_{n=0}^{\infty} L_n(x) t^n$  lead to

$$W_{n,\mu,\nu}(w) = \mathbb{P} \frac{2^n}{(u^2 + v^2) n!} e^{-\frac{w^2}{u^2 + v^2}} H_n^2\left(\frac{w}{u^2 + v^2}\right) = |w|_n^2; \quad (6)$$

This is the squared absolute value of the probability amplitude expressed in terms of the variable  $w$ . It should be possible to interpret Eq. (6) in terms of stochastic interest rates but this is outside the scope of the present paper.

## 2 Canonical transformations

Let us call those linear transformations  $(P; Q) \rightarrow (P^0; Q^0)$  of operators  $P$  and  $Q$  that do not change their commutators  $PQ - QP$  canonical. The canonical transformations that preserve additivity of the supply and demand components of the risk inclination operator  $\frac{P^2}{2m} + \frac{m Q^2}{2}$  [4, 8] can be expressed in the compact form

$$\begin{pmatrix} P \\ Q \end{pmatrix} = \begin{pmatrix} \frac{\operatorname{Re} z}{z\bar{z}} & \operatorname{Im} z \\ \frac{\operatorname{Im} z}{z\bar{z}} & \operatorname{Re} z \end{pmatrix} \begin{pmatrix} P^0 \\ Q^0 \end{pmatrix}; \quad (7)$$

where  $z \in \mathbb{C}$  is a complex parameter that is related to the risk asymmetry parameter  $m$ ,  $m = z\bar{z}$ . Changes in the absolute value of the parameter  $z$  correspond to different proportions of distribution of the risk between buying

and selling transactions. Changes in the phase of the parameter  $z$  may result in mixing of supply and demand aspects of transactions. For example, the phase shift  $\frac{\pi}{4}$  leads to the new canonical variables  $P^0 = Y \doteq \frac{1}{\sqrt{2}} (P - Q)$  and  $Q^0 = Z \doteq \frac{1}{\sqrt{2}} (P + Q)$ . The new variable  $Y$  describes arithmetic mean deviation of the logarithm of price from its expectation value in trading in the asset  $G$ . Accordingly, the new variable  $Z$  describes the profit made in one buying-selling cycle in trading in the asset  $G$ . Note that the normalization is forced by the requirement of canonicity of transformations. In the following we will use the Schrödinger-like picture for description of strategies. Therefore strategies will be functions of the variable  $y$  being the properly normalized value of the logarithm of the market price of the asset in question. The dual description in terms of the profit variable  $z$  is also possible and does not require any modification due to the symmetrical form of the risk inclination operator  $H(Y; Z)$  [4, 8]. The player's strategy represents his/her actual position on the market. To insist on a distinction, we will define tactics as the way the player decides to change his/her strategy according to the acquired information, experience and so on. Therefore, in our approach, strategies are represented by vectors in Hilbert space and tactics are linear transformations acting on strategies (not necessary unitary because some information can drastically change the players behaviour!)

### 3 Diffusion of prices

Classical description of the time evolution of a logarithm of price of an asset is known as the Bachelier model. This model is based on the supposition that the probability density of the logarithm of price fulfills a diffusion equation with an arbitrage forbidding drift. Therefore we will suppose that the (quantum) expectation value of the arithmetic mean of the logarithm of price of an asset  $E(Y)$  is a random variable described by the Bachelier model. So the price variable  $y$  has the properties of a particle performing random walk that can be described as Brown particle at large time scales  $\tau$  and as Rayleigh particle at short time scales [16]. The superposition of these two motions gives correct description of the behaviour of the random variable  $y$ . It seems that the parameters  $\tau$  and  $\epsilon$  should be treated as independent variables because the first one parameterizes evolution of the "market equilibrium state" and the second one parameterizes the "quantum" process of reaching the market equilibrium state [7, 17]. Earlier [14], we have introduced canonical portfolios as equivalence classes of portfolios having assets with equal proportions. An external observer describes the moves performed by the portfolio manager as a draw in the following lottery. Let  $p_n; n = 1, \dots, N$  be the probability of the purchase of  $w_n$  units of the  $n$ -th asset. Our analysis lead us to Gibbs-like

probability distribution:

$$P_n(c_0; \dots; c_N) = \frac{\exp(-c_n w_n)}{\sum_{k=0}^N \exp(-c_k w_k)}; \quad (8)$$

The coefficient  $c_n$  denotes the present relative price of a unit of the asset  $G_n$ ,  $c_n = \frac{u_n}{\bar{u}_n}$  where  $u_n$  is the present price of the  $n$ -th asset and  $\bar{u}_n$  its price at the moment of drawing. Now let us consider an analogue of canonical Gibbs distribution function

$$e^{-H(Y;Z)}; \quad (9)$$

where we have denoted the Lagrange multiplier by  $\beta$  instead of the more customary  $\beta$  for later convenience. The analysis performed in Ref. [1, 15] allows to interpret (9) as non-unitary tactics leading to a new strategy<sup>4</sup>:

$$e^{-H(Y;Z)}|j\rangle = |j\rangle; \quad (10)$$

Therefore the parameter  $\beta$  can be interpreted as the inverse of the temperature ( $\beta = (\text{temperature})^{-1}$ ) of a canonical portfolio that represents strategies of traders having the same risk inclination (cf. Ref.[14]). These traders adapt such tactics that the resulting strategy form a ground state of the risk inclination operator  $H(Y;Z)$  (that is they aim at the minimal eigenvalue). We call tactics characterized by constant inclination to risk,  $E(H(P;Q)) = \text{const}$  and maximal entropy thermal tactics. Regardless of the possible interpretations,

---

<sup>4</sup>If the numbers  $c_n w_n$  are eigenvalues of some bounded below Hermitian operator  $H$  then we get the statistical operator  $\frac{e^{-H}}{\text{Tr} e^{-H}}$ . The expectation value of any observable  $X$  is given by  $\langle X \rangle_H = \frac{\text{Tr} X e^{-H}}{\text{Tr} e^{-H}}$ .

adoption of the tactics (9) means that traders have in view minimization of the risk (within the available information on the market). It is convenient to adopt such a normalization (we are free to fix the Lagrange multiplier) of the operator of the tactics so that the resulting strategy is its fixed point. This normalization preserves the additivity property,  $R_{t_1+t_2} = R_{t_2} R_{t_1}$  and allows consecutive (iterative) implementing of the tactics. The operator representing such thermal tactics takes the form ( $\beta = \beta_E = 1$ )

$$R_t = e^{-H(Y;Z) - \frac{1}{2}t} :$$

Note that the operator  $H(Y;Z) - \frac{1}{2}$  annihilate the minimal risk strategy (remember that the minimal eigenvalue is  $\frac{1}{2}$ ). The integral representation of the operator  $R_t$  (heat kernel) acting on strategies  $h \in L^2$  reads:

$$h \mathcal{R}_t = \int_1^{Z-1} R_t(y; y^0) h(y^0) dy^0; \quad (11)$$

where (the Mehler formula [18])

$$R_t(y; y^0) = \frac{1}{\sqrt{1 - e^{-2t}}} e^{-\frac{y^2 - y^0^2}{2} - \frac{(e^{-t} y - y^0)^2}{2(1 - e^{-2t})}} :$$

$R_t(y; y^0)$  gives the probability density of Rayleigh particle changing its velocity from  $y^0$  to  $y$  during the time  $t$ . Therefore the fixed point condition for the minimal risk strategy takes the form

$$\int_1^{Z-1} R_t(y; y^0) e^{-\frac{y^2 - y^0^2}{2}} dy^0 = 1 :$$

>From the mathematical point of view, the tactics  $R$  is simply an Ornstein-Uhlenbeck process. It is possible to construct such a representation of the Hilbert space  $L^2$  so that the fixed point of the thermal tactics corresponds to a constant function. This is convenient because the "functional" properties are "shifted" to the probability measure  $\tilde{\mathbb{P}}_Y = \frac{1}{\sqrt{2\pi}} e^{-\frac{y^2}{2}} dy$ . After the transformation  $L^2(dy) \rightarrow L^2(\tilde{\mathbb{P}}_Y)$ , proper vectors of the risk inclination operator are given by Hermite polynomials (the transformation in question reduces to the multiplication of vectors in  $L^2$  by the function  $\frac{1}{\sqrt{2\pi}} e^{-\frac{y^2}{2}}$ ). Now Eq. (11) takes the form:

$$\hat{H}_Y \mathcal{R} = i \int_{-\infty}^{\infty} \mathbb{P}(y; y^0) \hat{H}_Y \mathcal{J} dy^0;$$

where

$$\mathbb{P}(y; y^0) = \frac{1}{\sqrt{2\pi}} e^{y^0 \left( \frac{y}{\sqrt{2}} - \frac{(y - y^0)^2}{2} \right)}.$$

In this way we get the usual description of the Ornstein-Uhlenbeck process in terms of the kernel  $\mathbb{P}(y; y^0)$  being a solution to the Fokker-Planck equation [19].

## 4 "Classical" picture of quantum diffusion

Let us consider the integral kernel of one-dimensional exponent of the Laplace operator  $e^{-\frac{\partial^2}{2\epsilon y^2}}$  representing the fundamental solution of the diffusion equation

$$\frac{\partial f(y; \epsilon)}{\partial \epsilon} = \frac{1}{2} \frac{\partial^2 f(y; \epsilon)}{\partial y^2}.$$

The kernel takes the following form

$$R^0(y; y^0) = \frac{1}{\sqrt{2\pi}} e^{-\frac{(y - y^0)^2}{2}};$$

and the appropriate measure invariant with respect to  $R^0(y; y^0)$  reads:

$$dy_0 = \frac{1}{\sqrt{2\pi}} e^{-\frac{y^2}{2}} dy;$$

The corresponding stochastic process is known as the Wiener-Bachelier process. In physical applications the variables  $y$  and  $t$  are interpreted as position and time, respectively (Brownian motion). Let us define the operators  $X_k$  acting on  $L^2$  as multiplications by functions  $x_k(y(t_k))$  for successive steps  $k = 1, \dots, n$  such that  $t_0 = 0, t_1 = \dots, t_n = T$ . The corresponding (conditional) Wiener measure  $dW_{y|y^0}$  for  $y = y(t_k)$  and  $y^0 = y(t_0)$  is given by the operator

$$\int_{y^0}^y x_k(y(t_k)) dW_{y|y^0} = e^{-\frac{1}{2} \sum_{k=1}^n x_k^2(t_k) \frac{\partial^2}{\partial y^2}} X_1 e^{-\frac{1}{2} \sum_{k=2}^n x_k^2(t_k) \frac{\partial^2}{\partial y^2}} \dots X_n e^{-\frac{1}{2} \sum_{k=n}^n x_k^2(t_k) \frac{\partial^2}{\partial y^2}} (y; y^0):$$

If the operators  $X_k$  are constant ( $x_k(y(t_k)) = 1$ ) then

$$\int_{y^0}^y dW_{y|y^0} = R^0(y; y^0):$$

The Wiener measure allows to rewrite the integral kernel of the thermal tactics in the form [18]

$$R(y; y^0) = \int_{y^0}^y T^0 e^{-\frac{1}{2} \sum_{k=1}^n x_k^2(t_k) \frac{\partial^2}{\partial y^2}} dW_{y|y^0} \quad (12)$$

known as the Feynman-Kac formula where  $T^0$  is the anti-time ordering operator. According to the quantum interpretation of path integrals [20] we can expand the exponent function in Eq. 12 to get "quantum" perturbative corrections to the Bachelier model that result interference<sup>5</sup> of all possible classical scenarios of profit changes in time spread  $\Delta t$ , cf. [21].<sup>6</sup> These quantum corrections are unimportant for short time intervals  $\Delta t \rightarrow 0$  and the Ornstein-Uhlenbeck process resembles the Wiener-Bachelier one. This happens, for example, for "high temperature" thermal tactics and for disorientated markets (traders)<sup>7</sup>. In effect, due to the cumulativity of dispersion during averaging for normal distribution  $(\mathbf{x}; \sigma^2)$

$$\int_{-\infty}^{\infty} \int_{-\infty}^{\infty} (\mathbf{x} + \mathbf{y}; \sigma_1^2) (\mathbf{y}; \sigma_2^2) d\mathbf{y} = (\mathbf{x}; \sigma_1^2 + \sigma_2^2)$$

the whole quantum random walk parameterized by  $\Delta t$  can be incorporated additively into the mobility parameter of the classical Bachelier model. This explains changes in mobility of the logarithm of prices in the Bachelier model that follow, for example, from changes in the tactics temperature or received information. Therefore the intriguing phenomenon of market prices evolution can be interpreted in a reductionistic way as a quantum process. In this

---

<sup>5</sup>Roughly speaking path integrals sum up all possible ways of evolution ("paths") with phases (weights) resulting from interaction.

<sup>6</sup>Note that in the probability theory one measures risk associated with a random variable by squared standard deviation. According to this we could define the complex profit operator  $\hat{A} = \frac{1}{\sqrt{2}} (Y + iZ)$ . The appropriate risk operator would take the form  $H(\hat{A}^\dagger; \hat{A}) = \hat{A}^\dagger \hat{A} + \frac{1}{2}$ .

<sup>7</sup>That is the parameter  $\Delta t$  is very small (but positive).



case the Bachelier model is a consequence of a short-time tactics adopted by the smithonian invisible hand (under the perfect concurrence assumption all other traders can be considered as an abstract trader dealing with any single real trader) [4]. From the quantum point of view the Bachelier behaviour follows from short-time interference of tactics adopted (paths followed) by the rest of the world considered as a single trader. Collected information about the market results after time  $\tau$  in the change of tactics that should lead the trader the strategy being a ground state of the risk inclination operator (localized in the vicinity of corrected expectation value of the price of the asset in question). This should be done in such a way that the actual price of the asset is equal to the expected price corrected by the risk-free rate of return (arbitrage free martingale)[22]. Both interpretations of the chaotic movement of market prices imply that Ornstein-Uhlenbeck corrections to the Bachelier model should qualitatively matter only for large  $\tau$  scales. An attentive reader have certainly noticed that we have supposed that the drift of the logarithm of the price of an asset must be a martingale (that is typical of financial mathematics [22]). Now suppose that we live in some imaginary state where the ruler is in a position to decree the exchange rate between the local currency  $G$  and some other currency  $G^0$ . The value of the logarithm of the price of  $G$  (denoted by  $n$ ) is proportional to the result of measurement of position of a one dimensional Brown particle. Any owner of  $G$  will praise

the ruler for such policy and prefer  $G$  to  $G^0$  because the the price of  $G$  in units of  $G^0$  will, on average, raise (the process  $\exp n$  is sub-martingale). For the same reasons a foreigner will be content with preferring  $G^0$  to  $G$ . This currency preference paradoxical property of price drifts suggest that the common assumption about logarithms of assets prices being a martingale should be carefully analyzed prior to investment. If one measures future profits from possessing  $G$  with the anticipated change in quotation of  $n$  then the paradox is solved and expectation values of the profits from possessing  $G$  or  $G^0$  are equal to zero. Therefore the common reservations on using of logarithms of exchange rates as martingales to avoid the Siegel's paradox is fulfilled [22] (cf. Bernoulli's solution to the Petersburg paradox [23]). Note that if we suppose that the price of an asset and not its logarithms is a martingale then the proposed model of quantum price diffusion remains valid if we suppose that the observer's reference system drifts with a suitably adjusted constant velocity (in logarithm of price variable).

## 5 Final remarks

We have proposed a model of price movements that is inspired by quantum mechanical evolution of physical particles. The main novelty is to use complex amplitudes whose squared modules describe the probabilities. There-

fore such phenomena as interference of tactics (strategies) are possible. The analysis shows the movement of market prices imply that the Bachelier behaviour follows from short-time interference of tactics adopted by the rest of the world considered as a single trader and the Ornstein-Uhlenbeck corrections to the Bachelier model should qualitatively matter only for large time scales. Roughly speaking, traders dealing in the asset  $G$  act as a sort of (quantum) tomograph and their strategies can be reproduced from the corresponding Wigner functions in a way analogous to the mathematical tomography used in medicine. Therefore we can speculate about possibilities using the experience acquired in medicine, geophysics and radioastronomy to investigate intricacies of supply and demand curves.

**Acknowledgments** This paper has been supported by the **Polish Ministry of Scientific Research and Information Technology** under the (solicited) grant No **PBZ-MIN-008/P03/2003**.

## References

- [1] D. Meyer, *Quantum strategies*, *Phys. Rev. Lett.* **82** (1999) 1052.
- [2] J. Eisert, M. Wilkens, and M. Lewenstein, *Quantum games and quantum strategies*, *Phys. Rev. Lett.* **83** (1999) 3077.
- [3] E. W. Piotrowski, J. Śladkowski, *The next stage: quantum game theory*, in *"Progress in Mathematical Physics Research"*, Nova Science Publish-

- ers, Inc. (2004); quant-ph/0308027.
- [4] E. W. Piotrowski and J. Śladkowski, *Quantum market games*, *Physica A* **312** (2002) 208; quant-ph/0104006.
  - [5] H. E. Stanley et al, *Quantifying economic fluctuations*, *Physica A* 302 (2001) 126.
  - [6] M. A. Nielsen, I. L. Chuang, *Quantum Computation and Quantum Information*, Cambridge University Press, Cambridge (2000).
  - [7] E. W. Piotrowski and J. Śladkowski, *The Merchandising Mathematician Model*, *Physica A* **318** (2003) 496, cond-mat/0102174.
  - [8] E. W. Piotrowski and J. Śladkowski, *Quantum-like approach to financial risk: quantum anthropic principle*, *Acta Phys. Pol.* **B32** (2001) 3873; quant-ph/0110046.
  - [9] S. Helgason, *The Radon transform*, Birkhäuser, Boston (1999).
  - [10] E. W. Piotrowski and J. Śladkowski, *Quantum bargaining games*, *Physica A* 308 (2002) 391; quant-ph/0107140.
  - [11] V. I. Man'ko and R. V. Mendes, *Non-commutative time frequency tomography*, *Phys. Lett. A* **263** (1999) 53; physics/9712022.
  - [12] V. I. Tatarskii, *Uspekhi Fiz. Nauk* **139** (1983) 587.

- [13] V. I. Man'ko, *Conventional quantum mechanics without wave function and density matrix*, in *New perspectives in quantum mechanics*, eds. S. Hacyan et al, AIP (1999).
- [14] E. W. Piotrowski and J. Śladkowski, *The thermodynamics of portfolios*, *Acta Phys. Pol.* **B 32** (2001) 597.
- [15] E. W. Piotrowski, J. Śladkowski and J. Syska, *Interference of quantum strategies*, *Physica A* **318** (2003) 516; quant-ph/0205087.
- [16] N. G. van Kampen, *Stochastic Processes in Physics and Chemistry*, Elsevier, New York (1983).
- [17] E. E. Haven, *A discussion on embedding the Black-Sholes option pricing model in a quantum physics setting*, *Physica A* 304 (2002) 507.
- [18] J. Glimm and A. Jaffe, *Quantum Physics. A Functional Integral Point of View*, Springer-Verlag, New York (1981).
- [19] *Encyclopaedia of Mathematics*, Dordrecht, Amsterdam (1997).
- [20] H. Kleinert, *Path integrals in quantum mechanics, statistics and polymer physics*, World Scientific, Singapore (1995).
- [21] M. Kac, *Probability and Related Topics in Physical Sciences*, Interscience, New York (1959).

- [22] M. P. Taylor, *The economics of exchange rates*, *Journ. of Econ. Lit.* **33**(1995) 13.
- [23] M.H. DeGroot, *Optimal Statistical Decisions*, McGraw Hill, New York (1970).