Can One Make Any Crash Prediction in Finance Using the Local Hurst Exponent Idea?

D.Grech

Institute of Theoretical Physics
University of W roclaw, PlM Borna 9,
50-204 W roclaw, Poland
e-m ail: dgrech@ ift.uniwroc.pl
and

Z.M azur

Institute of Experim ental Physics University of W roclaw, PlM Borna 9, 50-204 W roclaw, Poland

A bstract

We apply the Hurst exponent idea for investigation of DJIA index time-series data. The behavior of the local Hurst exponent prior to drastic changes in nancial series signal is analyzed. The optimal length of the time-window over which this exponent can be calculated in order to make some meaningful predictions is discussed. Our prediction hypothesis is veried with examples of '29 and '87 crashes, as well as with more recent phenomena in stock market from the period 1995-2003. Some interesting agreements are found.

1 Introduction

Financial markets are nonlinear, complex and open dynamical systems described by enormous number of free, mostly unknown parameters. Many of these parameters are exterior for the market, what makes the full description of the system even more complicated. Exterior parameters are completely

out of control by investors who are the part of nancial system. These parameters have usually random origin connected with e.g. political disturbances, terrorist attacks, bankruptcies of leading companies, wars, etc. There are also investor dependent interior parameters driving the market even in the absence of other, not expected exterior phenomena. The full recognition of such interior parameters is a big challenge for economists and econophysicists.

All these circum stances mean that detailed time evolution of a complex - nancial system is unpredicted. However is the situation so hopeless? Even if we can not predict the detailed evolution scenario, we might be able to say something else about the system. We have learned from statistical mechanics that one does not have to know where a particular particle of the mechanical system will be a second or few from now, in order to not equation of state of this system. The latter is quite su cient in practical applications giving us the whole available information about the macroscopic parameters, like e.g. pressure or temperature, and it recents all detailed microscopic, directly inaccessible information. In many cases this knowledge is su cient to indicate direction in which the system is evolving.

In this article we rise the question if it is possible to $\,$ nd som $\,$ e m acroscopic parameters in $\,$ nancial market which would play the role of a macroscopic indicator of complex, interior stock dynamics. In particular, we would like this parameter to be able to predict that crashes or other drastic changes in the market signal are coming soon. The task looks hopeless if one assumes following Fam a [1] that investors destroy information while using it, so that others can not use this information again. In this spirit market should not exhibit any correlations between returns r_t at time t and r_{t+} at time t+, where

$$r_{t} = \ln \frac{S_{t+1}}{S_{t}}$$
 (1)

and St is the price of a given stock at time t.

It was widely believed for a long time that price changes follow an independent, zero mean, Gaussian process. However, deviations from this simple scenario have been observed in the nancial signal in the last few years. Empirical work showed that the distribution function $P_r(r > x)$ has tails obeying power law relation $P_r(r > x)$ x [2-4], contrary to normal Gaussian distribution. Also the autocorrelation function of the absolute value of price changes shows long-range persistence high jight jight in , with 0:3 [5-7]. A sort of long memory correlations in nancial signal itself has also

been revealed [8-12].

Due to large liquidity of currency exchange markets, they seem to be a natural subject to explore the existence of such correlations between returns. This has been done for major world and European currencies in [13-15]. It has also been proven that complexity of a nancial market is not limited to the statistical behavior of each nancial time series forming it but follows from the statics and dynamics of correlations existing between various stocks in the market [16].

The proven existence of correlations in nancial time series reveals the possibility to apply some global macroscopic approach to see them. In this paper we address the possibility of searching for correlations between subsequent returns in nancial series with the use of Detrended Fluctuation Analysis (DFA) [17], applied for the rest time in nances in [18-20]. Our philosophy is described below.

2 The Search for the Market State with the Use of Local Hurst Exponent

It is well known that the Hurst -exponent [21,22], extracted from the time series according to DFA method, measures the level of persistency in the given signal. The value & 1=2 implies the existence of long-range correlations and corresponds to so called fractional Brownian motion [23]. In particular, for > 1=2 there is persistence, and for < 1=2 'antipersistence' in the series signal. We expect that dramatic changes in should be preceded by excitation state of the market (nervousness), what in turn is re ected by the shape of subsequent daily changes in the signal. These changes should become less correlated just before the dram atic breakdown in the signal trend. Contrary, when the trend in the market is strong and well determ ined, an increasing (decreasing) value of market index in immediate past makes also an increasing (decreasing) signal in the immediate future m ore probable [24]. In other words, one should observe some long-range correlations in returns and consequently higher values for strong, long lasting trends (increasing or decreasing ones), and signi cant drop in -exponent value if the trend is going to change dram atically its direction in very near future.

To check this hypothesis we used DFA technique, rather than other avail-

able methods like spectral analysis or rescaled range analysis, to extract -exponent. This is because DFA method avoids detection of long-range correlations being an artefact of nonstationarity of time series [25]. Then some applications were performed for Dow Jones Industrial Average (DJIA) daily closure signal.

For completeness let us brie y rem ind the main steps of DFA analysis:

- 1. The time series of random one variable sequence x (t) of length N is divided into N= non-overlapping boxes of equal size . The time variable is discrete and evolves by a single unit between t=1 (x (t=1) x_1) and t=N (x (t=N) x_N). Thus each box contains points and N= is integer.
- 2. The linear approximation of the trend in each -size box is found as y(t) = a + b, with a ;b some box dependent constants.
- 3. In each —size box one de nes the 'detrended walk' x (t) = x (t) y (t) as the di erence between the original series x (t) and the local trend y (t).
- 4.0 ne calculates the variance about the detrended walk for each box:

$$F_{i}^{2}() = \frac{1}{x} \qquad (x (t) \quad y (t))^{2} \quad \frac{1}{x} \qquad x^{2} (t)$$
 (2)

and the average of these variances over all N = boxes of size :

$$hF^{2}()i = \frac{X}{N} = F_{i}^{2}()$$
 (3)

5. A power law behavior is expected:

$$hF^{2}()i^{2}$$
 (4)

from which -exponent can be extracted from log-log linear t.

If one wants to use -exponent to measure the strength of local correlations in nancial time series, one has to use the local -exponent idea [17, 18]. For a given trading day t=i, the corresponding i-exponent value will be calculated according to Eq.(4) in the period hi N+1; ii of length N, called an

observation box or time-window. In order to cover the whole time-window length N with -size boxes, we put the last box contributing to Eq. (3) in the period hi N + 1; i $\frac{N}{1}$ | + 1i, where [:] means the integer part. This box partly overlaps the preceding one but such overlapping does not modify the local . Moving the time-window every one session, one is able to reproduce the history of changes in time. Let us notice that only the past signal of nancial series, not earlier than N sessions before a given trading day t, contributes to local value.

It is not surprising that local -exponent at given m oment to depends on the time-window length N. It is seen in Fig.1 where we present the example of local -exponent plots for chosen 400 trading day period of DJIA daily closure values. Three dierent choices: N = 210, N = 350 and N = 420 have been here made to calculate local . One may notice that plots for N = 350 and N = 420 coincides very well with each other, while N = 210 plot shows already some deviations from other two. It exhibits slightly higher local values in the rst half of discussed period than in the second half. The question arises, whether this is a real elect outside the statistical uncertainties range and what the optimal time-window length N should be chosen for further discussion.

The choice of N seems to be a matter of intuition, statistics and economic regards. If N is too large, exponent loses its locality and may not 'see' correlations whose characteristic range, say , is much smaller than the window length (N). This is the main reason why evolution becomes more smooth if N increases. On the other hand, it has been proven that standard deviation in the local value, caused by nite-size time-series e ects on long-range correlation, is of order [26]:

$$\left(\frac{1}{N}\right)^{1=2} \tag{5}$$

Thus, we are stuck with huge statistical uncertainty with decreasing N , what ${\sf e}$ ciently destroys all predictions.

One has to not then a golden point (golden area) where two above requirements meet together, i.e. where is su ciently small, and N is not too large. For economic reason we suggest that N should not exceed one trading year (N = 240) in the case of nancial series with daily closure signal. This is to avoid probable seasonal periodicity in supply and demand in the market, what would introduce articial contributions to investigated correlations. Besides, in our opinion, loses a sens of the local value for N > 240.

In order to stay within the scaling range of Eq. (4) we used the box size 5 < N = 5.

To nd the optimal N we investigated how far the standard deviation 300. This has been done for di erent subseries changes with N for N of DJIA signal, taking 500 samples for each value of N. The results are collected in Fig. 2, where (N) is displayed together with the respective percentage uncertainty =h i. As one would expect from Eq. (5), slow by decreases on the average with N , but some departs from this rule are rst local m in im um below N = 240 appears at N = 215. observed. The A lthough this minimum is not strong, we decided to make further estimations of local for DJIA series using this particular time-window length. Our choice corresponds to about ten months trading period. It is worth to observe that the obtained statistical uncertainty 9% agrees well with that calculated in [18] for a monetary market. We have also checked that, for N < 200, there exists a substantial drop of linear regression correlation coe cient R2, what additionally justi es our choice. Finally, we found that the local value is not sensitive to changes in N not exceeding 10%, so that 230 reproduces qualitatively and quantitatively very any choice 190 sim ilar results.

3 DJIA Signal Tested with DFA Method - Applications

Now we proceed to analyze the local value of -exponent estimated with the DFA technique for daily closure DJIA signal. The whole history of this signal is collected in Fig.3. We have focused attention on the most important events in the market history. These are: crashes in September 1929, October 1987, July 1998, and the current situation in last three years. All data were taken from [27].

First let us consider the '29 crash shown in details in Fig.4. The DJIA signal had been in clear increasing mode for about 4 m onths – from session 19760 up to the session 19840 (3.09.1929) when the trend in market index changed its direction. The crash took place 40 days later. The detailed –exponent structure of this period is shown in Fig.4a, where dots denote respective local values calculated session by session from the last N=215 index values. To see more electively the evolution of local, the moving average value

m 5 of -exponent taken from ve last sessions (one trading week) has been drawn in Fig.4b. A very clear decreasing trend in local is visible. It had started about one m onth before the D JIA index reached its maximal value on 3.09.1929, but did not term inate with this date. Sm all corrections in local around the session 19840 can be explained as a result of change in D JIA index trend at that time. The exponent has reached a deep and clearly seen local m in im um 0:45 two weeks before the crash, contrary to very high 0:65 from which it started several months earlier. The statistical uncertainty in the di erence between initial (1) and nal (f) values is at $_{\rm f} = _{\rm f}$) 18% - twice smaller than the respective change $_{0}=_{0}+$ (_f 33%. Hence, statistics is unable to explain this particular trend-like pattern in -exponent values.

To see if it was a chance, we checked two other major crashes in American market in 1987 and 1998. The scenario found for them is revealed in Fig.5 and Fig.6. The '87 crash has also clear decreasing trend in local for the whole one year period preceding the crash point (see details in Fig.5). At the same time, DJIA signal constantly rises. These two contradicting trends suggest that investors were becoming gradually more sceptic about the market future at that time, despite the market index has been rising.

The local had started to reach the value below 0.45 since the session]25340. Soon after, the D JIA index also changed drastically its trend on 25.08.87 (session]25385). A comparison of increase later on, with simultaneous drop in D JIA signal between sessions]25385 and]25395, can be read as the commation of decreasing trend in the market. It is worth to observe that the local gains again even deeper minimum '0.43 just before the 0 ctober crash. This minimum reveals again that the market is very 'nervous' and that the increase of D JIA index, initiated by session]25403, is only a small correction before the forthcoming crash. The percentage drop between maximal and minimal value in the trend is about the same as in '29 crash.

The same phenomena occurs for '98 crash if we make its 'X-ray' with the use of local -exponent as seen in Fig.6. The market is much more nervous at that time (the DJIA index plot is jagged much more than ever before). This leads to much smaller values gained by in its decreasing trend before the crash.

In this particular case it is interesting to see what happened next, i.e. after July 1998. The DJIA index run in the period 1995-2003 is displayed in Fig.7. We notice that just after the '98 crash, market entered into globally increasing, but very nervous trend lasting up to January 2000. The -exponent

increases in this period, however, it probably gets m any noise signals coming from the frequently changing D JIA index value within $N=215\,\mathrm{tim}$ e-window length from the immediate past. In other words the correlation range is too short with respect to N and -exponent loses its sensitivity to detect them. Therefore the prediction of market signal evolution with the use of local -exponent becomes discult in the period 1995-2003.

4 Conclusions

We think that the careful analysis of local -exponent signal may signi - cantly help to determ ine in which mode (strong increasing, decreasing or unpredicted one) a market is at given moment. As we have shown, the collected data suggest that very clear trends can be distinguished not only for the nancial series signal but also for the local Hurst exponent. In particular, we tested that value drops signi cantly before any crash in the DJIA signal is going to happen. This con imas that local Hurst exponent may be used as a measure of actual excitation state of the market. However, one has to remember that strong, exterior phenomena not controlled by investors are able to decelerate or accelerate predicted process, drastically change its depth, or even its direction. Such sudden exterior phenomena can not, of course, be predicted by the local behavior.

The best results in prediction of forthcoming drastic changes in the market seem to be obtained if 'quiet' situation exists within considered time-window length, i.e. if one has clear long-lasting trends in market index before the crash. This situation took place in 1929, 1987 and 1998. Otherwise, the exponent contains artifacts from the rapidly changing market index within time-window over which it is calculated. In the latter case predictions are troublesome.

We have checked that the above analysis, based on the local -exponent, works well also for other market indices, like the Warsaw Stock Exchange Index (WIG 20) [28], however dierent time window length should be used in that case. We believe that observation and analysis of local Hurst exponent may play a signicant role as an additional hint for market investors, apart from other technical indicators like moving average or momentum. It could be a novel part of the classical technical analysis in nances.

A cknow ledgem ents

One of the autor (D \mathcal{G}) would like to thank M . A usloos for helpful com m ents and discussion while this article was in preparation.

R eferences

- [1] E.F. Fam a, J. Finance 25, 383 (1970).
- [2] T.Lux, Appl. Financial Econom. 6 (1996) 463-475.
- [3] V. Plerou, P. Gopikrishnau, L. A. N. Amaral, M. Meyer, H. E. Stanley, Phys. Rev. E 60 (1999) 6519-6529.
- [4] U.A.Muller, M.M. Dacorogna, O.V. Pictet in: R.J. Adler, R.E. Feldman, M.S. Taqqu (Eds.), A. Practical Guide to Heavy Tails, Birkhauser, Basel, 1998, pp. 83-311.
- [5] C.W. J.G. ranger, Z.D. ing, J.E. conometrics 73 (1996) 61.
- [6] Y.Liu, R.Gopikrishnan, P.Cizeau, M.Meyer, C.-K. Peng, H.E. Stanley, Phys. Rev. E 60 (1999) 1390–1400.
- [7] M. Lundin, M. M. Dacorogna, U. A. Muller, Financial Markets Tick by Tick, Wiley, New York, 1999, p.91.
- [8] Z.Ding, C.W. J.Granger, R.F. Engle, J. Emp. Finance 1, 83 (1993).
- [9] R.I. Baillie, T. Bollerslev, J. Int. Money & Finance 13, 565 (1994).
- [10] P.De Lima, N. Crato, Economic Lett. 45, 281 (1994).
- [11] A. Pagan, J. Emp. Finance 3, (1996) 15.
- [12] R.T. Baillie, J. Econom etrics 73, (1996) 5.
- [13] M. Ausloos, K. Ivanova, Int. J. Mod. Phys. C 12, (2001) 169.
- [14] K. Ivanova, M. Ausloos, Eur. Phys. J. B 27, 239-247 (2002).
- [15] R. Baviera, M. Pasquini, M. Serva, D. Vergni, A. Vulpiani, Eur. Phys. J. B 20, 473-479 (2001).

- [16] F. Lillo, R. N. M. antegna, arX iv: cond-m at/0006065.
- [17] C.K. Peng, S.V. Buldyrev, S. Havlin, M. Simons, H.E. Stanley, A.L. Goldgerger, Phys. Rev. E 49 (1994) 1691-1695.
- [18] N. Vandewalle, M. Ausloos, Physica A 246, (1997) 454-459.
- [19] M. Ausloos, N. Vandewalle, Ph. Boveroux, A. Minguet, K. Ivanova, Physica A 274 (1999) 229-240.
- [20] N. Vandewalle, M. Ausloos, Int. J. Comput. Anticipat. Syst. 1 (1998) 342-349.
- [21] H. E. Stanley, S.V. Buldyrev, A. L. Goldberger, S. Havlin, C.-K. Peng, M. Simmons, Physica A 200 (1996) 4-24.
- [22] S.V. Buldyrev, N.V. Dokholyan, A. L. Goldberger, S. Havlin, C.-K. Peng, H.E. Stanley, G.M. Viswanathan, Physica A. 249 (1998) 430-438.
- [23] B B M andelbrot, The FractalGeometry of Nature, W H Freeman, New York, 1982
- [24] M. Ausloos, K. Ivanova, arX iv: cond-m at/0108013.
- [25] H.E. Stanley, L.A.N. Amaral, S.V. Buldyrev, A.L. Goldberger, S. Havlin, H. Leschhom, P.M. aass, H.A. Makse, C.-K. Peng, M. A. Salinger, M. H.R. Stanley, G.M. Viswanathan, Physica A. 231 (1996) 20–48.
- [26] C.-K. Peng, S.V. Buldyrev, A.L. Goldberger, S.H. avlin, M. Simons, H.E. Stanley, Phys. Rev. E 47 (1993) 3730-3733
- [27] http://www.djindexes.com
- [28] D G rech, Z M azur, unpublished




Figure 1: The example of time evolution plots of local—exponent for DJIA signal in the period Feb 1913 (June 1914 for three dierent choices of time-window length N:N=210,350,420. The values are articially multiplied by two and then displaced along the vertical axis to make the dierences noticeable. The DJIA index signal is also drawn for comparison.




Figure 2: The standard deviation (N) and the percentage uncertainty =hiwith respect to the mean value hi as a function of time-window length N. Calculations were made on the sample of 500 subseries of length N each. Note that hi, marked with round dots, stays steady and does not change signicantly with N. It con must be right choice of subseries in DJIA signal. Such subseries with uncorrelated signal and no drastic changes in -exponent (quiet domains) are good, natural tools to calibrate statistical uncertainties of the applied method.




Figure 3: The whole daily closure DJIA index history (1896-2003). The major economic events are seen as clear local maxima. They are marked with arrows indicating also the date of economic event.




Figure 4: An 'X-ray' of the '29 crash in 4ade with the use of local -exponent. (a) All local values calculated session after session are marked as dots. (b) The moving average $_{\rm m}$ 5 of last ve sessions. The signicant drop in between sessions 19820 and 19860 is striking.




Figure 5: The history of '87 crash.

- (a) The local evolution calculated as before for N = 215.
- (b) The moving average $_{\text{m 5}}$ line explains how the decreasing trend in $\,$ is form ed.




Figure 6: The history of '98 crash. The same notation as previously applies. The decreasing trend in is much deeper (50%) than before. The investors seem to be very enthusiastic till the beginning of 1997 (> 0:65), but they become pessim istic and nervous just one year later (< 0:45), despite the D JIA index still grows. The exponent reaches its deep minimum (< 0:35) in the half of 1998. This is a good moment for crash to appear (!).




Figure 7: The total display of the period 1995–2003 in D JIA signal history. The previous notation applies. Some important events are marked: the beginning of '98 crash (17.07.1998), the end of the longest economic boom in US history after 107 months of its expansion (14.01.2000), terrorist attack in New York (11.09.2001). The decreasing trend in -exponent is observed from 14.01.2000 to 10.09.2001 { just one day before the terrorist attack. The huge drop in D JIA signal was then predicted at that time anyway (!). The D JIA index would have dropped immediately after, even if the attack did not take place (!).