Comments on \A nom alous-Filling-Factor-Dependent Nuclear Spin Polarization in a 2D Electron System: Quantum Hall E ect, by J. H. Smet, K. von Klitzing, et al, Phys. Rev. Lett. 92, 086802 (2004)".

Keshav N. Shrivastava

School of Physics, University of Hyderabad, Hyderabad 500046, India

We not that the nuclear spin polarization has not been treated correctly. The references given are those of wrong papers. The credits assigned for discoveries are also not correct. Incorrect theories have been cited. The reference to the correct theory has been neglected. Because, there are lots of good people, so they do not want to give reference to my papers even though they have not solved the problem of quantum Hall e ect and we have.

PACS numbers: 73.43.-f

1. Introduction

In a recent letter[1] published in the PRL, we not that our result is used without giving reference to our papers. Therefore, our comments are given below.

2. Com m ents

1. Page 086802-1, para 1. "The spin of the 2D electrons with density n_{2D} has long been recognized ...". A ctually, the Laughlin's wave function does not depend on spin. It requires only an odd number which makes the wave function antisymmetric. Halperin [2] did suggest the possibility of singlet pairing at the half—led band. The spin singlet of two particles will give the charge of 2e as in superconductors not =2. Therefore, spin singlet is not the correct answer for the half—led band. A ctually, there is a way to get S=0 and charge =2 but it is not through

Halperin's paper. It can be obtained from my formula only.

2. Page 086802-1, para 2.\This spin transition physics can be lucidly phrased ... invoking composite ferm ion (CF)...". We have informed the rst authorby posting our paper (K. N. Shrivastava, cond-mat/0304269), at an earlier time that this CF picture is entirely wrong. Imagine that two ux quanta are attached to one electron and this is called CF.W hen this object is heated, two ux quanta come out without any current. So ux can be produced without producing current. That is why this CF model is entirely incorrect.

This phase transition leaves unambiguous ngerprints in the transport properties. Because the gap dim inishes as level (0 #) overtakes (1;")...". The statement is correct but the reference to the original paper has been eaten up and the credit has not been given. The correct spin con guration is given by me in 1985 [3]. At that time von K litzing's group did not know the spin orientations.

3. Page 086802-2. Caption of Fig.1.\... evolution of the composite ferm ion Landau levels with density or B eld at xed = 2/3 ...". The actual objects are not \composite ferm ions". The authors have m is interpreted the data.

4 Page 086802-2, right hand side. \ ... lling dependent nuclear spin polarization develops". The result is correct but the reference to the original paper and hence the credit to the original author has not been given.

5. Page 086802-3, left hand side. \Its origin is puzzling. M ost of all, what is the impetus for such a large change in < I > upon switching to a dierent rest".

The answer is given in my book [4].

6. Page 086802-3, right hand side, line 22. $\$ Skyrm ion physics makes < S > drop to small

values". The Skyrm ion is irrelevant to the present problem.

\Spin-polarized CF m etallic state is anticipated".

The CF is irrelevant to the quantum Halle ect.

7. Page 086802-4, left hand side: \large lling factor dependence of the spin polarization of nuclei residing in the same plane as the 2D electrons has been revealed". The authors have reported as if it is a new result but such a result is given in my book [4] earlier.

3. Addenda

Recently, it has been pointed out by Halperin that there is a Pfa an state, which is de ned by,

Therefore, Pfa an is not a cure for Laughlin and hence serves no useful purpose what so ever. Here M i; are the matrix elements of L anti $sym m etric m atrix. S_L$ is the m erm utation group on L objects and Laughlin is the Laughlin's wave function containing $(z_i z_j)^q$ with q = odd num ber = 3. Praff is a wave function for spinless electrons in the lowest Landau level. The composite + (z)U (z)q is a neutral boson for q= odd and neutral ferm ion if q is even. So for q= odd, we can get Bose-Einstein condensation which is Laughlin's state. However, incompressibility has been introduced articially. Usually c= 1 is used to set the units but a = 1 which gives incom pressibility is algebraically not correct because the magnetic length is never unity.

There are lots of good people in Columbia, Princeton, Stanford, Stuttgart, Urbana, etc. and that is the explanation for not giving reference to my paper. However, these good people have not solved the problem of quantum Halle ect and they are not able to derive the 1/3 charge. Therefore, mine is the only correct theory [3]. Our results are being slow by pinched by the PRL authors without giving reference to our paper.

Therefore, we are bound to make the observation that there is lack of desire to give the credit where it belongs.

4. Conclusions.

The correct interpretation of the quantum Halle ect is given by us but Smet et al[1] while using spin combinations have not given the reference to our work. This is highly objectionable. The interpretation in terms of CF is entirely incorrect.

4. References

- 1. J. H. Smet, R. A. Deutschmann, F. Ertl, W. Wegschneider, G. Abstreiter and K. von Klitzing, Phys. Rev. Lett. 92,086802 (2004).
- 2. B. I. Halperin, Helv. Phys. Acta 56, 75 (1983)
- 3. K.N.Shrivastava, Phys. Lett. A 113, 435 (1986)
- 4. K.N. Shrivastava, Introduction to quantum Halle ect,
 Nova Science Pub. Inc., N.Y. (2002).