M easuring non-G aussian uctuations through incoherent C ooper pair current

Tero T. Heikkila, 1,2, Pauli Virtanen, Goran Johansson, 3,4 and Frank K. Wilhelm 5

Low Temperature Laboratory, P.O. Box 2200, FIN-02015 HUT, Finland
Department of Physics and Astronomy, University of Basel, Klingelbergstr. 82, CH-4056 Basel, Switzerland
Institut für Theoretische Festkorperphysik, Universitat Karlsruhe, D-76128 Karlsruhe, Germany

⁴A pplied Q uantum Physics, M C 2, C halmers University of Technology, S-412 96 G oteborg, Sweden
⁵P hysics D epartment and CeNS, Ludwig-Maximilians-Universitat, Theresienstr. 37, D-80333 M unchen, Germany

(D ated: A pril 14, 2024)

We study a Josephson junction (JJ) in the regime of incoherent Cooper pair tunneling, capacitively coupled to a nonequilibrium noise source. The current-voltage (I-V) characteristics of the JJ are sensitive to the excess voltage uctuations in the source, and can thus be used for wide-band noise detection. Under weak driving, the odd part of the I-V can be related to the second cumulant of noise, whereas the even part is due to the third cumulant. After calibration, one can measure the Fano factors for the noise source, and get information about the frequency dependence of the noise.

PACS num bers: 74.40.+ k,05.40.C a,72.70.+ m,74.50.+ r

The current in electric circuits uctuates in time, even when driven with a constant voltage. At equilibrium or in large conductors, this current noise can be quantied using the uctuation-dissipation theorem (FDT), which relates the magnitude of the uctuations to the temperature T and the impedance of the circuit. Moreover, in large wires the current statistics is described by a G aussian probability density which has only two nonzero cumulants, the average current and noise power. This situation changes for small, mesoscopic-scale resistors exhibiting shot noise [1, 2]: The noise power at low frequencies is proportional to the average current. Further, the statistics of the transmitted charge is no longer G aussian: higher cumulants are nite, and the probability density is "skew", i.e., odd cumulants do not vanish.

For small samples, the frequency scale for the shot noise is given by the voltage, $eV=\sim$. Shot noise has been measured at low frequencies in many types of mesoscopic structures (see the references in [1, 2]). However, there are only a few direct measurements of shot noise at high frequencies! $eV=\sim$ [3], and only one of the higher (than second) cumulants [4] (at! $eV=\sim$). One of the main reasons for the shortage of such measurements is the diculty to couple the uctuations to the detector at high frequencies, or to devise wide-band detection, as required for the third and higher cumulants [4, 5].

In this Letter, we analyze an on-chip detector of voltage uctuations, based on capacitively coupling a noise source to a small JJ in Coulomb blockade [6]. There, the current can ow only if the environmental uctuations provide the necessary energy to cross the blockade. In this way, the current through the small JJ provides detailed information of the voltage uctuations in the source over a wide bandwidth. This information includes e ects of a non-Gaussian (\skew") environment on a quantum system. For the measurement of the second cumulant, its characteristics compare well with the other suggested on-chip detectors [7, 8, 9, 10, 11], based on var-

ious m esoscopic devices and techniques. The detectors proposed in [10,11] detect the non-G aussian character of the noise, but m apping the output back to the di erent cum ulants has not been carried out. The on-chip scheme presented here is the rst to directly measure the third cum ulant of uctuations. In the Gaussian regime, our analysis of the noise detection resembles that of Ref. [8], but probes the noise at low measurement voltages.




FIG.1: Noise measurement circuit. The voltage noise at point A, driven with V_N , induces voltage noise at point B through the capacitor C_m and in this way a ects JJ. JJ is in a highly resistive environment, $R \,>\, R_{\,Q} \,=\, h = (4e^2)$. $F_n^{\ a,b}$ are the Fano factors for the n'th cumulants in the noise source. The noise is read by investigating I_m (V_m), as explained in the text.

We investigate the system depicted in Fig.1. The part indicated by the dashed lines represents the noise source, and the other part is the detector. The excess voltage noise at point A , induced by driving the source ($V_N \in 0$), gives rise to voltage noise at point B , and the latter can be read by exam ining the current I_m (V_m). There is also another source of noise: the equilibrium uctuations in the whole circuit, described by FDT. As shown below, the two types of uctuations can be treated separately.

In the regime of incoherent Cooper-pair tunneling, the I-V characteristics of the detector can be described by a perturbation theory in the Josephson coupling energy

 $E_{\rm J}$. This yields for the current through JJ [12, 13]

$$I_{m} (V_{m}) = \frac{-eE_{J}^{2}}{e^{2}} P_{(t)} (2eV_{m}) P_{(t)} (2eV_{m}) : (1)$$

Here P $_{(t)}$ (E) Relative i (the i (the

One can identify P (E) as the Fourier transform of the moment-generating function () = he (t) e (0) i h (!1) of (t) (0), evaluated at = i. This can be expanded in the cumulants C_n (t), () = $\exp[^2=(2!)C_2$ (t) + $^3=(3!)C_3$ (t) +]. These cumulants are dened such that (t) is ordered before (0) in the expectation value. The expansion denes a function J (t) = ln ((i)) = h=(4e^2), J_2(t) + J_3(t) + , where for stationary uctuation n I(!1) n definition n I(!1) n III n III

The odd cum ulants of the uctuations in the source break the sym m etry between the positive and the negative V_m . To separate the non-G aussian e ects, we consider the even and odd parts of the I-V , $I_{\rm S=A}$ $(V_m$) $(I_m$ $(V_m$) I_n (V_m))=2. The odd part I_A $(V_m$) describes the general behavior mostly due to the even cum ulants (c.f., Eq. (6) below), and the even part $I_{\rm S}$ $(V_m$) (Eq. (7)) responds to the odd cum ulants, vanishing if C $_{2n+1}=0$. We show below that tuning the voltage V_m and measuring $I_{A=S}$ $(V_m$) gives access to the frequency dependence of the lowest cum ulants at large bandwidths.

We have to take the additional G aussian uctuations J^D (t) from the total in pedance of the setup into account, as they will inevitably in uence the measurement. Thus, we split the uctuations as parts J (t) = J^D (t) + J^S (t) with the excess uctuations due to the driven source denoted by J^S (t). The latter includes the non-G aussian elects for which J^S of J^S . We also do not J^S (E) J^S (E)

of the excess noise, the current is given by

$$I_{m} = \frac{I_{D} \frac{E}{2e}}{1 e^{E}} P^{S}(E) e^{(E 2eV_{m})}P^{S}(E);$$
(2)

evaluated at E = $2eV_m$. Here 1 = k_B T and denotes the convolution over the energy. Thus, the detector characteristics, described by P D (E), do not need to be known exactly, but they can be calibrated by measuring the current I_D (V_m) in the absence of the additional noise.

For connecting the uctuations at the JJ and the source, we relate the mutually uncorrelated intrinsic uctuations I_a , I_b and I_m through the resistors R_a , $R_{\,\text{b}}$ and R to the voltage $\,$ uctuations $\,$ V $\,$ at point B , $V(!) = R[I_m(!) i! C_m R_S(I_b)]$ I) ⊨G(!) through circuit analysis. Here G(!) = 1 i! (RC + R_SC_m) $!^2RC_JR_SC_m$, $C = C_m + C_J$ and $R_S =$ $(R_a^1 + R_b^1)^1$. The equilibrium uctuations in the source are present even for $V_N = 0$, and they can be included in the calibration through the FDI. The excess uctuations due to driving produce excess phase uctuations, characterized by the n'th order correlators $h(!_1)$ $_{n}$)i(! 2 ($\frac{1}{4}$ + $_{n}$ $+S_{n}!$ (!) [14],

$$S_{n} (!) = {}^{n} \frac{S_{nI}^{b}(!) + (1)^{n} S_{nI}^{a}(!)}{G_{n}(!)};$$
 (3)

where $:=(!_1;:::;!_n)$, $=R_SC_m=(R_QC)$, $R_Q=h=(4e^2)$, =RC, $G_n(!)=G(!_1)$ $_nG$,(!and ::=[n] $::::!_n)S_{nI}(!)$. Thus, we not that the excess phase noise and its cumulants are governed by powers of , the current :=[n] :=[n]

Now assume the source is driven weakly, such that J^{S} (t) 1. In this case, one may expand the exponential $e^{J^{S}}$ (t) 1+ J^{S} (t) [15]. Then,

$$P^{S}(E) = (E) + \frac{S_{2}(E=\sim)}{2\sim} S_{2}(0)(E) + \frac{K(E=\sim)}{4\sim} + (4)$$

Here S_2 (!) is the driven phase noise spectrum induced by the source, S_2 (t) its inverse Fourier transform , and

K (!) =
$$\frac{1}{2}$$
 d! 0 Im S_{3} (!;! 0 ; ! 0) (5)

describes the third cumulant of phase uctuations. In the derivation of this form for K , we used the herm iticity

of (t) and the stationarity of the uctuations. In what follows, we cut the expansion in the third cumulant [15].

Let us set concentrate on the antisymmetric part of the detector current. In the set order in J^S (t), it only probes the even cumulants. In this case, it can be expressed as I_A (V_m) I_B (V_m) + I_A (V_m), where for symmetric S_{2I} (!) = S_{2I} (!) [18], using Eq. (3),

$$\mathbb{I}_{A} (V_{m}) = \frac{d!}{2} D_{A} (!; V_{m}) (S_{2I}^{b} (!) + S_{2I}^{a} (!)): (6)$$

Here D $_{\rm A}$ (!; $V_{\rm m}$) $^{2-2}$ [$I_{\rm D}$ ($V_{\rm m}$ + ~! = (2e)) + $I_{\rm D}$ ($V_{\rm m}$ ~! = (2e)) 2 $I_{\rm D}$ ($V_{\rm m}$)]= (2e 2 G $_2$ (!)) characterizes the frequency band for the detection of S $_{\rm ZI}$ (!). This band can be tuned by tuning the bias $V_{\rm m}$ (see Fig. 2).




FIG. 2: (Color online) Left: characteristic function $D_A\:(!\:;V_m\:)$ of the excess noise measurement, (c.f., Eq. (6)), probing the spectrum $S_{2I}\:(!\:)$ of current uctuations. Dotted line shows the frequency dependence in $S_{2I}\:(!\:)$ (arbitrary units), for T=0 and V=e=C. Right: function $[I_D\:(V_m\:+\sim !=(2e))\:]_E\:(V_m\:\sim !=(2e))\:]_{=2}$, characterizing the measurement of the third cumulant. The frequency dependence in K $\:(!\:)\:$ (arbitrary units) is shown in black. In the limit $eV_N\:\sim =$, the width of K $\:(!\:)\:$ is given by 1=. Here, $E_C\:$ $2\stackrel{?}{e}=C\:$, $R=6R_Q\:$, $R_a=R_b=0.1R_Q\:$, and $C_m=10C_J\:$. Changes in $C_m\:$ do not essentially a ect the gure.

The even part of the detector current can then be related to the odd cumulants of phase uctuations. For a weakly driven source, assuming K(!) = K(!) (see below), it is given by [18]

$$I_{S}(V_{m}) = \begin{bmatrix} Z_{1} & d! \\ 4 & I_{D} & V_{m} & \frac{\sim !}{2e} & K & (!): \end{cases}$$
 (7)

In this way, I_{S} (V_{m}) probes the frequency dependence of the third cumulant of source $\,$ uctuations, (c.f., Fig. 2).

$$S(V) = \frac{\text{eV sinh}\left(\frac{\text{eV}}{kT}\right) \quad 2^{-1} \coth\left(\frac{\text{eV}}{2kT}\right) \sinh^{2}\left(\frac{\text{eV}}{2kT}\right)}{\cosh\left(\frac{\text{eV}}{kT}\right) \quad \cosh\left(\frac{\text{eV}}{kT}\right)} : \quad (8)$$




FIG. 3: (Color online) Antisymmetric I_A (V_m) (solid, left axis) and symmetric part I_S (V_m) (dashed, right axis) of the detector current variation. D otted lines are expansion results (Eqs. (6), (7)). Parameters are as in Fig. 2. The source is assumed to consist of a mesoscopic ($F_n^a \in 0$) and a macroscopic resistor ($F_n^b = 0$) for which $S_{n\,I}$ (! = 0) = $e^{n-1}\,F_n\,I_N$. Inset: I_A ($V_m = e=2C$) (solid) and I_S ($V_m = e=2C$) (dashed) as functions of I_N . Scaling parameters are $D = F_2^a D_A$ eF $_2^a$ d! D_A (!; V_m)=(2) for the antisymmetric part, and $D = F_3^a D_S$ $F_3^a \frac{3}{2-e}$ d! I_D ($V_m \sim 1 = 2e$)! [4 + 5(!) 2 + (!) 4] 1 for the symmetric part.

An example of the frequency dependence of S_{2I} is plotted in Fig. 2. Note that it is symmetric with respect to the sign reversal of! This property can be traced to the fact that in our example the source in pedance, characterizing quantum uctuations, stays constant. Now, S_{2I} can be substituted to Eq. (6) to not the ect of the driven noise on the detector current. Figure 3 shows an example of I_A (V_m), i.e., the probed shot noise, for a few bias voltages V_N . For V_N ~= , shot noise is essentially white over the detector bandwidth (Fig. 2) and thus the signal is linear in V_N . In this case, I_A (V_m)= I_N (Fig. 3 inset) depends only on the factor D_A (V_m), which can be related to the calibration measurement, and the Fano factors $F_2^{a,b}$, which can thus be measured from this curve.

Next, consider the detection of the third cumulant of current uctuations. Its frequency dependence has been described in various limits for dierent systems in Ref. [19]. At T = 0, the third cumulant at zero frequency is of the form $S_{\rm 3I}=F_{\rm 3}e^2\,I_{\rm N}$, and its dispersion occurs on the scale! c= min(eV=~;E_T=~;I=e). For R_sC_m RC_J and a frequency independent $S_{\rm 3I}$ within the detection bandwidth, the resulting K (!) at T = 0 is given by

K (!) = 2
3
 (F₃^b b a) $\frac{I_{N}}{e=}$ $\frac{!}{4+5(!)^{2}+(!)^{4}}$: (9)

This is an antisym m etric function of!, due to the sim ple form assumed for $S_{\rm 3I}$, and its frequency scale is given by 1= . W ith the knowledge of the detector calibration current $I_{\rm D}$ ($V_{\rm m}$), plugging K $\,$ (!) into Eq. (7) allows us to calculate the response of the sym m etric detector current $I_{\rm S}$ ($V_{\rm m}$) to the third cumulant in principle for any type

of resistors R $_{\rm a}$ and R $_{\rm b}$. A few examples of $I_{\rm S}$ (V $_{\rm m}$) are shown in Fig. 3. As for the second cumulant, following $I_{\rm S}$ (V $_{\rm m}$)=D $_{\rm S}$ (V $_{\rm m}$) allows to measure the Fano factors.




FIG. 4: (C olor online) A ntisym m etric (solid) and sym m etric (dashed) detection currents $\rm I_A$ (V_m) and $\rm I_S$ (V_m) for the sam e param eters as in Fig. 3 but w ith a few di erent tem peratures at xed V_N = 2e=C , i.e., I_N = 60e= . For I_S (V_m), we neglect the tem perature dependence of the intrinsic uctuations.

The general measurement scheme is valid at a nite temperature as long as the C oulom b-blockade condition T . E_C=k_B is satised. The eects of T > 0 are illustrated in Fig. 4. Compared to the previous example, two corrections arise: the function $I_D\ (V_m\)$ characterizing the detector becomes smoother and its amplitude decreases, and the form of the source excess uctuations changes. The two are characterized by dierent temperature scales, E_C=k_B and eV_N=k_B, respectively.

M easuring the calibration current \mathbf{I}_D (V_m) along with the antisym m etric and sym m etric currents, I_{A} (V_{m}) and I_S (V_m), allows to nd the second and third cumulants of excess current uctuations in the source within the bandwidth described in Fig. 2 (for typical param eters [10], in the range of 100 GHz) to an accuracy limited mostly only by the resolution of the current m easurem ent (resolution of 0.1 pA yields 100 (fA) s for the second and 0:01 (fA) 3 s 2 for the third cumulant [7, 10]). In the C_J , R_SC_m RC_J , the only information lim it C_m required about the setup are the resistances R $_{\rm a}$, R $_{\rm b}$ and R, and the sum capacitance $C_m + C_J$, all of which can be m easured separately. Thus, the scheme allows an accurate determ ination of the second and third cum ulants over a large bandwidth and for the third cumulant, overcom es the bandwidth problems encountered in Ref. [4].

In sum mary, we show in this Letter how incoherent Cooper-pair tunneling in small JJs with a high-impedance environment can be used for accurate and wide-band detection of voltage uctuations. Via the symmetry of the detector output current, one can identify the contributions from the second and third cumulants separately. While the presented example is on the measurement of uctuations in samples exhibiting no Coulomb blockade, this is not a limitation of the scheme itself.

Note added in proof: During the refereeing process, we became aware of Ref. [20], which points out that the Fano factors F_3 for the third cumulant depend on the denition of the measured observable. Given that F_3 are related to the nonsymmetrized observable, our results remain valid.

W e acknow ledge the useful discussions with W .Belzig, P.J.Hakonen, G.-L. Ingold, M.K indermann, R.Lindell and E.B. Sonin and the support by EU-IHP ULTI III (HPR I-1999-CT-00050) visitor program .

- E lectronic address: Tero.T Heikkila@hut.
- [1] Ya. M. Blanter and M. Buttiker, Phys. Rep. 336, 1 (2000).
- [2] Quantum Noise in Mesoscopic Physics, ed. by Yu. V. Nazarov, NATO Science Series II. Vol. 97 (Kluwer, Dordrecht, 2003)
- B] R.J. Schoelkopf, et al., Phys. Rev. Lett. 78, 3370 (1997);B. Reulet, D. E. Prober, and W. Belzig, in [2].
- [4] B.Reulet, J.Senzier, and D.E.Prober, Phys.Rev.Lett. 91, 196601 (2003).
- [5] T. T. Heikkila and L. Roschier, Phys. Rev. B (in press) (2004) [cond-m at/0407233].
- [6] J. Delahaye, et al., Proc. of 17th Int. Conf. Noise and uctuations, p. 455 (2003).
- [7] R. Deblock, E. Onac, L. Gurevich, L. P. Kouwenhoven, Science 301, 203 (2003).
- [8] R. Aguado and L.P.Kouwenhoven, Phys. Rev. Lett. 84, 1986 (2000).
- [9] R.J. Schoelkopf, et al., in Ref. [2].
- [10] E.B. Sonin, Phys. Rev. B 70, 140506(R) (2004); R K. Lindell, et al., Phys. Rev. Lett. (in press) (2004).
- [11] J. Tobiska and Yu. V. Nazarov, Phys. Rev. Lett. 93, 106801 (2004); J.P. Pekola, [cond-m at/0403673].
- [12] G. L. Ingold and Yu. V. Nazarov, in Single Charge Tunneling, Coulom b B lockade Phenomena in Nanostructures, ed. by H. Grabert and M. Devoret (Plenum, New York, 1992).
- [13] G.-L. Ingold and H. Grabert, Phys. Rev. Lett. 83, 3721 (1999).
- [14] We neglect the environment-induced corrections to the higher correlators, described in C.W.J.Beenakker, M. Kindermann, and Yu.V.Nazarov, Phys.Rev.Lett.90, 176802 (2003), as their!-dependence is not known.
- [15] The validity of this approximation can be traced back to the convergence of the cumulant expansion and to the requirement S_2 (0) 1. The previous is valid provided that ! < 1, and the latter if I_N 2 ($F_2^a + F_2^b$) ! < e= .Here ! = min(! $_b$;1=) and 2 ! $_b$ is the bandwidth of S_{21} (!). As seen in Fig. 3, the expansion is valid for a wide range of currents I_B . For more details, see [17].
- [16] H. Grabert, G.-L. Ingold and B. Paul, Europhys. Lett. 44 (3), 360 (1998).
- [17] P.V irtanen and T.T.Heikkila, to be published.
- [18] If S (!) $\mbox{\ensuremath{\ensuremath{\mbox{\ensuremath{\mbox{\ensuremath{\mbox{\ensuremath{\mbox{\ensuremath{\mbox{\ensuremath{\mbox{\ensuremath{\ensuremath{\mbox{\ensuremath{\mbox{\ensuremath{\mbox{\ensuremath{\mbox{\ensuremath{\ensuremath{\mbox{\ensuremath}\ensuremath{\ensuremath}\$
- [19] A . V . G alaktionov, D . S . G olubev, A . D . Zaikin, Phys.

Rev. B 68, 235333 (2003); K.E.Nagaev, S.Pilgram, and M.Buttiker, Phys.Rev.Lett.92, 176804 (2004); S.Pilgram, K.E.Nagaev, and M.Buttiker, Phys.Rev.B70,045304 (2004).

[20] G .B .Lesovik and N .M .C htchelkatchev, JETP Lett.77, 393 (2003).