SENSIBLE QUANTUM MECHANICS: ARE PROBABILITIES ONLY IN THE MIND?

D on N. Page ^y

CIAR Cosm ology Program, Institute for Theoretical Physics Departm ent of Physics, University of Alberta Edmonton, Alberta, Canada T 6G 2J1

(1995 July 4)

Abstract

Quantum mechanics may be formulated as Sensible Quantum Mechanics (SQM) so that it contains nothing probabilistic except conscious perceptions. Sets of these perceptions can be determ inistically realized with measures given by expectation values of positive-operator-valued awareness operators. Ratios of the measures for these sets of perceptions can be interpreted as frequency-type probabilities for many actually existing sets. These probabilities generally cannot be given by the ordinary quantum \probabilities" for a single set of alternatives. Probabilism, or ascribing probabilities to unconscious aspects of the world, may be seen to be an aesthem am orphic myth.

1 Introduction

Probabilities are the most mysterious aspect of quantum mechanics, in mymind. There is not the mystery of which amplitudes should be squared to give probabilities. Should it be the amplitudes of \measurement outcomes"? If so, what constitutes a \measurement"? Should it be the amplitudes of all \events," whether

A lberta-T hy-13-95, gr-qc/9507024, to be published in Proceedings of the Sixth Sem inar on Quantum Gravity, June 12-19, 1987, Moscow, Russia, edited by V.A.Berezin and V.A.Rubakov (World Scienti c, Singapore, 1996)

^yInternet address: don@ phys.ualberta.ca

or not they is \m easured"? If \events" are represented by projection operators, should one just calculate them for one set that commutes and adds up to the identity operator? If so, which such set of \events" should one choose? Should one instead calculate probabilities for \histories"? If so, which set of \histories" should one one choose?

There is second the even deeperm ystery of what the resulting probabilities mean. One interpretation is that they are \propensities" for certain \possibilities" to be \actualized." In this interpretation a unique one of the possible \m easurement outcomes," \events," or \histories" actually occurs, with the probability assigned to it by quantum mechanics, and the other possibilities do not. But then what chooses the set of \m easurement outcomes," \events," or \histories"? For example, if it is the set of events given by a set of commuting rank-one projection operators onto an orthonorm al basis for the Hilbert space of states, what determines this basis? Furtherm ore, once the set is chosen so that the quantum -mechanical probabilities can be determined from the state, what is it that actually determines which \possibility" from that set is \actualized"? If the probabilities of quantum mechanics are interpreted in this propensity sense as indicating fundamental uncertainties, then quantum mechanics itself would be uncertain and incapable of being a complete theory of the universe in which only certain possibilities are actualized.

The last question above, but not the two preceding it, can be avoided by taking the alternative interpretation that probabilities are \frequencies" for many \actualities." This is a \many-worlds" interpretation [1]. If the set of possibilities (now all considered to be actualities, at least all those possibilities with nonzero frequency-type probabilities) were determ ined, and if this many-worlds interpretation of quantum mechanics were a true representation of the universe, then this quantum mechanical theory would be de nite and complete, for it would completely specify the frequency of all actualities.

Of course, there is the technical problem of interpreting the probabilities as frequencies of a nite integral number of actualities if any of the probabilities are irrational numbers, but one can circum vent that di culty by interpreting the probabilities as ratios of measures of a continuum of actualities (though perhaps at the cost of no longer having a clear intuitive grasp of the concept in terms of familiar objects, but that should be no fundam ental di culty, other than for one's intuition).

However, there still remains within this many-worlds quantum theory the unresolved question of what the set of actualities is. This certainly does not make the many-worlds interpretation worse then those with a propensity interpretation of the probabilities, but since those other interpretations have the even more basic problem of not saying which possibilities are actualized, it is often overlooked that they also share with the many-worlds interpretation the more subtle problem of which set of possibilities (actualities in the many-worlds interpretation) is picked out.

Here I shall sum marize a version of quantum mechanics called Sensible Quantum Mechanics (SQM) [2-6] in which not only are probabilities frequencies (or, more

precisely, ratios of m easures of sets) rather than propensities, but also probabilities apply only to conscious perceptions. The unconscious aspect of our universe (here called the quantum world) is completely described by the quantum state and its complex amplitudes (the expectation values of all operators, which obey som e algebra which is also characteristic of the quantum world). The m easures in the conscious world are given by a subset of these amplitudes, the expectation values of a certain preferred set of positive awareness operators.

In Sensible Quantum Mechanics, probabilism, or interpreting the unconscious quantum world itself probabilistically, is an aesthem am orphic myth (from the Greek

: perception, sense, sensation), rather analogous to the myth of anim ism that ascribes living properties to inanim ate objects. It may be a convenient myth, just as anim ism is a when we say such things as, \W ater seeks its own level," but it would give us a better understanding if we recognized it as a myth. Thus probabilities don't (apply to) \m atter"; they are only in the \m ind."

A lso in SQM, the quantum state never collapses. All sets of perceptions with positive measure (given by the expectation values of dierent awareness operators in the single unchanged H eisenberg state of the universe) actually occur, so the theory is probabilistic not in the propensity sense but only in the sense of \frequencies" (as ratios of the measures of the sets): it is a many-perceptions theory.

The measure of sets of perceptions in the conscious world perm its a test in principle of whether a perception is typical. The W eak Anthropic Principle can be generalized to the Conditional Aesthem ic Principle: our conscious perceptions are likely to be typical perceptions in the conscious world with its measure.

2 Axioms of Sensible Quantum Mechanics

Sensible Quantum M echanics (SQM) is given by the following three fundam ental postulates [4]:

Q uantum W orld A xiom : The unconscious \quantum world" Q is completely described by an appropriate algebra of operators and by a suitable state (a positive linear functional of the operators) giving the expectation value hO i [O] of each operator O.

Conscious W orld A xiom : The $\conscious world" M$, the set of all perceptions p, has a fundam entalm easure (S) for each subset S of M .

Q uantum -C on sciousness C onnection: The measure (S) for each set S of conscious perceptions is given by the expectation value of a corresponding \awareness operator" A (S), a positive-operator-valued (POV) measure [7], in the state of the quantum world:

$$(S) = hA(S)i [A(S)]:$$
 (1)

Here a perception p is the entirety of a single conscious experience, all that one is consciously aware of or consciously experiencing at one moment, the total \raw

feel" that one has at one time, or [B] a \phenomenal perspective" or \maxim al experience." [If a set of perceptions S is called a \point of view " (P Ω .V .), then one may say that A (S) is a POV for a P Ω .V .]

Since all sets S of perceptions with (S) > 0 really occur in SQM, it is completely deterministic if the quantum state and the A (S) are determined: there are no random or truly probabilistic elements. Nevertheless, because SQM has measures for sets of perceptions, one can readily calculate ratios that can be interpreted as conditional probabilities. For example, one can consider the set of perceptions S_1 in which there is a conscious memory of having tossed a coin fly times, and the set S_2 in which there is a conscious memory of getting less than ten heads. Then one can interpret

$$P(S_2; S_1) (S_1 \setminus S_2) = (S_1)$$
 (2)

as the conditional probability that the perception is in the set S_2 , given that it is in the set S_1 , that is, that a perception included a conscious m em ory of getting less than ten heads, given that it included a conscious m em ory of having tossed a coin fly times.

In SQM the set M of all perceptions is basic, and one can choose out of this set any subset S (by, e.g., the contents of the perceptions p them selves, or else by properties of the corresponding awareness operator A (S) of the subset S), but there is no absolutely preferred equivalence between perceptions that could be used to classify them uniquely (except in ad hoc ways) into sets corresponding to individual persons orm inds. O fcourse, just as one can for objects such as \chairs" or \protons" that also presum ably do not have fundam ental de nitions in the ultim ate theory of the universe, one can make up ad hoc de nitions that may be very good in practice for classifying perceptions into persons or minds. But that classi cation is not fundam ental to SQM . As Hum e [9] w rote, \what we call a mind, is nothing but a heap or collection of di erent perceptions, united together by certain relations, and suppos'd, tho' falsely, to be endow 'd w ith a perfect sim plicity and identity." Since perceptions (or what m ight crudely be called sensations) are basic to SQM , but not groupings of them into minds, one might call SQM M indless Sensationalism.

3 Testing and Comparing SQM Theories

Since physics should be rooted in experience, we should have a way to test and com pare di erent candidate SQM theories. If one had a theory in which only a sm all subset of the set of all possible perceptions is predicted to occur, one could sim ply check whether an experienced perception is in that subset. If it is not, that would be clear evidence against that theory. Unfortunately, in alm ost all SQM theories, alm ost all sets of perceptions are predicted to have a positive measure, so these theories cannot be excluded so sim ply. For such m any-perceptions theories, the best one can hope for seem s to be to nd likelihood evidence for or against it. Even how to do this is not immediately obvious, since SQM theories merely give measures for sets of perceptions rather than the existence probabilities for any perceptions (unless the existence probabilities are considered to be unity for all existing sets of perceptions, i.e., all those with nonzero measure, but this is of little help, since alm ost all sets exist in this sense).

In order to test and compare SQM theories, it helps to hypothesize that the set M of all possible conscious perceptions p is a suitable topological space with a prior measure z

$$_{0}(S) = \int_{S}^{2} d_{0}(p):$$
 (3)

Then, because of the linearity of positive-valued-operator measures over sets, one can write each awareness operator as

A (S) =
$$\sum_{s}^{2} E(p) d_{0}(p);$$
 (4)

a generalized sum or integral of $\$ experience operators" or $\$ perception operators" E (p) for the individual perceptions p in the set S. Sim ilarly, one can write the measure on a set of perceptions S as

$$(S) = hA (S)i = \int_{S}^{Z} d(p) = \int_{S}^{Z} m(p)d_{0}(p);$$
(5)

in terms of a measure density m (p) that is the quantum expectation value of the experience operator E (p) for the same perception p:

$$m(p) = hE(p)i$$
 [E(p)]: (6)

Now one can test the agreement of a particular SQM theory with a conscious observation or perception p by calculating the typicality T (p) that the theory assigns to the perception: Let S (p) be the set of perceptions p^0 with m (p^0) m (p). Then

$$T(p)$$
 (S (p))= (M): (7)

For p xed and p chosen random ly with the in nitesim alm easure d (p), the probability that T (p) is less than or equal to T (p) is

$$P_{T}(p) P(T(p)) T(p)) = T(p)$$
: (8)

Thus the typicality $T_i(p)$ of a perception p is the probability in a particular SQM theory or hypothesis H_i that another random perception will have its typicality less than or equal to that of p itself. One can interpret it as the likelihood of the perception p in the particular theory H_i , not for p to exist, which is usually unity (interpreting all perceptions p with m (p) > 0 as existing), but for p to have a measure density, and hence a typicality, no larger than it has.

Once the typicality $T_i(p)$ can be calculated for an experienced perception assum ing the theory H $_i$, one approach is to use it to rule out or falsify the theory if the resulting typicality is too low. Another approach is to assign prior probabilities P (H $_i$) to dimensities (presum ably neither propensities nor frequencies but rather purely subjective probabilities, perhaps one's guess for the \propensities" for G od to create a universe according to the various theories), say

$$P(H_i) = 2^{n_i};$$
 (9)

where n_i is the rank of H_i in order of increasing complexity (my present favorite choice for a countably in nite set of hypotheses if I could do this ranking, which is another problem I will not further consider here). Then one can use Bayes' rule to calculate the posterior probability of the theory H_i given the perception p as

$$P (H_{i} \dot{p}) = \frac{P (H_{i})T_{i}(p)}{P (H_{j})T_{j}(p)};$$
(10)

There is the potential technical problem that one might assign nonzero prior probabilities to hypotheses H_i in which the total measure (M) for all perceptions is not nite, so that the right side of Eq. (7) may have both numerator and denom inator in nite, which makes the typicality T_i (p) inherently ambiguous. To avoid this problem, one might use, instead of T_i (p) in Eq. (10), rather

$$T_{i}(p;S) = i(S(p) \setminus S) = i(S)$$
(11)

for some set of perceptions S containing p that has $_{i}(S)$ nite for each hypothesis H_i. This is related to a practical limitation anyway, since one could presum ably only hope to be able to compare the measure densities m (p) for some small set of perceptions rather similar to one's own, though it is not clear in quantum cosm obgical theories that allow an in nite amount of in ation how to get a nite measure even for a small set of perceptions [6]. Unfortunately, even if one can get a nite measure by suitably restricting the set S, this makes the resulting P (H_ip;S) depend on this chosen S as well as on the other postulated quantities such as P (H_i).

4 Properties of Experience Operators

Once one has a bare quantum theory (algebra of operators and quantum state) for the quantum world, and the set M of possible perceptions p w ith a prior m easure for integrating any measure density m (p) by Eq. (5) to get the corresponding measure (S) for sets S of perceptions p, the remaining feature of SQM to be determined is the experience or perception operators E (p), whose expectation values give the measure density by Eq. (6). A ssum ing that the fram ework of SQM is correct and that one knows what the set of possible perceptions is, the uncertainty of the E (p) encapsulates our ignorance of how the quantum world produces conscious perceptions.

(O nem ight object that even if we knew the full SQM theory with all the E (p)'s, we would still not know how the quantum world produces conscious perceptions. This would be like saying that even if we have a law for electrom agnetism, we would still not know how a charged particle produces an electrom agnetic eld. But if we can say what perceptions or what elds are produced in whatever various circum stances that m ay occur, this is about as good an understanding as we can hope to get in physics, though of course we would hope for the sim plest description so that we can describe as m any things as possible with a sm all num ber of general principles.)

In [4] a large num ber of hypotheses were given (som e com patible with each other, but m ost incom patible alternatives) for the experience or perception operators E (p). Here I shall not repeat m ost of them but shall sim ply note that the the strongest one I am presently fairly com fortable with (though without high con dence that it is true) is the C om m uting P rojection H ypothesis of SQM PC : E (p) = P (p), a projection operator depending upon the perception p, with $\mathbb{P}(p)$; P (p⁰)] = 0 for all pairs of perceptions p and p⁰. In m any cases I would also think it m ight a plausibly good idealization to m ake the A ssum ption of Perception C om ponents, that each perception, say $p = fc_i(p)g$. Then I would think that, at least as a reasonably good approxim ation, one m ight strengthen the C om m uting P rojection H ypothesis of SQM PPC : E (p) = $\binom{Q}{P}$ [$c_i(p)$], where each P [$c_i(p)$] is a projection operator that depends on the perception component $c_i(p)$, with all the P [$c_i(p)$]'s commuting.

Then, although it is by no means required in SQM and indeed might be misleading in circum stances in which these hypotheses do not hold, one might nd it heuristically advantageous to say that if the quantum state of the universe is represented by the pure state j i, one can ascribe to the perception p the pure Everett \relative state"

$$\dot{p}i = \frac{E(p)ji}{kE(p)jik} = \frac{E(p)ji}{h \not E(p)E(p)ji^{1=2}};$$
(12)

A lternatively, if the quantum state of the universe is represented by the density matrix , one can associate the perception with a relative density matrix

$$p_{p} = \frac{E(p) E(p)}{TrE(p) E(p)]};$$
(13)

Then if one is willing to say that $m(p) = Tr \mathbb{E}(p)$] is the absolute probability for the perception p (which might seem natural at least when $\mathbb{E}(p)$ is a projection operator, though I am certainly not advocating this na ve interpretation), one might also na vely interpret $Tr \mathbb{E}(p)_p$] as the conditional probability of the perception p^0 given the perception p.

A nother thing one can dow ith two perceptions p and p^0 is to calculate an \overlap fraction" between them as

$$f(p;p^{0}) = \frac{hE(p)E(p^{0})ihE(p^{0})E(p)i}{hE(p)E(p)ihE(p^{0})E(p^{0})i}:$$
(14)

If the quantum state of the universe is pure, this is the same as the overlap probability between the two Everett relative states corresponding to the perceptions: $f(p;p^0) = jpp^0ij^2$. Thus one might in some sense say that if $f(p;p^0)$ is near unity, the two perceptions are in nearly the same one of the Everett \m any worlds," but if $f(p;p^0)$ is near zero, the two perceptions are in nearly orthogonal di erent worlds. However, this is just a manner of speaking, since I do not wish to say that the quantum state of the universe is really divided up into many di erent worlds. In a slightly di erent way of putting it, one might also propose that $f(p;p^0)$, instead of $Tr \models (p^0)_p$, be interpreted as the conditional probability of the perception p^0 given the perception p. Still, I do not see any evidence that $f(p;p^0)$ should be interpreted as a fundam ental element of Sensible Q uantum M echanics. In any case, one can be conscious only of a single perception at once, so there is no way in principle that one can test any properties of pint perceptions such as $f(p;p^0)$.

5 Perceptions of Schrodinger's C at

The fram ework of Sensible quantum mechanics allows one to discuss questions of what one would be perceived in the experiment of Schrödinger's cat [10], and a detailed SQM theory would answer such questions. One such question is whether one could directly perceive a superposition of, say, alive plus dead.

If perceptions are of alive (A) versus dead (D), so hE (p_{alive})i / hA ihA ji and hE (p_{dead})i / hD ji, then in an appropriate basis for this the quantum state resulting from the idealized Schrodinger's cat experiment may have the form

$$j i / A_{i_{head}} A_{i_{body}} A_{i_{rest}} + D_{i_{head}} D_{i_{body}} D_{i_{rest}} + (other term s);$$
 (15)

where I have conceptually divided the system (e.g., the universe) into the head of the cat, the body of the cat, and the rest of the universe. Here \(other term s)" denotes other components of the quantum state in which the Schrödinger's cat experiment has not been done and there is no perception that it has; I shall here ignore the other irrelevant perceptions whose measure arises from such term s. One now nds that in this idealized state there is an equal nonzero measure density for the perceptions p_{head} alive, body alive,... and p_{head} dead, body dead,..., but no measure density for p_{head} alive, body dead,... or p_{head} dead, body alive,... In other words, there is not a unique perception of whether the cat is alive or dead, but in each perception components denoted by the ... in the subscripts for the p's), there is perfect agreement that the head and body are either both alive or both dead.

If, on the other hand, perceptions were of the linear combinations j+i/3i+j i and ji/3i-j i, so he (p₊)i/hj+ih+ ji and he (p)i/hj ih ji, then in the appropriate basis for this the quantum state has the form

 $j + i_{head} j i_{body} j i_{rest} + j i_{head} j + i_{body} j i_{rest} + (other term s):$

In this case one one gets equal measure densities for all four possible perceptions p_{++} , p_{-} , p_{+} , and p_{-+} , so only 2 1 of the perceptions agree about the head and body.

If one had instead conceptually divided the cat into n > 2 parts which were all either dead or alive, then if perception components were of that property (dead or alive), there would be, in the idealized Schrödinger's cat experiment, just as in the n = 2 case above, no single perception of whether the cat or any of its parts were dead or alive, but within each perception there would be total agreement between the perception components of whether each part of the cat were dead or alive, so there would be no confusion within any single multi-component perception. On the other hand, if perception components were of the + and properties of each part of the cat, all possible 2^n orders would occur with equal weight, so only a fraction of 2^{1-n} of the perceptions would have agreement for all n parts of the cat., and in the remaining bulk of the perceptions there would be confusion as to whether the entire cat is dead or alive.

Note that without knowing what the experience operators actually are, this analysis cannot answer the question of how each part of the cat is perceived. How ever, it does show that if the perception is to give agreem ent between the components corresponding to the di erent parts of the cat, and if (as in the idealized Schrodinger's cat experiment) there is a complete correlation between the parts as to whether they are alive or dead, then the perception components should be of whether the corresponding part of the cat is alive or dead, rather than being of the linear combinations + or . This does seem to t our experience much better than the other possibility, so empirically we can say that we tend to have relatively unconfused perceptions, at least compared to the maximum confusion conceivable. There is still the mystery of why this is so, and I am tempted to paraphrase E instein to say, \The most confusing thing about perceptions is that they are not generally confusing."

O ne possible attempt at an explanation is to argue that if our perceptions were confused, we would not respond coherently to our environment and so would not survive. However, this assumes that our perceptions really do a ect our actions (e.g., part of the quantum state) rather than just being passively produced by the quantum state as epiphenomena. SQM describes only the production of perceptions (i.e., the determ ination of their measure) by the quantum state and the awareness or experience operators but does not describe any action of the perceptions back on the state. If the state were really una ected by the perceptions, and if the survival of organisms can be described by the properties of the state, then this survival would be totally una ected by the perceptions, and, in particular, by whether they are confused or unconfused. Of course, there m ay be some other explanation of the coherence of perceptions besides the survival value for an organism, but the attractiveness of that particular explanation does at least suggest that perceptions do have an action back on the quantum state. A nother suggestive argument for

(16)

the same conclusion, and a sketch of how this back reaction might t in with the presently known laws of physics, will be given near the end of this paper.

6 Location and Time of Perceptions in QFT

In general, perceptions p are associated with experience operators E (p) (or sets of perceptions with awareness operators A (S)), but not with times or locations. Instead, Sensible Q uantum M echanics transcends quantum theories in which space and time are fundamental.

But for quantum eld theory (QFT) in a classical curved globally hyperbolic background spacetime without symmetries (so that points can be uniquely identified by the background), one can make an ad hoc de nition of a time and location associated with a perception p: Choose a one-parameter (timet) sequence of Cauchy hypersurfaces. For each timet, point P on the hypersurface, and radius r, let $E^{0}(p;t;P;r)$ be E (p) written in terms of the elds and conjugate momenta at the with terms at distances greater than r from the point P truncated. Dene

$$F (p;t;P;r) = \frac{hE (p)E^{0}(p;t;P;r)ihE^{0}(p;t;P;r)E (p)i}{hE (p)E (p)ihE^{0}(p;t;P;r)E^{0}(p;t;P;r)i};$$
(17)

$$r(p;t;P) = m in [r:F(p;t;P;r) = 1=2];$$
 (18)

$$r(p;t) = m in [r(p;t;P) : P on hypersurface of timet];$$
 (19)

$$P(p;t) = P$$
 such that $F(p;t;P;r(p;t)) = 1=2;$ (20)

$$t_p = t \operatorname{such} \operatorname{that} r(p;t) = m \operatorname{in} [r(p;t^0) : t^0]; \qquad (21)$$

$$r_p = r(p;t_p) = m in [r(p;t) :t];$$
 (22)

$$P_{p} = P(p;t_{p}):$$
 (23)

This locates the perception as crudely occurring mostly within the smallest possible ball of geodesic radius r_p from the point P_p on the hypersurface at time t_p .

7 Questions and Speculations

O ne can use the fram ework of Sensible Q uantum M echanics to ask questions and m ake speculations that m ight be di cult otherw ise:

1. W hat regions (presum ably inside brains) are most responsible for perceptions?

2. Does the region depend signi cantly on the character of the perception?

3. C an one have two quite di erent perceptions, p and p^0 , with f $(p;p^0)$ 1 (i.e., in nearly the \same E verett world"), $t_p = t_{p^0}$ (i.e., m ost localized at the same times), and with both P_p and P_{p^0} in the same brain? We generally believe this is possible for two di erent brains, but can one single brain have two di erent perceptions (and not just two di erent components of a single perception) at once? 4. If so, can the two balls of radius r_p and r_{p^0} overlap? (I.e., can the same region of the brain have two di erent perceptions at once?)

5. How does the measure density m (p) depend on brain characteristics?

6. Is it correlated with intelligence, so that in some sense brighter brains give a larger measure of perceptions?

7. Does this explain why you perceive yourself as hum an rather than insect, although there are many more insects than hum ans?

8. Does this explain why you may perceive yourself as more intelligent than most other people? (In other words, are you more typical, when weighted by the measure for perceptions, than you might otherwise have thought?)

9. Can electronic com puters give signi cant m easures for perceptions?

10. A re hum an brains more e cient than most electronic computers, no matter how intelligent (at least in information-processing capabilities), in producing conscious perceptions? (If so, the measure for perceptions would not be correlated purely with intelligence in this sense.)

11. Does this explain why you do not perceive yourself as one of trillions of self-replicating computers that m ight colonize the Galaxy?

12.0 ver what region of spacetime do hum an brains have the dom inant measure of conscious perceptions in our Everett world $_{p}$?

The C onditional A esthem ic P rinciple would predict that our conscious perceptions are likely to be typical perceptions in the conscious world with its measure. Thus it would predict that it is unlikely that the overwhelm ing bulk of conscious perceptions in the universe would have a measure density (and hence a typicality) larger than ours, though of course it allows for the possibility that m any other types of perceptions could have com parable measure densities and typicalities, so it does not predict that the dom inant perceptions should be peculiarly hum an.

8 An Analogy for the M ind-Body Problem

To explain the mind-body relation in Sensible Q uantum mechanics in terms of an analogy, consider a classical model of spinless massive point charged particles and an electrom agnetic eld in M inkowski spacetime. The charged particles can be considered to be analogous to the quantum world (or the quantum state part of it), and the electrom agnetic eld can be considered to be analogous to the conscious world (the set of perceptions with its measure (S)).

At the level of a sim plistic m aterialist m ind-body philosophy, one m ight m erely say that the electrom agnetic eld is part of, or perhaps a property of, the m aterial particles. One cannot say for certain that this is wrong, but it does not lead to m uch understanding of the electrom agnetic eld m erely to say that. Sim ilarly, one cannot rule out the claim that consciousness is merely a property of the quantum world, but just saying that does not give m uch insight into consciousness. At the level of Sensible Q uantum M echanics, the charged particle worldlines are the analogue of the quantum state, the retarded electrom agnetic eld propagator (C oulom b's law in the nonrelativistic approximation) is the analogue of the awareness operators, and the electrom agnetic eld determined by the worldlines of the charged particles and by the retarded propagator is the analogue of the conscious world. (Here one can see that this analogue of Sensible Q uantum M echanics is valid only if there is no free incoming electrom agnetic radiation.)

O nem ight propose an extension of Sensible Q uantum M echanics, say Sensational Q uantum M echanics, in which the conscious world m ay a ect the quantum world. The analogue of this would be the case in which the charged particle worldlines are partially determ ined by the electrom agnetic eld through the change in the action it causes. (This more uni ed fram ework better explains the previous level but does not violate its description, which simply had the particle worldlines given.)

(A motivation for considering the possibility that the conscious world m ight have an e ect on the quantum world, besides the actual e ect in the electrom agnetic analogue being considered here, was given at the end of the section above on the experiment of Schrödinger's cat. A nother motivation which occurred to me earlier would be the desire to explain the correlation between will and action, i.e., why I feel I do as I please. An easy way to circum vent the objection that such an e ect would violate the known laws of physics, in particular those of energy-momentum conservation, would be to have desires in the conscious world a ect, in a coordinateinvariant way that would thus preserve energy-momentum conservation, the action functional that is used in a path integral giving the quantum state.)

At a yet higher level in the analogue, there is the possibility of incoming free electrom agnetic waves, which would violate the previous fram eworks that assumed the electrom agnetic eld was uniquely determ ined by the charged particle worldlines. An analogous suggestion for intrinsic degrees of freedom for consciousness has been made by Linde [11].

Finally, at a still higher level, there m ight be an even more unifying fram ework in which both charged particles and the electrom agnetic eld are seen as modes of a single entity (e.g., to take a popular current speculation, a superstring). Such a more uni ed fram ework for the m ind-body problem m ight exist as well, but I suspect that one will not get to such a fram ework with any signi cant content w ithout exam ining the lower levels rst and then hopefully nding a complete uni ed description from which the lower levels can be shown to emerge by some sort of reduction or approxim ation.

Thus Sensible Quantum M echanics may be only a fram ework for the next step in understanding the relation between mind and body or between conscious observations and quantum mechanics. However, it does seem to give a glimpse of a yet-to-be-completed quantum theory that, when lled in in detail, could not be criticized for being inherently incomplete in not predicting precisely what happens during observations. I perceive that my thoughts on this subject have bene ted by interactions with m any people listed in my more complete account in [4], but here I especially want to acknow ledge the continued e-m ail interaction with my previous co-author Shelly G oldstein [12] (whom I shall rst meet in person only after writing these words). F inancial support has been provided by the N atural Sciences and Engineering Research C ouncil of C anada.

References

- [1] H. Everett, III, Rev. M od. Phys. 29, 454 (1957); B. S. DeW itt and N. Graham, eds., The M any-W orlds Interpretation of Q uantum M echanics (Princeton University Press, Princeton, 1973).
- [2] D.N.Page, \Probabilities D on't M atter," to be published in Proceedings of the 7th M arcelG rossm ann M ceting on G eneral Relativity, edited by M.K eiser and R.T.Jantzen (W orld Scientic, Singapore 1995) (University of Alberta report Alberta-Thy-28-94, Nov. 25, 1994), gr-qc/9411004.
- [3] D.N.Page, \Information Loss in Black Holes and/or Conscious Beings?" to be published in Heat K emel Techniques and Quantum Gravity, edited by S.A. Fulling (D iscourses in M athematics and Its Applications, No. 4, Texas A & M University D epartment of M athematics, College Station, Texas, 1995) (University of Alberta report Alberta-Thy-36-94, Nov. 25, 1994), hep-th/9411193.
- [4] D.N.Page, \Sensible Quantum Mechanics: Are Only Perceptions Probabilistic?" (University of Alberta report Alberta-Thy-05-95, June 7, 1995), quantph/9506010.
- [5] D.N.Page, \Attaching Theories of Consciousness to Bohm ian Quantum Mechanics," to be published in Bohm ian Quantum Mechanics and Quantum Theory: An Appraisal, edited by J.T.Cushing, A.Fine, and S.Goldstein (Kluwer, Dordrecht, 1996) (University of Alberta report Alberta-Thy-12-95, June 30, 1995), quant-ph/9507006.
- [6] D.N.Page, \A spects of Q uantum C osm ology," to be published in P roceedings of the International School of A strophysics \D. Chalonge," 4th Course: String G ravity and P hysics at the P lanck E nergy Scale, E rice, Sicily, 8-19 Septem ber 1995, edited by N. Sanchez (K luwer, D ordrecht, 1996) (University of A lberta report A lberta-T hy-14-95, July 10, 1995), gr-qc/9507025.
- [7] E.B.Davies, Quantum Theory of Open Systems (A cademic Press, London, 1976).
- [8] M. Lockwood, M ind, Brain and the Quantum : The Compound 'I' (BasilBlackwell, Oxford, 1989).
- [9] D. Hume, A Treatise of Human Nature, reprinted from the original edition in three volumes and edited by L.A. Selby-Bigge (Clarendon, Oxford, 1888), p. 207.

- [10] E. Schrodinger, Naturwissenschaften 23, 807 (1935), English translation by J.D.Trimmer, Proc.Am.Phil.Soc. 124, 323 (1980), reprinted in Quantum Theory and Measurement, edited by J.A.W heeler and W.H.Zurek (Princeton University Press, Princeton, 1983), p. 152.
- [11] A. Linde, Particle Physics and In ationary Cosmology (Harwood Academic Publishers, Chur, Switzerland, 1990), p. 317.
- [12] S.Goldstein and D.N.Page, Phys. Rev. Lett. 74, 3715 (1995), gr-qc/9403055.