Evolution and anti-evolution in a m in im al stock m arket m odel

R.Rothenstein¹, K.Pawelzik

Institut fur Theoretische Physik, Universitat Bremen, Otto-Hahn-Allee 1, D-28334 Bremen, Germany

A bstract

We present a novel microscopic stock market model consisting of a large number of random agents modeling traders in a market. Each agent is characterized by a set of parameters that serve to make iterated predictions of two successive returns. The future price is determined according to the oer and the demand of all agents. The system evolves by redistributing the capital among the agents in each trading cycle. Without noise the dynamics of this system is nearly regular and thereby fails to reproduce the stochastic return uctuations observed in real markets. However, when in each cycle as mall amount of noise is introduced we not the typical features of real nancial time series like fat-tails of the return distribution and large temporal correlations in the volatility without signicant correlations in the price returns. Introducing the noise by an evolutionary process leads to dierent scalings of the return distributions that depend on the denition of thess. Because our realistic model has only very few parameters, and the results appear to be robust with respect to the noise level and the number of agents we expect that our framework may serve as new paradigm for modeling self generated return uctuations in markets.

K ey words: E conophysics; A gent-based m odel; Stock m arket m odel; E volution; Fat tails

1 Introduction

Empirical studies of stock markets and foreign exchange rates demonstrate that nancial time series exhibit some universal characteristics [1,2,3,4,5].

¹ Corresponding author. Institut für Theoretische Physik, Universitat Bremen, Otto-Hahn-Allee 1, D-28334 Bremen, Germany. Tel.:(+49)-421-218-4526; Fax: (+49)-421-218-9104. Em ail address: rroth@physik.uni-bremen.de

The distribution of returns usually has fat-tails and there are large temporal correlations in the volatility (\volatility clusters") without correlation in the returns. These indings are in contrast to the hypothesis that, due to independence of market traders in ancial time series are simple random walks [6]. This raises the question which underlying dynamics is responsible for these properties.

M icroscopic m odels developed in recent years [7,8,9,10,11,12] attempted to reproduce the essential features of real stock market time series. A lthough these models reproduced some statistical aspects of price time series, a deeper understanding of the underlying processes still remains dicult, mainly, because most of the models are not very robust with respect to the choice of parameters and some even depend on the number of agents in the system [13].

Starting from a di erent motivation, game theoretical models [14,15,16,17] were considered to understand the interplay between di erent players in an artical market. These models have only a few parameters and allow an analytical understanding of interaction in multi-agent-models. The simplicity of these models, however makes an application to real markets di cult.

In this paper we present a simple paradigm atic model which combines these two approaches. In particular we apply a game theoretical Ansatz with only a very small number of free parameters and a price determination close to reality [18]. This is a necessary step towards understanding the mechanisms that lead to fat-tails and volatility clusters and may enable the analysis of the dynamics. In this paper we concentrate on the elect that different evolution strategies have on the statistical properties of price uctuations.

In section 2 we describe the basic model. In section 3 we show that our model naturally reproduces the fat-tails of return distributions and the emergence of volatility clusters. In section 4 we introduce evolution as a source of noise into the model and nally show how dierent selection mechanisms in uence the shape of the return distributions.

2 Basic model

In our model of a stock market N agents trade by swapping stocks into cash and vice versa. Initially every agent i receives a number of S_0 stocks and an amount M $_0$ of cash. The decision of one agent to buy or to sell stocks is determined by a set of P parameters $_{t}^{i}$ (t=0;:::;). These parameters de ne the linear prediction model of each agent and are randomly drawn from a normal distribution with mean 0 and variance $_{t}^{2}$ (N (0;)).

Every simulation cycle of the model consists of three steps: In the rst step, the agents make a prognosis of two successive future returns based on their individual prediction model. In the second step the overall demand and supply of the stocks is calculated and the new price is determined according to an order book. In the third step all possible orders are executed and the strategies of all agents are rearranged by a perturbation of their param eters.

2.1 Prediction of the future returns

For the prediction of the future price each agent only takes the log-returns $\ln(\frac{p(t-1)}{p(t-2)}) = r(t-1)$ of the price history p(t) into account, which ensures that the absolute value of a stock price is not relevant.

For simplicity we assume that every agent makes only a linear prediction of the two following future returns by weighting the past P = +1 returns of the time series with her individual parameters. At time to 1 an agent predicts the returns $\hat{r}(t)$ and $\hat{r}(t+1)$ using the following equations:

$$\hat{\mathbf{r}}_{t}^{i} = f^{i}(\mathbf{r}_{t \ 1}; \mathbf{r}_{t \ 2}; ...; \mathbf{r}_{t}) = \int_{0}^{i} + \int_{t=1}^{X} i_{t} \mathbf{r}(t) dt$$

and

$$\hat{\mathbf{r}}_{t+1}^{i} = \mathbf{f}^{i}(\hat{\mathbf{r}}_{t}^{i}; \mathbf{r}_{t-1}; ...; \mathbf{r}_{t-+1}) = \begin{pmatrix} i \\ 0 \end{pmatrix} + \begin{pmatrix} i \\ 1 \end{pmatrix} \hat{\mathbf{r}}_{t}^{i} + \begin{pmatrix} X \\ & i \end{pmatrix}_{t} \mathbf{r}(t)$$
 $t+1)$

For both successive predictions the agents use the same determ inistic linear prediction function f^i , clearly using for the second prediction the outcome of the rst, i.e. the strategy of an agent i is fully determined by the P prediction parameters (${}^{i}_{0}$; ${}^{i}_{1}$; ${}^{i}_{2}$; ::: i).

2.2 Determination of the new price

A first all agents made their predictions the decision whether an agent sells or buys shares is made: If $\hat{r}_{t+1}^i < 0$ the agent i makes an over at the price $\hat{p}_t^i = p_{t-1} e^{\hat{r}_t^i}$ and becomes a potential seller for this trading cycle. O therwise, i.e. if $\hat{r}_{t+1}^i > 0$, the agent i makes a bid at price $\hat{p}_t^i = p_{t-1} e^{\hat{r}_t^i}$ and intends to become a buyer.

This means that if e.g. the agent believes that the price will go down from

timet to timet + 1 he will try to sell his stocks, as long as the price at time t is higher than p_t^i .

Now two functions are computed to x the new price: an o er function with allo ers and a dem and function containing allbids (see also [18]).

$$O(p) = X S^{i}(p p^{i})$$

$$D(p) = X S^{i}(p_{t+1}^{i} > 0)$$

 S^i is the total number of stocks agent i owns. $S^i = int [\frac{M^{-i}}{p_t^i}]$, is the integer number of stocks, which agent i is able to buy with herm oney M^i . (x) is the Heavy-side function with (x) = 1 for x 0 and (x) = 0 for x < 0.0 (p) is the o er function, where all o ers $(\frac{L}{t+1} < 0)$ are collected. The function is monotonously rising with steps at the limit prices, where an agent i is willing to sell his stocks (if he had at least one). D (p) is the respective monotonously decreasing demand function (see Fig.(1)) As seen from the equation above every agent either intends to sell all her stocks or to use all her money which means that the agents fully believe in their prognosis. Both functions together represent the order book of our stock market model. Now we calculate the minimum of both functions at some price p:

$$Z(p) = m infO(p);D(p)g$$

This functions rejects the transaction volume in stocks at a certain price p, i.e. it represents the turnover function.

In order to determ ine the new price we take the minimum and the maximum argument of Z (p) at the interval of the maximum turnover: $p_{m \text{ in}} = m \text{ in (argm ax Z (p))}$ and $p_{m \text{ ax}} = m \text{ ax (argm ax Z (p))}$. The new price is then dened by the weighted mean between these two points: $p(t) = \frac{p_{m \text{ in}} \circ (p_{m \text{ in}}) + p_{m \text{ ax}} \circ (p_{m \text{ ax}})}{\circ (p_{m \text{ in}}) + p_{m \text{ ax}} \circ (p_{m \text{ ax}})}$. Sometimes it happens that their is a spread between the highest bid and the lowest o er, therefore the turnover function equals zero for all values of p. Due to the fact that the standard process of price determination lead to no meaningful price in these situation we alternatively choose the price in the middle between the highest bid and the lowest o er.

2.3 Execution of orders and agent dynamics

When the new price is xed, the agents execute their orders. All buyers with $\hat{p} < p_{m \text{ in}}$ buy S^i stocks and all sellers with $\hat{p} > p_{m \text{ ax}}$ sell all their stocks S^i . At the point of intersection the orer in general does not match the bid and therefore here only the difference between over and bid can be traded.

Before the next cycle is started we add a small amount of noise of am plitude \sim to all parameters of the agents. W ith drawn from a normal distribution (N (0;1)) the parameters of each agent then are perturbed to yield:

$$i_{t}(t+1) = \frac{p_{t}(t+1)}{2 + c^{2}} (i_{t}^{1} + c)$$

The factor $\frac{1}{2+\sqrt{2}}$ has been introduced to keep the variance of the parameter distribution independent of the choice of \sim at the constant value 2 . This ensures that \sin ulations with dierent \sim can be compared.

3 Results of the basic model

The results of the basic model are essentially in uenced only by the noise added to the parameters in each cycle. In order to understand the role of this noise we exam ined the e ect of it's amplitude \sim . For $\sim = 0$, all agents keep their prediction parameters exed all the time leading to a quite regular time series (Fig 2), which rejects the deterministic dynamics for the price determination. Formost of the random ly chosen initial conditions, the average values of r(t) are close to zero, while occasionally it is larger than the amplitude of uctuations.

While in the complete absence of noise the model behaves incompatible to the dynamics of real stock markets, a small amount of noise is su cient to reproduces typical features of real stock markets (Fig.3). The simulation clearly exhibits the phenomenon of volatility clustering (Fig.3b) and therefore induces correlations in the absolute log-returns of the time series (dashed line in Fig.3c). The correlations of the raw returns show only a small anti-correlation (solid line in Fig.3c), which is far too small to be responsible for the correlations in the absolute returns. Furthermore we see a non-Gaussian shape of the return distribution (Fig.3d) with fat tails that vanish at longer time scales (Fig.3e). The power spectrum (Fig.3f) of the price exhibits scaling with an exponent slightly below two, in plying that the Hurst exponent H . $\frac{1}{2}$.

For larger ~ the param eters of the agents are perturbed stronger during each time step which leads to a smooth change between fat-tailed and G aussian distributions (Fig. 4). This shows that the memory in the parameters and the capital of the agents is a necessary requirement for fat-tails in our model. If the noise on these parameters is too strong the trading behavior of the agents becomes random and we nally observe the expected G aussian distribution for ~. We found that the noise level su cient to yield the behavior described above depends on the number of agents – the more agents the less noise keeps the system from becoming regular. Also, the power law behavior breaks down if P 2 – for all simulations with P 3 we saw complex dynamics similar to the results shown above.

4 Evolution as noise source

Here we discuss a simple variant of our model, which can be seen in analogy to an evolutionary process. Instead of perturbing the parameters of all agents as described in section 2.3 we in each cycle choose one agent which we eliminate and introduce a new agent with new random parameters into the market. All other parts of the basic model remain unchanged.

We consider three dierent strategies: 1. E lim inate the poorest, 2. the richest or 3. a random one. 1. and 2. are based on the capital an agent owns ($C^i(t) = M^i(t) + p(t)S^i(t)$) and represent an 'evolutionary' and an 'anti-evolutionary' mechanism of selection. The new agent starts with money M_0 and shares S_0 and receives new prediction parameters in random by drawn from a Gaussian distribution ($N_0(t)$). The noise introduced by this evolutionary mechanism is dierent from the basic model in two respects: Firstly, in a model with a larger number of agents this procedure corresponds to a smaller relative noise level in the system. Second, we now not only have noise in the parameter space, but instead also introduce noise in the money and the stocks.

At the end of each trading period the amount of stocks and cash are both normalized by $_{i=1}^{P}M^{i}=NM_{0}$ and $_{i=1}^{P}S^{i}=NS_{0}$ to remain comparable to the basic model. This could be interpreted as some sort of tax that each agent has to pay for letting the new agent enter the market.

5 Results of the evolutionary models

Figs.5a,d show the result for the model in which the poorest trader is replaced, Figs.5b,e for the model in which a random agent is chosen, and Figs.5c,f depicts the e ects of each time selecting the richest agent. Surprisingly, all

these evolutionary versions of our model lead to non-G aussian fat-tailed return distributions. In particular the tails in Fig.5f are larger than in Figs.5b,d. Comparing the correlations of these processes, we see that a selection of the poorest agent kills trends in the time series faster and leads to a smaller autocorrelation than in the case with selecting the richest which exhibits quite strong anti-correlations. In order to check the robustness of our results we investigated thee ect of the total number of agents on the results. As discussed above larger markets employing an evolutionary principle imply a smaller relative noise level at each cycle. We not that also with increasing number of agents the return distributions show a strongly non-G aussian shape.

6 Sum mary and Discussion

We presented a simple paradigm atic model for a stock market by combining game theoretical approaches with a realistic mechanism for price determination that reproduces the basic features of returns in real price time series. It consists of traders which compete by making predictions of future returns. In order to be consistent with real trading we found that a two step prediction is necessary which we modeled by iterating a linear predictor for each trader. To determine the parameters for prediction we used two dierent approaches: In our basic model we chose our parameters from a Gaussian distribution and change it every time step by adding some noise to the parameters. In the evolutionary versions we used dierent kinds of evolution to choose agents and replaced them by new random ones.

Both models qualitatively reproduce in portant statistical features of returns in real price time series like volatility clustering and fat-tails using only a few param eters: the number of agents N, the initial amount of stocks and cash, the complexity P characterizing the agents, and the mean and the standard deviation of the parameter distribution. In the basic model, the level of an intrinsic Gaussian noise has to be specied additionally. As long as this param eter is not to small the scaling appears to be realistic (see Fig.4), while below a critical level, the scaling behavior broke down. However, our results indicate that in the lim it of N! 1 the amount of noise, necessary for realistic scaling, vanishes. When ~ is increased the distribution of returns changes via a power law to a Gaussian distribution. This shows that the volatility clusters are not caused by the mechanism determining the price, but by the memory contained in the parameters and, most notably, in the capital of the agents. In contrast, the noise induced by the evolutionary mechanisms needs no adjustment. In some cases the scaling of the return distribution became even m ore algebraic when we decreased the e ective noise level by increasing the num ber of agents. The evolutionary models enable to study how the dynamics of the agents in parameter space in uence the statistics of the time series.

To this end we modeled three dierent kinds of evolution. Our study demonstrates that strong evolutionary pressure to perform well in a market leads to a destruction of correlations in the time series, while random selection and, in particular, anti-evolution induce larger (anti-)correlations. Remarkably, we found particularly clear power laws for anti-evolution.

In all variants of our model the results did not critically depend on the number of agents N, and for large N the scalings rather improved. To our know ledge, our approach therefore represents the rst solution to a long standing problem in modeling markets [19]. Therefore, our model could be considered as a prototype of a self organized system, which tends to evolve toward a critical state, as one would also expect from real stock markets. In particular, we think that the combination of a price mechanism with two consecutive return predictions and an evolution mechanism that works nearly without stochasticity will lead to a deeper understanding of the underlying dynamics of stock markets.

A cknow ledgem ents

We acknowledge C. van Vreeswijk, M. Bethge and F. Emmert-Streib for fruit-ful discussions.

R eferences

- [1] B.M andelbrot. The variation of certain speculative prices. J. Business, 36:394 { 419, 1963.
- [2] R.N.M antegna and H.E. Stanley. Scaling behaviour in the dynam ics of an econom ic index. Nature, 376:46{49, 1995.
- [3] S.Ghashghaie, W. Breymann, J. Peinke, P. Talkner, and Y. Dodge. Turbulent cascades in foreign exchange markets. Nature, 381:767(770, 1996.
- [4] J.P. Bouchaud and M. Potters. Theory of Financial Risk. Cambridge University Press, 2001.
- [5] R.N.M antegna and H.E.Stanley. An Introduction to Econophysics. Cambridge University Press, 2000.
- [6] L.J.B.Bachelier. Theorie de la Speculation. Gauthier-Villars, Paris, 1900.
- [7] G. Caldarelli, M. Marsili, and Y.-C. Zhang. A prototype model of stock exchange. Europhys. Letter, 40(5):479{484, 1997.
- [8] T.Lux and M.M. archesi. Scaling and criticality in a stochastic multi-agent model of a nancial market. Nature, 397:498 [500, 1999.

- [9] M. Levy, H. Levy, and S. Solom on . M icroscopic simulation of the stock market: the e ect of microscopic diversity. J.Phys.I, 5:1087{1107, August 1995.
- [10] M. Levy, H. Levy, and S. Solomon. Microscopic Simulation of Financial Markets. A cademic Press, 2000.
- [11] R.G. Palmer, W.B. Arthur, J.H. Holland B. LeBaron, and P. Tayler. Articial economic life: a simple model of a stockmarket. Physica D, 75264{274, 1994.
- [12] S.M aslov. Simple model of a limit order-driven market. Physica A, 278:571 (578, 2000.
- [13] E. Egenter, T. Lux, and D. Stau er. Finite-size e ects in monte carlo simulations of two stock market models. Physica A, 268:250 (256, 1999.
- [14] W.B.Arthur. Inductive reasoning and bounded rationality. Am erican Econimic Review, 84:406{411, 1994.
- [15] D. Challet and Y.-C. Zhang. Em ergence of cooperation and organization in an evolutionary game. Physica A, 246:407, 1997.
- [16] R.D onangelo and K. Sneppen. Self-organization of value and dem and Physica A, 276:572 [580, 2000.
- [17] R. Cont and J.P. Bouchaud. Herd behavior and aggregate uctuations in nancial markets. Macroeconomic Dynamics 4, 4:170{196, 2000, cond-mat/9712318.
- [18] C. Busshaus and H. Rieger. A prognosis oriented microscopic stock market model. Physica A, 267:443 (452, 1999.
- [19] E. Sam anidou, E. Zschischang, D. Stau er, and T. Lux. Microscopic models of nancialmarkets. In F. Schweitzer, editor, Microscopic Models of Economic Dynamics. Springer. in press.





Fig. 1. The dem and D (p), o er O (p) and turnover Z (p) = m infD (p);O (p)g as function of the price p in one trading cycle. The turnover re ects how m any shares would be traded at a certain price. The new price is determined in the interval between $p_{m \ in}$ and $p_{m \ ax}$ where the function Z (p) has its maximum.






Fig. 3. Simulation results obtained from the Basic Model with parameters $N=1000; P=3; S(0)=1000; M(0)=100000; P=1; P=0.01. A minimum of 50000 trading cycles have been discarded in order to avoid elects due to transients. a) Price history p(t) over 10000 trading cycles. b) Log-returns <math>P(t)=\log(\frac{p(t)}{p(t-1)})$ with respect to the price history shown in a).c) A uto-covariance $P(t)=\log(\frac{p(t)}{p(t-1)})$ with respect to the price history shown in a).c) A uto-covariance $P(t)=\log(\frac{p(t)}{p(t-1)})$ with respect to the price history shown in a).c) A uto-covariance $P(t)=\log(\frac{p(t)}{p(t-1)})$ with respect to the price history shown in a).c) A uto-covariance $P(t)=\log(\frac{p(t)}{p(t-1)})$ with respect to the price history shown in a).c) A uto-covariance $P(t)=\log(\frac{p(t)}{p(t-1)})$ with respect to the price history shown in a).c) A uto-covariance $P(t)=\log(\frac{p(t)}{p(t-1)})$ with respect to the price history shown in a).c) A uto-covariance $P(t)=\log(\frac{p(t)}{p(t-1)})$ with respect to the price history shown in a).c) A uto-covariance $P(t)=\log(\frac{p(t)}{p(t-1)})$ with respect to the price history shown in a).c) A uto-covariance $P(t)=\log(\frac{p(t)}{p(t-1)})$ with respect to the price history shown in a).c) A uto-covariance $P(t)=\log(\frac{p(t)}{p(t-1)})$ determined on the basis of 50000 trading cycles.




Fig. 4.Normalized return distribution calculated as in Fig 3 for dierent values of \sim ranging from 0.01 to 1.




Fig. 5. Simulation results obtained from dierent evolutionary models with parameters N = 1000; P = 3; S(0) = 1000; M(0) = 100000; = 1. After each trading cycle the poorest (upper), a random (middel) or the richest (lower) agent is replaced by a new random one. Left and right plots are the same as in Fig. 3 b) and d), respectivly.