D etecting subtle e ects of persistence in the stock market dynam ics

R Rak¹, S.D rozdz^{1;2}, J.K wapien², P.O sw iec im ka²

¹Institute of Physics, University of Rzeszow, PL {35-310 Rzeszow, Poland ²Institute of Nuclear Physics, Polish Academy of Sciences, PL {31-342 Krakow, Poland

The conventional form altool to detect e ects of the nancial persistence is in terms of the Hurst exponent. A typical corresponding result is that its value com es out close to 0:5, as characteristic for geom etric B row nian motion, with at most sm all departures from this value in either direction depending on the market and on the time scales involved. We study the high frequency price changes on the American and on the German stock markets. For both corresponding indices, the Dow Jones and the DAX respectively, the Hurst exponent analysis results in values close to 05. However, by decomposing the market dynamics into pairs of steps such that an elementary m ove up (dow n) is followed by another m ove up (dow n) and explicitly counting the resulting conditional probabilities we nd values typically close to 60%. This e ect of persistence is particularly visible on the short time scales ranging from 1 up to 3 m inutes, decreasing gradually to 50% and even signi cantly below this value on the larger time scales. We also detect some asymmetry in persistence related to the moves up and down, respectively. This indicates a subtle nature of the nancial persistence whose characteristics escape detection within the conventional Hurst exponent form alism .

1. Introduction

The nancialdynam ics results in uctuations whose nature is, as pointed out by Bachelier [1] already in 1900, of the Brownian character. By now we know that it is much more complex and fascinating than just the ordinary Brownian motion. A lready the distribution of stock market returns is far from being Gaussian and at the short time scales large uctuations develop heavy power law asymptotics with an exponent = 3 [2], well outside the Levy stable regime [3], how ever. The autocorrelation function of returns drops down very quickly and after a few m inutes it reaches the noise level. At the same time how ever the volatility autocorrelation function decays very slow ly with time [3], largely according to the power law, and remains positive form any months. On a more advanced level of global quantication, the nancial dynamics appears to be describable in terms of multifractality both in the transaction-to-transaction price increments and in the inter-trade waiting times [4]. This indicates a hierarchically convoluted self-sim ilar organization of the market dynamics. One related issue is an e ect of persistence. Its commonly adopted measure – the Hurst exponent – is the mode of each multifractal spectrum. The Hurst exponent, how ever, is a global measure while the e ects of persistence may in principle depend on the market phase. Below we address this issue using the high-frequency records (years 1998-99) of the two from among the world leading stock market indices, the Dow Jones Industrial Average (DJIA) for the United States and the Deutsche Aktienindex (DAX) for Germany.

2.Conventionalm ethods

There exist two commonly accepted and best-knownm ethods to evaluate the long-range dependences in the statistical series. The older one is the so-called rescaled range or R/S analysis [5]. This method originates from previous hydrological analysis of Hurst [6] and allows to calculate the selfsim ilarity parameter H. A drawback of this method how ever is that it may spuriously detect some apparent long-range correlations that result from non-stationarity. A method that avoids such artifacts is the Detrended F luctuation Analysis (DFA) [7]. In this method one divides a time series $g(t_i)$ of length N (i = 1; ::N) into M disjoint segments of length n and calculates the signal prole

Y (i) =
$$\begin{array}{c} X^{i} \\ (g(k) \quad hgi); \quad i = 1; ...; N \\ k = 1 \end{array}$$
 (1)

where h:::i denotes the mean. For each segment the local trend is then estimated by least-squares thing the straight line (in general a polynomial) Υ (i) and the corresponding variance

$$F^{2}(;n) = \frac{1}{n} \int_{j=1}^{X^{n}} fY[(1)n + j] \quad \Upsilon(j)g:$$
 (2)

F inally, one calculates the m ean value of the root m ean square $% \mathcal{A}$ uctuations over all the segments $% \mathcal{A}$:

$$F(n) = \frac{1}{M} \sum_{i=1}^{M} F(i;n)$$
 (3)

2

The power-law scaling of the form

$$F(n) n^{H}$$
 (4)

indicates self-sim ilarity and is considered to provide a measure of persistence. If the process is white noise then H = 0.5. If the process is persistent then H > 0.5; if it is anti-persistent then H < 0.5.

The above procedure applied to the returns

$$g(t) = \ln P(t + t) \ln P(t);$$
 (5)

where P (t) represents the price time series, results in numbers as listed in the last column of Table 1 for tranging from 1 m in up to 30 m in. In addition to the DAX and the DJIA this Table includes also what for brevity we here call N asdaq30 and what for the purpose of this work is constructed as a simple sum of the prices of 30 high-capitalization companies belonging to the N asdaq C om posite basket. A sone can see from the Table 1, typically the so-calculated H urst exponents H point to a trace of anti-persistence but in fact they do not deviate m uch from 0.5, especially that an error involved in estimation equals about 0.4% for t = 1 m in and increases up to 1.5% for t = 30 m in due to an elective shortening of the series.

Still this result does not elim inate a possibility that there exist som e more local e ect of persistence that simply average out when estimated from the longer time intervals. In fact, some proposals to calculate the local counterparts of H, based on variants of DFA, are already present in the literature [8, 9] and point to such e ects indeed. The accuracy of the related m ethods is how ever not yet well established. Furtherm ore, observations and experience prompt a possibility that the nancial persistence m ay happen to occur asymmetrically, i.e., a m ove up m ay be followed by another m ove up m ore often than a m ove down by another m ove down, or vice versa. Such e ects m ay carry a very valuable information about the dynam ics but rem ain indistinguishable within the conventional m ethods and unexplored so far. In order therefore to explore a possibility and character of such e ects we return to the very de nition of persistence.

3. M easuring persistence by conditional probabilities

Given a tim e series of price returns $g(t_i)$, where t_i denotes the consecutive equidistant m on ents of time, to each i we assign + 1 if $g(t_i)$ is positive (price goes up), -1 if it is negative (price goes down) and 0 if it happens to be 0 (price remains unchanged). We then explicitly count the number N; of all the neighboring pairs $fg(t_i)$; $g(t_{i+1})$; g of the type ; = f 1;0;+1g for

Index/Scale	P 11	P _{1 1}	P 10	P 1 1	P 11	P 10	Hurst exp.
DAX/1min	0.567	0.427	0.005	0.562	0.431	0.005	0.493
DAX/2m in	0.568	0.428	0.002	0.561	0.435	0.003	0.496
DAX/3m in	0.554	0.444	0.0002	0.548	0.449	0.0014	0.497
DAX/4m in	0.539	0.459	0.001	0.529	0.469	0.001	0.498
DAX/5m in	0.528	0.470	0.0006	0.514	0.484	8000.0	0.5
DAX/10m in	0.493	0.507	0.0002	0.476	0.522	0.0006	0.498
DAX/15m in	0.483	0.515	0.0004	0.460	0.538	0.0009	0.498
DAX/30m in	0.483	0.516	0.0002	0.459	0.540	0.0002	0.495
DJIA/1m in	0.558	0.399	0.042	0.558	0.398	0.043	0.502
DJIA/2min	0.555	0.416	0.027	0.561	0.413	0.026	0.499
DJIA/3m in	0.526	0.452	0.021	0.531	0.449	0.019	0.498
DJIA/4m in	0.504	0.479	0.016	0.504	0.478	0.016	0.498
DJIA/5m in	0.498	0.487	0.013	0.497	0.488	0.014	0.495
DJIA/10m in	0.497	0.491	0.011	0.498	0.493	800.0	0.491
DJIA/15m in	0.502	0.491	0.006	0.487	0.504	0.007	0.491
DJIA/30m in	0.506	0.487	0.0066	0.472	0.521	0.0068	0.491
N Q 30/1m in	0.539	0.454	0.006	0.54	0.455	0.005	0.5
N Q 30/2m in	0.547	0.449	0.003	0.546	0.45	0.003	0.499
N Q 30/3m in	0.539	0.458	0.003	0.529	0.468	0.003	0.501
N Q 30/4m in	0.532	0.464	0.002	0.518	0.478	0.002	0.499
N Q 30/5m in	0.53	0.467	0.002	0.515	0.481	0.002	0.501
N Q 30/10m in	0.538	0.46	0.001	0.511	0.487	0.0006	0.502
NQ30/15m in	0.526	0.472	0.001	0.497	0.5	0.001	0.5

Table 1. Several combinations of the conditional probabilities p; as defined by Eq.6 for the DAX, D JIA and for the basket of the largest N asdaq (N Q 30) companies returns on a sequence of different time scales tranging from 1 up to 30 m in. The last column lists the corresponding H urst exponents. The high-frequency price changes analysed here cover the time period from 01.12.1997 until 31.12.1999.

xed values of and and do so for all the nine combinations of di erent and .Finally, we calculate

$$p_{;} = N_{;} = \sum_{\substack{0 = 1;0;+1}}^{\Lambda} N_{;} o;$$
(6)

which corresponds to a conditional probability that a return of the type is preceded by a return of the type . This procedure can of course be performed on any time scale $t = t_{i+1} + t_i$.

Six combinations of p; corresponding to = 1 and to all the three possible values of are listed in Table 1 for several values of t starting from 1 up to 30 m in.

Quite interestingly – and somewhat unexpectedly in view of the corresponding values of the Hurst exponents (last column in Table 1) that are

very close to 0.5 like for the white noise - both the DAX and the DJIA show signi cant e ects of persistence on the small time scales. A move up (down) is followed by anotherm ove up (down) signi cantly more offen than by a move in opposite direction. For tlarger than 5-10 m in we observe a crossover: the uctuations become anti-persistent and, what is particularly interesting, this e ect is visibly asymmetric towards moves down as a system atically observed relation $p_{1; 1}$ and $p_{+1;+1}$ indicates. For the basket of the N asdaq stocks this crossover also takes place, though on the som ew hat larger tim e scales. Quite interestingly - and som ew hat unexpectedly in view of the corresponding values of the Hurst exponents (last column in Table 1) that are very close to 0.5 like for the white noise – both the DAX and the DJIA show signi cant e ects of persistence on the sm all tim e scales. A move up (down) is followed by another move up (down) signi cantly more often than by a move in opposite direction. For t larger than 5-10 m in we observe a crossover: the uctuations become anti-persistent and, what is particularly interesting, this e ect is visibly asymmetric towards moves down as a system atically observed relation $p_{1;1}$ and $p_{+1;+1}$ indicates. For the basket of the N asdaq stocks this crossover also takes place, though on the som ew hat larger tim e scales.

The time period (01.12.1997 - 31.12.1999) of the stock m arket variability studied here displays a richness of phases. In the rst half of this period it for instance includes a spectacular draw up (DAX more than 50%) followed by an even faster draw down to the original level. P revious study [10] based on the correlation m atrix form alism provides a serious indication that the dynam ics of long-term stock m arket increases is more competitive and less collective (as far as correlations among the individual stocks form ing an index is concerned) than during long-term decreases.

It is thus interesting to inspect if and how our indicators of persistence correlate with the di erent phases of the market dynam ics. Two principal such coe cients (rectangles), $p_{+1;+1}$ and $p_{-1;-1}$, calculated for t = 1 m in over one trading day time intervals for all the consecutive days covering our 01.12.1997 -31.12.1999 time period, versus the corresponding DAX changes are shown in Fig. 1. The correlation is visible indeed.

The long-term increases system atically lead to a decrease of persistence both in $p_{+1;+1}$ and in $p_{-1;-1}$. A sharp increase of the DAX in the end of the period here analyzed pulls these two coe cients even below 0.5. On the contrary, the decreases are seen to be lifting our persistency coe cients up to as high as 0:7. Even more, changes of the trend in $p_{+1;+1}$ and $p_{-1;-1}$ are somewhat shifted in phase relative to each other which is another manifestation of asymmetry in persistence. That all such e ects may reject a general logic of the stock market dynamics can be seen also from Fig. 2 which displays the same quantities for the DJIA in the same period of time and qualitatively analogous correlations can be postulated.

M one focus on this last issue is given in Figs. 3 and 4 and the corresponding Tables 2 and 3. Two sizable periods of the global market increases and decreases, respectively, both for the DAX and for the DJIA, are here extracted and the corresponding conditional probability coe cients p; calculated for those periods separately. Again one sees that the related uctuations are persistent and that these persistency e ects are even stronger during decreases. Furtherm ore, even during the sam e market phase (either global increase or decrease) the asym metry in persistence between the moves up and down may occur.

4.Conclusion

The above observations are intriguing and of course dem and a much m ore system atic study as they carry a potential to shed m ore light on m echanism of the stock market dynamics. The present study how ever already indicates direction concerning this speci c issue. There de nitely exist higher order correlations in the nancial dynamics that escape detection within the conventional methods. In this connection the wavelet based form alism, due to its ability to focus on local e ects, seems to o er a promising frame to develop consistent related methodology, such that a link to multifractality perhaps can also be traced. The wavelet based form alism can also be generalised to account for the asymmetry in persistence - an e ect identi ed above. Finally and ultimately, one needs to develop a realistic theoretical model of the nancial dynamics such that also the above e ects can be incorporated. A variant of the generalised W eierstrass random walk as developed by K utner [11] m ay appear an appropriate solution especially that the W eierstrass-type functions may incorporate log-periodically a kind correlations that underlay the nancial dynam ics [12, 13].

REFERENCES

- [1] L.Bachelier, Ann.Sci.de l'Ecole Norm.Sup.III-17,21 (1900)
- [2] P.G opikrishnan, V.P lerou, LA.Nunes Am aral, M.M ayer, HE.Stanley, Phys. Rev. E 60, 5305 (1999)
- [3] S.D rozdz, J.K wapien, F.G rum m er, F.Ruf, J. Speth, Acta Phys. Pol. B 34, 4293 (2003)
- [4] P.O swiecim ka, J.K wapien, S.D rozdz, Physica A 347, 626 (2005)
- [5] B B.M andelbrot, JR.W allis, W ater Resources Res. 5, 967 (1969)
- [6] H E. Hurst, Trans. Am. Soc. Civil Engineers 116, 770 (1951)

- [7] C.-K. Peng, S.V. Buldyrev, A.L. Goldberger, S. Havlin, M. Simons, H.E. Stanley, Phys. Rev. E 47, 3730 (1993)
- [8] D.Grech, Z.Mazur, Physica A 336, 133 (2004)
- [9] A.Carbone, G.Castelli, H.E.Stanley, Physica A 344, 267 (2004)
- [10] S.D rozdz, F.G rum m er, A Z.G orski, F.Ruf, J.Speth, Physica A 287, 440 (2000)
- [11] R.Kutner, Physica A 264, 84 (1999); Physica A 314, 786 (2002)
- [12] S.Drozdz, F.Ruf, J.Speth, M.W ojcik, Eur. Phys. J. B10, 589 (1999).
- [13] M. Bartolozzi, S. Drozdz, D. B. Leinweber, J. Speth, A.W. Thomas, cond-m at/0501513, International Journal of M odem Physics C in print.




Fig.1. The DAX time dependence over the period 01.12.1997 - 31.12.1999. The black triangles (N) in panels (a) and (b) correspond to $p_{+1;+1}$ and $p_{-1;+1}$, respectively, calculated separately for the consecutive one trading day time intervals from t = 1 m in returns.






Fig.2. Same as Fig.1 but for the Dow Jones Industrial A verage (DJIA).



D ata	P 11	P _{1 1}	P 10	P 1 1	P 11	P 10	Hurstexp.
DAX (increase)	0.562	0.433	0.004	0.57	0.424	0.006	0.491
DAX (decrease)	0.615	0.382	0.003	0.585	0.412	0.002	0.504

Fig.3. DAX during its long-term global increase in the period 05.05.1998 - 20.07.1998 (a) and during its long-term global decrease in the period 21.07.1998 - 02.10.1998 (b). These both periods correspond to the same number (76) of trading days. Tab 2. C onditional probabilities p; and the Hurst exponents for the DAX t = 1 m in changes corresponding to the tim e periods as in Fig.3 a (DAX/increase) and as in Fig.3 b (DAX/decrease), respectively.



D ata	P 11	P _{1 1}	P 10	P 1 1	P 11	P 10	Hurst exp.
DJIA (increase)	0.534	0.415	0.051	0.523	0.424	0.052	0.495
D JIA (decrease)	0.609	0.363	0.028	0.629	0.342	0.029	0.505

Fig.4. DJIA during its long-term global increase in the period 09.01.1998 - 15.04.1998 (a) and during its long-term global decrease in the period 16.07.1998 - 15.10.1998 (b). These both periods correspond to the same number (93) of trading days. Tab 3. Conditional probabilities p; and the Hurst exponents for the DJIA t = 1 m in changes corresponding to the time periods as in Fig.4 a (DJIA /increase) and as in Fig.4 b (DJIA /decrease), respectively.