

A lice in a micro-factory: modeling materials and mechanisms of natural nano-machines

Debashish Chowdhury¹

¹Department of Physics
Indian Institute of Technology
Kanpur 208016, India.
(dated: December 18, 2021)

Imagine an underwater factory which is about 10 μm long in each direction. The factory is filled with machines, each typically a few tens of nanometers long, which have specific tasks and operate in a well-coordinated manner. A cell, the structural and functional unit of life, is not very different from this micro-factory. In this article I begin with Alice's guided tour of this micro-factory in her dream during which the guide shows her wide varieties of the nano-machines in this factory. Then, I summarize excerpts from the notebook of Alice's father, a professor of biophysics, to introduce the methods of studying the materials and mechanisms of these machines. These excerpts emphasize the crucial differences between the natural nano-machines and their microscopic counterparts. Finally, I highlight some potential applications of the fundamental research on molecular machines in biomedical science and nano-technology.

I. INTRODUCTION

Alice was sitting on a window seat beside her father inside the aircraft. The departure was getting delayed because of the bad weather. She was coming back to Delhi with her parents after a two-week vacation with her grandparents. Soon her final year in school will begin. Her father is a professor of biophysics at a university in Delhi and he utilized the vacation to prepare his lecture notes for the next semester. Alice picked up the notebook from his father's tray table and started reading the following paragraph from the notes.

"Three centuries ago Marcello Malpighi conjectured 'Nature, in order to carry out the marvelous operations in animals and plants, has been pleased to construct their organized bodies with a very large number of machines, which are of necessity made up of extremely minute parts so shaped and situated, such as to form a marvelous organ, the composition of which are usually invisible to the naked eye, without the aid of the microscope.' (As quoted by Marco Piccolino [1])."

Alice had already learnt a lot about machines from her physics teacher in school. A machine is a device, having a unique purpose, that augments or replaces human or animal effort for the accomplishment of physical tasks. The operation of a machine may involve the transformation of chemical, thermal, electrical, or nuclear energy into mechanical energy or vice versa. All machines have an input, an output, and a transforming (or, modifying) and a transmitting device. A man-made complex microscopic device is usually an assembly of simpler components each of which is designed to achieve a specific function. For example, a hair dryer consists of a heater, a fan and a switch suitably connected by electric wires and assembled in a compact framework; combined and coordinated operation of these components gives rise to the function of the hairdryer-blowing hot wind.

Alice continued with the next paragraph in her father's notebook. "Naturally, to understand how a machine works, one has to understand the structure and functions of its components. So, the belief in the role of organic machines in sustaining life led to intense anatomical investigations in the seventeenth century. Curiously, the emphasis shifted from organic machines during the eighteenth and nineteenth centuries; a critical analysis for plausible reasons has been carried out by Piccolino [1]. With the triumph of the molecular theory of matter in the beginning of the twentieth century molecule became the prime object of investigation in chemistry as well as in biology. Interestingly, already in 1906, Loeb (as quoted in ref.[2]) referred to the cell as a 'chemical machine' (see also [3])."

Alice couldn't believe what she read. So, she asked her father, "does a cell really function as a machine?". Her father replied, "indeed, each of the cells in our body is like a 'factory' made up of an enormously large number of molecular machines [4, 5, 6, 7, 8]. However, unlike man-made machines, these are products of Nature's evolutionary design over billions of years and the mechanisms underlying their function are often very different from their microscopic counterparts in spite of many superficial similarities. The typical sizes of the molecular machines in our body cells range from tens to a few nanometers. Therefore, one of the biggest challenges of modern science is to determine the principles behind the design of these natural nano-machines and to understand their dynamics which help in

A popularized version of the introductory lecture in an undergraduate course on "Natural Nano-machines" taught at IIT, Kanpur

elucidating the mechanisms of their functions in terms of the fundamental principles of physics". The aircraft now started running along the runway of the airport. A lice's father said, "A lice, if you do not have lot of home work during the next weekend, I'll be glad to tell you some of the intellectual challenges posed by the unusual mechanism of these nano-machines inside our cells each of which is like a micron-sized factory.

II. A GUIDED TOUR OF THE LIVING CELL IN A DREAM

The aircraft lifted off the runway and was climbing to higher altitude. A lice looked through the window and saw the busy vehicular traffic on the streets below. At one corner of the city she saw the high chimneys of the factories; that is the industrial area where her grandfather owned a small company that manufactured some chemicals. Few other high structures that she could recognise were huge water tanks that supplied drinking water to the adjoining residential area. Several years ago she had seen one of the pumps which raised water up to those tanks from the water filtration plant below.

A lice recalled the days when she was still in her kindergarten and her grandmother used to narrate the stories of Ramayana and Mahabharat in the evening during the summer vacations. One story she liked most was that of the underwater kingdom of the snakes. She was so tired that even before she realized, she was fast asleep in her seat and started dreaming.

A lice found herself at the entrance of the underwater kingdom. It was entirely covered by an approximately spherical membraneous soft wall. A water molecule greeted A lice with a smile: "Welcome A lice! Enjoy a guided tour of our kingdom which you call 'cell'. I'm Neera and I'll be your guide during the next ninety minutes of your guided tour of our kingdom".

Neera warned A lice that the "channel"-like passage of the entry gate was very narrow and A lice will have to squeeze through it. The wall of the kingdom actually consisted of two layers and the space in between was densely populated by what looked like two-tailed fishes; Neera seemed to have a special dislike for these fishes. When A lice asked the name of these unusual species of the fish, Neera said they are called lipids. The peculiar feature of these lipids was that the ones at the outer layer had their heads facing water outside the kingdom and those in the inner layer had their heads staring inside the kingdom; Neera said that the two monolayers of the lipids always stay together forming a bilayer. The tails of these fishes looked rather slippery and smelt like soap.

While A lice was looking at the wall, spellbound by what she saw, Neera had donned a special swimming suit, somewhat like the ones used by swimmers at the Olympics. Neera said, "I'll have tough time swimming across that channel unless I put on this swim suit."

Just as they slipped in through the channel, A lice found a net of ropes which resembles fishing nets. First she thought that these are perhaps intended to prevent the two-tailed fishes from entering the kingdom. But, immediately she realized her mistake; she had never seen such a dual-purpose net. While taking off her swim suit, Neera said that this special net is called cytoskeleton. The girders and cables together form a skeleton that gives strength to the architecture of the kingdom and, at the same time, also form the backbone of the transportation network of the kingdom [8, 9].

It was water everywhere inside the kingdom. But, unlike the freely flowing transparent water A lice has always been familiar with, it was rather viscous and turbid because of the enormous crowd swimming all around. A lice requested Neera for a brief pause as she wanted to watch the busy transportation system for a while before proceeding to their next destination.

A lice found that the motors were not moving smoothly; their jerky motion was similar to that of a person trying to move straight in a blizzard. The motors moving along the cables and struts had no wheels. They looked more like two-legged humans than the four-wheeled vehicles A lice was familiar with. Each carried a heavy bundle of cargo on their head and moved like porters. A lice's father owned a Toyota and her uncle had a Ford. Neera pointed at the motor passing by and said it was a kinesin. Another coming from the opposite direction was a dynein. Neera said that these two brands are like trains of the rapid mass transit system that ran from the city centre to the peripheral suburbs. The struts that form the tracks for these motors are called microtubules. The shuttle buses that carried the passengers in these suburbs were mostly myosins and they move on more flexible cables called actin.

A lice did not find a single petrol pump (gas station) anywhere in the city and asked Neera how the motors were running without fuel. Neera corrected her mistake; the motors were consuming "chemical fuels". Each of the motors was utilizing the chemical energy released by a chemical reaction. The fuels, namely molecules of a compound called ATP, were abundant everywhere and the motors were using the energy released by their hydrolysis to generate the mechanical energy required for their directed movement. A lice was well aware of the environmental problems created by the emissions from the motor vehicles back at home. So, she asked Neera how they disposed the spent fuel. Neera said that all of the spent fuel is recycled in their kingdom; the spent fuel is recharged to manufacture fresh fuel. Neera also added that some other machines in their kingdom directly use sunlight and, therefore, is very eco-friendly as no




FIG .1: A cartoon of a two-headed molecular motor moving on a filamentary track. (Copyright: Indrani Chowdhury; reproduced with permission).

waste product is generated by those machines. Moreover, another advantage of the machines running on light energy is that light can be switched on and off easily and rapidly.




FIG .2: A cartoon of a DNA helicase motor that moves on a nucleic acid track locally unzipping the double stranded DNA. (Copyright: Indrani Chowdhury; reproduced with permission).

As it was getting late, Alice resumed her sightseeing tour of the kingdom. Soon Alice and Neera were at the pore-like entrance to the palace, called nucleus, at the center of the kingdom. Alice was spellbound by the chemical factory inside the nucleus. A member of a special class of machines, called DNA helicase, was walking along a DNA fiber unwinding the two strands. This process resembled disentangling of two strands of thread that are snarled together. The local opening of the double stranded DNA (see fig2) is, effectively, an unzipping process that cuts the weak bonds which hold the two strands together. "Such openings form one step in the overall processes of DNA repair or polymerisation of DNA and proteins" explained Neera. RNA polymerase (see fig3) are also nucleotide-associated machines whose main purpose is to polymerise the so-called messenger RNA joining nucleotides that are selected on the basis of the templates formed by a single-strand of DNA. The input energy for these machines comes from NTP condensation and the output is the work done by the machine against opposing force.

Alice saw the synthesis of one such mRNA strand in front of her eyes in a matter of seconds. Then, the serpentine mRNA headed towards the nuclear pore. Neera said, "after moving out of the nucleus the mRNA will serve as a




FIG. 3: A cartoon of a RNA polymerase motor that moves on a nucleic acid track synthesizing a m-RNA strand using a single-stranded DNA as the template. (Copyright: Indrani Chowdhury; reproduced with permission).

template for the synthesis of a protein by another set of machines". A lice was excited and wanted to see the whole process. She rushed out of the nucleus behind the m-RNA closely followed by Neera. A lice saw little ball-like machines decorating the m-RNA. She looked at Neera. "Those are the ribosomes, explained Neera. A lice saw a stitching-like action by the ribosome, which also involved the m-RNA, t-RNA and amino acids, that, finally, gave birth to a fresh protein chain. However, almost instantaneously the nascent protein folded into a complex three-dimensional structure that Neera identified as the tertiary structure of the protein.

On the way back, A lice saw many buildings of wide variety of shapes and sizes; each of these was enclosed by a soft membranous wall. Neera pointed her finger at one and said, "can you see that labyrinthine structure? That's endoplasmic reticulum. And, the small balls sticking to its membranous wall are the ribosomes." Then Neera turned in another direction, "that one over there is called the Golgi apparatus. A lice could not help her curiosity. She asked, "why do you need the Golgi apparatus?". Neera was brief, "The Golgi apparatus is like a letter sorting station of a postal system; the proteins are sorted here, packaged and forwarded to their onward destination." Neera added further, "We'll visit some endoplasmic reticulum and Golgi apparatus during your visits in future and show you the functions of those. In particular, there are some translocation machines on and near their walls which pull and push proteins in and out of the building; without them, no protein would be able to cross their walls" (see fig 4).

Suddenly, Neera seemed very excited: "A lice, can you see that small sausage-shaped building over there? That's a mitochondrion, one of the power houses that recharge the spent fuel ADP into fresh fuel ATP. It looks very different from the chemical factories in your world. This is achieved by a tiny machine, called ATP synthase [10] stuck on the wall of the mitochondrion. Perhaps you cannot see it from here (see fig 5). But, I can assure you that this rotary motor currently holds the world record: it is the smallest rotary motor. This is, at least superficially, very similar to the motor of a hair dryer". "Is this the only rotary motor that exists in this kingdom?", asked A lice. "No. Bacteria, which sometimes sneak into this kingdom, also have a slightly larger rotary motor embedded in their skin [11]. This motor rotates a helical filament called a flagellum" (see fig 6).

On their way back, Neera followed a shorter route and reached a gate different from the one through which they had entered. Neera wanted to show A lice a pump in action [12]. It was embedded on the boundary wall and was constantly pumping sodium ions from inside to outside while simultaneously, it was pumping potassium ions in the reverse direction. Neera emphasized, "the pump is continuously consuming energy to carry the ions against concentration gradient, i.e., opposite to the direction of the spontaneous flow, just as a water pump consumes electrical energy to draw water upward against gravity".

A lice and Neera came out of the kingdom through another slippery channel close to the pump. Neera told A lice, "I hope you liked our kingdom and will visit us again". Unfortunately, this kingdom of ours will not last long". This came as a shock to A lice, "why will this cell perish?" Neera consoled her, "That's the rule in the world of cells; each goes through a life cycle and ends with a split. This one is no exception and it will split into two daughter kingdoms in a few days and I'll be your guide during your next tour inside one of those two daughter kingdoms. Next time I'll also show you how cells use their machines to move [13]; some "swim" in their aqueous environment while others "crawl" where the piston-like action of some machines play a crucial role".




FIG . 4: A cartoon of a translocation machine that translocates a biological macromolecule across a membrane. (Copyright: IndraniChowdhury; reproduced with permission).




FIG . 5: A cartoon of ATP synthase, a rotary motor associated with a membrane. The cylindrical part is called the F_0 motor while the other part represents the F_1 motor. Both F_0 and F_1 are reversible and are tightly coupled to each other. (Copyright: IndraniChowdhury; reproduced with permission).

Just as Alice and Neera were about to part ways, she saw a torpedo-shaped creature. It seemed it was just looking for some way to sneak into the kingdom. It had a helical propeller attached to its skin that was rotating at an astonishingly high angular speed. Neera stopped Alice, "beware! that is a bacterium". Alice immediately realized the rotating propeller must be the flagellum that Neera had mentioned earlier. Neera continued, "this bacterium is trying to invade the kingdom. If it succeeds, it will hijack motors to get a free ride to the center of the town and then enter even the nucleus. If it can seize control of the machines involved in the protein synthesis, the future of the kingdom is doomed". Suddenly the bacterium spotted Alice and, she thought, it was approaching her aggressively. Alice shrieked in fear... and her eyes opened. Her mother put her palm on Alice's head. "What happened Alice?", she asked. "Nothing mom, I just saw something in my dream". There was an announcement, the aircraft was going to land soon in Delhi.

As anticipated, Alice had very little home work during the next weekend. So she sat down with her father and narrated what she had seen in her dream. Her father listened quietly and, then remarked, "Alice, the kingdom you are describing is very much like the micron-sized factory-like environment inside the cells of our body. You can learn more about the nano-machines inside the cells from the notes I have prepared during the last one week".




FIG. 6: A cartoon of the flagellar motor of bacteria, a rotary motor associated with a membrane. (Copyright: Indrani Chowdhury; reproduced with permission).




FIG. 7: A cartoon of a molecular ion pump associated with a membrane. (Copyright: Indrani Chowdhury; reproduced with permission).

The next few sections are excerpts from the notebook of Alice's father.

III. MODELS AND METHODS FOR MATERIALS AND MECHANISMS

Let me briefly mention our methods of investigation, namely, experimental, theoretical and computational techniques, for studying the common fundamental physical principles that govern the generic features of the structure and dynamics of the biological nano-machines as well as the corresponding underlying mechanisms of their operations. This is a frontier area of current interdisciplinary research that involves molecular cell biology, (bio-)chemistry, physics as well as engineering [14].

A . Materials: soft matter and weak forces

The durable parts of macroscopic machines are normally "hard" so as to survive the regular wear and tear. In contrast, the structural elements of the cell, e.g., filaments and membranes, are "soft". These materials can be deformed easily because their conformations are determined by weak forces like, for example, Van der Waals forces, hydrogen bonding, etc. Moreover, since the thermal energy $k_B T$ available at a temperature T (k_B being the Boltzmann constant) is comparable to these weaker forces, thermal fluctuations can also lead to conformational changes. Furthermore, straightening of a filament or flattening of a membrane reduces its entropy and the corresponding restoring force is of entropic origin. Therefore, the free energy of soft matter are often dominated by entropy which gives rise to phenomena that are not observed in hard materials. Therefore, biomolecular machines operate in a domain where the appropriate units of length, time, force and energy are, nano-meter, milli-second, pico-Newton and $k_B T$, respectively.

B . Experimental methods: imaging vs. manipulation

Seeing is believing. However, until late twentieth century, scientists could not see individual molecules although everybody believed in its existence. In fact, in those days, the existence of a molecule could only be inferred indirectly from circumstantial evidences gathered from experiments on samples which used to be very large compared to single molecules. Search for microscopes which would allow us to see this elusive object seemed like a "holy grail". We got our first glimpse of the macromolecules via X-ray diffraction and, then, electron microscopy. But, these were static pictures. Towards the end of the twentieth-century a series of novel imaging techniques emerged which allowed us to monitor the dynamics of single molecules [15]. Confocal fluorescence microscopy is, perhaps, the most versatile among these methods.




FIG .8: A broad classification of the experimental techniques available for the manipulation of single molecules. (Copyright: Indrani Chowdhury; reproduced with permission).

No wonder, last ten years have witnessed a flurry of activities in the area of molecular machines which are either single macromolecule or tiny molecular aggregate; after all, invention of novel experimental techniques always lead to enormous progress in natural sciences. In order to understand the mechanisms of molecular machines we need experimental probes with sufficiently high spatial as well as temporal resolutions that would be adequate to watch the dynamics of the machine.

The recently developed single-molecule techniques can be broadly classified into two groups: (i) Methods of imaging, and (ii) methods of manipulation. For example, green (and red) fluorescence microscopy enables us to monitor the dynamics of single motors just as ecologists use "radio collars" to track individual animals. But, for a clear understanding of the mechanism of the molecular machines it is not enough merely to watch them passively; we must be able also to manipulate them (see §8). Such manipulations have been possible over the last decade because of the availability of sophisticated techniques like, for example, optical tweezers and scanning force microscopes (SFM).

Almost all kinds of cells can live and multiply through cell division in a tissue culture dish provided proper conditions are created. Such cells can be used for wide variety of experiments. Biologists usually refer to experiments on such

cultured cells as "in-vitro" (i.e., in glass) and experiments on living organisms as "in-vivo". However, biochemists use these terms in a different sense—by the term "in-vitro" they mean processes occurring outside living cells whereas the term "in-vivo" is used by them exclusively for processes occurring inside living cells. Naturally, more controlled experiments are possible in-vitro than in-vivo.

C. Theoretical methods

By "theoretical methods" we mean analytical (mathematical) treatment of theoretical models. Since such an analysis can be accomplished exactly only in rare cases, one has to make sensible approximations so as to get results as accurate as possible.

Theoretical models: molecular and mesoscopic

In biology, often the simplest among a family of objects is called a model system for the purpose of experimental investigations. For example, the fruit fly *Drosophila* and the worm *C. elegans* are often called model organisms because of their simpler features among all multi-cellular organisms. However, by the term model we shall almost exclusively mean theoretical model. A theoretical model is an abstract representation of the real system. Biologists often develop qualitative models to explain empirical observations. In contrast, physicists work with quantitative models, formulated in terms of mathematical symbols, not only to interpret experimental data but also to make new predictions that can be tested through experiments.

Every theoretical model is intended to address a set of questions. The modeler must choose a level of description appropriate for this purpose keeping in mind the phenomena that are subject of the investigation. Otherwise, the model may have either too much redundant details or it may be too coarse to provide any useful insight. For example, a molecular model of a hair dryer will have too much redundant information. Similarly, a continuum model of liquid water will be too coarse to study dynamics of individual molecules of water. Since physicists most often focus only on generic features of the various classes of machines, rather than specific features of individual members of these classes, they normally develop minimal models which may be regarded as mesoscopic, rather than molecular, i.e., their status in some way between those of the macroscopic and molecular models.

Mechanisms—conceptual challenges

Are the mechanisms of molecular machines identical to their macroscopic counterparts except that the machines are nano-meter sized objects and the forces are in the range of pico-Newtons? NO, there are crucial differences between the molecular machines and their macroscopic counterparts.

The molecular machines get bombarded from all sides by the randomly moving water molecules. The masses of molecular machines are so small that these random thermal forces have strong influence on their movement. It is because of these random forces that the molecular motors inside the cell move in a manner that resembles the movement of a human being in a strong blizzard. However, unlike passive Brownian particles (like, for example, pollen grains in water), the molecular machines consume (free-) energy [16]. At least some of these machines are physical realizations of Brownian ratchet, a device that exhibits directed, albeit noisy, movement in spite of being subjected to random Brownian forces as they operate in conditions far from thermodynamic equilibrium [17, 18].

Interestingly, the nano-motors can come to a halt practically instantaneously as soon as they put on brake. This is a consequence of low Reynold's number. Let me explain the phenomenon. Using the Stokes formula $F_d = 6\pi\eta r v$ for the viscous drag force F_d experienced by a globular protein of radius $r = 3\text{nm}$ moving with an average velocity $v = 8\text{nm/sec}$ in an aqueous medium of viscosity 10^{-3}P as we get an estimate $F_d = 480\text{pN}$. Surprisingly, this viscous drag force is about 500 times larger than the corresponding elastic force experienced by the motor protein!

The Reynold's number R is defined as the ratio of the inertial and viscous forces. It can be written as $R = L v \rho / \eta$, where L is a characteristic linear size of the object, and ρ and η are, respectively, the density and viscosity of the liquid and v is the relative velocity of the object with respect to the liquid. For proteins in aqueous solution, $L \approx 10\text{nm}$, $\rho \approx 10^3\text{kg/m}^3$, $\eta \approx 10^{-3}\text{P}$ as, $v \approx 1\text{m/s}$ (corresponding to 1nm/ns). Consequently, the corresponding Reynold's number is $R \approx 10^{-2}$ (and even smaller for slower motions). Thus, hydrodynamics at low Reynold's number is expected to dominate the mechanism of molecular machines.

In order to appreciate the difficulties of swimming at low Reynold's number, let us multiply L by a factor of 10^7 , without altering ρ and η , so that R must be multiplied by 10^7 to keep R unaltered. In other words, if a bacterium tried to swim in an aqueous medium adopting the swimming styles of humans, the difficulties it would face will be very similar to those that you and I would face if we ever tried to swim in honey.

D . Computational methods

Computational biology has two distinct branches-

- (i) Knowledge discovery (or, data mining) which extracts hidden patterns or laws from huge quantities of experimental data, forming hypotheses. Knowledge discovery is used extensively in bio-informatics.
- (ii) Simulation-based analysis, which tests hypotheses with computer simulations, provide predictions that, at least in principle, can be tested by in-vitro and/or in-vivo experiments in the laboratory. The starting point of a computer simulation is to develop an algorithm, which can be implemented numerically, for calculating the desired quantities. The sequence of instructions to a computer specifying the numerical procedure of that algorithm constitutes a computer program.

There are close analogies between laboratory experiments and computer simulation: laboratory experiments are performed on a sample of material whereas computer simulation is an experiment with models, the computer program is the analogue of the experimentalist's apparatus, testing of a program with known and well understood models is the analogue of the calibration of the apparatus in laboratory, computation is the analogue of experimental measurement and, finally, both require data analysis. Therefore, computer simulation is often referred to as "computer experiments" or, in analogy with in-vivo and in-vitro experiments, also called in-silico experiments. The main difficulties faced in computer simulations arise from the limited size of the available computer memory and the limitations imposed by the available CPU time.

IV . IMPORTANCE OF RESEARCH ON MOLECULAR MACHINES

A . Importance in fundamental research- understanding life

Interest in molecular machines blossomed with the realization that much of cellular architecture, dynamics and function depend on those of molecular machines. So far as the molecular machines are concerned, some of the fundamental questions are as follows:

- (i) Machine components: what are the moving parts of the motor and what are their molecular constituents?
- (ii) Fuel: what is the fuel that supplies the (free-)energy input for the machine?
- (iii) Mechanisms of energy transduction: How does the transduction of energy take place?
- (iv) Efficiency: What is the most appropriate definition of efficiency of the motor and how to estimate that efficiency?
- (v) Regulation and control: How is the operation of the machine regulated? For example, how is the machine switched on and off?

In addition to these general questions, several other fundamental questions are addressed in the context of specific molecular machines.

B . Importance in biomedical research- improving quality of life

Just as occasional disruption of work in any department of a factory can bring entire factory to a standstill, defective molecular machines can cause diseases [19, 20]. If we understand how motors work at the molecular level we will be able to fix them when they malfunction and perhaps manipulate them to improve human health and fitness. We might also devise ways to selectively either arrest sub-cellular processes that cause diseases like cancer or slow down metabolism of organisms that invade cells causing other types of disease.

C . Importance in research on nano-technology- mimicking life

Although quest for ever-smaller size of devices began long ago, Feynman's famous talk of 1959 mentioned above [21] is accepted by the majority of physicists as the defining moment of nano-technology. Feynman first attracted the attention of the physics community to the unlimited possibilities of manipulating and controlling things on the scale of nano-meters. He indicated the potential advantages of nano-technology. He also speculated on the possible methods; today Nano-technology is the latest trend in the twenty-first century.

From the perspective of applied research, the natural molecular machines opened up a new frontier of nano-technology. The miniaturization of components for the fabrication of useful devices, which are essential for modern technology, is currently being pursued by engineers following mostly a top-down (from larger to smaller) approach.

On the other hand, an alternative approach, pursued mostly by chemists, is a bottom-up (from smaller to larger) approach [22].

In order to get some lessons from Nature's billion year experience in nano-technology, we must carry out reverse engineering. What is reverse engineering? Reverse engineering is "the process of analyzing a system to identify the system's components and their interrelationships and create representations of the system in another form or at a higher level of abstraction [23]. Reverse engineering of natural nanomachines will give us clue as to the possible design principles that can be utilized to synthesize artificial nanomachines. In fact, the term biomimetics and bionics has become a popular buzzword; this field deals with the design of artificial materials utilizing the principles of biomaterials [24, 25]. Feynman, a great visionary, made the prophetic statement in his famous talk at the American Physical Society [21]: "ultimately, we can do chemical synthesis...The chemist does a mysterious thing when he wants to make a molecule. He ...mixes this and that, and he takes it, and he fiddles around. And, at the end of a difficult process, he usually does succeed in synthesizing what he wants". Indeed, in recent years, several artificial molecular machines have been synthesized chemically [22].

V . S U M M A R Y A N D C O N C L U S I O N

In recent years it has become clear that the cell is not a passive fluid medium. Rather, a cell is more like a factory where active biological processes are driven by coordinated operation of a large variety of molecular machines each of which performs a specific function. One of the challenges of fundamental research on these machines is to understand the mechanisms of their operation in terms of the physical principles governing their structure and dynamics. The results of these investigations are likely to have significant impact on applied research in biomedical sciences and has opened novel approaches to nano-technology. Biomolecular nano-machines have become a subject of truly interdisciplinary research that involves biology, chemistry, physics as well as engineering and technology.

-
- [1] M .P iccolini, *Nature Rev. Mol. Cell Biol.* 1, 149 (2000)
 - [2] E W . Taylor, *Mol. Biol. of the cell* 12, 251 (2001).
 - [3] B .A lberts, *Cell*, 92, 291-294 (1998)
 - [4] C .M avroidis, A .D ubey and M .L .Y amush, *Annu. Rev. Biom ed. Eng.* (Annual Reviews, 2004).
 - [5] M .Schliwa, (ed.) *Molecular Motors*, (Wiley-VCH, 2003).
 - [6] S .Iyer, B .R om anowicz and M .L audon, A DARPA commissioned overview on "Biomolecular Motors" (with highlights from the special session at nanotech 2004, Boston, USA).
 - [7] D .D .H ackney and F .T anam oi, *The Enzymes*, volX X III Energy Coupling and Molecular Motors (Elsevier, 2004).
 - [8] J .H oward, *Mechanics of Motor Proteins and the Cytoskeleton* (Sinauer Associates, Massachusetts, 2001).
 - [9] T .K reis and R .v ale, *Guidebook to the Cytoskeletal and Motor Proteins*, 2nd edition (Oxford University Press, 1999).
 - [10] G .O ster and H .W ang, in ref.[5].
 - [11] H .C .B erg, *E. coli in Motion*, (Springer, 2003).
 - [12] J .P .A ndersen and E .E .B ittar, *Ion Pumps: Advances in molecular and cell biology*, vol23A (1998).
 - [13] D .B ray, *Cell Movements: from molecules to motility* (Garland Publishing, Taylor and Francis, 2001).
 - [14] E .F rey, *Chem PhysChem.* 3, 270 (2002).
 - [15] J .M .I m hof and D .A .V anden Bout, *Am .J. Phys.* 71, 429 (2003).
 - [16] D .C howdhury, *Resonance* (in press, 2005); cond-mat/0504610.
 - [17] P .R eim ann, *Phys. Rep.* 361, 57 (2002).
 - [18] F .J ulicher, A .A jdari and J .P rost, *Rev. Mod. Phys.* 69, 1269 (1997).
 - [19] M .A ridor and L .A .H annan, *Tra c.*, 1, 836 (2000); 3, 781 (2002).
 - [20] N .H irokawa and R .T akemura, *Trends in Biochem . Sci.* 28, 558 (2003).
 - [21] R .P .F eynman 1959, included also in: *The pleasure of finding things out*, (Perseus Books, Cambridge, Massachusetts, 1999), chapter 5.
 - [22] V .B alzani, M .V enturi and A .C redi, *Molecular devices and machines: a journey into the nano-world* (Wiley-VCH, 2003).
 - [23] E .J .C hikofsky and J .H .C ross, II. *IEEE Software* 7, 13-17 (1990).
 - [24] M .Sarikaya, *PNAS* 96, 14183 (1999).
 - [25] M .H .D ickinson, *PNAS* 96, 14208 (1999).