# ON COLLECTIVE NON-GAUSSIAN DEPENDENCE PATTERNS IN HIGH FREQUENCY FINANCIAL DATA

## Andrei Leonidov (a,top.) 1, V ladim ir Trainin (b), A lexander Zaitsev (b)

- (a) Theoretical Physics Department, P.N. Lebedev Physics Institute, Moscow, Russia
- (b) Letra G roup, LLC, 400 W . Cum m ings Park, Suite 3725, W oburn M A 01801, USA
  - (c) Institute of Theoretical and Experim ental Physics, Moscow, Russia

### A bstract

The analysis of observed conditional distributions of both lagged and simultaneous intraday price increments of a basket of stocks reveals phenomena of dependence — induced volatility smile and kurtosis reduction. A model based on multivariate t-Student distribution shows that the observed elects are caused by collective non-gaussian dependence properties of nancial time series.

<sup>&</sup>lt;sup>1</sup>Corresponding author. E-mail leonidov@lpi.ru

## 1 Introduction

One of the fundam ental problems of quantitative nance is to develop a description of collective dynamical properties of market prices of an ensemble of nancial instruments.

Let us stress that a problem of working out an econom ic description of the properties of market prices is not completely solved even at the level of individual securities. A simple and very popular dynamical picture allowing transparent analytical treatment, that of a random walk, assumes a) normal distribution for the price increments and b) independence of price increments corresponding to dierent time intervals. Starting from the studies of Mandelbrot in the 60'th [1] through more recent analysis [2, 3, 4, 5, 6] there accumulated a large body of evidence that real price dynamics for individual securities reveals substantial deviations from both assumptions.

Obviously we discover a much higher complexity when moving from a single nancial security to a basket of securities. At this level we expect to deal with such novele ects as a) speci c non-gaussian properties of the multivariate distribution of price increments [4, 6]; b) temporal autocorrelations in price changes of single securities [4, 5] mixed with simultaneous cross-correlations between price increments of dierent basket ingredients [4, 7]. In fact, collective price dynamics is characterized by pronounced non-gaussian properties and a complicated web of interdependencies.

In this study we apply a conditional distribution approach to scrutinize the dependence structure within an ensemble of nancial instruments and the related nongaussian e ects. A nalysis of the value of "response" conditioned on the "input" having a certain magnitude enables to explicitly quantify the dependencies in the market data. Generically, dealing with a set of securities and following its temporal evolution, we can identify two types of conditional distributions which are of interest to us: a) distribution of a future price increm ent given that past price increm ents of all securities lie in a certain range; b) distribution of a price increment given that all other price increments in the same time interval lie in a certain range. A simple example of the phenom enon described by the form er distribution is the lagged autocorrelation, of the latter - the simultaneous cross-sectional correlation. Let us stress that separating time-lagged dependencies ("horizontal" for further reference) from simultaneously existing ones ("vertical" for further reference) is a simpli cation of the generic picture which allows, however, to discuss various types of dependencies in a simple setting. A generic dependence

pattern is a "product" of both: past evolution of a subset of securities m ay in uence future evolution of another subset. An importance of these generic "non-diagonal" contributions was studied, in the context of protability of a simple contrarian strategy, in [8]. Let us also mention the recent studies of lagged conditional distributions of daily returns [9, 10], in the latter reference – in relation to a particular stochastic volatility model.

A nalyzing, in terms of conditional distributions, the market data on intraday price increments of a large set of liquid stocks traded in NYSE and NASDAQ we have found pronounced special confide extraorditional dynamics of price increments for both lagged and simultaneous types of dependence. Most spectacular is a relationship between the volatility of the "response" increment and the magnitude of the "input" one which can in simple terms be described as a dependence-induced volatility smile ("D"-smile). A nother striking feature seen in the data is a dramatic reduction of the kurtosis of the conditional distribution of the "response" increments.

To give a quantitative interpretation of these results we have developed a model description of the corresponding conditional distributions based on a multivariate non-gaussian t-Student distribution depending on both past and future price increments. Let us note that a multivariate t-Student distribution is a popular choice for analyzing the simultaneous [4] and lagged [11] correlations in nancial dynamics. The non-gaussian nature of the model turned out to be a key element enabling to explain the dependence structures observed in the market data. In particular, conditional volatility smile and decrease of kurtosis take place even in complete absence of linear correlations. The above-described elects completely disappear, however, if one uses a multivariate gaussian distribution depending on the corresponding matrix of covariances (correlations) instead of the fat-tailed multivariate t-Student distribution.

## 2 Observed features

The object of our study is a dynam ical evolution of a group of  $N=100\,\mathrm{m}$  ost liquid stocks from S&P 500  $^2$  within a two-year time period from January 1, 2003 through December 31, 2004, characterized by the price increments p() in the time interval of length . In our analysis we use two intervals of length p() in the time interval of length p() in the time p() in

<sup>&</sup>lt;sup>2</sup>A list of stocks is given in the Appendix

have a con guration of N price increments f  $p^j(t)$   $p^j(t+)$   $p^j(t)g$ , j=1 N, evolving in time. Most interesting are, of course, the features of this evolution distinguishing it from that of a group of independent objects. Such cohesion can be of both simultaneous (interrelations between the values of price increments of dierent stocks in the same time interval) and lagged (interrelations between the price increments of the same or dierent stocks in dierent time intervals) nature.

Below we shall concentrate on the two simplest types of dependencies:

- 1. Interrelation between the price increments in consecutive time intervals for the same stock ("horizontal" case)
- 2. Interrelations between the price increments of dierent stocks in the same time interval ("vertical" case)

Let us start with "horizontal" case and consider all pairs f  $p^{j}$  (t);  $p^{j}$  (t+ )g of stock price increments in two consecutive time intervals for some given jth stock. Our goal is to describe probabilistic properties of the set of increments at time t+ conditioned on the sign and magnitude of the increments at preceding time t. These properties are characterized by the corresponding conditional distribution constructed as follows:

First, we normalize the price increments  $p^j(t)$  in the rest interval of the pair by their unconditional standard deviation  $_{tot}^j$ ,  $p^j(t)$ !  $x^j(t) = p^j(t) = _{tot}^j$ 

Second, we divide the set of thus normalized increments into subintervals  $_{i}$  having the xed length 0.5. The total interval we consider is = [ 325;325]. The subinterval  $_{1}$  thus corresponds (for jth stock) to  $x^{j}$  2 [ 325; 2:75], etc.

For a pair with  $x^j$  belonging to some xed subinterval  $_i$  we study the conditional distribution  $P_{_i}(y^j)$  of the normalized price increments  $y^j = p^j(t+) = \int_{tot}^j in$  the second interval of the pair

$$P_{i}(y^{j}) P(y^{j}jx^{j} 2_{i})$$
 (1)

The distribution (1) is then a "horizontal" coarse-grained conditional distribution<sup>3</sup>.

 $<sup>^3\</sup>text{C}$  oarse graining refers to conditioned variable x belonging to som e  $\,$  xed interval  $\,$   $_{i}$ : x 2  $\,$   $_{i}$ 

The basic properties of the conditional distribution  $P_{i}(y)$  are conveniently sum marized by the values of its lowest moments—mean cond, standard deviation cond, anomalous kurtosis cond, etc. In this paper we shall study the correspondingly normalized conditionalmean, conditional standard deviation and conditional anomalous kurtosis. The above-described normalization allows to consider all stocks simultaneously. The normalized mean cond = tot, standard deviation cond = tot and anomalous kurtosis cond = tot, where cond = tot is an unconditional anomalous kurtosis of the increments' distribution, of the "horizontal" coarse-grained conditional distribution (1) (i.e. that characterizing the set of all adjacent 6-m in intervals for each stock) are plotted as a function of the rescaled initial push cond = tot in Fig. 1.

Let us now turn to the analysis of the "vertical" interrelations between simultaneous price increments of dierent stocks The corresponding coarsegrained conditional distribution is constructed in complete analogy with the above-described "horizontal" case:

$$P_{i}(y^{j}) P_{i}(y^{j}) x^{k} 2_{i};$$
 (2)

where the conditioned variable  $x^k$   $p^k$  (t)=  $k_{tot}$  refers to the k-th stock, and the response variable  $y^j$   $p^j$  (t)=  $k_{tot}$  -to the j-th one.

In Fig. 2 we show the normalized conditional mean, standard deviation and kurtosis for 6-m in. intervals for the "vertical" case.

In Fig. 3 we plot the medians of the scatterplots for the normalized conditional mean, standard deviation and kurtosis for 6-min. and 60-min. intervals, combining the "horizontal" and "vertical" quantities.

The analysis of Figs. 1, 2 and 3 leads to the following conclusions:

The resulting plots for conditionalm ean  $_{\rm cond}$  in the "horizontal" case are too noisy to allow unambiguous interpretation. In the "vertical" case one observes, for both cases of  $= 6 \, \rm m$  in and  $= 60 \, \rm m$  in, a picture consistent with that of conditionalm ean generated through the presence of positive correlation, see below Eqs. (6) and (11).

The plots of the relative conditional standard deviation cond in "horizontal" and "vertical" case are, for the both cases of = 6m in and = 60m in, strikingly sim ilar. For = 6m in we observe a pronounced conditional volatility sm ile, or dependence—induced volatility sm ile (D-sm ile) (see a more detailed discussion of this phenomenon in the next section), such that at small x the standard deviation of the response

is sm aller than the unconditional standard deviation, while in the tails it is, on contrary, larger. For  $=60\,\mathrm{m}$  in the sm ile is noticeably atter than for  $=6\,\mathrm{m}$  in. This e ect can be explained by the decay of anom alous kurtosis of price increments with growing , see below discussion after Eq. (11).

The median conditional kurtosis is noticeably smaller than the unconditional one.

We see, that in both "vertical" and "horizontal" cases the data shows, for both scales of = 6m in and = 60m in, the same rather nontrivial patterns: conditional volatility smile and decrease of conditional kurtosis. The origin of the rste ect is discussed in the next section. We shall argue, that it is in the probabilistic dependence of the adjacent price increments, whereas the role of linear correlation elects is in fact minor.

## 3 M odel

Let us now present a model that explains the phenomenona of dependenceinduced volatility smile and kurtosis reduction in the coarse-grained conditional distributions described in the previous section.

At the fundamental level of description the model describing the behavior of N securities in two adjacent time intervals is fully speci ed by a 2N - dim ensional probability distribution. The focus of our study is on the properties of the conditional distributions constructed from this basic enveloping 2N -dim ensional distribution. Generically conditional distributions are obtained by restricting the values of a subset of variables. Let us collectively denote these variables by x, where x is a  $N_x$  -dim ensional vector. Generically the vector x can include increments belonging to dierent time intervals. We are thus dealing with a conditional distribution depending on  $N_x$  variables. If we stay within the class of elliptical distributions, the multivariate probability distribution is a function of a quadratic form K constructed from the vector  $z^{>} = (y; x)$  and the generalized covari-1 ance matrix ,  $K = z^2$ z. The covariance matrix includes the N  $_{\rm x}$  covariance m atrix C  $_{\rm x}$  describing the correlations within the subset of conditioned variables x, the N  $_{\rm v}$  N  $_{\rm v}$  covariance m atrix C  $_{\rm v}$  describing the correlations within the subset of the variables y and the N  $_{\rm x}$  N  $_{\rm y}$  covariance

m atrix  $C_{xy}$  describing the cross-covariances between the two groups:

$$= \begin{array}{ccc} C_{y} & C_{xy} \\ C_{xy}^{>} & C_{x} \end{array}$$
 (3)

At this stage we have to give an explicit description of the multivariate distribution containing the covariance matrix. As will be elucidated below, a simplest choice of a gaussian multivariate distribution does not allow to explain the phenomena of D-smile and kurtosis reduction. There is, therefore, a clear need of taking into account the non-gaussian elects. The simplest possibility of keeping a fat-tailed nature of the probability distributions of individual increments is to construct a multivariate distribution from the fat-tailed marginals. Recombination of these marginals into a multivariate distribution requires constructing an appropriate copula. This construction is not unique, so the choice is guided by simplicity and ability to reproduce basic features of market data [12, 13]. In what follows we will show that a multivariate t-Student distribution makes a good job in this respect, while the Gaussian multivariate distribution fails to reproduce the properties of conditional distributions observed in market data.

Let us consider a 2N -dim ensional t-Student distribution

$$P_{S}^{(2N)} = q \frac{1}{(2N)^{2N}} \frac{1}{(2N)^{$$

where = (2)= is a normalization factorensuring, in particular, that the covariances computed with the distribution (4) are equal to the corresponding matrix elements of the matrix .

Fixing some particular conguration of the "initial" increments  $x = x_0$  leads to the conditional distribution (see, e.g., [14]):

$$P_{S}^{(N)}(yjx_{0}) = \frac{1}{((+N_{x}))^{N_{y}} + N_{x}} \frac{\frac{+N_{x}+N_{y}}{2}}{\overline{2}}$$

$$1 + \frac{1}{+N_{x}} \frac{1}{+N_{x}} (y + hyi_{x_{0}})^{2} + \frac{1}{yjx_{0}} (y + hyi_{x_{0}}) \frac{\frac{+N_{x}+N_{y}}{2}}{\overline{2}}$$
(5)

The conditional distribution (5) is a multivariate N  $_{\rm Y}$  -dim ensional t-Student distribution with the index  $\,$  + N  $_{\rm X}$  and the following expected mean and

covariance m atrix:

$$hy i_{x_0} = C_{xy} C_x^{-1} x_0$$

$$y jx_0 = C_y C_{xy} C_x^{-1} C_{xy}^{>} \frac{2}{+ N_y - 2} 1 + \frac{1}{-1} K_{x_0} ; \qquad (6)$$

where  $K_{x_0} = x_0^{>} C_x^{-1} x_0$ . Let us note, that if we had used the Gaussian multivariate distribution for constructing the conditional distribution analogous to (5), we would obtain a Gaussian conditional distribution with the following expected mean and covariance matrix:

$$hy i_{x_0}^{G} = C_{xy} C_{x}^{1} x_0$$

$$_{y j x_0}^{G} = C_{y} C_{xy} C_{x}^{1} C_{xy}^{>}$$
(7)

Comparing Eqs. (6) and (7) we see, that the expected mean is in both cases the same, whereas the expected variance in the t-Student case is a product of the gaussian expression and a - and K  $_{\times}$  -dependent factor. An additional important phenomenon in the case of a t-Student distribution is an increase of the tail exponent determining the fat-tailedness of the distribution: )

+ N  $_{\rm x}$  that thereby reduces the anom alous kurtosis  $^4$ 

$$=\frac{6}{4}=)=\frac{6}{+N_{x}-4}$$
 (8)

To describe the conditional volatility sm ile phenom enon discussed in the previous section, one clearly needs initial conditions' depending covariances. From the formula (7) we see that in the Gaussian case this e ect is absent, whereas for t-Student distribution the required dependence is manifest (see the second expression in (6) containing the factor of  $1+\frac{1}{2}K_{x_0}$ ). Of course, one should still prove that this dependence allows to describe the market data, see below. Nevertheless, already at this stage of our analysis, one can conclude that the phenomenon of conditional volatility sm ile can be explained only by non-gaussian e ects – simply because the gaussian formalism does not have room for its description.

The conditional distribution Eq. (5) sum m arizes the impact the "initial" con guration  $x_0$  has on the " nal" one y.

 $<sup>^4</sup>$ N ote that the extent of this "gaussization" depends on the number of conditioned variables which in the considered example is equal to N  $_{\rm x}$ .

The explanation of the conditional volatility smile and kurtosis reduction e ects described in the previous section requires a simpler 2-dimensional version of (4) with one-dimensional y and x. Let us thus consider two price increments in the two consecutive time intervals for the same stock for the "horizontal" case (or the simultaneous increments of two stocks for the "vertical" case) and introduce the corresponding bivariate distribution

$$P_{S}^{(2)}(y;x) = q \frac{1}{()^{2} det} \frac{\frac{+2}{2}}{\frac{1}{2}} \frac{1}{1 + \frac{1}{2} K(x;y)}$$
(9)

Here is a covariance matrix

$$= \begin{array}{ccc} & \begin{array}{cccc} 2 & & \times & y \\ y & & \times & y \\ & \times & y \end{array} & \begin{array}{cccc} & & & & \\ & & & & \\ & & & & \end{array}$$
 (10)

and K = (y;x) <sup>1</sup> (y;x) The conditional distribution P  $(yjx = x_0)$  corresponding to the above distribution is again a t-Student distribution with the tail exponent + 1, conditional mean hyi $_{x_0}$  and conditional  $x_0$  -dependent variance  $_{yx_0}^2$ 

$$hyi_{x_0} = rx_0$$

$$\frac{2}{y'x_0} = \frac{2}{y}(1 - r^2) - \frac{2}{1} + \frac{1}{2} - \frac{1}{2} + \frac{1}{2} - \frac{1}{2}$$
(11)

Therefore the conditional distribution is more gaussian (the ratio of its anom alous kurtosis to the unconditional one is equal to ( 4) = (standard deviation can be smaller or larger than the unconditional value  $\,_{_{
m V}}$ depending on the value of the conditioned variable x<sub>0</sub>. The parabolic dependence of the conditional volatility on the initial push  $x_0$  is just the feature we need to explain the D-sm iles in Figs. 1, 2 and 3. The ne structure we have observed { namely, the attening of the D-smile with growing , can also be explained with the help of Eq. (11). Indeed, the coe cient at  $x_0^2$  is equal to 2). Now the data shows (see below Fig. 4) that for larger time intervals the unconditional anomalous kurtosis is smaller, and the = 4 + 6 =is, correspondingly, larger, leading to the desired attening of the smile. The unconditional anomalous kurtosis corresponding tail index are plotted for the ensemble of N = 100 stocks considered in the paper for several intraday time intervals, in Fig. 4.

Let us also note that in the gaussian case one has hyi $_x = r + x$  and  $_{y\dot{x}_0}^2 = _y^2(1-r^2)$  so, as has been already mentioned, the gaussian probabilistic link between the price increments does not leave room for  $x_0$  -dependent elects in the conditional covariance matrix.

To make the correspondence with the market data quantitative we should, however, introduce a coarse-grained version of the conditional distribution P(y|x|2), where the variable x belongs to a certain subinterval:

$$P (yjx 2) = \frac{R}{R} dx P_{S}^{(2)} (y;x) dx P_{S}^{(1)} (x)$$
(12)

We have computed the normalized mean, relative standard deviation and anomalous kurtosis of a set of conditional distributions corresponding to the same coarse-graining of the increments x p(t)= tot as used in the analysis of the market data in the previous section, tail index = 5 and a set of correlation coecients r = 0.25;0.5;0.75. The conditional mean is, of course, simply proportional to  $x_0$ . The conditional kurtosis drops to the expected = 3, with small deviations. Most interesting is, of course, the behavior of the conditional standard deviation shown in Fig. 5. We see that the model reproduces the conditional volatility smile with characteristics very similar to those observed in the market data.

A crucial point in the correct interpretation of the above result is that linear correlation (present through the correlation coe cient r) shows itself only via setting the absolute scale for the variance, see the second of Eq. (11). It is clear, that the conditional volatility smile would be present even in the complete absence of correlations (r = 0). Therefore it is really appropriate to call the volatility dependence in question a dependence-induced volatility smile (D-smile). Considering for instance the "horizontal" case, the probabilistic dependence between the increments p(t) and p(t+1) can be manifestly demonstrated by computing, e.g., the correlator of their absolute values  $(T) = (T) \cdot (T) \cdot$ 

bivariate t-Student distribution (9) and its Gaussian counterpart gives

$$G_{G}(1) = \frac{2}{\cot r^{2}} r^{2} \frac{p}{1 + r^{2}} + \frac{A r c s i n r}{r}$$

$$G_{S}(1) = -\frac{2}{\cot r^{2}} \frac{\frac{2}{2} \frac{1}{2} \frac{2}{2} \frac{1}{2}}{\frac{2}{2}} + \frac{A r c s i n r}{r} + \frac{2}{\cot r^{2}} \frac{\frac{2}{2}}{r^{2}} r^{2} \frac{p}{1 + r^{2}} + \frac{A r c s i n r}{r}$$

$$(13)$$

In the gaussian case the (linearly) uncorrelated variables are also independent and, indeed, the correlator (13) vanishes as  $r^2$  at  $r \,!\, 0$ . In the case of t-Student distribution the correlator (14) is, on contrary, nonzero at r = 0, so increments are in this case probabilistically dependent. Let us stress that this dependence is in fact in posed by the form of the unconditional distribution we have chosen. One crucial feature is that the t-Student distribution ensures, in agreement with observations, that the corresponding marginal distributions are fat-tailed. The t-Student copula we have used provides a fram ework in which the dependence except are present even in the complete absence of linear correlations.

## 4 Discussion

There still remains a number of important issues related to the questions discussed in the paper that we leave for the future analysis [15].

First, one would like to generalize the binary-level description of simultaneous "vertical" interdependence of stock price increments to the fully multivariate case of the in uence of the n-point "trigger" con guration f p(t)g on the move of the k-th stock in the next time interval  $p_i(t+)$ .

Second, perhaps more dicult issue is studying the properties of the conditional distributions for arbitrary separation of corresponding time intervals. Preliminary analysis of the market data shows the dependence of D-smile on this separation ("maturity"). This is to be expected from the fact that volatility autocorrelations decay, albeit slowly, with time. This forces to generalize the formalism we have used<sup>5</sup>. In any case, a big goal is

<sup>&</sup>lt;sup>5</sup>For an example of a construction of this sort see [11].

to establish connection with the explicit models of volatility dynamics, see e.g. [16, 17], including the leverage e ects 4].

Finally, we would like to analyze in more details application of the nonlinear patterns we have described to portfolio optimization problems. Expected mean, volatility and degree of fat-tailedness are crucial ingredients of portfolio optimization schemes [4,7], so specice ects related to them are of clear interest in this context.

## 5 Conclusion

Let us sum marize the main results of the present paper.

The focus of our analysis is on the properties of conditional distributions characterizing the probabilistic behavior of an ensemble of nancial instruments. The analysis of market data in the simplest case of a binary probabilistic dependence has revealed two major elects:

The smile-shaped dependence of conditional volatility on the magnitude of the input due to non-gaussian nature of the enveloping total distribution

A noticeable reduction of the conditional anom alous kurtosis as compared to the unconditional one

Let us also mention the attening of the D-sm ile with growing time interval on which the price increments are computed.

We have constructed an explicit model characterizing the collective probabilistic pattern of an ensemble of price increments that gives a natural explanation of the above-listed phenomena. The model is based on a multinomial t-Student distribution. This theoretical framework allows to unambiguously relate the elects of a dependence-induced volatility smile and kurtosis reduction to the non-gaussian nature of the eneveloping distribution.

#### A cknow ledgem ents

The authors are very grateful to Eugene P insky for discussions and com - m ents.

The work of A L. was supported by the RFBR G rant 04-02-16880, and the Scienti c school support grant 1936 2003.02

# 6 Appendix


Below we give a list of stocks studied in the paper:


A,AA,ABS,ABT,ADI,ADM,AIG,ALTR,AMGN,AMD,AOC,APA,APOL,AV,AVP,AXP,BA,BBBY,BBY,BHI,BIIB,BJS,BK,BLS,BR,BSX,CA,CAH,CAT,CC,CCL,CCU,CIT,CL,COP,CTXS,CVS,CZN,DG,DE,EDS,EK,EOP,EXC,FCX,FD,FDX,FE,FISV,FIIB,FRE,GENZ,GIS,HDI,HIG,HMA,HOT,HUM,JBL,JWN,INTU,KG,KMB,KMG,LH,LPX,LXK,MAT,MAS,MEL,MHS,MMM,MO,MVT,MX,MYG,NI,NKE,NTRS,PBG,PCAR,PFG,PGN,PNC,PX,RHI,ROK,SOV,SPG,STI,SUN,T,TE,TMO,TRB,TSG,UNP,UST,WHR,WY

## R eferences


- [1] B. M andelbrot, "Fractal and Multifractal Finance. Crashes and Long-dependence", www.math.yale.edu/mandelbrot/webbooks/wb\_n.html
- [2] A C.M acK inlay, A W. Lo, J.Y. Kam pbell, The Econometrics of Financial Markets, Princeton, 1997;
  A W. Lo, A C. MacK inlay, A Non-Random Walk Down Wall Sreet, Princeton, 1999
- [3] R.N.M. antegna, H.E. Stanley, An Introduction to Econophysics, Cambridge, 2000.
- [4] J.P. Bouchaud, M. Potters, Theory of Financial Risk and Derivative Pricing, Cambridge, 2000, 2003.
- [5] R.Cont, "Empirical properties of asset returns: stylized facts and statistical issues", Quantitative Finance 1 (2001), 223
- [6] F. Lillo, R. M antegna, "Symmetry alteration of ensemble return distribution in crash and rally days", arX iv cond-m at/0002438;
  "Ensemble properties of securities traded in the NASDAQ market", Proceedings of NATO ARW on Application of Physics in Economic Modelling, Prague, 8-10 February 2001, arX iv cond-m at/0107256
- [7] E.Elton, M.Gruber, S.Brown, L.Stern, Modern Portfolio Theory and Investment Analysis, John Wiley, 2003


- [8] A.Lo, A.M acK inlay, "When Are Contrarian Prots Due to Stock Market Overreaction?", Review of Financial Studies 3 (1990), 175-208
- [9] M. Boguna, J. Masoliver, "Conditional dynamics driving nancial markets", arX iv cond-mat/0310217
- [10] K. Chen, C. Jayprakash, B. Yuan, "Conditional Probability as a Measure of Volatility Clustering in Financial Time Series", arX iv:physics/0503157
- [11] E.A lessio et al., "Multivariate distribution of returns in nancial time series", Proceedings of the International Conference of Computational Methods in Sciences and Engineering 2003 (ICCM SE 2003), Ed. T.E. Simos (World Scienti c Publishing Co., Singapore, 2003), pp. 323-326 [ArXiv:cond-mat/0310300];
  E.A lessio et al., "Modeling stylized facts for nancial time series", Physica A 344, 263-266 (2004) [ArXiv:cond-mat/0401009]
- [12] Y.M alevergne, D. Somette, "Testing the Gaussian Copula Hypothesis for Financial Assets Dependences", Quantitative Finance 3 (2003) 231-250 [arX iv:cond-mat/0203166]
- [13] W . B reym ann, A . D ias and P . Embrechts, "D ependence structures for multivariate high-frequency data in nance", Quantitative F inance 3 (2003), 1-14.
- [14] G.Box, G. Jenkins, "Time Series Analysis. Forecasting and Conrol", Holden-Day, 1970
- [15] A. Leonidov, V. Trainin, A. Zaitsev, work in progress
- [16] B. LeBaron, "Stochastic Volatility as a Simple Generator of Financial Power-laws and Long Memory", Quantitative Finance 1 (2001), 631
- [17] G.Zumbach, "Volatility processes and volatility forecast with long mem ory", Olsen research report, www.olsen.ch





push, of the coarse-grained "horizontal" conditional distribution versus the initial = 6m in, 100 stocks. Red lines show the medians of the scatterplots.Normalized mean, standard deviation and anomabus kurtosis





the coarse-grained "vertical" conditional distribution versus the initial push, Figure 2: Normalized mean, standard deviation and anomalous kurtosis of  $\parallel$  $6\,\mathrm{m}$  in , 100 stocks. Red lines show the medians of the scatterp.bts.




Figure 3: Medians of normalized mean, standard deviation and anomalous kurtosis of the coarse-grained conditional distribution versus the initial push, = 6 m in ("horizontal": red line, "vertical": blue line) and = 60 m in ("horizontal": green line, "vertical": black line).

## **ANOMALOUS KURTOSIS AND TAIL INDEX**




Figure 4: Unconditional anom alous kurtosis (red line) and corresponding tail index of the t-Student distribution (blue line) for several intraday time intervals .

## **CONDITIONAL STANDARD DEVIATION**




Figure 5: Normalized standard deviation of the model coarse-grained conditional distribution versus the initial push; red: r=0.25, blue: r=0.5, green; r=0.75