N onextensive statistical features of the Polish stock market uctuations

 $R.Rak^1$, S.D ro<u>z</u> $dz^{1,2}$, J.K w apien²

¹ Institute of Physics, University of Rzeszow, PL {35-959 Rzeszow, Poland ²Institute of Nuclear Physics, Polish Academy of Sciences, PL {31-342 Krakow, Poland

A bstract

The statistics of return distributions on various time scales constitutes one of the most informative characteristics of the nancial dynamics. Here we present a system atic study of such characteristics for the Polish stock market index W IG 20 over the period 04.01.1999{31.10.2005 for the time lags ranging from one minute up to one hour. This market is commonly classified as emerging. Still on the shortest time scales studied we nd that the tails of the return distributions are consistent with the inverse cubic power-law, as identified a quick and considerable departure from this law towards a Gaussian can however be traced. Interestingly, all the forms of the distributions observed can be compact representation of the distribution of return uctuations over all agnitudes of their variation. The corresponding nonextensivity parameter q is found to system atically decrease when increasing the time scales. The tem poral correlations quantified here in terms of multifractality provide further arguments in favour of nonextensivity.

Keywords: Financialmarkets, q-Gaussian distributions, T sallis statistics PACS: 8920.-a, 89.65 Gh, 89.75.-k

1 Introduction

Making the quanti cation of nancial uctuations is a real interdisciplinary challenge. The related well identi ed stylized fact is the so-called inverse cubic power-law [1] which applies to developed stock markets [2,3,4,5], to the com - modity market [6], as well as to the most traded currency exchange rates [7]. The emerging stock markets are commonly considered to be governed by a som ewhat di erent dynamics which often [8,9] results in exponential tails of



Fig. 1. NASDAQ, S&P500 and W IG 20 (W arsaw Stock Exchange) index from 1999.01.04 until 2005.10.31.

the return distributions. Of course, both the above types of distributions are Levy unstable and thus for the su ciently long time lags they may converge towards a Gaussian. The distribution with an exponential tail might correspond to an intermediate stage between a distribution with the power-law asymptotics and a very large time lag limit - a Gaussian [10]. Such a scenario corresponds for instance to the Heston model [11].

In order to elaborate m one on this sort of issues we system atically study the character of uctuations of the Polish stock m arket as represented by the W IG 20 index. This equity m arket started trading on April 16, 1991 and the presently m ost often quoted corresponding index is W IG 20 (W arszaw ski Index G ieldow y -W arsaw Stock M arket Index), introduced in 1994, comprising capitalization weighted prices of the 20 largest companies. The high quality electronic processing and recording of all the transactions started in the beginning of 1999. The analysis presented here thus covers the tim e period since January 4, 1999 until O ctober 31, 2005.

The daily trading closing hour during this period was 4.00 pm and since $17.11\,2000$ 4.10 pm. The opening hours have been changed two times. On 4.1.1999 until 30.7.1999 (Period1) it was 1pm, then until 16.11.2000 (Period2) it was 12am, and then 10am (Period3) with the closing at 4.10 pm.

As it can be seen from Fig.1 in the whole time period inspected here, even though representing an emerging market, the W IG 20 has been following the overall world trend -m ore in terms of the phase than in the amplitude how -m

ever. During the st two years of the period considered its behaviour closely resembles the Nasdaq. Starting in 2003 it however by far overperforms the two world major indices: the Nasdaq and the S&P 500. As natural, the original W IG 20 is quoted in the Polish Z boty (PLN). Converting system atically the PLN into the US\$ - to make this comparison even more informative - results in an even larger gain as can be easily seen from Fig. 1. This is due to a parallel sizable PLN appreciation in the period considered.

2 Conventional log-log analysis

For the time series W (t) representing the index value at time twe use the commonly accepted de nition of returns as

$$R \quad R(t; t) = \ln W(t + t) \quad \ln W(t):$$
(1)

As another standard procedure, we calculate the normalized returns r r(t; t) de ned as

$$r = \frac{R \quad hR i_{T}}{v}; \tag{2}$$

where v v(t) is the standard deviation of returns over the period T

$$v^2 = hR^2 i_T \qquad hR i_T^2 \tag{3}$$

and $h:::i_T$ denotes a time average.

The cumulative distribution functional (cdf) of t = 1m in moduli of W IG 20 returns collected from the whole period 1999 - 2005 speci ed above is shown in panel (a) of Fig. 2. Interestingly, this distribution displays very sim ilar behaviour as form any mature markets analysed before. Even the tails of this distribution reveal scaling

$$P(r > x) \quad x \quad ; \tag{4}$$

consistent in addition with the inverse cubic power law (=3). The rem aining (b), (c) and (d) panels show cdf's separately for the Period1, Period2 and Period3. As one can see, even though these periods correspond to di erent phases – from less to more advanced – of the Polish Stock M arket development, the return distribution characteristics remain essentially invariant. This indicates that the uctuation characteristics of an emerging market do not



Fig. 2. Cumulative distributions of moduli of the W IG 20 normalised returns (t = 1 m in, ()) for four periods: a) the whole period 4 Jan 1999 31 Oct 2005; b) Period1 from 4 Jan 1999 to 30 Jul1999; c) Period2 from 2 Aug 1999 to 16 N ov 2000; d) Period3 from 17 N ov 2000 to 31 Oct 2005. D ashed line corresponds to a G aussian distribution.

have to di er from those of a mature one. A distribution whose tails follow the inverse cubic power law has a nite second moment and is thus Levy unstable. In the present context this means that the return distributions for the su ciently large time lags t are expected to eventually start converging towards a G aussian due to e ects in the spirit of the Central Lim it Theorem (CLT). O f course, uctuations typically carry som e higher order time correlations -quanti able for instance in term s ofm ultifractals [12,13] - therefore this convergence m ay be much slower than for uncorrelated stochastic processes to which the conventional CLT refers. For the stock market uctuations such e ects are however identi ed in the literature [3,4] for the time scales of the order of a few days or even a few hours for the more recent data [5]. How the corresponding situation develops for our W IG 20 data when the time lag t increases is shown in Fig. 3.

Departure from the inverse cubic scaling can already be seen for time lags



Fig. 3. Cum ulative distributions of moduli of the W IG 20 norm alized returns (sym - bols) from 4 Jan 1999 to 31 O ct 2005 for several time scales: 1 m in (4), 2 m in (), 4 m in (5), 8 m in (), 16 m in (), 32 m in (), and 60 m in (). D ashed line corresponds to a G aussian distribution.

larger than 10 m inutes and for t = 60 m in the scaling regime is hardly visible with the tail of the distribution being closer to a G aussian.

W hether this much faster convergence with t towards a norm aldistribution is characteristic to W IG 20 uctuations or it just rejects the fact that one deals here with even more recent data than in ref. [5] remains an open question. Based on empirical arguments collected form the world leading stock markets the hypothesis put forward in that reference says that when going from past to present the same t measured by a conventional clock time effectively corresponds to increasing time lags of an internal market time and this originates form an increasing speed of the inform ation processing.

3 N onextensive statistical approach

The fat tails in the nancial return distributions and the complex character of the underlying temporal correlations [12,13,14,15] indicate that the con-

ventional concept of ergodicity may break down in the nancial dynamics. Under such circum stances the generalised formalism of nonextensive statistical mechanics may o er an appropriate framework to quantify the corresponding statistics. At present the most consistent seems the one based on the generalised entropy which for a set of N events fx_ig characterised by the probabilities fp_ig reads

$$S_{q} = \sum_{i=1}^{X^{N}} p_{i}^{q} \ln_{q} p_{i}; \qquad (5)$$

as postulated by T sallis [16]. Here \ln_q denotes the q-logarithm function

$$\ln_q x = (x^{1 q} \ 1) = (1 q)$$
:

The parameter q in Eq.5 is the so called nonextensivity parameter. For q = 1 this equation expresses the standard Bolzmann-G ibbs entropy.

The optimization of this generalized entropic form under appropriate constraints [16,17], in the continuous form, yields the following q-G aussian form for the distribution of probabilities

$$p(x) = N_{q} e_{q}^{B_{q}(x_{q})^{2}}$$
(6)

where

$$N_{q} = \begin{cases} 8 & \frac{\left[\frac{5}{2} - \frac{3q}{2q}\right]^{q}}{\left[\frac{2}{q} - \frac{q}{q}\right]}^{\frac{q}{2}} \frac{1}{1 - q} B_{q} & \text{for } q < 1 \\ \\ \frac{\left(\frac{1}{qq^{1}}\right)}{\left(\frac{3}{2(q-1)}\right)^{\frac{q}{2(q-1)}} \frac{1}{(q-1)B_{q}}} & \text{for } 1 < q < 3 \end{cases};$$

$$q = \begin{cases} Z & \frac{\left[p(x)\right]^{q}}{\left[p(x)\right]^{q} dx} dx & hxi_{q}; \\ \\ B_{q} = & (3 - 1) & 2 \end{cases}$$

and e^{x}_{α} denotes the q-exponential function de ned as

$$e_q^x = [1 + (1 \quad q) \ x]^{\frac{1}{1 \quad q}}$$
 (7)

A nother argument which makes this distribution attractive from the present perspective is that for q > 1 it asymptotically (x >> 1) develops a power law form $p(x) = x^{\frac{2}{1-q}}$. In particular, for q = 3=2, on the level of the cumulative distribution, it recovers the inverse cubic power law. This is an especially nice aspect of the functional form expressed by the Eq. 6 because it at the same time provides a compact form for the probability distribution for any value of x. Indeed, the rst attempts [18] of the applicability of this form

to describe the probability distributions of the nancial uctuations turn out quite promising. For all these reasons in the following we explore a possibility to describe the empirical W IG 20 return distributions presented in Fig. 3 by a family of the q-G aussians. In order how ever to attain a better stability of this analysis, instead of directly using the Eq. 6 we convert it to the cumulative form by de ning

$$P(x) = p(x^{0})dx^{0}$$
(8)

where the + and - signs correspond to the right and left wings of the distribution correspondingly. By using here the Eq. 6 one obtains

$$P(\mathbf{x}) = N_{q}^{0} \frac{P - \frac{1}{2}(3 q)}{2 () \frac{P_{q}}{B_{q}}} (\mathbf{x}_{q})_{2}F_{1}(\mathbf{x};\mathbf{x})^{A};$$
(9)

where,

 $=\frac{1}{2}$, $=\frac{1}{q l}$, $=\frac{3}{2}$, = $B_q (q l) (_q x)^2$ and $_2F_1 (;;;)$ is the G auss hypergeom etric function de ned by the following power series expansion:

$$_{2}F_{1}(;;;) = 1 + \frac{(+1)(+1)}{1!} + \frac{(+1)(+1)}{2!(+1)} ^{2} + \cdots = \frac{k}{k=0} \frac{k}{k!()_{k}()_{k}}$$

Fig. 4 shows the cumulative variant of the W IG 20 data points for the same sequence of the time lags as in Fig. 3 and the corresponding best theoretical ts in terms of Eq. 9. The result appears very encouraging. For a given t one obtains a good theoretical representation for the empirical probability distribution over the whole interval of changes of the returns. The only inaccuracy is at small t for a few positive and even m ore negative extrem e events whose probability is somewhat lower than what the overall global t provides. Nevertheless, the obtained q-values for the smallest t are close to 3/2, as consistent with the inverse cubic power law. W ith increasing t the best t q-values system atically decrease and the corresponding q-G aussians provide am azingly reasonable representation for the empirical data on all the tim e scales considered.



Fig. 4. Cum ulative distributions of norm alized returns (symbols) for W IG 20 index (W arsaw Stock Exchange) from 4 Jan 1999 to 31 O ct 2005 for several time scales. Solid line represents the best theoretical t corresponding to Eq. 9, from top to bottom : q = 1:46 (t = 1 m in, 4), q = 1:44 (t = 2 m in,), q = 1:435 (t = 4 m in, 5), q = 1:425 (t = 8 m in,), q = 1:41 (t = 16 m in,), q = 1:395 (t = 32 m in,), and q = 1:37 (t = 60 m in,). Dashed line corresponds to a Gaussian distribution. The curves have been rescaled vertically for better display.

4 Tem poral correlations

Long-range, both space and time correlations, are the most characteristic features of the complex and nonextensive systems. Such interactions can manifest them selves as nonlinear correlations observed in empirical signals. In nancial data these higher-order correlations can lead to some well-known stylized facts like, e.g., the multifractality, the persistent memory in volatility, the leverage e ect and the fat tails of the distributions of returns. For the Polish stock market data, the latter of these stylized facts was already discussed in preceding sections and here we present results for the form er ones.

We start with calculation of the singularity spectra f () that allows us to



Fig. 5. Singularity spectra f () for original (solid line) and random ized (dashed line) time series of 1 m inute W IG 20 returns. The spectrum for random ized data was averaged over 100 independent generations.

quantify the fractal properties of the data. We use the well-known method of multifractal detrended uctuation analysis (MFDFA) which, according to our experience, gives the most reliable outcomes [22]. Technically, MF-DFA can be brie y sketched as follows [23]. For the time series G of the returns g(i); i = 1; ...; N one calculates the signal prole

Y (i) =
$$\sum_{k=1}^{X^{i}} (g(k) < g >); i = 1; ...; N$$
 (10)

where < :::> denotes the time-average of G. Now Y (i) is divided into M disjoint segments of length n starting from the beginning of G and M equivalent segments starting from the end of G. For each segment ; = 1; :::; 2M, the local trend is to be calculated by least-squares thing the polynom ial P ⁽¹⁾ of order 1 to the data, and then the variance

$$F^{2}(;n) = \frac{1}{n} \sum_{j=1}^{N^{n}} fY[(1)n + j] P^{(l)}(j)g^{2}:$$
 (11)

For the nancial data the polynom islorder as low as l = 2 can be used. The variances (11) have to be averaged over all the segments and nally one gets

the qth order uctuation function

$$F_{q}(n) = \frac{1}{2M_{s}} \sum_{q=1}^{2M_{s}} F^{2}(;n) f^{q=2} ; q 2 R :$$
 (12)

The function $F_q(n)$ must be calculated for many dimensional segments of lengths n. If the signal is fractal, the uctuation function reveals power-law scaling

$$\mathbf{F}_{q}(\mathbf{n}) \quad \mathbf{n}^{\mathbf{h}(q)} \tag{13}$$

for large n. The family of the scaling exponents h(q) (the generalized Hurst exponents) can be then obtained by observing the slope of log-log plots of F_q vs. n. If h(q) = const then the signal under study is monofractal; it is multifractal otherwise. From the spectrum of the generalized Hurst exponents, one can calculate the singularity strength and the singularity spectrum f() using the following relations (e.g. [23]):

$$= h(q) + qh^{0}(q) \qquad f() = q[h(q)] + 1; \tag{14}$$

where $h^0(q)$ denotes the derivative of h(q) with respect to q.

Fig. 5 shows the singularity spectrum for the high-frequency W IG 20 returns with t = 1 m in (solid line). On this time scale the number of data points is su ciently large to allow a reliable study of this kind [22]. From the shape of f() curve it is evident that the signal under study has multifractal properties. This statement can receive an additional support from the shape of the spectrum for random ized data. The average spectrum for 100 independent realizations of the random ized data is also displayed in Fig. 5 (dashed line). This spectrum di ers substantially from the original one and is much closer to m onofractal than the multifractal spectrum for the spectrum is located at 0.5 which is in contrast with the spectrum for the original data showing a visible trace of such correlations. This exam ple shows again [13] that these are the time correlations that constitute the main source of multifractality in the stock market dynam ics.

The f() spectrum for our data indicates the existence of the correlations of di erent types; two basic ones are shown in Fig. 6. The volatility autocorrelation (Fig.6(a)) looks typically with its long tem poral decay resembling its counterparts for the developed markets like, e.g., the Am erican and the G erm an ones [24,5]. A loo the negative crosscorrelation between the returns and the volatility (the leverage e ect, Fig.6(b)) looks sim ilar to other data [26,25].

On the other hand, standard deviation of the returns (i.e., the tim e-averaged



Fig. 6. (a) Volatility autocorrelation calculated for 1 m in W IG 20 returns after rem oving the daily pattern and (b) crosscorrelation between 1 m inute returns and volatility (b). Zero level in (b) is denoted by dashed line.

volatility) presented in Fig. 7 as a function of t shows a somehow distinct behaviour than that observed for otherm arkets $\beta_{,5}$]. A ctually, for the st half of the considered time interval we observe three di erent scaling regions (see Fig. 7(a): subdi usive (scaling exponent = 0:45) for the sm allest time scales 3 min, superdiusive (= 0:60) for medium time scales (4 (t t 56 m in), and the region of approximately normal dision (= 0.51) for the longest time scales (t 64 m in). For the second half of the considered time interval, corresponding to newer data, this scheme noticeably changes (Fig. 7 (b)), mainly due to the broadening of the norm ald i usion region which now covers t > 10 m in, and the shortening of the now hardly identiable weak superdiusive region (3 < t < 10 m in) with = 0:52. This e ect resembles the one observed for the Am erican market [3,5] where the crossover point between the superdi usion regime and the norm aldi usion regime is shifted towards shorter time scales when going from past to present. It is noteworthy that this result goes in parallel with a faster convergence to the norm aldistribution of the return uctuations observed in the previous section.

An interesting feature of the Polish stock market is the existence of the subdi usive region for short time scales. This elect can be related to the antipersistence property of W IG 20 uctuations on minute time scales. However, it remains unclear whether this antipersistence is unique to W IG 20 or there is similar behaviour of other stock indices like, e.g., D JIA or DAX 30, likely on time scales even shorter than 1 minute due to more sizeable volume traded in those latter cases. In parallel with the superdilusion region, this subdilusive regime in Fig. 7 (b) weakens its character towards norm all dilusion with = 0.48.0 mly the crossover point between the subdilusive and the superdiffusive region remains unchanged.

Since the scaling and multifractal properties of a system are associated with the long-range correlations, our results presented in this Section can be considered as yet another argument supporting the description of nancial data in terms of the nonextensive statistical mechanics.

5 Summary

The main conclusion to be drawn from the analysis presented above is that the form alism of nonextensive statistical mechanics based on the generalised T sallisentropy seems to o er the best theoretical fram ework to compactly quantify the probability distributions of the stock market uctuations on various time scales. This observation may appear helpful in formulating a generalised CLT when the sum m ed stochastic variables - like the nancial once - are not com pletely uncorrelated. It also gives further support to the option pricing [19,20] models based on the q-G aussians [21]. This analysis has been performed for the Warsaw Stock Market W IG 20 high frequency recordings. Even though com m only considered as emerging this market displays uctuation and correlation characteristics typical for the mature markets. The returns distribution for the sm all time lags conform swell to the inverse cubic power law. However, the departure from this law when increasing the time lags is seen to be faster than for any market presented so far in the literature. None of those previous studies for other markets refers how ever to such a recent time period and it is likely that going from past to present e ectively contracts the time scales characteristic to the internal market dynamics and a similar e ect may be seen for the other markets as well. In fact a trace of such an e ect has already been noticed in ref. [5]. This is an interesting issue for further study. We show that data from the Polish stock market exhibits long-range nonlinear correla-



Fig. 7. Standard deviation of W IG 20 uctuations for dierent time scales ranging from t = 1 to t = 256 m inutes. Time series of returns were divided into two parts of approximately equal length covering older (a) and new er (b) time interval. Dashed lines represent to interms of (t) t. Vertical lines indicate crossover points () between dierent di usion regimes.

tions which can be seen in terms of the multifractality and the higher-order correlations in returns. Existence of such e ects provides further arguments for considering the nonextensive statistical mechanics an inspiring framework for quantifying the stock market dynamics.

References

- [1] X.Gabaix, P.Gopikrishnan, V.Plerou, H.E.Stanley, Nature 423 (2003) 267
- [2] T. Lux, Appl. Financial E conom ics 6, 463 (1996)

- [3] P.G opikrishnan, V.P lerou, LA.N unes Am aral, M.M eyer, H E.Stanley, Phys. Rev.E 60, 5305 (1999)
- [4] V.Plerou, P.G opikrishnan, LAN.Am aral, M.M eyer, HE.Stanley, Phys. Rev. E 60, 6519 (1999)
- [5] S. Drozdz, J. Kwapien, F. Grummer, F. Ruf, J. Speth, Acta Phys. Pol. B 34 (2003) 4293; available also as arxiv.org/pdf/cond-m at/0208240
- [6] K.Matia, LAN.Amaral, S.Goodwin, HE.Stanley, Phys.Rev.E 66 (2002) 045103
- [7] U.A. Muller, M.M. Dacorogna, R.B. Olsen, O.V. Pictet, M. Schwarz, C.Morgenegg, J.Banking and Finance 14 (1995) 1189
- [8] K. Matia, M. Pal, H. Salunkay, H E. Stanley, Europhys. Lett. 66 (2004) 909
- [9] L.C. Miranda, R. Riera, Physica A 297 (2001) 509
- [10] A C. Silva, R E. Prange, V M. Yakovenko, Physica A 344 (2004) 227
- [11] S.L. Heston, Rev. Financ. Stud. 6 (1993) 327
- [12] P.O swiecim ka, J.K wapien, S.D rozdz, Physica A 347 (2005) 626
- [13] J.Kwapien, P.Oswiecim ka, S.Drozdz, Physica A 350 (2005) 466
- [14] S. Drozdz, F. Grummer, F. Ruf, J. Speth, Physica A 324 (2003) 174
- [15]M.Bartolozzi, S.D rozdz, D.B.Leinweber, J.Speth, A.W. Thomas, Int.J.M od. Phys.C 16 (2005) 1347
- [16] C.T sallis, J.Stat. Phys. 52 (1988) 479
- [17] C. Tsallis, R.S. Mendes, A.R. Plastino, Physica A 261 (1998) 534
- [18] C. T sallis, C. Anteneodo, L. Borland, R. O sorio, Physica A 324 (2003) 89
- [19] F.Black, M. Scholes, J. Political Economy 81, 637 (1973)
- [20] R.C. Merton, Bell J. Econ. Management Sci. 4, 141 (1973)
- [21] L.Borland, Phys. Rev. Lett. 89 (2002) 098 701; Quant. Finance 2 (2002) 415
- [22] P.O swiecim ka, J.K wapien, S.D rozdz, Phys. Rev. E 74 (2006) 016103
- [23] JW. Kantelhardt, S.A. Zschiegner, E. Koscielny-Bunde, A. Bunde, S. Havlin and H.E. Stanley, Physica A 316 (2002) 87
- [24] Y. Liu, P. Gopikrishnan, P. Cizeau, M. Meyer, C.-K. Peng, H.E. Stanley Phys. Rev. E 60 (1999) 1390
- [25] J.K. wapien, S.D. rozdz, P.O. swiecim ka, Physica A 359 (2006) 589
- [26] J. Perello, J. M asoliver, Phys. Rev. E 67 (2003) 037102