Fixed point theorem for simple quantum strategies in quantum market games

Edward W. Piotrowski
Institute of Theoretical Physics, University of Bialystok,
Lipowa 41, PL-15424 Bialystok, Poland
http://alpha.uwb.edu.pl/ep/sj

April 17, 2024

A bstract

A simple but nontrivial class of the quantum strategies in buying-selling gam es is presented. The player moves are a rational buying and an unconditional selling. The possibility of gaining extremal prots in such the games is considered. The entangled merchants hypothesis is proposed.

1 Projective geometry approach to pro ts

Halfthousand years ago Fra Luca Pacioli, a teacher of Leonardo da V inci set standards of Venice accounting (i.e. the double accounting) and for the theory of perspective. In the author opinion this is not accidental because projective geometry approach forms a natural language of description of the market reality. Let us consider the simplest possible market event of exchanging two goods which we would call the asset and them oney and denote them by and \$, respectively. Let V and $V_\$$ denote some given amounts of the asset and the money, respectively. If the assets are exchanged in the proportion $V_\$$: V then in the context of selling processes we call the logarithm is quotation for the asset

$$p := \ln (V_s) \quad \ln (V) \tag{1}$$

the dem and pro t. Respectively, in context of buying, we call the number

$$q := ln (V) ln (V_s)$$
 (2)

$$U_{q} = (e^{q}; :::); U_{p} = (w; w e^{p}; :::)$$
 (3)

and the pair , \$. The last pair results from the crossing of the hypersurfaces and \$ corresponding to the portfolios consisting of only one asset or \$, respectively and the line U_qU_p . The dots represent other coordinates (not necessary equal for both points). The line connecting U_q and U_p m ay be represented by one-param eter fam ily of vectors u () with -coordinates given as:

$$u() := (U_q) + (1) (U_p) :$$
 (4)

This implies that the values of corresponding to the points and \$ are given by the conditions: u_0 ($_{\$}$) = $_{\$}$ (U_q) $_0$ + (1 $_{\$}$) (U_p) $_0$ = 0, u_1 () = (U_q) $_1$ + (1) (U_p) $_1$ = 0. Substitution of Equation (3) leads to

$$s = \frac{w}{w}$$
 and $= \frac{w}{w - e^{(p+q)}}$: (5)

The calculation of the logarithm of the cross ratio [;U $_{\rm q}$;U $_{\rm p}$;\$] on the line $U_{\rm q}U_{\rm p}$ gives

$$\ln [; U_q; U_p; \$] = \ln \frac{w}{w - e^{(p+q)}}; 1; 0; \frac{w}{w} = \ln \frac{w e^{p+q}}{w} = p+q: (6)$$

This quantity for successive transactions is the unique (up to some factor) additive invariant of projective transform ations.

2 Quantum market games

ing" are not easily describable in a quantitative way. But these relations form natural objects of interests of accountants and econom etricians that dealwith m arket reality. This situation has an analog in physical phenomena. In the Ithaca interpretation of quantum mechanics "correlations have physical reality; that which they correlate does not" [2]. Besides, only quantum theory allows to consider self-conscious entities [3]. In the series of articles posed by the author with Jan Sladkowski the quantum theory of games [4, 5, 6] is generalized on the in nite-dimensional Hilbert space and used to description of som e fundam ental m arket phenom ena. These m odels give m any interesting results, unattainable in the fram ework of classical theories. For example, quantum theory predicts the property of undividity of attention of traders (no cloning theorem), the sudden and violent changes of prices can be explained by the quantum Zeno phenomenon. The theory uni es also the English auction with the Vickrey's one attenuating the motivation properties of the latter. There are apparent analogies with quantum therm odynamics that allow to interpret market equilibrium as a state with vanishing nancial risk ow. In this article the author present another am azing property of quantum market gam es². In this form alism, each player modify his strategy 2 H by acting on the Hilbert space H with tactics U:H! H. The strategies can be interpreted as superpositions of trading decisions. For a trader they form the "quantum board". The tactics U are linear, usually unitary operators, and the strategy functions (p) 2 L² have integrable square m odulus. The French m ethod of presenting dem ans/supply curves is based on the assumption that the demand is a function of prices and is usually referred to as the Cournot convention. In this way Born interpretation of the prod-(p) $_{R}$ (p) $\underline{\text{lead}}$ us to de ne supply curve as the cumulative distribution (p⁰) dp⁰. The player buying quantum tactics Fourier transforms of his tactics (p) in selling processes and, consequently, the appropriate observables Q and P are canonicalones, $[P;Q] = i_E$, where

Traders usually employ intuitive strategies that if perceived as objective "be-

the econom ic dimensionless constant $\}_{\rm E}$ describes the m in imal inclination of the player to risk (by analogy with quantum harmonic oscillator, see below).

One strategy works in two dierent occasions. This is a property that does

1 full texts of these papers are available at the web site http://alpha.uwb.edu.pl/ep/sj

 $^{^2}$ see also J. Sladkow ski, "G i en paradoxes in quantum market games", in the current issue

3 Risk pro le of player strategies

We can describe player strategy independently of representation of this strategy because the Fourier transform ation commutes with the risk operator $\frac{1}{2m} \ P^2 + \frac{m}{2} \ Q^2$. The parameter m>0 measures the risk asymmetry between buying and selling positions. The pure strategies that are consistent with the low of supply (or low of demand) are represented, following Hudson theorem [7], by gaussian functions. Besides the Gibbsmixed strategies represent equilibrium markets leads to the same results as some gaussian strategies with the modied value of the constant $\}_E$. For this reason in typical market games the considerations of models with gaussian strategies $_{a,m}$ (p) $= \frac{1}{4} \frac{1}{2 \ m} \ e^{\frac{(p-a)^2}{4m}}$ will be good enough. When the dispersion mofthedem and prot tends to 0 the distribution function $_{a,m}$ (p) $_{a,m}$ (p) tends to Dirac strategy (p a). It means that the player xed withdrawal price e^a below which she or he gives the selling up.

4 The sim plest quantum market gam e

The consequences of gam es between two D irac strategies are trivial and they are a special lim it case of the class of gam es analyzed below. Therefore we consider the gam es of A lice D irac strategy ($p_{A \text{ lice}}$ a_{A lice}) versus the gaussian strategy of R est of W orld (RW). Let us suppose that the RW player proposes price of the asset and A lice accepts or rejects the proposal because this is the most attractive position for A lice. We have the following rules of this gam e:

```
RW proposes with probability f(q_W) dq_{RW} := \frac{p_{\frac{m}{2}} e^{\frac{m}{2} q_{RW}^2}}{2} dq_{RW} the price e^{q_{RW}}, and
```

A lice:

```
{ sells the asset if a_{A \text{ lice}} + q_{RW} > 0, or 
{ gives up if a_{A \text{ lice}} + q_{RW} = 0.
```

A lice always buys the asset in this game because the uncertainty (dispersion) of stochastic variable $q_{A \text{ lice}}$ for D irac strategy ($p_{A \text{ lice}}$ $a_{A \text{ lice}}$) is in nite. We assume rational behavior of A lice and therefore we search for her strategy (i.e. value $a_{m \text{ ax}}$ of variable $a_{A \text{ lice}}$) which maximize the intensity of her prot [8]:

$$(a_{A \text{ lice}}) := \frac{E (p_{RW} + q_{RW})}{E ()} = \frac{a_{A \text{ lice}}}{R} q_{RW} f (q_{RW}) dq_{RW};$$

$$(7)$$

where E $(p_{RW} + q_{RW})$ is the average A lice prot in one selling-buying cycle and E () is the expected duration of the whole selling-buying cycle in this game. The prot intensity function (x) in the vicinity of extremum is drown in Figure 1.




Figure 1: Protintensity for Dirac strategies in units of the opponent strategy dispersion m $\,^{1}$.

5 The xed point theorem

The maximal value of the function , a_{max} , lies at a xed point of , that is it fulls the condition $(a_{max}) = a_{max}$. Such a xed point a_{max} exists, attracts on all domain and $a_{max} = 0.27603 \, \text{m}^{-1}$. When Rest of World play the market game with strategy that has unknown dispersion m $^{-1}$ the above theorem proved in [8] in plies natural A lice tactics for maximization her intensity of

pro t. In n + 1-st step of the gam e A lice shift her strategy to the point

$$a_{n+1} = \frac{P^{n}}{P^{n}} (p_{RW} + q_{RW})_{k}$$

$$a_{n+1} = \frac{P^{n}}{P^{n}} :$$

$$k$$

$$k = 1$$
(8)

One can easily reverse the buying and selling strategies [8].

When we modify rules of the game, and now A lice will be playing with two entangled quantum strategies (one for buying and one for selling), she will have another bene to fiquanta. For the expected intensity of A lice prot from one of her strategy we obtain the equivalent of the above presented theorem again, but with greater value of maximum equal 0:30211 m⁻¹ in this case. The details will be presented elsewhere. In context of this result it is natural to put forward the hypothesis that trading with bigger number of entangled quantum strategies give us opportunities of obtaining greater intensities of prots. Then in the future we will meet the inevitable complication of quantum connections on real markets.

R eferences

- [1] R.Courant, H.Robins, What is mathematics?, Oxford University Press, 1996.
- [2] N.D.Mermin, What is quantum mechanics trying to tellus?, American Journal of Physics 66 (1998) 753 (767.
- [3] D.Z.Albert, On quantum -m echanical automata, Phys. Lett. 98A (1983) 249{252.
- [4] D.A.Meyer, Quantum strategies, Phys. Rev. Lett. 82 (1999) 1052 (1055.
- [5] J. Eisert, M. Wilkens, M. Lewenstein, Quantum games and quantum strategies, Phys. Rev. Lett. 83 (1999) 3077 (3080.
- [6] A.P.Flitney, D.Abbott, An introduction to quantum games theory, arX iv quant-ph/0208069.
- [7] E.W. Piotrowski, J. Sladkowski, Quantum market games, Physica A 312 (2002) 208-216.

[8] E.W. Piotrowski, J. Sladkowski, The merchandising mathematician model, Physica A, in press; cond-mat/0102174.