

# Transversal achievement game on a square grid

Niranjan Krishna

December 2020

## Abstract

This paper intends to solve the Transversal achievement on an  $n$  times  $n$  grid problem proposed by Dr. Martin Erickson. We approach the problem using mathematical induction and case analysis and prove the hypothesis that for all  $n$  greater than 1, the game is a draw.

## 1 Introduction

This paper intends to solve the problem of Transversal achievement game on a square grid [1].

**Problem 1.1.** *Two players alternately write O's (first player) and X's (second player) in the unoccupied cells of an  $n \times n$  grid. The first player (if any) to occupy a set of  $n$  cells having no two cells in the same row or column is the winner. What is the outcome of the game given optimal play?*

## 2 Some Definitions

**Definition 2.1.** *Let  $A$  denote the grid. A cell at row  $i$  and column  $j$  is denoted as  $a_{ij}$*

**Definition 2.2.** *Let the function  $C(a_{ij})$  denote the color of the cell. In this case  $C(a_{ij})$  can be 1, denoting the color red, and  $C(a_{ij})$  can be 0, denoting the color blue.*

## 3 Conjecture

This problem is stated as a conjecture below. The rest of the paper is aimed to proving this conjecture.

**Conjecture 3.1.** *Two players alternately color red (first player) and blue (second player) in the unoccupied cells of an  $n \times n$  grid. The first player (if any) to occupy a set  $N$  such that*

1.  $|N| = n$

2.  $N = \{a_{i_1 j_1}, a_{i_2 j_2}, \dots, a_{i_n j_n}\}$  such that  $i_1 \neq i_2 \neq \dots \neq i_n$  and  $j_1 \neq j_2 \neq \dots \neq j_n$
3.  $C(a_{i_1 j_1}) = C(a_{i_2 j_2}) = \dots = C(a_{i_n j_n})$

is the winner. The outcome of the game given optimal play is a draw for all  $n$  except 1, in which case the first player wins

## 4 Proof

*Proof.* We'll prove this by induction.

For  $n = 1$  there exists only one cell. When the cell is occupied by the first player, there exists a set of 1 cells such that all are monochromatic and none have common diagonals or rows. Hence the first person wins.

For  $n = 2$ , the only set of cells that can be occupied are the two sets of diagonals. Once a cell of the diagonal is occupied by the first player, the second can be occupied by the second player and vice versa. Hence it is not possible to win when  $n = 2$ .

Assume the condition holds for all  $n$ . Let's prove this assumption for  $n + 1$ .

There are multiple cases here.

1. Case 1. The  $(n + 1)^{th}$  row or column isn't colored until all the cells in a  $n \times n$  subgrid are filled. There exists a set such that

- (a)  $|N_1| \leq n - 1$  and  $|N_2| \leq n - 1$
- (b)  $N_1 = \{a_{i_1 j_1}, a_{i_2 j_2}, \dots, a_{i_{n-1} j_{n-1}}\}$  such that  $i_1 \neq i_2 \neq \dots \neq i_{n-1}$  and  $j_1 \neq j_2 \neq \dots \neq j_{n-1}$  and  $N_2 = \{a_{k_1 l_1}, a_{k_2 l_2}, \dots, a_{k_{n-1} l_{n-1}}\}$  such that  $k_1 \neq k_2 \neq \dots \neq k_{n-1}$  and  $l_1 \neq l_2 \neq \dots \neq l_{n-1}$
- (c)  $C(a_{i_1 j_1}) = C(a_{i_2 j_2}) = \dots = C(a_{i_{n-1} j_{n-1}}) = 1$  and  $C(a_{k_1 l_1}) = C(a_{k_2 l_2}) = \dots = C(a_{k_{n-1} l_{n-1}}) = 0$

There are two cases to be considered here

- (a)  $n + 1$  is even. In this case the first person is to play the next move. To win they have to color at least two cells. There is at most  $n - 1$  cells which means that there exists row index  $i_n$  and column index  $j_n$  that don't have colored cells in them. The  $(n + 1)^{th}$  row and column is also filled. Considering all permutations of them we get

- i.  $a_{i_n j_n}$
- ii.  $a_{i_n (n+1)}$
- iii.  $a_{(n+1) j_n}$
- iv.  $a_{(n+1)(n+1)}$

But  $a_{i_n j_n}$  can't be selected as it is already inside the grid. This is also means that it is colored by the opposite player, If it were colored by the first player, that would mean there are  $|N| = n$ , contradicting our assumption.

- i. Case 1. First player selects the cell  $a_{(n+1)(n+1)}$  If the first player selects this cell, it means that he won't be able to select the cell  $a_{i_n(n+1)}$  as they share a common column and  $(n+1)j_n$  as they share a common row. Hence the first player has only  $n$  cells in an  $n+1$  grid and all the cells that could be selected are already occupied. Hence he cannot win.
- ii. Case 2. First player select the cell  $a_{i_n(n+1)}$  In this case, the second player select the cell  $a_{(n+1)j_n}$ . The only cell the first player can color is  $a_{(n+1)(n+1)}$  which cannot be selected because it share a common column with  $a_{i_n(n+1)}$
- iii. Case 3. First player select the cell  $a_{(n+1)j_n}$  In this case, the second player select the cell  $a_{i_n(n+1)}$ . The only cell the first player can color is  $a_{(n+1)(n+1)}$  which cannot be selected because it share a common row with  $a_{(n+1)j_n}$

In this case the second player also cannot win. If the First player plays according to aforementioned case 2 or case 3 the second player has to block his move or else she will lose. After the First player has emptied all his moves, let's prove that it is still a draw.

To win they have to color atleast two cells. There is atleast  $n-1$  cells which means that there there exists row index  $i_n$  and column index  $j_n$  that don't have colored cells in them. The  $(n+1)^{th}$  row and column is also filled. Considering all permutations of them we get

- i.  $a_{k_n l_n}$
- ii.  $a_{k_n(n+1)}$
- iii.  $a_{(n+1)l_n}$
- iv.  $a_{(n+1)(n+1)}$

But  $a_{k_n l_n}$  can't be selected as it is already inside the grid. This is also means that it is colored by the opposite player, If it were colored by the second player, that would mean there are  $|N| = n$ , contradicting our assumption.

- i. Case 1. Second player selects the cell  $a_{(n+1)(n+1)}$  If the first player selects this cell, it means that he won't be able to select the cell  $a_{k_n(n+1)}$  as they share a common column and  $(n+1)l_n$  as they share a common row. Hence the first player has only  $n$  cells in an  $n+1$  grid and all the cells that could be selected are already occupied. Hence he cannot win.
- ii. Case 2. Second player select the cell  $a_{k_n(n+1)}$  In this case, the second player select the cell  $a_{(n+1)l_n}$ . The only cell the first player can color is  $a_{(n+1)(n+1)}$  which cannot be selected because it share a common column with  $a_{k_n(n+1)}$
- iii. Case 3. Second player select the cell  $a_{(n+1)l_n}$  In this case, the second player select the cell  $a_{k_n(n+1)}$ . The only cell the first player can color is  $a_{(n+1)(n+1)}$  which cannot be selected because it share a common row with  $a_{(n+1)j_n}$

(b)  $n + 1$  is odd In this case the second player is the first to play outside the  $n \times n$  grid. To win they have to color atleast two cells. There is atmost  $n - 1$  cells which means that there there exists row index  $i_n$  and column index  $j_n$  that don't have colored cells in them. The  $(n + 1)^{th}$  row and column is also filled. Considering all permutations of them we get

- i.  $a_{k_n l_n}$
- ii.  $a_{k_n (n+1)}$
- iii.  $a_{(n+1) l_n}$
- iv.  $a_{(n+1)(n+1)}$

But  $a_{k_n l_n}$  can't be selected as it is already inside the grid. This is also means that it is colored by the opposite player, If it were colored by the second player, that would mean there are  $|N| = n$ , contradicting our assumption.

- i. Case 1. Second player selects the cell  $a_{(n+1)(n+1)}$  If the first player selects this cell, it means that he won't be able to select the cell  $a_{k_n (n+1)}$  as they share a common column and  $(n + 1)l_n$  as they share a common row. Hence the first player has only  $n$  cells in an  $n + 1$  grid and all the cells that could be selected are already occupied. Hence he cannot win.
- ii. Case 2. Second player select the cell  $a_{k_n (n+1)}$  In this case, the second player select the cell  $a_{(n+1)l_n}$ . The only cell the first player can color is  $a_{(n+1)(n+1)}$  which cannot be selected because it share a common column with  $a_{k_n (n+1)}$
- iii. Case 3. Second player select the cell  $a_{(n+1)l_n}$  In this case, the second player select the cell  $a_{k_n (n+1)}$ . The only cell the first player can color is  $a_{(n+1)(n+1)}$  which cannot be selected because it share a common row with  $a_{(n+1)j_n}$

In this case the First player also cannot win. If the Second player plays according to aforementioned case 2 or case 3 the First player has to block his move or else he will lose. After the Second player has emptied all his moves, let's prove that it is still a draw.

To win they have to color atleast two cells. There is atmost  $n - 1$  cells which means that there there exists row index  $i_n$  and column index  $j_n$  that don't have colored cells in them. The  $(n + 1)^{th}$  row and column is also filled. Considering all permutations of them we get

- i.  $a_{i_n j_n}$
- ii.  $a_{i_n (n+1)}$
- iii.  $a_{(n+1)j_n}$
- iv.  $a_{(n+1)(n+1)}$

But  $a_{i_n j_n}$  can't be selected as it is already inside the grid. This is also means that it is colored by the opposite player, If it were colored by the first player, that would mean there are  $|N| = n$ , contradicting our assumption.

- i. Case 1. First player selects the cell  $a_{(n+1)(n+1)}$ . If the first player selects this cell, it means that he won't be able to select the cell  $a_{i_n(n+1)}$  as they share a common column and  $(n+1)j_n$  as they share a common row. Hence the first player has only  $n$  cells in an  $n+1$  grid and all the cells that could be selected are already occupied. Hence he cannot win.
  - ii. Case 2. First player select the cell  $a_{i_n(n+1)}$ . In this case, the second player select the cell  $a_{(n+1)j_n}$ . The only cell the first player can color is  $a_{(n+1)(n+1)}$  which cannot be selected because it share a common column with  $a_{i_n(n+1)}$ .
  - iii. Case 3. First player select the cell  $a_{(n+1)j_n}$ . In this case, the second player select the cell  $a_{i_n(n+1)}$ . The only cell the first player can color is  $a_{(n+1)(n+1)}$  which cannot be selected because it share a common row with  $a_{(n+1)j_n}$ .
2. Case 2. The  $(n+1)^{th}$  row or column is colored before all the cells in a  $n \times n$  subgrid are filled. There exists a set such that

- (a)  $|N_1| \leq p$  where  $1 \leq p \leq n-1$  and  $|N_2| \leq q$  where  $1 \leq q \leq n-1$
- (b)  $N_1 = \{a_{i_1 j_1}, a_{i_2 j_2}, \dots, a_{i_p j_p}\}$  such that  $i_1 \neq i_2 \neq \dots \neq i_p$  and  $j_1 \neq j_2 \neq \dots \neq j_p$  and  $N_2 = \{a_{k_1 l_1}, a_{k_2 l_2}, \dots, a_{k_q l_q}\}$  such that  $k_1 \neq k_2 \neq \dots \neq k_q$  and  $l_1 \neq l_2 \neq \dots \neq l_q$
- (c)  $C(a_{i_1 j_1}) = C(a_{i_2 j_2}) = \dots = C(a_{i_p j_p}) = 1$  and  $C(a_{k_1 l_1}) = C(a_{k_2 l_2}) = \dots = C(a_{k_q l_q}) = 0$

There's at  $2(n-p)$  cells free. Let's assume all cells in the set  $R = \{a_{i_{p+1} j_{p+1}}, a_{i_{p+2} j_{p+2}}, \dots, a_{i_n j_n}\}$  are not filled.

- (a) Case 1: First Player colors one of the cells in  $R$ . This contradicts our assumption that after filling  $p$  colors the first player plays outside the grid.
- (b) Case 2: First Player colors  $a_{(n+1)(n+1)}$ . Second player colors  $a_{i_{(p+1)j_{(p+1)}}$ . The First player only can color  $n$  cells in this  $(n+1) \times (n+1)$  grid. The First Player cannot color the grid  $a_{i_n(n+1)}$  and  $a_{(n+1)j_n}$  as they share a column and row respectively with  $a_{i_{(n+1)j_{(n+1)}}$ .
- (c) Case 3: First Player colors  $a_{i_{(p+1)(n+1)}}$ . Second player colors  $a_{(n+1)j_{(p+1)}}$ . The First player only can color  $n$  cells in this  $(n+1) \times (n+1)$  grid. The First Player cannot color the grid  $a_{(n+1)(n+1)}$  as they share a column with  $a_{i_{(n+1)(n+1)}}$ .
- (d) Case 4: First Player colors  $a_{(n+1)j_{(p+1)}}$ . Second player colors  $a_{i_{(p+1)(n+1)}}$ . The First player only can color  $n$  cells in this  $(n+1) \times (n+1)$  grid. The First Player cannot color the grid  $a_{(n+1)(n+1)}$  as they share a row with  $a_{(n+1)j_{(p+1)}}$ .

Let's prove that even after the First player has emptied his moves, the second player cannot win.

- (a) Case 1: Second Player colors one of the cells in  $R$ . This contradicts our assumption that after filling  $q$  colors the first player plays outside the grid.
- (b) Case 2: Second Player colors  $a_{(n+1)(n+1)}$ . First player colors  $a_{k_{(q+1)l_{(q+1)}}$ . The Second player only can color  $n$  cells in this  $(n+1) \times (n+1)$  grid. The Second Player cannot color the grid  $a_{k_n(n+1)}$  and  $a_{(n+1)l_n}$  as they share a column and row respectively with  $a_{(n+1)(n+1)}$ .
- (c) Case 3: Second Player colors  $a_{k_{(q+1)(n+1)}}$ . First player colors  $a_{(n+1)l_{q+1}}$ . The Second player only can color  $n$  cells in this  $(n+1) \times (n+1)$  grid. The First Player cannot color the grid  $a_{(n+1)(n+1)}$  as they share a column with  $a_{k_{(n+1)(n+1)}}$ .
- (d) Case 4: Second Player colors  $a_{(n+1)l_{(q+1)}}$ . First player colors  $a_{k_{(q+1)(n+1)}}$ . The Second player only can color  $n$  cells in this  $(n+1) \times (n+1)$  grid. The Second Player cannot color the grid  $a_{(n+1)(n+1)}$  as they share a row with  $a_{(n+1)l_{(q+1)}}$ .

□

## References

- [1] Transversal achievement game on a square grid  
[http://www.openproblemgarden.org/op/a\\_transversal\\_achievement\\_game\\_on\\_a\\_square\\_grid](http://www.openproblemgarden.org/op/a_transversal_achievement_game_on_a_square_grid)