

# Emergence in artificial life

Carlos Gershenson<sup>1,2,3</sup>

<sup>1</sup>Instituto de Investigaciones en Matemáticas Aplicadas y en Sistemas,  
Universidad Nacional Autónoma de México, Mexico City, Mexico

[cgg@unam.mx](mailto:cgg@unam.mx) <http://turing.iimas.unam.mx/~cgg>

<sup>2</sup>Centro de Ciencias de la Complejidad,  
Universidad Nacional Autónoma de México, Mexico City, Mexico

<sup>3</sup>Lakeside Labs GmbH, Klagenfurt, Austria

May 10, 2021

## Abstract

Concepts similar to emergence have been used since antiquity, but we lack an agreed definition of emergence. Still, emergence has been identified as one of the features of complex systems. Most would agree on the statement “life is complex”. Thus, understanding emergence and complexity should benefit the study of living systems.

It can be said that life emerges from the interactions of complex molecules. But how useful is this to understand living systems? Artificial life (ALife) has been developed in recent decades to study life using a synthetic approach: build it to understand it. ALife systems are not so complex, be them soft (simulations), hard (robots), or wet (proto-cells). Then, we can aim at first understanding emergence in ALife, for then using this knowledge in biology.

I argue that to understand emergence and life, it becomes useful to use information as a framework. In a general sense, emergence can be defined as information that is not present at one scale but is present at another scale. This perspective avoids problems of studying emergence from a materialistic framework, and can be useful to study self-organization and complexity.

## 1 Emergence

The idea of emergence is far from new [1]. It has certain analogies with Aristotle referring to the whole as being more than the sum of its parts. It had some development in the XIXth century, starting with John Stuart Mill, in what is known as “British emergentism” [2, 3]. However, given the success of reductionist approaches, interest on emergence diminished in the early XXth century.

Only in recent decades it has been possible to study emergence systematically, since we lacked the proper tools [4] to explore models of emergent phenomena before digital computers were developed.

In parallel, limits of reductionism have surfaced [5, 6, 7]. While successful in describing phenomena in isolation, reductionism has been inadequate for studying emergence and complexity. As Murray Gell-Mann put it: “Reductionism is correct, but incomplete”.

This was already noted by Anderson [8] and others, as phenomena at different scales exhibit properties and functionalities that cannot be reduced to lower scales [9]. Thus, the reductionist attempt of basing all phenomena in the “lowest” scale and declaring only that as reality, while everything else is epiphenomena, has failed miserably.

I blame this failure on complexity [10, 11, 12, 13]. Complexity is characterized by relevant *interactions* [14]. These interactions generate novel *information* that is not present in initial nor boundary conditions. Thus, predictability is inherently limited, due to *computational irreducibility* [15, 16]: there are no shortcuts to the future, as information and computation produced during the dynamics of a system require to go through all intermediate states to reach a final state. The concept of computational irreducibility was already suggested by Leibniz in 1686 [16], but its implications have been explored only recently [15].

Thus, we are slowly accepting emergence as *real*, in the sense that emergent properties have causal influence in the physical world (see below about downward causation). Nevertheless, we still lack an agreed definition of emergence [17, 18]. This might seem problematic, but we also lack agreed definitions of complexity, life, intelligence, and consciousness. However, this has not prevented advances in complex systems, biology, and cognitive sciences.

In a general sense, we can understand emergence as *information that is not present at one scale but is present at another scale*. For example, life is not present at the molecular scale, but it is at the cell and organism scales. When scales are spatial or organizational, emergence can be said to be *synchronic*, while emergence can be *diachronic* for temporal scales [19].

There have been different types of emergence proposed, but we can distinguish mainly *weak* emergence and *strong* emergence. Weak emergence [20] only requires computational irreducibility, so it is easier to accept for most people. The “problem” with strong emergence [21] is that it implies *downward causation* [22, 23, 24].

Usually, emergent properties are considered to occur at higher/slower scales, arising from the interactions occurring at lower/faster scales. Still, I argue that emergence can also arise in lower/faster scales from interactions at higher/slower scales, as exemplified by downward causation. This is also related to “causal emergence” [25, 26]. Taking again the example of life, the organization of a cell restricts the properties and guides the behavior of its molecules [27]. Molecules in cells do not violate the laws of physics nor chemistry, but these are not enough to describe the behavior of molecules, as information (and emergence) flows across scales in either direction.

Since emergence is closely related to information, I will explain more about their relationship in Section 3, but before, I will discuss the role of emergence in artificial life.

## 2 (Artificial) Life

There are several definitions of life, but none that everyone agrees with [28, 29]. We could simply say “life is emergent”, but this does not explain much. Still, we can abstract the substrate of living systems and focus on the organization and properties of life. This was

done already in cybernetics [30, 31], but became central in artificial life [32, 33]. Beginning in the mid-1980s, ALife has studied living systems using a synthetic approach: building life to understand it better [34]. By having more precise control of ALife systems than in biological systems, we can study emergence in ALife. With this knowledge, we can go back to biology. Then, emergence might actually become useful to understand life.

Since one of the central goals of ALife is to understand the properties of living systems, it does not matter whether these are software simulations, robots, or protocells (representatives of “soft”, “hard”, and “wet” ALife) [35]. These approaches allow us to explore the principles of a “general biology” [27] that is not restricted to the only life we know, based on carbon and DNA.

## 2.1 Soft ALife

Mathematical and computational models of living systems have the advantage and disadvantage of simplicity: one can abstract physical and chemical details and focus on general features of life.

A classical example is Conway’s Game of Life [36]. In this cellular automaton, cells on a grid interact with their neighbors to decide on the life or death of each cell. Even when rules are very simple, different patterns emerge, including some that exhibit locomotion, and one could even say cognition [37]. Cells interact to produce higher-order emergent structures, that can be used to build logic gates, and even universal computation.

Another popular example is that of “boids” [38]: particles follow simple rules depending on their neighbors (try not to crash, try to keep average velocity, try to keep close). The interactions lead to the emergence of patterns similar to those of flocking, schooling, and herding. There have been several other models of collective dynamics of self-propelled agents [39, 40], but the general idea is the same: local interactions lead to the emergence of global patterns.

Emergence in soft ALife perhaps is the easiest to observe, precisely because of its abstract nature. Even when most examples deal with “upwards emergence”, there are also cases of “downwards emergence”, *e.g.* [41], where information at a higher scale leads to novel properties at a lower scale.

## 2.2 Hard ALife

One of the advantages and disadvantages of robots is that they are embedded and situated in a physical environment. The positive side is that they are realistic, and thus can be considered closer to biology than soft ALife. The negative side is that they are more difficult to build and explore.

Emergence can be observed at the individual robot level, where different components interact to produce behavior that is not present in the parts, *e.g.* [42], or also at the collective level, where several robots interact to achieve goals that individuals are unable to fulfill [43, 44, 45, 46, 47].

Understanding emergent properties of robots and their collectives is giving us insights into the emergent properties of organisms and societies. And as we better understand organisms

and societies, we will be able to build robots and other artificial systems that exhibit more properties of living systems [48, 49, 50].

## 2.3 Wet ALife

The advantage and disadvantage of wet ALife is that it deals directly with chemical systems to explore the properties of living systems. By using chemistry, we are closer to “real” life than with soft or hard ALife. However, the potential space of chemical reactions is so huge, and its exploration is so slow, that it seems amazing that there have been advances using this approach.

A common approach in wet ALife is to attempt to build “protocells” [51, 52, 53, 54]: chemical systems with some of the features of living cells, such as membranes, metabolism, information codification, locomotion, reproduction, etc. Dynamic formation and maintenance of micelles and vesicles [55, 56, 57, 58] predate the protocell approach, while more recently, the properties of active droplets or “liquid robots” [59] have been an intense area of study. These include the emergence of locomotion [60, 61] and complex morphology [62].

There have also been recent works studying collective properties of protocells [63] and droplets [59], where the interactions between the chemical entities lead to the emergence of global patterns.

## 3 Information

Living systems process information [64, 65]. Thus, understanding information might improve our understanding of life. It has been challenging to describe information in terms of physics (matter and energy) [27], especially when we are interested in the *meaning* of information [66, 67].

One alternative is to describe the world in terms of information, including matter and energy [68]. Everything we perceive can be described in terms of information: particles, fields, atoms, molecules, cells, organisms, virus, societies, ecosystems, biospheres, galaxies, *etc.* All of these have physical components. Nevertheless, other non-physical phenomena can be also described in terms of information, such as interactions, ideas, values, concepts, and money. This gives information the potential to bridge between physical and non-physical phenomena, avoiding dualisms.

One important aspect of information is that it is not necessarily conserved (as matter and energy). Information can be created, destroyed, or transformed. We can call this *computation* [69, 70]. I argue that some of the “problems” of emergence arise due to conservation assumptions, that dissolve when we describe phenomena in terms of information. For example, meaning can change passively [68], *i.e.*, independently of its substrate. One instance of this is the devaluation of money: prices might change, while the molecules of a bill or the atoms of a coin remain unaffected by this.

There have been several measures of emergence proposed, *e.g.* [71, 72, 73]. In the context posed in this paper, it becomes useful to explore a notion of emergence in terms of information, since it can be applied to everything we perceive.

We have proposed a measure of emergence that is actually equivalent to Shannon’s information [74, 75] (which is also equivalent to Boltzmann-Gibbs entropy). Shannon was interested in a function to measure how much information a process “produces”. Thus, if we understand emergence as “new” information, we can measure emergence  $E$  (diachronic or synchronic, weak or strong) as well with information:

$$E = -K \sum_{i=1}^n p_i \log p_i, \quad (1)$$

where  $K$  is a positive constant that can be adjusted to normalize  $E$  to the interval  $[0, 1]$  depending on the “alphabet” of length  $n$ . If we use  $\log_2$ , then

$$K = \frac{1}{\log_2 n}. \quad (2)$$

This normalization allows us to use the same measure, and explore different information is produced at different scales. If  $E = 0$ , then there is no new information produced: we know the future from the past, one scale from another. If  $E = 1$ , we have maximum information produced: we have no way of knowing the future from the past, or one scale from another; we have to observe them.

Emergence is problematic only in a physicalist worldview. In a worldview based on information, emergence is natural to accept. Interactions are not necessarily described by physics, but they are “real”, in the sense that they have causal influence on the world. We can use again the example of money. The value of money is not physical, it is informational. The physical properties of shells, seeds, coins, bills, and bits do not determine their value. This is very clear with art. The value comes from the interactions among humans who agree on it. The transformation of a mountain excavated for open-pit mining does not violate the laws of physics. But, using only the laws of physics, one cannot predict that humans might decide to give value to some mineral under the mountain and transform matter and energy to extract it. In this sense, information (interactions, money) has a (downward) causal effect on matter and energy.

Using an informationist perspective, one also avoids problems with downward causation, as this can be seen as simply the effect of a change of scales [76]. In the Game of Life, one can describe gliders (higher scale) as emerging from cell rules (lower scale), but also describe cell states as emerging from the movement of the glider on its environment. In a biological cell (higher scale), one can describe life as emerging from the interactions of molecules (lower scale), but also as molecule states and behavior emerging from the cell’s constraints. In a society (higher scale), one can describe culture and values as emerging from the interactions of people (lower scale), but also to describe individual properties and behaviors as emerging from social norms.

Like with special and general relativity in physics, one cannot define one “real” scale of observation (frame of reference). Scales are relative to an observer, just as the information perceived at each scale. *Information is relative to the agent perceiving it.*

## 4 Self-organization

Emergence is one of the main features of complex systems [12]. Another is self-organization [77, 78, 79, 80], and it has also had a great influence in ALife [35]. A system can be usefully described as self-organizing when global patterns or behaviors are a product of the interactions of its components [81].

One might think that self-organization requires emergence, and vice versa; or at least, that they go hand in hand. However, self-organization and emergence are better understood as opposites [75].

Self-organization can be seen as an increase in order. This implies a reduction of entropy [80]. If emergence leads to an increase of information, which is analogous to entropy and disorder, self-organization should be anti-correlated with emergence. We can thus simply measure self-organization  $S$  as:

$$S = 1 - E. \tag{3}$$

Minimum  $S = 0$  occurs for maximal entropy: there is only change. Maximum  $S = 1$  occurs when order is maximum: there is no change.

However, as mentioned above, complex systems tend to exhibit both emergence and self-organization. Extreme emergence implies chaos, while extreme self-organization implies immutability. Complexity requires a *balance* between both emergence and self-organization. Therefore, we can measure complexity  $C$  with:

$$C = 4 \cdot E \cdot S, \tag{4}$$

where the 4 is added to normalize  $C$  to  $[0, 1]$ .

This measure  $C$  of complexity is maximal at phase transitions in random Boolean networks [82], the Ising model, and other dynamical systems characterized by criticality [83, 84, 85, 86, 87, 88].

## 5 Discussion

Emergence is partially subjective, in the sense that the “emergentness” of a phenomenon can change depending on the frame of reference of the observer. This is also the case with self-organization [80] and complexity [76]. Actually, anything we perceive, all information, might change with the *context* [89] in which it is used. Of course, this does not mean that one cannot be objective about emergence, self-organization, complexity, life, cognition [90], and so on. We just have to agree on the context (frame of reference) first.

Therefore, the question is not whether something *is* emergent or not. The question becomes: in which contexts it is *useful* to describe something as emergent? If the context just focusses on one scale, it does not make sense to speak of emergence. But if the context implies more than one scale, and how phenomena/information at one scale affects phenomena/information at another scale, then emergence becomes relevant.

Thus, is emergence an essential aspect of (artificial) life? It depends. If we are interested in life at a single scale, we can do without emergence. But if we are interested on the

relationships across scales in living systems, then emergence becomes a *necessary* condition for life: life *has* to be emergent if we are interested in explaining living systems from non-living components. Without emergence, we would fall into dualisms. A similar argument can be made for the study of cognition.

One implication is that materialism becomes insufficient to study life, artificial or biological. Better said: materialism was always insufficient to study life. Only now we are developing an alternative. It remains to be seen whether it is a better one.

## References

- [1] William C. Wimsatt. Forms of aggregativity. In Alan Donagan, Anthony N. Perovich, and Michael V. Wedin, editors, *Human Nature and Natural Knowledge: Essays Presented to Marjorie Grene on the Occasion of Her Seventy-Fifth Birthday*, pages 259–291. Springer Netherlands, Dordrecht, 1986.
- [2] Brian P McLaughlin. The rise and fall of British emergentism. In Beckerman, Flohr, and Kim, editors, *Emergence or reduction? Essays on the prospects of nonreductive physicalism*, pages 49–93. Walter de Gruyter, Berlin, 1992.
- [3] Paul Mengal. The concept of emergence in the XIXth century: from natural theology to biology. In Feltz et al. [17], pages 215–224.
- [4] Heinz R. Pagels. *The Dreams of Reason: The Computer and the Rise of the Sciences of Complexity*. Bantam Books, New York City, NY, USA, 1989.
- [5] Edgar Morin. Restricted complexity, general complexity. In Carlos Gershenson, Diederik Aerts, and Bruce Edmonds, editors, *Philosophy and Complexity*, Worldviews, Science and Us, pages 5–29. World Scientific, Singapore, 2007. Translated from French by Carlos Gershenson.
- [6] Francis Heylighen, Paul Cilliers, and Carlos Gershenson. Complexity and philosophy. In Jan Bogg and Robert Geyer, editors, *Complexity, Science and Society*, pages 117–134. Radcliffe Publishing, Oxford, 2007.
- [7] Carlos Gershenson. Facing complexity: Prediction vs. adaptation. In A. Massip and A. Bastardas, editors, *Complexity Perspectives on Language, Communication and Society*, pages 3–14. Springer, Berlin Heidelberg, 2013.
- [8] Philip W. Anderson. More is different. *Science*, 177:393–396, 1972.
- [9] Mile Gu, Christian Weedbrook, Álvaro Perales, and Michael A. Nielsen. More really is different. *Physica D: Nonlinear Phenomena*, 238(9):835–839, 2009.
- [10] Yaneer Bar-Yam. *Dynamics of Complex Systems*. Studies in Nonlinearity. Westview Press, Boulder, CO, USA, 1997.
- [11] Melanie Mitchell. *Complexity: A Guided Tour*. Oxford University Press, Oxford, UK, 2009.

- [12] Manlio De Domenico, Chico Camargo, Carlos Gershenson, Daniel Goldsmith, Sabine Jeschonnek, Lorren Kay, Stefano Nichele, José Nicolás, Thomas Schmickl, Massimo Stella, Josh Brandoff, Ángel José Martínez Salinas, and Hiroki Sayama. Complexity explained: A grassroot collaborative initiative to create a set of essential concepts of complex systems. <https://complexityexplained.github.io>, 2019.
- [13] James Ladyman and Karoline Wiesner. *What Is a Complex System?* Yale University Press, 2020.
- [14] Carlos Gershenson. The implications of interactions for science and philosophy. *Foundations of Science*, 18(4):781–790, 2013.
- [15] Stephen Wolfram. *A New Kind of Science*. Wolfram Media, Champaign, IL, USA, 2002.
- [16] Gregory Chaitin. Irreducible complexity in pure mathematics. In Alois Pichler and Herbert Hrachovec, editors, *Wittgenstein and the Philosophy of Information*, pages 261–272. De Gruyter, 2013.
- [17] Bernard Feltz, Marc Crommelinck, and Philippe Goujon, editors. *Self-organization and Emergence in Life Sciences*, volume 331 of *Synthese Library*. Springer, 2006.
- [18] Mark A Bedau and Paul Humphreys, editors. *Emergence: Contemporary readings in philosophy and science*. MIT Press, Cambridge, MA, USA, 2008.
- [19] Alexander Rueger. Physical emergence, diachronic and synchronic. *Synthese*, 124(3):297–322, 2000.
- [20] Mark A. Bedau. Weak emergence. In J. Tomberlin, editor, *Philosophical Perspectives: Mind, Causation, and World*, volume 11, pages 375–399. Blackwell, Malden, MA, USA, 1997.
- [21] Yanee Bar-Yam. A mathematical theory of strong emergence using multiscale variety. *Complexity*, 9(6):15–24, 2004.
- [22] D. T. Campbell. ‘Downward causation’ in hierarchically organized biological systems. In F. J. Ayala and T. Dobzhansky, editors, *Studies in the Philosophy of Biology*, pages 179–186. Macmillan, 1974.
- [23] Michel Bitbol. Downward causation without foundations. *Synthese*, 185(2):233–255, 2012.
- [24] Jessica C. Flack. Coarse-graining as a downward causation mechanism. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 375(2109):20160338, 2017.
- [25] Erik P. Hoel, Larissa Albantakis, and Giulio Tononi. Quantifying causal emergence shows that macro can beat micro. *Proceedings of the National Academy of Sciences*, 110(49):19790–19795, 2013.

- [26] Erik P. Hoel. When the map is better than the territory. *Entropy*, 19(5), 2017.
- [27] Stuart A. Kauffman. *Investigations*. Oxford University Press, Oxford, UK, 2000.
- [28] Mark A. Bedau. What is life? In Sarkar Sahotra and Anya Plutynski, editors, *A Companion to the Philosophy of Biology*, pages 455–471. Blackwell Publishing Ltd, 2008.
- [29] Carl Zimmer. *Life’s Edge: The Search for What It Means to Be Alive*. Dutton, 2021.
- [30] Francis Heylighen and Cliff Joslyn. Cybernetics and second order cybernetics. In R. A. Meyers, editor, *Encyclopedia of Physical Science and Technology*, volume 4, pages 155–170. Academic Press, New York, 3rd edition, 2001.
- [31] Carlos Gershenson, Peter Csermely, Peter Erdi, Helena Knyazeva, and Alexander Laszlo. The past, present and future of cybernetics and systems research. *systema: connecting matter, life, culture and technology*, 1(3):4–13, 2014.
- [32] Christopher G Langton. *Artificial life: An overview*. MIT Press, 1997.
- [33] Christoph Adami. *Introduction to Artificial Life*. Springer, New York, 1998.
- [34] Wendy Aguilar, Guillermo Santamaría Bonfil, Tom Froese, and Carlos Gershenson. The past, present, and future of artificial life. *Frontiers in Robotics and AI*, 1(8), 2014.
- [35] Carlos Gershenson, Vito Trianni, Justin Werfel, and Hiroki Sayama. Self-organization and artificial life. *Artificial Life*, 26(3):391–408, September 2020.
- [36] E. R. Berlekamp, J. H. Conway, and R. K. Guy. *Winning Ways for Your Mathematical Plays*, volume 2: Games in Particular. Academic Press, London, 1982.
- [37] Randall D. Beer. The cognitive domain of a glider in the game of life. *Artificial Life*, 20(2):183–206, 2014/07/08 2014.
- [38] Craig W. Reynolds. Flocks, herds, and schools: A distributed behavioral model. *Computer Graphics*, 21(4):25–34, 1987.
- [39] Hiroki Sayama. Swarm chemistry. *Artificial Life*, 15(1):105–114, 2014/07/08 2008.
- [40] Tamás Vicsek and Anna Zafeiris. Collective motion. *Physics Reports*, 517:71–140, 2012.
- [41] Luis A. Escobar, Hyobin Kim, and Carlos Gershenson. Effects of antimodularity and multiscale influence in random Boolean networks. *Complexity*, 2019:14, 2019.
- [42] Valentino Braitenberg. *Vehicles: Experiments in synthetic psychology*. MIT Press, Cambridge, MA, USA, 1986.
- [43] Marco Dorigo, Vito Trianni, Erol Şahin, Roderich Groß, Thomas H. Labella, Gianluca Baldassarre, Stefano Nolfi, Jean-Louis Deneubourg, Francesco Mondada, Dario Floreano, and Luca Gambardella. Evolving self-organizing behaviors for a swarm-bot. *Autonomous Robots*, 17(2-3):223–245, 2004.

- [44] V. Zykov, E. Mytilinaios, B. Adams, and H. Lipson. Robotics: self-reproducing machines. *Nature*, 435:163–164, 2005.
- [45] J. Halloy, G. Sempo, G. Caprari, C. Rivault, M. Asadpour, F. Tâche, I. Saïd, V. Durier, S. Canonge, J. M. Amé, C. Detrain, N. Correll, A. Martinoli, F. Mondada, R. Siegwart, and J. L. Deneubourg. Social integration of robots into groups of cockroaches to control self-organized choices. *Science*, 318(5853):1155–1158, 2007.
- [46] Michael Rubenstein, Alejandro Cornejo, and Radhika Nagpal. Programmable self-assembly in a thousand-robot swarm. *Science*, 345(6198):795–799, 2014.
- [47] Gábor Vásárhelyi, Csaba Virágh, Gergő Somorjai, Tamás Nepusz, Agoston E. Eiben, and Tamás Vicsek. Optimized flocking of autonomous drones in confined environments. *Science Robotics*, 3(20), 2018.
- [48] Mark A. Bedau, John S. McCaskill, Norman H. Packard, and Steen Rasmussen. Living technology: Exploiting life’s principles in technology. *Artificial Life*, 16(1):89–97, 2011/11/03 2009.
- [49] Mark A. Bedau, John S. McCaskill, Norman H. Packard, Emily C. Parke, and Steen R. Rasmussen. Introduction to recent developments in living technology. *Artificial Life*, 19(3):291–298, Summer/Fall 2013.
- [50] Carlos Gershenson. Living in living cities. *Artificial Life*, 19(3 & 4):401–420, Summer/Fall 2013.
- [51] Steen Rasmussen, Liaohai Chen, Martin Nilsson, and Shigeaki Abe. Bridging nonliving and living matter. *Artificial life*, 9(3):269–316, 2003.
- [52] Martin M Hanczyc, Shelly M Fujikawa, and Jack W Szostak. Experimental models of primitive cellular compartments: encapsulation, growth, and division. *Science*, 302(5645):618–622, 2003.
- [53] Steen Rasmussen, Liaohai Chen, David Deamer, David C Krakauer, Norman H Packard, Peter F Stadler, and Mark A Bedau. Transitions from nonliving to living matter. *Science*, 303(5660):963–965, 2004.
- [54] Steen Rasmussen, Mark A. Bedau, Liaohai Chen, David Deamer, David C. Krakauer, Norman H. Packard, and Peter F. Stadler, editors. *Protocells: Bridging Nonliving and Living Matter*. MIT Press, Cambridge, MA, USA, 2008.
- [55] Pier Luigi Luisi and Francisco J Varela. Self-replicating micelles—a chemical version of a minimal autopoietic system. *Origins of Life and Evolution of the Biosphere*, 19(6):633–643, 1989.
- [56] Pascale Angelica Bachmann, Peter Walde, Pier Luigi Luisi, and Jacques Lang. Self-replicating reverse micelles and chemical autopoiesis. *Journal of the American Chemical Society*, 112(22):8200–8201, 1990.

- [57] Pascale Angelica Bachmann, Pier Luigi Luisi, and Jacques Lang. Autocatalytic self-replicating micelles as models for prebiotic structures. *Nature*, 357(6373):57, 1992.
- [58] Peter Walde, Roger Wick, Massimo Fresta, Annarosa Mangone, and Pier Luigi Luisi. Autopoietic self-reproduction of fatty acid vesicles. *Journal of the American Chemical Society*, 116(26):11649–11654, 1994.
- [59] Jitka Čejková, Taisuke Banno, Martin M Hanczyc, and František Štěpánek. Droplets as liquid robots. *Artificial life*, 23(4):528–549, 2017.
- [60] Martin M Hanczyc, Taro Toyota, Takashi Ikegami, Norman Packard, and Tadashi Sugawara. Fatty acid chemistry at the oil- water interface: self-propelled oil droplets. *Journal of the American Chemical Society*, 129(30):9386–9391, 2007.
- [61] Jitka Čejková, Matej Novak, František Štěpánek, and Martin M Hanczyc. Dynamics of chemotactic droplets in salt concentration gradients. *Langmuir*, 30(40):11937–11944, 2014.
- [62] Jitka Čejková, Martin M Hanczyc, and František Štěpánek. Multi-armed droplets as shape-changing protocells. *Artificial life*, 24(1):71–79, 2018.
- [63] Yan Qiao, Mei Li, Richard Booth, and Stephen Mann. Predatory behaviour in synthetic protocell communities. *Nature Chemistry*, 9(2):110–119, 2017.
- [64] J. J. Hopfield. Physics, computation, and why biology looks so different. *Journal of Theoretical Biology*, 171:53–60, 1994.
- [65] Keith D. Farnsworth, John Nelson, and Carlos Gershenson. Living is information processing: From molecules to global systems. *Acta Biotheoretica*, 61(2):203–222, June 2013.
- [66] Yair Neuman. *Reviving the Living: Meaning Making in Living Systems*, volume 6 of *Studies in Multidisciplinarity*. Elsevier, Amsterdam, 2008.
- [67] Hermann Haken and Juval Portugali. *Information Adaptation: The Interplay Between Shannon Information and Semantic Information in Cognition*, volume XII of *Springer-Briefs in Complexity*. Springer, 2015.
- [68] Carlos Gershenson. The world as evolving information. In Ali Minai, Dan Braha, and Yaneer Bar-Yam, editors, *Unifying Themes in Complex Systems*, volume VII, pages 100–115. Springer, Berlin Heidelberg, 2012.
- [69] Peter J. Denning. Ubiquity symposium 'what is computation?': Opening statement. *Ubiquity*, 2010, 2010.
- [70] Carlos Gershenson. Computing networks: A general framework to contrast neural and swarm cognitions. *Paladyn, Journal of Behavioral Robotics*, 1(2):147–153, 2010.
- [71] Hugues Bersini. Formalizing emergence: the natural after-life of artificial life. In Feltz et al. [17], pages 41–60.

- [72] Mikhail Prokopenko, Fabio Boschetti, and Alex Ryan. An information-theoretic primer on complexity, self-organisation and emergence. *Complexity*, 15(1):11 – 28, 2009.
- [73] Miguel Angel Fuentes. Complexity and the emergence of physical properties. *Entropy*, 16(8):4489–4496, 2014.
- [74] C. E. Shannon. A mathematical theory of communication. *Bell System Technical Journal*, 27(3 and 4):379–423 and 623–656, July and October 1948.
- [75] Nelson Fernández, Carlos Maldonado, and Carlos Gershenson. Information measures of complexity, emergence, self-organization, homeostasis, and autopoiesis. In Mikhail Prokopenko, editor, *Guided Self-Organization: Inception*, volume 9 of *Emergence, Complexity and Computation*, pages 19–51. Springer, Berlin Heidelberg, 2014.
- [76] Y. Bar-Yam. Multiscale variety in complex systems. *Complexity*, 9(4):37–45, 2004.
- [77] W. Ross Ashby. Principles of the self-organizing dynamic system. *Journal of General Psychology*, 37:125–128, 1947.
- [78] W. Ross Ashby. Principles of the self-organizing system. In H. Von Foerster and G. W. Zopf, Jr., editors, *Principles of Self-Organization*, pages 255–278, Oxford, 1962. Pergamon.
- [79] Francis Heylighen. The science of self-organization and adaptivity. In L. D. Kiel, editor, *The Encyclopedia of Life Support Systems*. EOLSS Publishers, Oxford, 2003.
- [80] Carlos Gershenson and Francis Heylighen. When can we call a system self-organizing? In W Banzhaf, T. Christaller, P. Dittrich, J. T. Kim, and J. Ziegler, editors, *Advances in Artificial Life, 7th European Conference, ECAL 2003 LNAI 2801*, pages 606–614, Berlin, 2003. Springer.
- [81] Carlos Gershenson. *Design and Control of Self-organizing Systems*. CopIt Arxives, Mexico, 2007. <http://tinyurl.com/DCSOS2007>.
- [82] Carlos Gershenson and Nelson Fernández. Complexity and information: Measuring emergence, self-organization, and homeostasis at multiple scales. *Complexity*, 18(2):29–44, 2012.
- [83] Gerardo Febres, Klaus Jaffe, and Carlos Gershenson. Complexity measurement of natural and artificial languages. *Complexity*, 20(6):25–48, July/August 2015.
- [84] Darío Zubillaga, Geovany Cruz, Luis Daniel Aguilar, Jorge Zapotécatl, Nelson Fernández, José Aguilar, David A. Rosenblueth, and Carlos Gershenson. Measuring the complexity of self-organizing traffic lights. *Entropy*, 16(5):2384–2407, 2014.
- [85] Michele Amoretti and Carlos Gershenson. Measuring the complexity of adaptive peer-to-peer systems. *Peer-to-Peer Networking and Applications*, 9:1031–1046, 2016.

- [86] Elvia Ramírez-Carrillo, Oliver López-Corona, Juan C. Toledo-Roy, Jon C. Lovett, Fernando de León-González, Luis Osorio-Olvera, Julian Equihua, Everardo Robredo, Alejandro Frank, Rodolfo Dirzo, and Vanessa Pérez-Cirera. Assessing sustainability in North America’s ecosystems using criticality and information theory. *PLOS ONE*, 13(7):e0200382–, 07 2018.
- [87] Omar K. Pineda, Hyobin Kim, and Carlos Gershenson. A novel antifragility measure based on satisfaction and its application to random and biological Boolean networks. *Complexity*, 2019:10, 2019.
- [88] Mario Franco, Octavio Zapata, David A. Rosenblueth, and Carlos Gershenson. Random networks with quantum boolean functions. *Mathematics*, 9(8), 2021.
- [89] Carlos Gershenson. Contextuality: A philosophical paradigm, with applications to philosophy of cognitive science. POCS Essay, COGS, University of Sussex, 2002.
- [90] Carlos Gershenson. Cognitive paradigms: Which one is the best? *Cognitive Systems Research*, 5(2):135–156, June 2004.