

THE GROTHENDIECK PROPERTY FROM AN ORDERED POINT OF VIEW

OMID ZABETI

ABSTRACT. In this note, we consider several notions related to the Grothendieck property. Among them, we introduce the notion "unbounded Grothendieck property" in a Banach lattice as an unbounded version of the known Grothendieck property in the Banach space theory. Beside other results, surprisingly, we show that spaces with the unbounded Grothendieck property are exactly the reflexive Banach lattices.

1. MOTIVATION AND PRELIMINARIES

Let us start with some motivation. There are several known and important concepts in the category of all Banach spaces such as the Schur property, the Banach-Saks property, the Grothendieck property and so on. When we are dealing with a Banach lattice, as a special case of Banach spaces, the order structure comes to the mind as a fruitful tool. This structure enables us to consider different types of notions related to the property using both topological and order structures. Recall that a Banach space X has the Grothendieck property if for every sequence $(x_n') \subseteq X'$, we have $x_n' \xrightarrow{w^*} 0$ implies that $x_n' \xrightarrow{w} 0$. It is known that every reflexive space has the Grothendieck property. Moreover, in the setting of the Banach lattice theory, every σ -order complete AM -space with unit has this property, as well (see [1, Theorem 4.44]). In this paper, we consider several notions related to the Grothendieck property using order and topological structures. We investigate some relations between them. In particular, we characterize reflexive Banach lattices in terms of them. Before anything, let us recall some preliminaries. Suppose E is a Banach lattice. A sequence $(x_n') \subseteq E'$ is said to be unbounded *weak** convergent to $x' \in E'$ (in notation, $x_n' \xrightarrow{uaw^*} x'$) provided that $|x_n' - x'| \wedge u' \xrightarrow{w^*} 0$ for each $u' \in E'_+$. Two elements $x, y \in E$ are called disjoint if $|x| \wedge |y| = 0$. For more information about unbounded convergences as well as a comprehensive context regarding Banach lattices, see [1, 5].

Date: January 5, 2022.

2010 Mathematics Subject Classification. Primary: 18F10. Secondary: 46B42.

Key words and phrases. The Grothendieck property, the unbounded Grothendieck property, the positive Grothendieck property, the weak Grothendieck property.

2. MAIN RESULTS

First, we consider the following definition.

Definition 1. Suppose E is a Banach lattice. E is said to have

- (i) The Grothendieck property (**GP**, for short) if for every sequence $(x_n') \subseteq E'$, $x_n' \xrightarrow{w^*} 0$ implies that $x_n' \xrightarrow{w} 0$.
- (ii) The positive Grothendieck property (**PGP**, for short) if for every sequence $(x_n') \subseteq E'_+$, $x_n' \xrightarrow{w^*} 0$ implies that $x_n' \xrightarrow{w} 0$.
- (iii) The weak Grothendieck property (**WGP**, for short) if for every disjoint sequence $(x_n') \subseteq E'$, $x_n' \xrightarrow{w^*} 0$ implies that $x_n' \xrightarrow{w} 0$.
- (iv) The disjoint Grothendieck property (**DGP**, for short) if for every norm bounded disjoint sequence $(x_n') \subseteq E'$, we have $x_n' \xrightarrow{w} 0$.
- (v) The unbounded Grothendieck property (**UGP**, for short) if for every norm bounded sequence $(x_n') \subseteq E'$, $x_n' \xrightarrow{uaw^*} 0$ implies that $x_n' \xrightarrow{w} 0$.

The first part is the original definition of the Grothendieck property. The second part of the definition was initially defined in [4]. The third part was proposed in [2] at first. Parts (iv) and (v) are new definitions using unbounded convergence and disjointness. Observe that in parts (i), (ii), (iii), norm boundedness of the proposed sequence is guaranteed by the *weak**-convergence but in parts (iv), (v), we need assume that the proposed sequence is norm bounded.

First, we shall consider some elementary implications between them.

Lemma 2. *Suppose E is a Banach lattice. Then, consider the following statements.*

- (i) E possesses the **UGP**.
- (ii) E possesses the **DGP**.
- (iii) E possesses the **WGP**.

Then, we have

$$(i) \Rightarrow (ii) \Rightarrow (iii)$$

Proof. (i) \Rightarrow (ii). Suppose $(x_n') \subseteq E'$ is a bounded disjoint sequence. By [5, Lemma 2], $x_n' \xrightarrow{uaw^*} 0$ so that $x_n' \xrightarrow{uaw^*} 0$. By the assumption, $x_n' \xrightarrow{w} 0$, as desired.

(ii) \Rightarrow (iii). It is trivial. □

Observe that the opposite implications proposed in Lemma 2 do not hold, in general. Consider ℓ_∞ ; it possesses the **WGP** but it fails to have **DGP**; put $u_n = (0, \dots, 0, \underbrace{1}_{2n}, \underbrace{1}_{2n+1}, 0, \dots)$. It is easy to see that the sequence $(u_n) \subseteq \ell_\infty'$ is disjoint.

Nevertheless, it is not weakly null. Furthermore, assume that $E = \ell_1$; it possesses the **DGP**; suppose $(x_n') \subseteq \ell_\infty$ is a disjoint sequence so that it is weakly null by [5, Lemma 2, Theorem 7]. But it can not have the **UGP** as the uaw^* -null sequence (v_n) defined via $v_n = (\underbrace{0, \dots, 0}_{n\text{-times}}, 1, 1, \dots)$ is not weakly null.

By [1, Theorem 4.44], ℓ_∞ possesses the **GP**; we shall show that it fails to have the **UGP**.

Lemma 3. ℓ_∞ does not have the **UGP**.

Proof. It is known that $\ell_1 \subseteq (\ell_\infty)'$ so that consider the standard basis sequence $(e_n) \subseteq (\ell_\infty)'$. It is uaw -null by [5, Lemma 2] so that uaw^* -null. But it is not weakly null in $(\ell_\infty)'$; in this case, it should be weakly null in ℓ_1 which is not possible. \square

Note that the **UGP** implies the **PGP**. Now, we have the following surprising fact.

Theorem 4. A Banach lattice E is reflexive if and only if it possesses the **UGP**.

Proof. The direct implication is trivial since E is reflexive if and only if so is E' . For the other side, suppose E has the **UGP** but it fails to be reflexive. By [1, Theorem 4.71], E has a lattice copy of either c_0 or ℓ_1 . Observe that neither ℓ_1 nor c_0 has the **UGP**; for both cases, note that $\ell_1' = c_0' = \ell_\infty$. Consider the sequence $(u_n) \subseteq \ell_\infty$ defined via $u_n = (0, \dots, 0, 1, \dots)$, in which zero is appeared n -times. It is easy to see that by the w^* -topology inherited by either ℓ_1 or c_0 , the sequence (u_n) is uaw^* -null. Nevertheless, by the Dini's theorem ([1, Theorem 3.52]), it is not weakly null in ℓ_∞ , certainly. This shows that ℓ_1 or c_0 does not have the **UGP**. Now, Suppose E has the **UGP**. Note that by [3, Theorem 2.4.12], there is a positive projection P from E onto c_0 . Moreover, by [3, Theorem 5.3.13], E can not have the **PGP**. This also show that E fails to have the **UGP**, as well. Furthermore, by [3, Proposition 2.3.11], there exists a positive projection P_1 from E onto ℓ_1 . Now, consider the positive operator $T = \iota P_1$, where ι denotes the inclusion operator from ℓ_1 into c_0 . Again, using [3, Theorem 5.3.13] convinces us that E fails to have the **PGP** so that it does not have the **UGP**. Both statements contradict our assumption. So, E is reflexive. \square

Furthermore, we have the following useful observation.

Theorem 5. Suppose E is a σ -order complete Banach lattice whose dual space is order continuous. Then the **PGP** in E implies the **UGP** if and only if E is order continuous.

Proof. First, assume that E is order continuous and possesses the **PGP**. Suppose $(x_n') \subseteq E'$ is a positive uaw^* -null sequence. By [1, Theorem 4.18], for each arbitrary $\varepsilon > 0$, there exists a $u' \in E'_+$ such that for each $x \in E_+$, $x_n'(x) - (x_n' \wedge u')(x) < \varepsilon$. By the assumption, $(x_n' \wedge u')(x) \rightarrow 0$ so that $x_n'(x) \rightarrow 0$. Therefore, $x_n' \xrightarrow{w^*} 0$. By the assumption, again, $x_n' \xrightarrow{w} 0$. For the converse, suppose not. By [1, Theorem 4.51], E possesses a lattice copy of ℓ_∞ . Note that although ℓ_∞ has the **PGP** but it fails to have the **UGP** by Lemma 3. This implies that E does not have the **UGP**, as well. \square

Corollary 6. *Suppose E is a σ -order complete Banach lattice whose dual space is order continuous and possesses the **PGP**. Then, it is reflexive if and only if it is order continuous.*

Note that the **GP** always implies the **PGP**. So, we have the following result.

Corollary 7. *Suppose E is a σ -order complete Banach lattice whose dual space is order continuous. Then the **GP** in E implies the **UGP** if and only if E is order continuous.*

By [2, Proposition 4.9], when E' is order continuous, the **WGP** implies the **PGP**. Thus, the following result comes to the mind, readily.

Corollary 8. *Suppose E is a σ -order complete Banach lattice whose dual space is order continuous. Then the **WGP** in E implies the **UGP** if and only if E is order continuous.*

Remark 9. Note that order continuity of E' is essential in Corollary 8 and can not be removed; ℓ_1 possesses the **WGP** but it fails to have **UGP** although it is order continuous. Furthermore, suppose a Banach lattice E possesses the **UGP**. By Theorem 4, it is reflexive so that E has the **GP**, **WGP**, and **PGP**.

Now, we consider the following statement; a relation between the remarkable Grothendieck property and the disjoint Grothendieck one.

Theorem 10. *A σ -order complete Banach lattice E is order continuous if and only if the **GP** in E implies the **DGP**.*

Proof. Suppose E is order continuous and possesses the **GP**. Assume that (x_n') is a bounded disjoint sequence in E' . By [5, Lemma 2], $x_n' \xrightarrow{uaw} 0$ so that $x_n' \xrightarrow{uaw^*} 0$. By [5, Proposition 5], $x_n' \xrightarrow{w^*} 0$. By the **GP**, $x_n' \xrightarrow{w} 0$. For the converse, assume that E is not order continuous. By [1, Theorem 4.56], ℓ_∞ is lattice embeddable in E . By [1, Theorem 4.44], ℓ_∞ has the **GP**; nevertheless, it does not possess the **DGP**; consider

the standard basis sequence $(e_n) \subseteq \ell_\infty^*$. This implies that E also can not have the **DGP**, as well. \square

REFERENCES

- [1] C.D. Aliprantis and O. Burkinshaw, *Positive operators*, Springer, 2006.
- [2] N. Machrafi, K. Fahri, M. Moussa, B. Altin *A note on weak almost limited operators*, Hacet. J. Math. Stat., **48(3)** (2019), pp. 759–770.
- [3] P. Nieberg, *Banach lattices*, Springer-Verlag, Berlin, 1991.
- [4] W. Wnuk, *On the dual positive Schur property in Banach lattices*, Positivity, **17** (2013), pp. 759–773.
- [5] O. Zabeti, *Unbounded absolute weak convergence in Banach lattices*, Positivity, **22(1)** (2018), pp. 501–505.

(O. Zabeti) DEPARTMENT OF MATHEMATICS, FACULTY OF MATHEMATICS, STATISTICS, AND COMPUTER SCIENCE, UNIVERSITY OF SISTAN AND BALUCHESTAN, ZAHEDAN, P.O. BOX 98135-674. IRAN

Email address: o.zabeti@gmail.com