

IS THE TWIN PRIME CONJECTURE INDEPENDENT OF PEANO ARITHMETIC?

ALESSANDRO BERARDUCCI, ANTONGIULIO FORNASIERO, AND JOEL DAVID HAMKINS

Abstract. We show that there is an arithmetical formula φ such that ZF proves that φ is independent of PA and yet, unlike other arithmetical independent statements, the truth value of φ cannot at present be established in ZF or in any other trusted metatheory. In fact we can choose an example of such a formula φ such that ZF proves that φ is equivalent to the twin prime conjecture. We conclude with a discussion of notion of trustworthy theory and a sharper version of the result.

We are looking for an arithmetical formula φ whose truth value (in the standard model \mathbb{N}) is at present unknown and such that ZF (Zermelo-Fraenkel set theory) proves that φ is independent of PA (first order Peano Arithmetic).

A solution of the riddle has been obtained independently by the first two authors in a recent arXiv preprint and by the third author in an older post on Mathoverflow, which actually provides a sharper version given in Theorem 1

We take the opportunity to reflect on the nature of the incompleteness results and make some philosophical considerations.

Let us first observe that the formula $\text{Con}(\text{ZF})$ expressing the consistency of ZF would not work. Although $\text{Con}(\text{ZF})$ is independent of PA, the proof of this fact cannot be carried out in ZF. To see why, recall that an independence result involves both the unprovability of the formula and the unprovability of its negation. In our case one direction poses no problems: ZF does prove that $\text{Con}(\text{ZF})$ is unprovable in PA. The problem lies in the other direction: ZF, if consistent, does not prove that $\neg\text{Con}(\text{ZF})$ is unprovable in PA. This depends on the fact that $\neg\text{Con}(\text{ZF})$ has complexity Σ_1^0 , so if true it must be provable in PA, and if unprovable it must be false, provably in ZF (and also in PA itself). Thus if ZF proves that $\neg\text{Con}(\text{ZF})$ is unprovable in PA, then ZF proves $\text{Con}(\text{ZF})$, contradicting Gödel's second incompleteness theorem.

More generally, we cannot take for φ any formula of complexity Π_1^0 (such as Goldbach's conjecture). The argument is the same: if ZF proves that a Π_1^0 formula ϕ is independent of PA, then ZF proves ϕ , so we would have established the truth value of ϕ on the basis of a trusted metatheory, which is against our desiderata. By symmetry any formula of complexity Σ_1^0 does not work.

Before presenting the solution to our riddle, the reader is invited to make an attempt himself. In the meantime we try to clarify the notion of trustworthy metatheory. Let us agree that if we trust a theory T we must at least believe that T does not prove false arithmetical sentences, or, said differently, we must believe that the standard model \mathbb{N} of PA is also a model of the arithmetical consequences of T . Now, if we

Date: 1 Nov. 2021.

2020 Mathematics Subject Classification. Primary 03B10; Secondary 03F40; 03F30.

Key words and phrases. Absolutely undecidable sentence; Arithmetic; Incompleteness.

trust ZF, we must believe that ZF is consistent (as otherwise ZF would prove $0 = 1$, a false arithmetical statement), hence we must trust $ZF + \text{Con}(ZF)$, because $\text{Con}(ZF)$ is true in \mathbb{N} if and only if ZF is consistent. We can now iterate the process: if we trust $ZF + \text{Con}(ZF)$ we must also trust $ZF + \text{Con}(ZF + \text{Con}(ZF))$ and so on. This line of thought is at the origin of the notion of transfinite progression of theories explored by Turing [Tur39] and Feferman [Fef62]. Although an infinite iteration of this process is somewhat delicate, it must be admitted that the finite iterations, starting from ZF, are generally considered trustworthy. There is little doubt that a proof of Riemann's hypothesis in $ZF + \text{Con}(ZF)$ would count as a genuine proof of Riemann's hypothesis.

Returning to our problem, recall that we want an arithmetical formula φ , such that ZF proves that φ is independent of PA and such that truth value of φ is at present unknown in ZF or in any other trustworthy metatheory. This is a challenge, since it is difficult to prove anything about a formula φ , even if only its independence, without having a clue as to whether it is true or false. Nevertheless we can argue as follows. Working inside the metatheory ZF, take a true arithmetical sentence α independent of PA, for instance $\alpha = \text{Con}(PA)$. Let β be another true arithmetical sentence independent of $PA + \alpha$, for instance $\beta = \text{Con}(PA + \alpha)$. Now let γ be an arbitrary arithmetical statement, for instance a Π_2^0 -formula expressing the existence of infinitely many twin primes. Our final formula φ is the implication $\alpha \rightarrow (\beta \wedge \gamma)$. Note that φ is true if and only if γ is true (since α and β are true). Let us show that φ is independent of PA. If PA proves φ , then in particular $PA + \alpha$ proves β , contradicting the independence of β from $PA + \alpha$. If on the other hand PA proves $\neg\varphi$, then, tautologically, PA proves α , contradicting the independence of α from PA.

We have thus solved the riddle: in ZF the formula φ is independent of PA and yet it is equivalent to the twin prime conjecture, whose truth value is at present unknown in any trustworthy theory.

One may be tempted to conclude that the twin prime conjecture is independent of PA, a formidable result, but this would be cheating, because the formula φ is an unnatural way of expressing the twin prime conjecture in PA (φ is provably equivalent to the "natural formalization" of the twin prime conjecture in ZF, not in PA). This leads to the question of what is a natural formalization and which are the means to identify it. In [Fef61] Feferman taught us that intensionally correct translations must preserve logical complexity. For instance for the validity of Gödel's second incompleteness theorem it is important that the axioms of PA are presented by a formula of complexity Σ_1^0 , as otherwise there are counterexamples (e.g. one may describe the axioms of PA by the Σ_2^0 formula representing the union of all the consistent fragments $I\Sigma_n^0$ of PA). However in our case complexity alone cannot be the answer, since our formula φ has complexity Π_2^0 , exactly as one would expect from a natural formalization of the twin prime conjecture. Having discarded complexity, we have no proposals other than to resort to the notion of intended meaning, however vague it may be.

It is worth to observe that our formula φ would remain undecidable in PA, provably in ZF, even if somebody found a proof of the twin prime conjecture in PA. In this event however the truth value of φ would be decided in a trustworthy metatheory, specifically in ZF, so φ would no longer satisfy our desiderata. This raises the problem of whether there could be undecidable arithmetical formulas unaffected by such unforeseeable future event. The correct formulation of the question would however require further

thoughts. The notion of absolutely undecidable mathematical statement has been investigated in [Koe10], but the candidates there considered are not arithmetical.

Before presenting the sharper version of the result mentioned at the beginning of the paper, let us show that the informal notion of trustworthy theory is somewhat problematic. We have already remarked that a necessary condition is that a trustworthy theory is arithmetically sound, namely it does not prove false arithmetical statements. Being primarily interested in arithmetical statements, we may be tempted to take arithmetical soundness as the formal counterpart, formalizable in ZF, of the notion of trustworthy theory. This is however at odds with our intuition. To see why, consider the theory $ZF^\# = ZF + \text{“ZF is not arithmetically sound”}$, where the statement between quotes can be formalized as a Δ_1^1 -formula. Nobody in his right mind would consider $ZF^\#$ as a trustworthy theory (one would rather trust $ZF + \text{“ZF is arithmetically sound”}$) and yet it is not difficult to prove, in ZF, that $ZF^\#$ is arithmetically sound if so is ZF. Indeed, reason in the metatheory $ZF + \text{“ZF is arithmetically sound”}$ and suppose for a contradiction that there is a true arithmetical formula ψ such that $ZF^\# \vdash \neg\psi^\omega$, where ψ^ω is the translations of ψ in the language of ZF. Then $ZF + \psi^\omega \vdash \text{“ZF is arithmetically sound”}$. This can be strengthened to $ZF + \psi^\omega \vdash \text{“ZF + } \psi^\omega \text{ is arithmetically sound”}$ (because ZF proves that an arithmetically sound theory remains such with the addition of a true arithmetical formula). In particular $ZF + \psi^\omega \vdash \text{Con}(ZF + \psi^\omega)$. Thus, by Gödel's second incompleteness theorem, $ZF \vdash \neg\psi^\omega$, contradicting the assumption that ZF is arithmetically sound and ψ is a true arithmetical formula.

Informal notions like “natural formalization” or “trustworthy theory”, can serve as guiding principles but can hardly be formalized without betraying their meaning.

A use of the Rosser sentence enables the following slightly sharper version of the result, proved by the third author on MathOverflow [Ham12], where the assumption that the theory is trustworthy is weakened to mere consistency. The claim is that for every statement ψ , such as the twin primes conjecture, there is a variant way to express it, φ , which is equivalent to the original statement ψ , but which is formally independent of any particular desired consistent theory T interpreting PA.

Theorem 1. *Suppose that ψ is any arithmetical sentence, such as the twin primes conjecture, and T is any consistent recursively axiomatized theory interpreting PA. Then there is another arithmetical sentence φ such that*

- (1) $PA + \text{Con}(T)$ proves that ψ and φ are equivalent.
- (2) T does not prove φ .
- (3) T does not prove $\neg\varphi$.

Proof. Let ρ be the Rosser sentence for T , the self-referential assertion that for any proof of ρ in T , there is a smaller proof of $\neg\rho$. The Gödel-Rosser theorem establishes that if T is consistent, then T proves neither ρ nor $\neg\rho$. Formalizing this shows that $PA + \text{Con}(T)$ proves that ρ is not provable in T and hence that ρ is (vacuously) true and that PA proves $\text{Con}(T) \rightarrow \text{Con}(T + \rho)$. By the incompleteness theorem applied to $T + \rho$, therefore, $T + \rho$ does not prove $\text{Con}(T)$. In short, $T + \rho$ is a strictly intermediate theory between T and $T + \text{Con}(T)$.

Now, fix any statement ψ and let φ be the assertion $\rho \rightarrow (\text{Con}(T) \wedge \psi)$. Since $PA + \text{Con}(T)$ proves ρ , elementary logic shows that $PA + \text{Con}(T)$ proves that ψ and φ are equivalent. The statement φ , however, is not provable in T , since if it were, then

$T + \rho$ would prove $\text{Con}(T)$, which it does not by our observations above. Conversely, φ is not refutable in T , since any such refutation would mean that T proves that the hypothesis of φ is true and the conclusion false; in particular, it would require T to prove the Rosser sentence ρ , which it does not by the Gödel-Rosser theorem. \square

Thus, what we require of trustworthiness in our theory is merely that $\text{Con}(T)$ is true. And of course any instance of non-provability from a theory T will require the consistency of T , and so one cannot provide a solution to the problem without assuming the theory is consistent.

References

- [Fef62] S. Feferman. Transfinite recursive progressions of axiomatic theories. *J. Symbolic Logic*, 27:259–316, 1962. doi:10.2307/2964649
- [Fef61] S. Feferman. Arithmetization of metamathematics in a general setting. *Fund. Math.*, 49:35–92, 1960/61. doi:10.4064/fm-49-1-35-92
- [Ham12] J. D. Hamkins. Undecidable sentences of first-order arithmetic whose truth values are unknown. MathOverflow answer, 2012. <https://mathoverflow.net/q/87168>.
- [Koe10] P. Koellner. On the question of absolute undecidability. In S. Feferman, C. Parsons, S. Simpson (Eds.), *Kurt Gödel: Essays for his Centennial (Lecture Notes in Logic, pp. 189-226)*. Cambridge: Cambridge University Press. doi:10.1017/CBO9780511750762.012
- [Tur39] A. M. Turing. Systems of Logic Based on Ordinals. *Proc. London Math. Soc. (2)*, 45(3):161–228, 1939. doi:10.1112/plms/s2-45.1.161

Università di Pisa, Dipartimento di Matematica, Largo Bruno Pontecorvo 5, 56127 Pisa

Università di Firenze, Dipartimento di Matematica e Informatica "Ulisse Dini", viale Morgagni 67/a, 50134 Firenze

University of Oxford, University College, High Street, Oxford OX1 4BH
 URL: <http://jdh.hamkins.org>