

A formula for the n^{th} derivative of the quotient of two functions

Christos Xenophontos

Department of Mathematics and Statistics

University of Cyprus

P.O. BOX 20537

Nicosia 1678

Cyprus

October 19, 2021

Abstract

As the title suggests, we give a formula for the n^{th} derivative of a quotient of two functions, analogous to Leibniz's formula for the product. This particular note has remained unpublished since 2007 (available only my website), however it has received several citations (e.g. [1, 2, 3]). As a result, it now appears on ArXiv for future reference.

In most calculus courses one encounters Leibniz's formula for the n^{th} derivative of the *product* of two functions, but when it comes to the *quotient* this is seldomly discussed.

Does such a formula even exist? In answering this question, we may first attempt to answer the simpler query: what is the formula for the n^{th} derivative of $1/f(x)$? The answer to the latter question was given in [4], even though the notation used makes the

formula difficult to use. The former, and original, question was answered in [5] using a linear algebra approach which ultimately gave a rather beautiful formula involving the determinant of a certain matrix. As the author of that article admitted, the interest in the particular determinantal formula “lies mainly in the structured it revealed” [5]. Here we built upon the ideas in [5] to obtain a more usable version of the formula for the n^{th} derivative of the quotient of two functions $u(x)$ and $v(x)$, that is analogous to Leibnitz’s formula.

As in [5], writing $y = u/v$ and using Leibnitz’s formula we have

$$u^{(r)} = (yv)^{(r)} = \sum_{j=0}^r \frac{r!}{(r-j)!j!} y^{(j)} v^{(r-j)},$$

where $u^{(r)}$ denotes $d^r u/dx^r$ for $r = 0, 1, 2, \dots$. From the above expression we get

$$\frac{u^{(r)}}{r!} = \sum_{j=0}^r \frac{y^{(j)}}{j!} \frac{v^{(r-j)}}{(r-j)!},$$

which, for $r = 0, 1, 2, \dots, n$ is nothing but the lower triangular linear system of $n + 1$ equations in the unknowns $y, \frac{y^{(1)}}{1!}, \frac{y^{(2)}}{2!}, \dots, \frac{y^{(n)}}{n!}$, shown below:

$$\begin{bmatrix} v & 0 & 0 & \dots & 0 \\ \frac{v^{(1)}}{1!} & v & 0 & \dots & 0 \\ \frac{v^{(2)}}{2!} & \frac{v^{(1)}}{1!} & v & \ddots & \vdots \\ \vdots & \vdots & \ddots & \ddots & 0 \\ \frac{v^{(n)}}{n!} & \frac{v^{(n-1)}}{(n-1)!} & \dots & \frac{v^{(1)}}{1!} & v \end{bmatrix} \begin{bmatrix} y \\ \frac{y^{(1)}}{1!} \\ \frac{y^{(2)}}{2!} \\ \vdots \\ \frac{y^{(n)}}{n!} \end{bmatrix} = \begin{bmatrix} u \\ \frac{u^{(1)}}{1!} \\ \frac{u^{(2)}}{2!} \\ \vdots \\ \frac{u^{(n)}}{n!} \end{bmatrix}.$$

In [5] the above linear system was solved using Cramer’s rule to obtain a determinantal formula for $y^{(n)}$. If, instead, we take advantage of the lower triangular structure of the linear system and use back substitution to solve it we have

$$\frac{y^{(n)}}{n!} = \frac{1}{v} \left(\frac{u^{(n)}}{n!} - \sum_{j=1}^n \frac{v^{(n+1-j)}}{(n+1-j)!} \frac{y^{(j-1)}}{(j-1)!} \right),$$

from which the following formula arises:

$$\left(\frac{u}{v} \right)^{(n)} = \frac{1}{v} \left(u^{(n)} - n! \sum_{j=1}^n \frac{v^{(n+1-j)}}{(n+1-j)!} \left(\frac{u}{v} \right)^{(j-1)} \right).$$

References

- [1] L Barabesi, The computation of the probability density and distribution functions for some families of random variables by means of the Wynn- ρ accelerated Post-Widder formula, *Communications in Statistics-Simulation and Computation*, **49** (2020), 1333–1351.
- [2] G. Panou and R. Korakitis, The direct geodesic problem and an approximate analytical solution in Cartesian coordinates on a triaxial ellipsoid, *Journal of Applied Geodesy*, **14** (2020), 205–213.
- [3] R Basu, A new formula for investigating delay integro-differential equations using the differential transform method involving a quotient of two functions, *Rocky Mountain Journal of Mathematics*, **51** (2021), 413–421.
- [4] P. Shieh and K. Verghese, A general formula for the n^{th} derivative of $1/f(x)$, *Amer. Math. Monthly*, **74** (1967), 1239–1240.
- [5] F. Gerrish, A useless formula? *The Mathematical Gazette*, **64** (1980), 52.