

Bayesian Persuasion in Sequential Trials

Shih-Tang Su¹, Vijay G. Subramanian¹, and Grant Schoenebeck²

¹ Electrical Engineering and Computer Science, University of Michigan

² School of Information, University of Michigan

Abstract. We consider a Bayesian persuasion problem where the sender tries to persuade the receiver to take a particular action via a sequence of signals. This we model by considering multi-phase trials with different experiments conducted based on the outcomes of prior experiments. In contrast to most of the literature, we consider the problem with constraints on signals imposed on the sender. This we achieve by fixing some of the experiments in an exogenous manner; these are called determined experiments. This modeling helps us understand real-world situations where this occurs: e.g., multi-phase drug trials where the FDA determines some of the experiments, start-up acquisition by big firms where late-stage assessments are determined by the potential acquirer, multi-round job interviews where the candidates signal initially by presenting their qualifications but the rest of the screening procedures are determined by the interviewer. The non-determined experiments (signals) in the multi-phase trial are to be chosen by the sender in order to persuade the receiver best. With a binary state of the world, we start by deriving the optimal signaling policy in the only non-trivial configuration of a two-phase trial with binary-outcome experiments. We then generalize to multi-phase trials with binary-outcome experiments where the determined experiments can be placed at arbitrary nodes in the trial tree. Here we present a dynamic programming algorithm to derive the optimal signaling policy that uses the two-phase trial solution's structural insights. We also contrast the optimal signaling policy structure with classical Bayesian persuasion strategies to highlight the impact of the signaling constraints on the sender.

Keywords: Information design · Bayesian persuasion · Signaling games.

1 Introduction

Information design studies how informed agents (senders) in a game can persuade uninformed agents (receivers) to take specific actions by influencing the uninformed agents' beliefs via information disclosure. The canonical Kamenica-Gentzkow model [27] is one where the sender can commit to an information disclosure policy (signaling strategy) before learning the true state. Once the state is realized, a corresponding (randomized) signal is sent to the receiver. The receiver then takes an action, which results in payoffs for both the sender and the receiver. Senders in information design problems only need to manipulate

the receivers’ beliefs with properly chosen signals. The manipulated beliefs will create the right incentives for them to spontaneously take specific actions that benefit the sender (in expectation); the signals must account for the receiver’s incentive compatibility constraints. In (traditional) mechanism design, however, the story is different: the designer is unaware of the agents’ private information, and the agents communicate their private information to the designer, who then has to provide incentives via (monetary) transfers or other means. The flexibility afforded by information design that allows the sender to benefit from information disclosure without implementing utility-transfer mechanisms has led to greater applicability of the methodology: various models and theories can be found in survey papers such as [4] and [26].

Our work is motivated by many real-world problems where persuasion schemes are applicable, but the sender is constrained in the choice of signals available for information design. Specifically, we are interested in problems that are naturally modeled via multi-phase trials where the interim outcomes determine the subsequent experiments. Further, we insist that some of the experiments are given in an exogenous manner. This feature imposes restrictions on the sender’s signaling space, and without it, we would have a classical Bayesian persuasion problem with an enlarged signal space. Our goal is to study the impact of such constraints on the optimal signaling scheme, and in particular, to contrast it with optimal signaling schemes in classical Bayesian persuasion.

The following motivating example describes a possible real-world scenario.

Example 1 (Motivating example - Acquiring funds from a venture capital firm). We consider a scenario where a start-up is seeking funds from a venture capital firm. The process for this will typically involve multiple rounds of negotiation and evaluation: some of these will be demonstrations of the start-up’s core business idea, and the others will be assessments by the venture capital firm following their own screening procedures. The start-up will have to follow the venture capital firm’s screening procedures but choose its product demonstrations. Based on these stipulations, the start-up needs to design its demonstrations to maximize its chance of getting funded.




Fig. 1. Example of a negotiation process – a startup vs. a venture capital firm.

In the example above, the start-up (sender) has to generate an information disclosure scheme to get the desired funds from the venture capital firm (receiver).

Then the screening procedures set by the venture capital firm are analogous to our determined experiments, and the demonstrations carried out by the start-up are the (sender) designed experiments. For example, in Figure 1 we present one plausible interaction where the start-up company designs demonstrations A, B, and C (circles in the figure) and the venture capital firm has pre-determined screening examinations W, X, Y, and Z (rectangles in the figure). Whereas we have illustrated this example via a balanced tree, if we have an unbalanced tree owing to the receiver deciding in the middle, we can modify it to a balanced tree by adding the required number of dummy stages.

The sender’s reduced flexibility in choosing signaling strategies in a sequential trial with some predetermined experiments distinguishes our work from the growing literature on dynamic information design. Our model considers a problem with the following features: a static state space, a sequential information disclosure environment, and a signaling space restricted by some exogenous constraints. Models with a static state space, an unrestricted signal space but a variety of sequential information disclosure environment have been studied to capture features in different real-world problems: e.g., with multiple senders [19,30], with costly communication [25,34], allowing for sequential decision making [17], or with partial commitment [1,34]. The work in [16,18,33] considers sequential information disclosure problems in dynamic state models where the sender has information about the underlying dynamically changing state with the setting being either state change detection [16,18] or routing games [33]. Although several works [14,22,29] also consider constrained signaling schemes, these works either consider the signal space to be smaller than the action space [22,14] or consider a noisy signaling environment [29]. The sequential information disclosure in our model, which actually enlarges the signal space, makes our work different from [14,22,29]. To keep the focus of the paper on sequential tries, we discuss the broader literature on constrained senders and works related to the receiver’s experiment design³ in our online version [37].

In many real-world applications, the number of phases in the sequential trial procedure is often large: for example, the number of experiments required in developing and releasing new drugs or advertisements aiming to overturn a brand image. When the sender needs to design a large number of experiments jointly, an algorithmic approach exploiting the structure of models is desired for solving the optimal signaling strategy to avoid deriving the optimal signaling strategy using an LP formulation where the number of constraints⁴ grows exponentially. In this aspect our problem shares some similarity with the work in on algorithmic information design [2,10,13,15].

According to the motivating example illustrated in Figure 1, the persuasion problem considers a sequence of experiments where experiments further along in the tree depend on the outcomes of previous phases. The experiment to be run in each phase is either exogenously determined or chosen by the sender. In the game, the sender chooses designed experiments with the knowledge of prior,

³ See Section 5 in [37] for details

⁴ The constraints arise from the receiver’s incentive-compatible constraints.

the determined experiments, and the receiver’s utility function, but before the state of the world is realized. After the sender commits to the experiments (i.e., the signaling strategy), the state of the world is realized, and a specific sequence of experiments is conducted based on the realization of the underlying random variables. The receiver then takes an action depending on the entire sequence of outcomes. The prior, the sender’s and receiver’s utility functions, the determined experiments, and the designed experiments (after the sender finalizes them) are assumed to be common knowledge. We study this problem for binary states of the world, first for a two-phase binary-outcome trial, and then generalize to multi-phase binary-outcome trials. We then generalize to non-binary experiments (still with an underlying binary state space). Finally, we consider games with an additional stage where the receiver moves before the sender to decide some or all of the determined experiments, perhaps with some constraints.

Contributions: The main contributions of this work are:

1. To the best of our knowledge, we are the first to study how a sender should design signaling schemes in a multi-phase trial where some experiments are exogenously determined.
2. When the experiments have binary outcomes, we explicitly solve the optimal signaling scheme in two-phase trials. Using structural insights gained from two-phase trials, we present a dynamic programming algorithm to derive the optimal signaling in general multi-phase trials via backward iteration.
3. Using structural insights of the optimal signaling scheme for two-phase trials, we study the impact of constraints on the sender via the determined experiments by contrasting the performance with the classical Bayesian persuasion setting and when using classical Bayesian persuasion optimal signaling schemes when the sender is constrained. As a part of this, we also provide a sufficient condition for when a sequential trial is equivalent to classical Bayesian persuasion with a potentially enlarged signal space.

2 Problem Formulation

There are two agents, a sender (Alice) and a receiver (Bob), participating in the game. We assume binary states of the world, $\Theta = \{\theta_1, \theta_2\}$, with prior belief $p := \mathbb{P}(\theta_1)$ known to both agents. The receiver has to take an action $\phi_1, \phi_2 \in \Phi$ which can be thought of as a prediction of the true state. We assume that the receiver’s utility is given by $U_R(\phi_i, \theta_j) = 1_{\{i=j\}}$ for all $i, j \in \{1, 2\}$. To preclude discussions on trivial cases and simplify the analysis, we assume that the sender always prefers the action ϕ_1 , and her utility is assumed to be $U_S(\phi_1, \theta_i) = 1$ and $U_S(\phi_2, \theta_i) = 0$ for all $i \in \{1, 2\}$.

Before the receiver takes his action, a trial consisting of multiple phases will be run, and the outcome in each phase will be revealed to him. In each phase, one experiment will be conducted, which is chosen according to the outcomes in earlier phases. Hence, the experiment outcomes in earlier phases not only affect the interim belief but also influence the possible (sequence of) experiments that will be conducted afterward. In the most sender-friendly setup where the sender can choose any experiment in each phase without any constraints, the problem is

equivalent to the classical Bayesian persuasion problem with an enlarged signal space. However, when some experiments are pre-determined conditional on a set of outcomes, the sender must take these constraints into account to design her optimal signaling structure.

To present our results on the influence of multiple phases on the sender's signaling strategy, we start with a model of two-phase trials with binary-outcome experiments in the rest of this section. We then analyze the optimal signaling strategy of this model in Section 3. After that, we will introduce the general model of multiple-phase trials with binary-outcome experiments and propose a systematic approach to analyze the optimal signaling structure in Section 4.

2.1 Model of Binary-Outcome Experiments in Two-Phase Trials

There are two phases in the trial: phase I and phase II. Unlike in the classical Bayesian persuasion problem, our goal is for the sender to not have the ability to choose the experiments to be conducted in both phases of the trial. We will start by assuming that the sender can choose any binary-outcome experiment in phase I, but both the phase-II experiments (corresponding to the possible outcomes in phase I) are determined. Formally, in phase I, there is a binary-outcome experiment with two possible outcomes $\omega_1 \in \Omega_1 = \{\omega_A, \omega_B\}$ and each outcome corresponds to a determined binary-outcome experiment, E_A or E_B , which will be conducted in phase II, respectively. The sender can design the experiment in phase I via choosing a probability pair $(p_1, p_2) \in [0, 1]^2$, where $p_i = \mathbb{P}(\omega_A|\theta_i)$. Once the probability pair (p_1, p_2) is chosen, the interim belief of the true state $\mathbb{P}(\theta_1|\omega_1)$ can be calculated while respecting the prior as follows:

$$\mathbb{P}(\theta_1|\omega_A) = \frac{pp_1}{pp_1 + (1-p)p_2} \text{ and } \mathbb{P}(\theta_1|\omega_B) = \frac{p(1-p_1)}{p(1-p_1) + (1-p)(1-p_2)}. \quad (1)$$

On the other hand, the phase-II experiments are given in an exogenous manner beyond the sender's control. In phase II, one of the binary-outcome experiments, $E \in \{E_A, E_B\}$ will be conducted according to the outcome, ω_A or ω_B of the phase-I experiment. If ω_A is realized, then experiment E_A will be conducted in phase II; if ω_B is realized, the experiment E_B will be conducted in phase II. Similarly, we can denote the possible outcomes $\omega_2 \in \Omega_{2X} = \{\omega_{XP}, \omega_{XF}\}$ when the experiment E_X is conducted, where notation P, F can be interpreted as passing or failing the experiment. Likewise, the phase-II experiments can be represented by two probability pairs $E_1 = (q_{A1}, q_{A2})$ and $E_2 = (q_{B1}, q_{B2})$, where q_{Xi} denotes the probability that the outcome ω_{XP} is realized conditional on the experiment E_X and the state θ_i , i.e., $q_{Xi} = \mathbb{P}(\omega_{XP}|\theta_i, E_X)$.

In real-world problems, regulations, physical constraints, and natural limits are usually known to both the sender and the receiver before the game starts. Hence, we assume that the possible experiments E_1, E_2 that will be conducted in phase II are common knowledge. Given the pairs $(q_{A1}, q_{A2}), (q_{B1}, q_{B2})$, the sender's objective is to maximize her expected utility by manipulating the posterior belief (of state θ_1) in each possible outcome of phase II. However, since the phase II experiments are predetermined, the sender can only indirectly manipulate the posterior belief by designing the probability pair (p_1, p_2) of the phase-I

experiment. As the sender prefers the action ϕ_1 irrespective of the true state, her objective is to select an optimal probability pair (p_1, p_2) to maximize the total probability that the receiver is willing to take action ϕ_1 . Recalling the receiver's utility function discussed above, the receiver's objective is to maximize the probability of the scenarios where the action index matches the state index. Thus, the receiver will take action ϕ_1 if the posterior belief $\mathbb{P}(\theta_i|\omega) \geq \frac{1}{2}$ and take action ϕ_2 otherwise. After taking the receiver's objective into the account, the sender's optimization problem can be formulated as below:

$$\begin{aligned}
& \max_{p_1, p_2} \sum_{\omega_2 \in \{\omega_{AP}, \omega_{AF}, \omega_{BP}, \omega_{BF}\}} \mathbb{P}(\phi_1, \omega_2) & (2) \\
\text{s.t. } & \left(\mathbb{P}(\theta_1|\omega_{AY}, q_{A1}, q_{A2}, p_1, p_2) - \frac{1}{2} \right) \left(\mathbb{P}(\phi_1, \omega_{AY}) - \frac{1}{2} \right) \geq 0 \quad \forall Y \in \{P, F\}, \\
& \left(\mathbb{P}(\theta_1|\omega_{BY}, q_{B1}, q_{B2}, p_1, p_2) - \frac{1}{2} \right) \left(\mathbb{P}(\phi_1, \omega_{BY}) - \frac{1}{2} \right) \geq 0 \quad \forall Y \in \{P, F\}, \\
& \mathbb{P}(\omega_{AP}) = pp_1q_{A1} + (1-p)p_2q_{A2}, \\
& \mathbb{P}(\omega_{BP}) = p(1-p_1)q_{B1} + (1-p)(1-p_2)q_{B2}, \\
& \mathbb{P}(\omega_{AP}) + \mathbb{P}(\omega_{AF}) = pp_1 + (1-p)p_2, \\
& \mathbb{P}(\omega_{BP}) + \mathbb{P}(\omega_{BF}) = p(1-p_1) + (1-p)(1-p_2), \\
& \mathbb{P}(\phi_1, \omega_2) \in [0, 1] \quad \forall \omega_2 \in \{\omega_{AP}, \omega_{AF}, \omega_{BP}, \omega_{BF}\}, \quad p_1, p_2 \in [0, 1].
\end{aligned}$$

In the sender's optimization problem (2), the first two inequalities are constraints of incentive-compatibility (IC) that preclude the receiver's deviation. The IC constraints can be satisfied when both terms in the brackets are positive or negative. That is to say; the sender can only persuade the receiver to take action ϕ_1/ϕ_2 when the posterior belief (of θ_1) is above/below 0.5. While we have written the IC constraints in a nonlinear form for compact presentation, in reality they're linear constraints. The next four equations are constraints that make the sender's commitment (signaling strategy) Bayes plausible⁵. Hence, there are 4 IC constraints and 4 Bayes-plausible constraints in the optimization problem for a two-phase trial. However, in an N -phase trial, both the number of IC constraints and the number of Bayes-plausible constraints will expand to 2^N each. Although the linear programming (LP) approach can solve this optimization problem, solving this LP problem in large Bayesian persuasion problems can be hard [15] unless we accept a weaker ϵ -equilibrium concept. Hence, instead of solving this optimization problem via an LP, we aim to leverage structural insights discovered in the problem to derive the sender's optimal signaling structure.

We end this section by emphasizing that this model is the only non-trivial two-phase trial configuration when determined experiment and designed experiment coexist. In other configurations such that some of the phase-II experiments can be designed by sender, the model can be reduced to a corresponding single-phase trial (with a different prior if the experiment in phase-I is determined).

⁵ A commitment is Bayes-plausible [27] if the expected posterior probability of each state equals its prior probability, i.e., $\sum_{\omega \in \Omega} \mathbb{P}(\omega) \mathbb{P}(\theta_i|\omega) = \mathbb{P}(\theta_i)$.

3 Binary-outcome Experiments in Two-phase Trials

In this section the sender’s optimization problem presented in (2) Section 2.1, is solved starting with the simplest non-trivial case. There are only two phases in the trial studied here, and from this we will develop more insight into how different types of experiments (determined versus sender-designed) influence the optimal signaling strategy of the sender. To be more specific, we will analyze how two determined experiments (in phase II) and one sender-designed experiment (in phase I) will impact the sender’s optimal signaling strategy. Before we present the general case, we discuss a subset class of two-phase trials that are similar to single-phase trials. In this class of two-phase trials, in one of the phase-II experiments, called a *trivial* experiment, the outcome distribution is independent of the true state. Trivial experiments [3], also called non-informative or Blackwell non-informative experiments in some literature, are frequently used as benchmarks to compare the agents’ expected utility change under different signaling schemes/mechanisms, e.g., [34,31,33]. This two-phase model with a trivial experiment tries to capture real-world problems with one actual (and costly) experiment, e.g., clinical trials, venture capital investments, or space missions. Since the experiment is costly, a screening procedure is provided to decide whether it is worth conducting the experiment. We will then analyze the optimal signaling strategy in the general scenario, where both experiments in phase II are *non-trivial*.

3.1 Experiments with screenings

We start by analyzing the sender’s optimal strategy (signaling structure) in a simple scenario where there is one *non-trivial* experiment conducted in phase II. This models real-world scenarios where a non-trivial experiment is conducted only if the sample passes/fails the screening. The sender’s authority on choosing the probability pair (p_1, p_2) controls the screening process. To avoid any ambiguity, we first define what a *trivial* experiment is.

Definition 1. *An experiment E is trivial if the distribution of its outcomes Δ_E is independent of the state of the world: $\Delta_E = \Delta_{E|\theta_i}$ for all $\theta_i \in \Theta$.*

When a trivial experiment (in phase II) is conducted, the posterior belief of the state stays the same as the interim belief derived in (1). When there exists a trivial experiment in the two phase-II trial options, then Lemma 1 states that the sender and the receiver’s expected utility under the optimal signaling strategy is the same as in the (single-phase) classical Bayesian persuasion problem.

Lemma 1. *When the state space is binary, both sender and receiver’s expected utilities are the same in the following two Bayesian persuasion schemes under each scheme’s optimal signaling strategy:*

1. *Bayesian persuasion in a single-phase trial,*
2. *Bayesian persuasion in a two-phase trial with a sender-designed phase-I experiment and a trivial experiment in phase II.*

In the single-trial classical Bayesian persuasion setting, the optimal signaling strategy only mixes the two possible states in one outcome (e.g., when the prosecutor claims the suspect is guilty). On the other outcome, the sender reveals

the true state with probability one (e.g., when the prosecutor says the suspect is innocent). When there is a trivial experiment in phase II, the other experiment (supposing that it will be conducted at outcome ω_B) will be rendered defunct by the sender's choice of experiments in phase I. This phenomenon occurs because the sender can always choose to reveal the true state when the non-trivial experiment is to be conducted, i.e., by setting $\mathbb{P}(\theta_1|E_B) = 1$ or $\mathbb{P}(\theta_2|E_B) = 1$; and the classical Bayesian persuasion strategy can be replicated. In essence, having a trivial experiment in the phase-II trial does not constrain the sender.

3.2 Assumptions and induced strategies

Next we detail the optimal signaling strategy in our two-phase trial setting with general binary-outcome experiments. To aid in the presentation and to avoid repetition, we make two assumptions without loss of generality and introduce several explanatory concepts before the analysis.

Lemma 2. *We can make the following two assumptions WLOG.*

1. *The probability of passing a phase-II experiment under θ_1 is greater than or equal to the probability under θ_2 , i.e., $q_{A1} \geq q_{A2}$ and $q_{B1} \geq q_{B2}$.*
2. *When the true state is θ_1 , the experiment conducted when outcome ω_A occurs is more informative⁶ than the experiment conducted when outcome ω_B occurs, i.e., $q_{A1} \geq q_{B1}$.*

The sender's strategy consists of the following: choice of phase-I experiment parameters (p_1, p_2) and the persuasion strategies in phase-II for each outcome of the phase-I experiment. To understand better the choices available to the sender and her reasoning in determining her best strategy, we will study the possible persuasion strategies in phase-II; these will be called induced strategies to distinguish them from the entire strategy. Given the assumptions above on phase-II experiments, it'll turn out we can directly rule out one class of induced strategies from the sender's consideration. The other set of induced strategies will need careful assessment that we present next.

Claim. When the inequalities of the assumption $q_{A1} \geq q_{A2}$ and $q_{B1} \geq q_{B2}$ in Lemma 2 are strict, for any phase-II experiment $E_X \in \{E_A, E_B\}$, taking action ϕ_1 when E_X fails but taking action ϕ_2 when E_X passes is not an incentive compatible strategy for the receiver for any interim belief $\mathbb{P}(\theta_1|E_X) \in [0, 1]$.

The above claim can be verified by comparing the posterior belief $\mathbb{P}(\theta_1|\omega)$ of each possible outcome $\omega \in \{\omega_{XP}, \omega_{XF}\}$ and the receiver's corresponding best response. Therefore, upon the outcome of a phase-I experiment being revealed (to be either ω_A or ω_B), the sender only has three different classes of “*induced strategies*” by which to persuade the receiver in phase II:

- (α_X) Suggest action ϕ_1 only when the phase-II experiment outcome is a pass;
- (β_X) Suggest action ϕ_1 no matter the result of phase-II experiment; and
- (γ_X) Suggest action ϕ_2 irrespective of the result of phase-II experiment, which is equivalent to not persuading the receiver to take the sender-preferred action.

⁶ In terms of the Blackwell informativeness from [5].

Given these three classes of induced strategies and the freedom to choose different induced strategies based on the phase-I experiment's outcome, the sender can use any combination of these 3^2 choices to form a set of strategies \mathcal{S} . To simplify the representation, we use (c_A, d_B) , $c, d \in \{\alpha, \beta, \gamma\}$ to represent a “*type of strategy*” of the sender. Note that to specify a strategy S within the set of strategies, i.e., $S \in \mathcal{S}$, the probability pair (p_1, p_2) has to be determined first. Before we analyze the different strategies, we discuss the relationship between the given phase-II experiments, induced strategies, and the incentive-compatibility requirements from the sender's side (to avoid profitable deviations by the receiver). To avoid ambiguity, hereafter, when we mention incentive compatibility/incentive compatible requirements/IC strategies, we mean the condition/requirements/strategies of a sender's commitment satisfying the following statement : for every possible realized signal under this commitment, the receiver taking the sender-suggested action is incentive-compatible.

3.3 Constraints given by phase-II experiments

By her choice of the experiment in phase I, the sender decides how to split the prior into the interim beliefs for the two experiments available in phase-II. The resulting interim-beliefs then lead to certain induced strategies at stage-II being applicable, i.e., incentive compatible (for the receiver). In other words, the probability pair (p_1, p_2) must make each (applied) induced strategy yield the maximum utility for the receiver. These requirements constrain the sender's choice of (p_1, p_2) and she needs to account for the (reduced) choice while deciding the split of the prior. Table 1 summarizes the impact in terms of the parameters of the phase-I experiment via primary requirements on (p_1, p_2) driven by the incentive compatibility while using each class of induced strategies. Hereafter, when we use IC requirements without specifically mentioned, we mean primary IC requirements. From the entries in the table, it is clear that the phase-II experiments (indirectly) limit the sender's strategy selection where this limitation arises due the receiver's IC requirements for each induced strategy (when that induced strategy is used).

Table 1. IC requirements of the sender's commitment based on the induced strategy

Induced strategy	Primary IC requirement	Induced strategy	Primary IC requirement
α_A	$p_1 \geq \frac{1-p}{p} \frac{q_{A2}}{q_{A1}} p_2$	α_B	$1 - p_1 \geq \frac{1-p}{p} \frac{q_{B2}}{q_{B1}} (1 - p_2)$
β_A	$p_1 \geq \frac{1-p}{p} \frac{1-q_{A2}}{1-q_{A1}} p_2$	β_B	$1 - p_1 \geq \frac{1-p}{p} \frac{1-q_{B2}}{1-q_{B1}} (1 - p_2)$
γ_A	$p_1 \leq \frac{1-p}{p} \frac{q_{A2}}{q_{A1}} p_2$	γ_B	$1 - p_1 \leq \frac{1-p}{p} \frac{q_{B2}}{q_{B1}} (1 - p_2)$

With this in mind, the sender's experiment design in phase I, essentially, is to select between different combinations of these induced strategies such that each induced strategy satisfies the constraint listed in Table 1. Hence, we next seek to understand how these IC constraints collectively determine the sender's strategy selection. To answer this, we first discuss the relationship between induced strategies, IC requirements, and the sender's expected utility.

From the sender's perspective, each induced strategy and its corresponding signals provide a path to persuade (or dissuade) the receiver to take action ϕ_1 .

Since the sender's objective is to maximize the probability that action ϕ_1 is taken, she would like to use the "most efficient"⁷ pair of induced strategies to persuade the receiver⁸. To better understand the "efficiency" of induced strategies, we evaluate each induced strategy under a given phase-II experiment E_X :

- **α_X strategy:** To persuade receiver to take action ϕ_1 via this induced strategy, the sender needs to ensure that $\mathbb{P}(\theta_1|\omega_{XP}) \geq \frac{1}{2}$. Hence, the interim belief $\mathbb{P}(\theta_1|E_X)$ must satisfy $\mathbb{P}(\theta_1|E_X) \in \left[\frac{q_{X2}}{q_{X1}+q_{X2}}, \frac{1-q_{X2}}{2-q_{X1}-q_{X2}} \right]$, otherwise a commitment using α_X induced strategy will never be incentive-compatible. From the sender's perspective, the most efficient strategy to persuade the receiver using α_X induced strategy is to design the phase-I experiment such that $\mathbb{P}(\theta_1|E_X) = \frac{q_{X2}}{q_{X1}+q_{X2}}$. At this interim belief, the sender experiences a relative expected utility $2q_{X1}$ (with respect to the prior). When $\mathbb{P}(\theta_1|E_X) \in \left(\frac{q_{X2}}{q_{X1}+q_{X2}}, \frac{1-q_{X2}}{2-q_{X1}-q_{X2}} \right)$, the sender's marginal expected utility when the interim belief increases is $q_{X1} - q_{X2}$.
- **β_X strategy:** To persuade receiver to take action ϕ_1 with this induced strategy the sender needs to ensure that both inequalities $\mathbb{P}(\theta_1|\omega_{XP}) \geq \frac{1}{2}$ and $\mathbb{P}(\theta_1|\omega_{XF}) \geq \frac{1}{2}$ hold. Given the assumption in Lemma 2, namely $q_{X1} \geq q_{X2}$, the only constraint that can be tight is $\mathbb{P}(\theta_1|\omega_{XF}) \geq \frac{1}{2}$. Hence, IC commitments using β_X induced strategy exist only when the interim belief $\mathbb{P}(\theta_1|E_X) \geq \frac{1-q_{X2}}{2-q_{X1}-q_{X2}}$. From the sender's perspective, the most efficient strategy to persuade the receiver using β_X induced strategy is to design the phase-I experiment such that $\mathbb{P}(\theta_1|E_X) = \frac{1-q_{X2}}{2-q_{X1}-q_{X2}}$ with the resulting relative expected utility $1 + \frac{1-q_{X1}}{1-q_{X2}}$. Unlike an α_X induced strategy where the sender still gets a positive utility gain when the interim belief increases, for a β_X induced strategy the sender's marginal expected utility gain when the interim belief increases is 0 when $\mathbb{P}(\theta_1|E_X) > \frac{1-q_{X2}}{2-q_{X1}-q_{X2}}$.
- **γ_X strategy:** Given that the sender suggests the receiver to take action ϕ_2 in this strategy, the sender's expected utility is 0 when using this induced strategy.

According to the discussion above, it is clear that the sender will not use the set of strategies corresponding to (γ_A, γ_B) unless the prior $p = 0$. Additionally, we also know that different induced strategies provide different relative expected utility to the sender. When induced strategies are used in the most efficient manner, the relative expected utility under α_X induced strategy is at most $2q_{X1}$, and the average expected utility under β_X induced strategy is at most $1 + \frac{1-q_{X1}}{1-q_{X2}}$.

Since these two values capture the best scenario that the sender can achieve by tailoring the interim belief under the given experiment, we define this pair of ratios, $(2q_{X1}, 1 + \frac{1-q_{X1}}{1-q_{X2}})$ as a function of (the given) experiment, denoted by $PerP(E_X)$; this pair is called the *persuasion potential*.

Definition 2. Given an experiment $E_X = (q_{X1}, q_{X2})$, the persuasion potential of this experiment, $PerP(E_X)$, is the pair $\left(2q_{X1}, 1 + \frac{1-q_{X1}}{1-q_{X2}} \right)$.

To provide some insights on the importance and use of the persuasion potential we preview Corollary 1. Corollary 1 states that the sender only uses induced

⁷ The efficiency of a strategy is defined as $\frac{\mathbb{P}(\phi_1|\text{interim belief, the induced strategy used})}{\mathbb{P}(\theta_1|\text{interim belief, the induced strategy used})}$.

⁸ When the prior falls in the region where the optimal signaling strategy is non-trivial.

strategies in the most efficient manner, i.e., $\mathbb{P}(\theta_1|E_X) = \frac{q_{X2}}{q_{X1}+q_{X2}}$ when a induced strategy α_X is used and $\mathbb{P}(\theta_1|E_X) = \frac{1-q_{X2}}{2-q_{X1}-q_{X2}}$ when a induced strategy β_X is used. Thus, the persuasion potential can simplify the sender's search for the optimal signaling strategy. When a particular induced strategy is used in the most efficient manner described in the above parameter, the interim belief is now determined. Therefore, the sender does not need to search for the optimal signaling strategy from the whole set of IC strategies but only needs to search from a small number of strategies that generate the particular interim beliefs.

3.4 Persuasion ratio and the optimal signaling structure

Since the sender wants to maximize the total probability of action ϕ_1 , she needs to compare different sets of strategies formed by different pairs of induced strategies. To compare each set of strategies, we introduce the persuasion ratio of a set of strategies for a given value of the prior.

Definition 3. *Given a set of incentive-compatible strategies \mathcal{S} , e.g., $\mathcal{S} = (c_A, d_B)$ with $c, d \in \{\alpha, \beta, \gamma\}$ which satisfying IC requirements, the persuasion ratio of the set of strategies \mathcal{S} is the maximum total probability of action ϕ_1 is taken (under a strategy within the set) divided by the prior p , $PR(\mathcal{S}, p) = \max_{S \in \mathcal{S}} \frac{\mathbb{P}(\phi_1|S)}{p}$.*

Careful readers may notice that if we multiply the persuasion ratio with the prior, the value will be the (maximum) expected utility the sender can achieve from the given set of strategies. Since the sender's expected utility will be monotone increasing in the prior p in this framework regardless of which set of strategies the sender adopts, the persuasion ratio for a given prior can be viewed as the relative utility gain this set of strategies can offer to the sender under this prior. Therefore, given a specific prior, if a set of strategies has a higher persuasion ratio with respect to another set of strategies, the sender should use the strategies in the former set instead of the latter set.

According to this discussion, we can draw a persuasion ratio curve for each set of strategies as the prior is varied in $[0, 1]$. Abusing notation, we represent the persuasion ratio curve by $PR(\mathcal{S})$. It may appear that an optimization needs to be carried out for each value of the prior. However, structural insights presented in the following two lemmas considerably simplify the analysis. Properties presented in Lemma 3 narrow down the space where the sender needs to search for the optimal signaling strategy. This allows us to depict persuasion ratio curves $PR(S)$ for some basic strategies. On top of that, Lemma 4 provides a systematic approach to derive persuasion ratio curves for all type of strategies.

Lemma 3. *Given a type of strategy \mathcal{S} and a prior p , there exists a (sender's) optimal strategy $S \in \mathcal{S}$ which satisfies one of the following two conditions:*

1. *At least one IC requirements of the constituent induced strategies is tight;*
2. *There is a signal that will be sent with probability 1 under S .*

Before discussing the simplifications that Lemma 3 yields in terms of the key properties for solving the problem, we give an intuitive outline of the proof of

Lemma 3. When the IC requirements of the two induced strategies are not tight and both signals are sent with non-zero probability in a strategy S , the sender can increase her expected utility by slightly raising the probability of the signal with a higher persuasion ratio (and adjust the probability of the other signal to respect the prior) to form a strategy S_+ . The sender can keep doing this ‘slight’ modification of her strategies until either one of the IC conditions is satisfied or the signal is sent with probability 1.

Given this lemma, the persuasion ratio curve of the following types of strategies: (α_A, γ_B) , (β_A, γ_B) , (γ_A, α_B) , (γ_A, β_B) can be determined immediately since the IC requirement can never be tight for the γ class induced strategy. For the remaining four types of strategies: (c_A, d_B) , $c, d \in \{\alpha, \beta\}$, the following lemma aids in solving for the strategy meeting the persuasion ratio without a point-wise calculation. As a preview of result of Lemma 5, once we derive the persuasion ratio curve for each type of strategies via Lemma 4, we can immediately identify the optimal signaling strategy by overlaying those curves in one figure.

Lemma 4. *Given the persuasion ratio curves of the types of strategies (c_A, γ_B) and (γ_A, d_B) , denoted by $PR((c_A, \gamma_B), p)$ and $PR((\gamma_A, d_B), p)$, respectively, the persuasion ratio curve of the set of incentive compatible strategies (c_A, d_B) , denoted by $PR((c_A, d_B), p)$, is the generalized concave hull⁹ of the functions $PR((c_A, \gamma_B), p)$ and $PR((\gamma_A, d_B), p)$ when $\mathcal{S}_{(c_A, d_B)}(p) \neq \emptyset$:*

$$PR((c_A, d_B), p) = \max_{\substack{x, u, v \in [0, 1], \\ xu + (1-x)v = p}} xPR((c_A, \gamma_B), u) + (1-x)PR((\gamma_A, d_B), v), \quad (3)$$

where $\mathcal{S}_{(c_A, d_B)}(p)$ is the set of IC strategies of (c_A, d_B) at p .

The proof of Lemma 4 uses the structure of the sender’s expected utility when no γ induced strategy is used in the types of strategies employed. The sender’s expected utility function under (c_A, d_B) at prior p can be represented as a linear combination of her utility function under (c_A, γ_B) at prior u and her utility function under (γ_A, d_B) at prior v , then the optimization problem of solving the optimal phase-I experiment parameters (p_1, p_2) under a prior p can be transformed to the maximization problem in the statement of Lemma 4. As we have discussed the means to determine each type of strategy’s persuasion ratio curve, Lemma 5 illustrates the persuasion ratio curve of the optimal signaling strategy.

Lemma 5. *The persuasion ratio curve of the optimal signaling strategy $PR^*(p)$ is the upper envelope of the different types of strategies’ persuasion curves. Further, the optimal signaling strategy (under a given prior) is the strategy that reaches the frontier of the persuasion ratio curve (at that prior).*

Since a higher persuasion ratio indicates a higher (sender’s) expected utility for every given prior, the sender will choose the upper envelope of the persuasion curves of the different types of strategies. Because the set $\mathcal{S}_{(c_A, d_B)}(p)$ could be empty for some prior values with a corresponding persuasion ratio

⁹ If $PR((c_A, \gamma_B), \cdot)$ and $PR((\gamma_A, d_B), \cdot)$ were the same function $f(\cdot)$, then this would be its convex hull.

$PR(c_A, d_B, p) = 0$, the main effort in proving Lemma 5 is to show the existence of an incentive-compatible commitment on the frontier of the persuasion ratio curve at every possible prior. Finally, once the persuasion ratio curve of the optimal signaling strategy is determined, we can immediately infer an optimal signaling strategy S^* under a specific prior.

For a two-phase trial or to solve the last two phases of a trial with more than two phases studied in Section 4, the following corollary that can further simplify the sender's optimization procedure.

Corollary 1. *Let $\Pi^*(p)$ represents the optimal signaling strategy at prior p . If $\mathbb{P}(\phi_1|\Pi^*(p)) < 1$, then the following two statements are true:*

1. *When α_X is used in $\Pi^*(p)$, the interim belief is $\mathbb{P}_{\Pi^*(p)}(\theta_1|E_X) = \frac{q_{X2}}{q_{X1}+q_{X2}}$.*
2. *When β_X is used in the optimal signaling strategy $\Pi^*(p)$, the interim belief is $\mathbb{P}_{\Pi^*(p)}(\theta_1|E_X) = \frac{1-q_{X2}}{2-q_{X1}-q_{X2}}$.*

With Corollary 1, the Equation (3) in Lemma 4 reduces to a linear equation. Hence, the comparison in Lemma 5 and the computation in Lemma 4 can be reduced to a comparison of the (unique) corresponding IC strategies (if one exists) under the interim belief listed in Corollary1 for different types of strategies.

3.5 Comparison with classical Bayesian persuasion strategies

Given the optimal signaling strategy derived in Lemma 5, one natural follow-up question is the quantification of the sender's utility improvement obtained by adopting the optimal signaling strategy in comparison to using strategies structurally similar to the optimal strategies in binary state of the world. Owing the page limit, we directly define a class of strategies structurally similar to the classical Bayesian persuasion strategy below and provide the justification in our online version [37].

Definition 4. *With binary states of the world, a (binary-state) Bayesian persuasion (BBP) strategy is a strategy that "mixes two possible states in one signal and reveals the true state on the other signal".*

Given the model defined in Section 2.1, a BBP strategy is forced to use at least one γ_X induced strategy¹⁰. Given a fixed type of strategy, e.g., (α_A, γ_B) , an optimal BBP strategy using this type of strategy can be solved by the concavification approach after the calculation of the sender's expected utility under interim beliefs. After solving the optimal BBP strategy of a given strategy type via concavification respectively, the optimal BBP strategy is the strategy in the set of $\{(\alpha_A, \gamma_B), (\beta_A, \gamma_B), (\gamma_A, \alpha_B), (\gamma_A, \beta_B)\}$ which yields the highest expected utility for the sender. Figure 2 plots the sender's expected utility for the optimal signaling strategy and the optimal BBP strategy under a given pair of phase-II experiments: $(q_{A1}, q_{A2}) = (0.8, 0.2)$, $(q_{B1}, q_{B2}) = (0.7, 0.3)$. The blue line in Figure 2 is the benchmark of the sender's maximum expected utility in a single-phase scenario, which would be the optimal performance if one of phase-II trials were a trivial experiment. As we can see, the sender's expected utility is

¹⁰ Because using either α_X , β_X requires a mixture of two possible states in one signal.

lowered owing to the determined phase-II experiments. For low-priors, the optimal signaling strategy derived in Section 3.4 and the optimal BBP strategy give the sender the same expected utility¹¹. However, as the prior increases, a utility gap between the optimal signaling strategy derived in Section 3.4 and the optimal BBP strategy appears and then increases until the receiver will take ϕ_1 with probability one. The utility gap starts when the optimal signaling strategy uses strategies (α_A, β_B) or (α_B, β_A) which are not considered in BBP strategies.




Fig. 2. Sender’s utility under different problem settings and strategies

4 Binary-outcome Experiments in Multi-phase trials

This section generalizes the approach derived in Section 3 to study problems with multi-phase trials. In section 2.1, we formulate a model for binary-outcome experiments in two-phase trials. Here, we generalize the model to multi-phase trials and then propose a dynamic programming algorithm to solve for the optimal signaling strategy. The state for the dynamic program will be the interim belief on the state of the world that results at any node in the extensive-form delineation of the problem. As the belief at each level is determined based on the actions in earlier stages (if any), in the backward iteration procedure, we will determine the optimal choice of experiments by the sender (if there is a choice) for any possible interim belief. In this dynamic programming, there is only a terminal reward that arises from the receiver’s action based on the outcome of the final trial and based on the receiver’s resulting posterior beliefs on the state of the world.

4.1 Model of binary-outcome experiments in multi-phase trials

There are N phases in a trial where one binary-outcome experiment will be conducted in each phase. However, as in the two-phase-trial settings, the specific experiment conducted in each phase is determined by the earlier phases’ outcomes. Therefore, for an N -phase trial, we can draw a height- N binary tree where each leaf node represents an outcome revealed to the receiver, and each

¹¹ Because the optimal signaling strategy in the low-prior region is (α_A, γ_B) here.

non-leaf node represents an experiment. With this binary tree, experiment $E_{i,j}$ represents the j^{th} experiment to be conducted at level i . When j is odd, an experiment $E_{i,j}$ will be conducted only if the experiment $E_{i-1,(j+1)/2}$ is conducted and passed. Similarly, when j is even, an experiment $E_{i,j}$ will be conducted only if the experiment $E_{i-1,j/2}$ is conducted but it fails. In this binary tree, some experiments, e.g, $E_{i,j}$, are determined. However, some experiments, e.g., $E_{k,l}$, can be designed by the sender; all the parameters are chosen before any experiment is conducted and are common knowledge. In such experiments, the sender can choose a probability pair, e.g., $(p_{kl1}, p_{kl2}) \in [0, 1]^2$. In contrast to the model defined in Section 2.1, here determined experiments and sender-designed experiments can be at any level of the tree with the placement arbitrary but carried out before the sender chooses her signals. In other words, unlike the model we considered in Section 2.1, a sender may be able to design an experiment at phase N (final level before the receiver takes a decision) owing to a determined experiment outcome at phase $N - 1$. Figure 3 provides a three-phase trial example.




Fig. 3. A 3-phase trial example

In this model, the prior, the experiments that are determined (their location on the tree and their parameters), and the sender-designed experiments (their location on the tree) are common knowledge. The sender has to design all the experiments she has the flexibility to choose simultaneously and before the game starts (when the state is realized); the designed experiments' parameters are then revealed to the receiver (again before the game starts). Given the experiments designed by the sender and the realized outcome of a sequence of experiments, the receiver will take an action to guess the true state of the world. For simplicity of analysis, we keep the sender and the receiver's utilities the same as in Section 2, i.e., $U_R(\phi_i, \theta_i) = 1$ and $U_R(\phi_i, \theta_j) = 0$ for all $i, j \in \{1, 2\}, i \neq j$; and $U_S(\phi_1, \theta_i) = 1$ and $U_S(\phi_2, \theta_i) = 0$ for all $i \in \{1, 2\}$. Then, the sender's objective is to jointly design the set of experiments that she has the flexibility to choose to maximize her expected utility, which is nothing but the probabil-

ity of the receiver taking action ϕ_1 . Before proceeding, we point out that this model can be easily generalized to unbalanced binary trees straightforwardly by adding dummy nodes with determined trivial experiments defined in Section 3.1 to construct an equivalent balanced binary tree.

4.2 Determined versus sender-designed experiments

Given the model, the sender can manipulate the phase- K interim belief only when designing an experiment at phase $K - 1$. If an experiment at phase $K - 1$ is determined, then the phase- K interim belief given the experiment's outcome in phase $K - 1$ is just a function of phase- $K - 1$ interim belief. Therefore, figuring out how these two types of experiments, determined and sender-designed experiments, will influence every given phase's interim belief is the key to solving for the optimal signaling strategy. We start by noting that if the posterior belief at a leaf node is given, then the receiver's action is determined - he will take the action with the highest posterior probability unless there is a tie, in which case he is indifferent and will follow the sender's recommendation. Therefore, we can use backward iteration and the principle of optimality to determine the optimal signaling. We start by considering the last¹² phase's experiments when the sender can design them.

Experiments at phase N Recall the result we have discussed in Section 3.2, a determined experiment in the last phase (phase-II in Section 3.2) limits the sender's strategy choice to one of three partial strategies. Besides, the best scenario that the sender can achieve via using these partial strategies (without violating the IC requirement) is captured by the persuasion potential of the determined experiment. However, when there is a sender-designed experiment at phase N and the interim belief¹³ $\tilde{p} \leq \frac{1}{2}$, the sender can always design the experiment to make two states equally likely when this experiment passes and reveal the sender-disliked state¹⁴ when this experiment fails. If we cast this sender-designed experiment in terms of a determined experiment, the sender-designed experiment will have a persuasion potential $(2, 2)$ ¹⁵. Thus, no matter the type of experiment at phase N , we can capture the sender's optimal set of partial strategies via a persuasion potential.

¹² They are phase- N experiments at level $N - 1$ of the binary tree.

¹³ If the interim belief $\tilde{p} > \frac{1}{2}$, then the sender can design a trivial experiment $E_X = (q_{X1}, q_{X2})$ where $q_{X1} = q_{X2}$, which provides no further information to the receiver and results in the posterior belief same as the interim belief of the experiment. Here, the sender can easily convince the receiver to take the sender-preferred action with probability 1.

¹⁴ The sender and the receiver's preferred actions are opposite to each other at this state.

¹⁵ When the sender gets to design an experiment $E_X = (q_{X1}, q_{X2})$, she can choose $q_{X1} = 1, q_{X2} > 0$ to make the first element of the persuasion potential to be 2. Similarly, she can choose $q_{X1} = q_{X2} \in [0, 1]$ to make the second element of the persuasion potential to be 2. (When $q_{X1} = q_{X2}$, then $\frac{1-q_{X1}}{1-q_{X2}} = 1$ if $q_{X1} = 1$ by L'Hôpital's rule.)

Experiments in phase $N - 1$ In the second-last phase, results in Section 3.4 describe a sender-designed experiment's role in the optimal signaling strategy: pick the strategy on the frontier of all persuasion-ratio curves. However, if the experiment is determined in the second-last phase, an additional constraint on the interim belief between the second-last phase and the last phase is enforced. That is to say, the set of (feasible) strategies that we can use to search for the persuasion ratio shrinks. For example, if we want to look at the persuasion ratio of a set of strategies (c_A, d_B) in a two phase trial with a determined phase-I experiment $E_X = (q_{X1}, q_{X2})$, the persuasion ratio of a given strategy becomes a function of parameters in (E_X, E_A, E_B) (when that strategy satisfies the IC requirements):

$$PR((c_A, d_B), p) = \frac{\mathbb{P}_{E_A, E_B}(\phi_1 | (c_A, d_B), \{\mathbb{P}(\theta_1 | \omega), \omega \in \{\omega_{AP}, \omega_{AF}, \omega_{BP}, \omega_{BF}\}\})}{p},$$

$$\text{where } \mathbb{P}(\theta_1 | \omega_{AP}) = \frac{pq_{X1}q_{A1}}{pq_{X1}q_{A1} + (1-p)q_{X2}q_{A2}}, \quad \mathbb{P}(\theta_1 | \omega_{BP}) = \frac{p(1-q_{X1})q_{B1}}{p(1-q_{X1})q_{B1} + (1-p)(1-q_{X2})q_{B2}},$$

$$\mathbb{P}(\theta_1 | \omega_{AF}) = \frac{pq_{X1}(1-q_{A1})}{pq_{X1}(1-q_{A1}) + (1-p)q_{X2}(1-q_{A2})}, \quad \mathbb{P}(\theta_1 | \omega_{BF}) = \frac{p(1-q_{X1})(1-q_{B1})}{p(1-q_{X1})(1-q_{B1}) + (1-p)(1-q_{X2})(1-q_{B2})}.$$

Fortunately, after enforcing the constraints, the process of searching for the optimal signaling strategy under a determined experiment is the same as the sender-designed experiment, i.e., pick the strategy in the frontier of all persuasion ratio curves. Therefore, at each possible branch of phase $N - 1$, we can plot an optimal persuasion ratio curve capturing the sender's optimal signaling strategy at phase $N - 1$ and phase N .

Experiments in earlier phases Now we consider experiments in earlier phases. Let's start with a determined experiment. Given a determined experiment in phase- K , e.g., $E_{k,i} = (q_{Ki1}, q_{Ki2})$, if we have already solved the optimal persuasion ratio curves of its succeeding phase- $(K + 1)$ experiments $E_{K+1,2i-1}$ and $E_{K+1,2i}$, i.e., $PR_{K+1,2i-1}^*(p)$ and $PR_{K+1,2i}^*(p)$ are known, then the optimal persuasion ratio curve at this determined phase- K experiment $E_{k,i}$ is just a linear combination of $PR_{K+1,2i-1}^*(p)$ and $PR_{K+1,2i}^*(p)$ can be written as follows:

$$PR_{K,i}^*(p) = (pq_{Ki1} + (1-p)q_{Ki2})PR_{K+1,2i-1}^*\left(\frac{pq_{Ki1}}{pq_{Ki1} + (1-p)q_{Ki2}}\right) + (p(1-q_{Ki1}) + (1-p)(1-q_{Ki2}))PR_{K+1,2i}^*\left(\frac{p(1-q_{Ki1})}{p(1-q_{Ki1}) + (1-p)(1-q_{Ki2})}\right) \quad (4)$$

For a sender-designed experiment at phase K , e.g., $E_{K,j}$, if we have already solved the optimal persuasion ratio curves of its succeeding phase- $(K + 1)$ experiments $E_{K+1,2j-1}$ and $E_{K+1,2j}$, the sender's best design at $E_{K,j}$ is to find a linear combination of $PR_{K+1,2j-1}^*(p)$ and $PR_{K+1,2j}^*(p)$ which yield the highest persuasion ratio for every phase- K interim belief p . Since the persuasion ratio curve is monotone decreasing in the belief, the optimal persuasion ratio curve can be constructed similar to Lemma 4 as shown in Corollary 2.

ALGORITHM 1: Dynamic programming approach for multi-phase trials

Input: The set of determined experiments \mathbf{E}_D , the binary tree structure**Output:** The optimal persuasion ratio curve

1. For each experiment at phase N , $E_{N,i}$ $i \in \{1, \dots, 2^N\}$, solve its persuasion potential $Prep(E_{N,i})$
 2. For each experiment at phase $N - 1$, $E_{N-1,i}$ $i \in \{1, \dots, 2^{N-1}\}$, find the optimal persuasion ratio curve using $(Prep(E_{N,2i-1}), Prep(E_{N,2i}))$.
 3. $K=N-2$
 4. **while** $K > 0$ **do**
 - For each experiment at phase K , $E_{K,i}$ $i \in \{1, \dots, 2^K\}$, find the optimal persuasion ratio curve using equation (4) or Claim 2
 - $K=K-1$
 - end**
 5. Return the optimal persuasion ratio curve at phase 1
-

Corollary 2. *Given two persuasion ratio curves at phase $K+1$, $PR_{K+1,2j-1}^*(p)$ and $PR_{K+1,2j}^*(p)$, the optimized persuasion ratio curve $PR_{K,j}^*(p)$ at phase K is the maximum convex combination of $PR_{K+1,2j-1}^*(p)$ and $PR_{K+1,2j}^*(p)$, i.e.,*

$$PR_{K,j}^*(p) = \max_{x,u,v \in [0,1], xu+(1-x)v=p} xPR_{K+1,2j-1}^*(u) + (1-x)PR_{K+1,2j}^*(v) \quad (5)$$

4.3 Dynamic programming approach for the optimal signaling strategy

Given the analysis above, we can derive the optimal signaling strategy using a dynamic programming approach outlined in Algorithm 1.

4.4 Multi-phase model and classical Bayesian persuasion

At the end of this section, we mention a class of special multi-phase trials where the sender's expected utility under the optimal signaling strategy is equivalent to utility obtained from a single-phase Bayesian persuasion model. Inspired by the two-phase example with a trivial experiment in 1, the sender can implement a signaling strategy similar to single-phase Bayesian persuasion when there exists a trivial experiment in the last phase and she can design experiments in earlier phases. When the sender can design all earlier phases, she can voluntarily reduce the signal space in effect via designing the experiment $E_{i,j}$ to be $E_{i,j} = (1, 1)$ or $E_{i,j} = (0, 0)$, i.e., a revealing experiment. By doing this, the sender can reduce the multi-phase trial to an equivalent two-phase trial model and then a straightforward extension of Lemma 1 will hold when there exists a trivial experiment in the last phase. Figure 4 depicts this extension in a 5-phase example. A lemma that further generalizes the class of multi-phase models where the sender has the same expected utility as single-phase Bayesian persuasion problem is presented below after the definition of a necessary pruning process.




Fig. 4. A 5-phase example with sender's expected utility equivalent to classical Bayesian persuasion

Definition 1 Given an N -phase trial model M , a pruned N -phase trial model $\text{Prun}(M)$ is a subset of M which starting from the leaf nodes recursively replaces every subtree satisfying the following condition by a revealing experiment $E_\Theta = (1, 0)$:

- The node has a trivial (determined) experiment E_X with at least one of its succeeding experiments a non-trivial (determined) experiment.

Note that the pruned tree will potentially be unbalanced.

Lemma 6. Given an N -phase trial M with binary-outcome experiments, if there exists a pruned N -phase trial model $\text{Prun}(M)$ such that the following two conditions hold, then the sender's expected utility is given by an equivalent single-phase Bayesian persuasion model.

1. For every non-trivial determined experiment, its sibling is either a trivial or a sender-designed experiment.
2. There exists a least one sender-designed experiment in each experiment sequence¹⁶ of $\text{Prun}(M)$.

We provide some intuition for Lemma 6. The first condition guarantees that the sender's signaling space is (effectively) not restricted in this pruned model. The second condition states that the sender can design posterior beliefs in every possible outcome in this pruned model. Generalizing Lemma 6 to a complete characterization when a multi-phase trial is equivalent to a single-phase Bayesian persuasion model is for future work.

¹⁶ From root to leaf experiments.

Robustness of signaling strategies under small perturbation Given the statement of Lemma 6, we are curious about the robustness of sender’s optimal signaling strategy under small perturbations. Here, we want to discuss a 4-phase example which initially satisfies the conditions of Lemma 6 and see how small perturbations on trivial experiments will affect the sender’s expected utility and the optimal signaling strategy.

To begin with, we consider a 4-phase example depicted in Figure 5, where S^i denotes the i^{th} sender-designed experiment, N^i denotes the i^{th} non-trivial experiment, and T^i denotes the i^{th} trivial experiment. The phase-I experiment is always S^1 , then depends on the outcome of S^1 , the phase-II experiment can be either T^1 or N^1 as depicted in the figure. To avoid ambiguity, for each experiment E^i , $q_1^{E^i}, q_2^{E^i}$ represent the probability of going to the left node when the true state is θ_1, θ_2 , respectively. In this example, the prior belief of θ_1 is set to be $p = 0.4$, and all parameters of pre-determined experiments (trivial or non trivial) are provided in Table 2.




Fig. 5. A 4-Phase Trial Satisfying Lemma 6

Table 2. Table of experiment parameters

Experiment	T^1	T^2	T^3	T^4	T^5	T^6	T^7	N^1	N^2	N^3	N^4
q_1	0.6	0.8	0.8	0.5	0.7	0.7	0.7	0.8	0.6	1	0.5
q_2	0.4	0.2	0.2	0.5	0.7	0.7	0.7	0.5	0.4	0.5	0.5

When there is no perturbation, the sender’s optimal signaling strategy will design S^1 to be $(q_1^{S^1}, q_2^{S^2}) = (1, \frac{2}{3})$ and the sender’s expected utility is 0.8. Now, we want to investigate small perturbations in T^2 and T^3 . Since every trivial experiment T^i has $q_1^{T^i} = q_2^{T^i}$, we assume that the perturbation always occurs in $q_2^{T^i}$ to avoid redundancy.

Example 1: Perturbation in T_3 When there is a small perturbation of $q_2^{T^3}$, the posterior of the outcome $LLLL$ and $LLLR$ will now be different. In the original signaling strategy, the sender will make $\mathbb{P}(\theta_1|LLLL) = 0.5$ and $\mathbb{P}(\theta_1|LLLR) = 0.5$ to persuade the receiver taking action ϕ_1 . Under the perturbation, one of the outcome will have posterior belief less than 0.5 and the receiver’s best response will switch to ϕ_2 . Thus, the sender will have to decide whether she will accommodate this perturbation and design a new experiment at the very beginning (S^1) or using the same signaling strategy and reluctantly accept the loss. This utility change towards the perturbation is plotted in Figure 6. We want to note that other examples with perturbation in the phase phase or in a trivial experiment where none of its succeeding experiments is a sender-designed experiment will have the figures with the shape similar to this one.




Fig. 6. Perturbation at T^3

Example 2: Perturbation in T_2 Instead of a perturbation in the last phase, we want to look at a perturbation occurs in a trivial experiment where one¹⁷ of

¹⁷ If both of its succeeding experiments are sender-designed experiments, then the perturbation in this trivial experiment will not affect the sender’s expected utility if it

its succeeding experiment is a sender-designed experiment. In Figure 7, different from Figure 6, keeping the same strategy will never be an optimal when the perturbation increases the total probability on the side where its succeeding node is a sender-designed experiment. The reason is that when there is a sender-designed experiment in its succeeding, the sender can decide whether to accommodate the perturbation in earlier phases S^1 or in later phases S^3 .




Fig. 7. Perturbation at T^2

With above two small examples, we can see there's a significant utility drop even with a small perturbation. This suggests that even the difference between q_1^E and q_2^E is small, we should still view it as a non-trivial experiment instead of treating it as a trivial experiment.

5 Discussion

5.1 Non-binary-outcome experiments

In Section 4, we proposed a dynamic programming algorithm to solve the optimal signaling strategy in binary-outcome experiments. When the experiments have more than two possible outcomes, the dynamic programming approach still works if complexity is not an issue. Again, supposing that we can solve the last

originally satisfies the conditions in Lemma 6. The reason is the sender can design these two sender-designed experiments and adjust the sender-designed experiment in an earlier phase than this perturbation to cancel out the effect of a small perturbation.

two phases in non-binary-outcome experiments directly via the LP, then the earlier phases can be solved by a dynamic programming approach similar to Section 4.

To detail the dynamic programming operation in each experiment not in the last two phases, we again treat determined experiments and sender-designed experiments differently. Let's start with a determined experiment. Given a determined experiment (assuming its index is i) in K^{th} phase with n possible outcomes, denoted as $E_{K,i} = (q_{K i 11}, \dots, q_{K i n 1}, q_{K i 12}, \dots, q_{K i n 2})$, if we have already solved the optimal persuasion ratio curves in its succeeding phase, i.e., phase $(K + 1)$ with experiments $E_{K+1,1}^i, E_{K+1,2}^i, \dots, E_{K+1,n}^i$, and the curves are represented by $PR_{K+1,(i,1)}^*(p), PR_{K+1,(i,2)}^*(p), \dots, PR_{K+1,(i,n)}^*(p)$, then the optimal persuasion ratio curve at this determined phase- K experiment $E_{K,i}$ is a linear combination of the persuasion curves $PR_{K+1,(i,1)}^*(p), PR_{K+1,(i,2)}^*(p), \dots, PR_{K+1,(i,n)}^*(p)$. It can be represented in the following form:

$$PR_{K,i}^*(p) = \sum_{j=1}^n (pq_{K i j 1} + (1-p)q_{K i j 2}) PR_{K+1,(i,j)}^* \left(\frac{pq_{K i j 1}}{pq_{K i j 1} + (1-p)q_{K i j 2}} \right). \quad (6)$$

When we have an n -outcome experiment $E_{K,m}$ at phase K that the sender can design, the sender's optimal persuasion ratio curve is the generalized concave hull of all of its succeeding phase- $(K + 1)$ experiments' persuasion ratio curves $PR_{K+1,(m,1)}^*(p), PR_{K+1,(m,2)}^*(p), \dots, PR_{K+1,(m,n)}^*(p)$. This convex optimization function can be written in the following form:

$$PR_{K,m}^*(p) = \max_{u_1, \dots, u_n, v_1, \dots, v_n} \sum_{j=1}^n u_j PR_{K+1,(m,j)}^*(v_j) \quad (7)$$

subject to $\sum_{j=1}^n u_j = 1, \sum_{j=1}^n u_j v_j = p$

Given the convex optimization problem in (7), we know that for each sender-designed experiment, we have to solve a convex optimization problem that has $2n - 2$ parameters. At this point, we do not know whether there is a simplification to solve this convex optimization directly in an efficient manner. As an alternative, we will propose a transformation to transform any n -outcome experiments into a sequence of binary-outcome experiments.

Lemma 7. *Given a n -outcome experiment $E = [(q_{11}, q_{21}), (q_{12}, q_{22}), \dots, (q_{1n}, q_{2n})]$ satisfying $\sum_{i=1}^n q_{1i} = 1$ and $\sum_{i=1}^n q_{2i} = 1$, we can replace this experiment E by at most $\lceil \log_2 n \rceil$ phases of binary-outcome experiments.*

Lemma 7 can be proved by constructing a level- $\lceil \log_2 n \rceil$ tree with binary-outcome experiments such that the state θ_1 has probability q_{1i} to be in the i^{th} leaf node and the state θ_2 has probability q_{2i} to be in the same node. Let's use a ternary-outcome experiment as an example. With the tuple (Input, Outcomes) representing experiments, consider an experiment $E = (I_1, \{O_1, O_2, O_3\})$ with a given

$[(q_{11}, q_{21}), (q_{12}, q_{22}), (q_{13}, q_{23})]$. This experiment E is equivalent to a sequence of 3 binary-outcome experiments $E_1 = (I_1, \{I_2, I_3\})$, $E_2 = (I_2, \{O_1, O_2\})$, and $E_3 = (I_3, \{O_3, O_3\})$. Every belief evolution $p \rightarrow (p_1, p_2, p_3)$ generated via E can be reproduced using E_1 , E_2 , and E_3 . Hence, we can set $E_1 = (q_{11} + q_{12}, q_{21} + q_{22})$, $E_2 = (\frac{q_{11}}{q_{11} + q_{12}}, \frac{q_{21}}{q_{21} + q_{22}})$, and $E_3 = (1, 1)$ replace E by a set of 2-phases binary-outcome experiments. The explicit construction of the general formulation can be found in the Appendix 8.6.

With Lemma 7, for every given non-binary experiment, predetermined or sender-designed, we can produce a set of equivalent binary-outcome experiments. Thus, our DP algorithm (Algorithm 1) can also be applied to solve multi-phase trials with non-binary (outcome) experiments with an increased number of phases.

5.2 Receiver's optimal experiments

In many real-world applications, the receiver can design/determine some of the experiments ahead of time for all future senders. For example, the FDA can determine regulations (the experiments) ahead of time for future trials. In such scenarios, the receiver aims to design the experiments to maximize her expected utility by circumscribing the sender's ability to tailor the interim beliefs. However, while determining the experiments, we assume that the receiver has no information about the prior in each future case or has minimal information about the prior in future cases. In such scenarios, by viewing the future prior (distribution) as a choice made by nature, the receiver now faces uncertainty on nature's strategy. This problem falls into the problem category of picking the decision rule under subjective/non-additive expected utilities with this interpretation. Assuming the axiom of uncertainty aversion, maximin strategies that were axiomatized by [21], are favored in when neither the degree of the uncertainty nor agents' uncertainty aversion level is negligible. In the rest of this discussion, we assume that the receiver uses the maximin strategy to design/choose the optimal experiments and discuss two examples in binary-outcome two-phase trials. The first example considers the simplest case where the receiver can design both phase-II experiments but has no knowledge about the prior distribution. The second example considers a more complex scenario where the receiver can only design one of the two phase-II experiments. However, he knows the possible priors in future cases¹⁸. Before presenting the examples, we pause to add that at the moment, we are unable to extend our analysis to multi-phase trials where the receiver can devise experiments in the middle phases. We believe that the results of [11] could be useful in this context but again leave this exploration to future work.

When receiver controls phase-II experiments in a two-phase trial Let's use the same model analyzed in Section 3 as an example to shed some light on

¹⁸ Specifically, the receiver knows the support of the prior but the distribution of the prior is still unknown.

the receiver's optimal experiments. First, we consider the case where the receiver can control both experiments in phase II. In other words, the receiver can design parameters $q_{A1}, q_{A2}, q_{B1}, q_{B2}$. To avoid redundant discussions and to simplify the analysis, we still assume these parameters satisfy the assumptions made in Claim 2. When there are no real-world constraints on how precise the experiments can be, i.e., $q_{A1}, q_{A2}, q_{B1}, q_{B2} \in [0, 1]$, and the receiver uses a maximin strategy among all possible priors, his optimal experiments are stated in the following lemma:

Lemma 1 *If the receiver can design phase-II experiments with no constraints, then her optimal experiments E_A, E_B is $E_A = (q_{A1}, q_{A2}) = (1, 0)$ and $E_B = (q_{B1}, q_{B2}) = (1, 0)$. In other words, the experiment outcome will reveal the true states regardless of the prior and interim beliefs.*

When we allow the receiver to design experiments without any constraints, the receiver will pick two revealing experiments in phase-II to guarantee that he will take the preferred action, whatever the state is. This outcome occurs due to the extreme flexibility available to the receiver.

Example: Receiver can only pick one of the phase-II experiment from a finite set This example discusses the receiver's optimal experiment selection if one of the phase-II experiments is already fixed (by other external means) and she is only allowed to pick the second experiment from a given finite set of experiments. To simplify the discussion, hereafter, we assume that the fixed experiment is E_A where the receiver knows (q_{A1}, q_{A2}) . In this example, the receiver can pick the experiment E_B from a finite set \mathbf{E}_B , and she also knows that the future prior will be in the range $[a, b]$.

To make the result more general, we rule out the second assumption in Claim 2, i.e., we do not assume that experiment E_A is more (Blackwell) informative than the experiment E_B when the true state is θ_1 . However, we still assume that the probability of passing a phase-II trial when the true state is θ_1 is greater than or equal to the probability of passing a phase-II trial when the true state is θ_2 , i.e., $q_{A1} \geq q_{A2}$ and $q_{B1} \geq q_{B2}$.

When the receiver uses the maximin strategy in knowing the prior region $[a, b]$ under the utility function $u_r(\phi_i, \theta_i) = \mathbf{1}_{\{i=j\}}$, the receiver's objective is to find the experiment $E_B \in \mathbf{E}_B$ that minimizes her maximum probability of taking the wrong action in the prior region $[a, b]$. For example, given $E_A = (1, 0)$, $\mathbb{E}_B = \{E_B, E_{\hat{B}}\}$ with $q_{B1} = q_{\hat{B}1}$ and $q_{B2} \geq q_{\hat{B}2}$ and $[a, b] = [0, \frac{q_{B2}}{q_{B1} + q_{B2}}]$, the receiver will choose use experiments $(E_A, E_{\hat{B}})$ instead of (E_A, E_B) . If the receiver chooses (E_A, E_B) , he will guess incorrectly more often for every prior $p \in [0, \frac{q_{B2}}{q_{B1} + q_{B2}}]$ than when using experiment $(E_A, E_{\hat{B}})$. When the set of available experiment \mathbf{E}_B is small, comparing the receiver's maximin expected utility for each pair of (E_A, E_B^i) , $E_B^i \in \mathbf{E}_B$ in a given prior region is a viable approach. However, when \mathbf{E}_B is large, an approach that efficiently searches through the available experiments (E_A, E_B^i) , $E_B^i \in \mathbf{E}_B$ is required. A preliminary result here provides a partial order of experiments in terms of the receiver's utility. To help

in formulating the partial order of experiments, we define the strong notion of inferiority of experiments.

Definition 5. *An experiment E_X is inferior to an experiment E_Y if the receiver's expected utility of choosing (E_A, E_Y) is higher than the expected utility of choosing (E_A, E_X) for all priors in the specified region and for any given experiment E_A .*

Given the above definition of inferiority, a partial ordered set of \mathbf{E}_B can be built using Lemma 8:

Lemma 8. *Given two experiments E_X, E_Y , E_X is inferior to E_Y if one of the following two conditions is satisfied:*

$$(1) \quad q_{Y1} \leq \frac{2 - q_{Y2}}{3 - 2q_{Y2}} \quad \text{and} \quad \max\{2q_{X1} - 1, \frac{1 - q_{X1}}{1 - q_{X2}}\} < \frac{1 - q_{Y1}}{1 - q_{Y2}},$$

$$(2) \quad q_{Y1} > \frac{2 - q_{Y2}}{3 - 2q_{Y2}}, \quad q_{X1} < q_{Y1}, \quad \text{and} \quad \frac{1 - q_{X1}}{1 - q_{X2}} < \frac{1 - q_{Y1}}{1 - q_{Y2}}.$$

Lemma 8 can help the receiver to reduce the search of optimal experiments from a large set of experiment candidates, especially when the available experiments is not a countable set. The following example demonstrates how Lemma 8 reduces the set of searching the experiments.

Example: Searching for the optimal experiments from two sets Consider a given experiment $E_A = (0.7, 0.5)$. The receiver now can choose an experiment E_B from two different sets. The first set has low q_{B1} and low q_{B2} . It has to satisfying the following requirements:

1. The experiment has a bounded pass rate, $0.1 < q_{B2} \leq q_{B1} \leq 0.7$.
2. The experiment has a limit of informativeness $q_{B1} - q_{B2} \leq 0.25$ and $\frac{q_{B1}}{q_{B2}} \leq 1.6$.

The second set has high pass rate q_{B1}, q_{B2} but it q_{B1}, q_{B2} are functions satisfying the following requirements:

1. The experiment has a bounded pass rate, $0.7 \leq q_{B1} \leq 0.9$.
2. q_{B2} is a function of q_{B1} , $q_{B2} = 1.05 - 2.5(1 - q_{B1})$.

The receiver wants to choose the experiment from one of these two sets to maximize her expected utility.

Given Lemma 8, every other experiment in the first set is inferior to the experiment $(\frac{2}{3}, \frac{5}{12})$. (Every experiment in the first set satisfying $q_{B1} \leq \frac{2 - q_{B2}}{3 - q_{B2}}$, hence, applying the first condition of Lemma 8 can help us build the partial order of experiments in the first set.) Hence, if the receiver will pick E_B from the first set, she should choose the experiment $(\frac{2}{3}, \frac{5}{12})$.

In the second set, every experiment satisfies $q_{B1} > \frac{2 - q_{B2}}{3 - q_{B2}}$. Hence, we can use the second condition of Lemma 8 to build the partial order of this set of

experiments. In this set, every other experiment is inferior to the experiment $(0.9, 0.8)$. Thus, the receiver only needs to consider the experiment $(0.9, 0.8)$.

Now, we want to look at if we can order $(\frac{2}{3}, \frac{5}{12})$ and $(0.9, 0.8)$ directly using the inferiority defined in Definition 5. Unluckily, between this pair neither is inferior to the other. Hence, we need to look at whether the pair of experiments $\{(0.7, 0.5), (\frac{2}{3}, \frac{5}{12})\}$ gives the sender a higher expected utility than the pair $\{(0.7, 0.5), (0.9, 0.8)\}$. After the calculation, the pair $\{(0.7, 0.5), (\frac{2}{3}, \frac{5}{12})\}$ gives the sender higher (or equal) expected utility for every prior. Hence, we can claim the receiver's optimal experiment in this example is $(\frac{2}{3}, \frac{5}{12})$.

6 Conclusion

This work studies Bayesian persuasion problems in multi-phase trials with determined experiments, and highlights the significant difference between single-phase and multi-phase trials: conducted experiments can be correlated in multi-phase trials, and determined experiments can constrain the sender's signalling strategy. When the experiments have binary outcomes, we explicitly analyze the two-phase trial and propose a dynamic programming approach to solve multi-phase trials using backward iteration. The proposed dynamic programming approach helps the sender systematically update her interim beliefs, and makes a design of strategic (and complex) signaling scheme possible. We also study non-binary-outcome experiments, discuss scenarios where the determined experiments can be designed by the receiver, and analyze the robustness of signaling strategies under small perturbation (from classical Bayesian persuasion). Results in these discussions demonstrate the fragility of optimal signaling strategies in environments where signals are revealed sequentially, and highlight the significance of tailored signaling strategies in information design problems under higher-order inference.

References

1. Au, P.H.: Dynamic information disclosure. *The RAND Journal of Economics* **46**(4), 791–823 (2015)
2. Babichenko, Y., Barman, S.: Algorithmic aspects of private Bayesian persuasion. In: 8th Innovations in Theoretical Computer Science Conference (ITCS 2017). vol. 67, p. 34. Schloss Dagstuhl–Leibniz-Zentrum fuer Informatik (2017)
3. Basu, D.: Statistical information and likelihood [with discussion]. *Sankhyā: The Indian Journal of Statistics, Series A* pp. 1–71 (1975)
4. Bergemann, D., Morris, S.: Information design: A unified perspective. *Journal of Economic Literature* **57**(1), 44–95 (2019)
5. Blackwell, D.: Equivalent comparisons of experiments. *The annals of mathematical statistics* pp. 265–272 (1953)
6. Boleslavsky, R., Kim, K.: Bayesian persuasion and moral hazard (2018), available at SSRN 2913669
7. Candogan, O.: Reduced form information design: Persuading a privately informed receiver (2020), available at SSRN 3533682

8. Candogan, O., Strack, P.: Optimal disclosure of information to a privately informed receiver (2021), available at SSRN 3773326
9. Carroni, E., Ferrari, L., Pignataro, G.: Does costly persuasion signal quality? (2020), available at SSRN
10. Celli, A., Coniglio, S., Gatti, N.: Computing optimal ex-ante correlated equilibria in two-player sequential games. In: Proceedings of the 18th International Conference on Autonomous Agents and MultiAgent Systems. pp. 909–917 (2019)
11. Doval, L., Ely, J.C.: Sequential information design. *Econometrica* **88**(6), 2575–2608 (2020)
12. Doval, L., Skreta, V.: Constrained information design: Toolkit (2018), arXiv preprint arXiv:1811.03588
13. Dughmi, S.: Algorithmic information structure design: A survey. *ACM SIGecom Exchanges* **15**(2), 2–24 (2017)
14. Dughmi, S., Kempe, D., Qiang, R.: Persuasion with limited communication. In: Proceedings of the 2016 ACM Conference on Economics and Computation. pp. 663–680 (2016)
15. Dughmi, S., Xu, H.: Algorithmic Bayesian persuasion. *SIAM Journal on Computing* (0), STOC16–68 (2019)
16. Ely, J.C.: Beeps. *American Economic Review* **107**(1), 31–53 (2017)
17. Ely, J.C., Szydlowski, M.: Moving the goalposts. *Journal of Political Economy* **128**(2), 468–506 (2020)
18. Farhadi, F., Teneketzis, D.: Dynamic information design: A simple problem on optimal sequential information disclosure. Available at SSRN 3554960 (2020)
19. Forges, F., Koessler, F.: Long persuasion games. *Journal of Economic Theory* **143**(1), 1–35 (2008)
20. Gentzkow, M., Kamenica, E.: Costly persuasion. *American Economic Review* **104**(5), 457–62 (2014)
21. Gilboa, I., Schmeidler, D.: Maxmin expected utility with non-unique prior. *Journal of Mathematical Economics* **18**(2), 141 – 153 (1989). [https://doi.org/https://doi.org/10.1016/0304-4068\(89\)90018-9](https://doi.org/https://doi.org/10.1016/0304-4068(89)90018-9), <http://www.sciencedirect.com/science/article/pii/0304406889900189>
22. Gradwohl, R., Hahn, N., Hoefler, M., Smorodinsky, R.: Algorithms for persuasion with limited communication. In: Proceedings of the 2021 ACM-SIAM Symposium on Discrete Algorithms (SODA). pp. 637–652. SIAM (2021)
23. Guo, Y., Shmaya, E.: The interval structure of optimal disclosure. *Econometrica* **87**(2), 653–675 (2019)
24. Hedlund, J.: Persuasion with communication costs. *Games and Economic Behavior* **92**, 28–40 (2015)
25. Honryo, T.: Dynamic persuasion. *Journal of Economic Theory* **178**, 36–58 (2018)
26. Kamenica, E.: Bayesian persuasion and information design. *Annual Review of Economics* **11**, 249–272 (2019)
27. Kamenica, E., Gentzkow, M.: Bayesian persuasion. *American Economic Review* **101**(6), 2590–2615 (2011)
28. Kolotilin, A., Mylovanov, T., Zapechelnuk, A., Li, M.: Persuasion of a privately informed receiver. *Econometrica* **85**(6), 1949–1964 (2017)
29. Le Treust, M., Tomala, T.: Persuasion with limited communication capacity. *Journal of Economic Theory* **184**, 104940 (2019)
30. Li, F., Norman, P.: On Bayesian persuasion with multiple senders. *Economics Letters* **170**, 66–70 (2018)
31. Li, J., Zhou, J.: Blackwell’s informativeness ranking with uncertainty-averse preferences. *Games and Economic Behavior* **96**, 18–29 (2016)

32. Matyskova, L.: Bayesian persuasion with costly information acquisition (2018), cERGE-EI Working Paper Series
33. Meigs, E., Parise, F., Ozdaglar, A., Acemoglu, D.: Optimal dynamic information provision in traffic routing. arXiv preprint arXiv:2001.03232 (2020)
34. Nguyen, A., Tan, T.Y.: Bayesian persuasion with costly messages. Available at SSRN 3298275 (2019)
35. Perez-Richet, E.: Interim bayesian persuasion: First steps. American Economic Review **104**(5), 469–74 (2014)
36. Perez-Richet, E., Prady, D.: Complicating to persuade? (2012), unpublished
37. Su, S.T., Subramanian, V., Schoenebeck, G.: Bayesian persuasion in sequential trials. arXiv preprint arXiv:2110.09594 (2021)

7 Appendix: Discussions

7.1 Additional Real-world problems with multiple phases

In the introduction, we present a motivating interview example. Here, we want to provide more real-world Bayesian persuasion problems that contain multi-phase trials.

Graduate application A junior undergraduate who wants to apply for graduate schools must submit her transcript and three recommendation letters from her professors. She wants to get offers no matter whether she is mature enough or not. The admission committee, who always wants to recruit mature students, will first do a GPA screening and then read the recommendation letters. The student can choose to take any combination of courses as she wishes, but the recommendation letters must come from the professors of taken courses. There are some easy courses with a high average GPA, but those instructors' recommendation letters tell minimal information of whether she is mature enough. On the contrary, there are lab courses that the instructor can tell whether she is mature enough but have a low average GPA. Now, the student has to decide the best combination of courses that she will take.

Multi-round interview A new graduate wants to get an offer from a company. The department head of the company wants to hire a person who is competent for the position. To get an offer, the new graduate has to pass the interview. The interview has multiple rounds, and she can choose different strategies in each round to sell herself. According to her strength and personality traits that she shows in previous rounds, the department head will ask different questions in the final interview to evaluate whether the new graduate is competent for the position and decide whether the offer should be granted to the new graduate.

Product Launch A product development team invents a new product and wants to launch it. The company has to decide whether it should launch such a new product or not. The product development team can decide the number of

simplified trial products that will be sent out. Based on those trial products' customer feedback, the company will decide to offer it in different selected branches. Given the feedback and the sales report of branches, the company will decide whether to launch the product or not.

Advertisement of New products A company wants to sell a new product to a targeted customer, e.g., a cleaning robot, and the customer wants to buy the product if it is worth the money. The company can choose different advertisement methods to reach out to the customer, e.g., mailed ads, in-store posters, online ads, etc. After seeing the ads, the customer may choose different ways to evaluate whether it is worth buying the new product, conditional on how he saw the ads. Hence, a company must take the customer's possible evaluation technique into account while determining the best way to reach out to the customer.

Buy-out A start-up wants to be acquired by a tech giant. The tech giant always wants to decide whether the acquisition will benefit its growth. To showcase its business model's potential, the start-up can first choose a consulting firm to evaluate some of its businesses. Based on the consulting firm's evaluation report, an accounting firm will audit these businesses' value, and the tech giant will decide based on both reports.

7.2 Trade-off between efficiency and productivity

In Bayesian persuasion problems, the signal strength (posterior beliefs of states under signals) and the signal distribution represent two different notions. The signal strength of a signal represents how efficiently¹⁹ this signal can persuade the receiver. The signal distribution represents how productivity a signal strategy can benefit the sender under the current prior. However, in many (single-trial) Bayesian persuasion problems, e.g., binary-state space Bayesian persuasion, Bayesian persuasion with lexicographic-ordering senders²⁰, it is hard to evaluate the role that each notion plays in the optimal signaling strategy respectively. The reason is the insufficient degree of freedom on experiment design. To be more detailed, in those frameworks, the sender can always use the (set of) most efficient signals in the optimal signaling strategies. Given the (set of) most efficient signals, the most productive distribution can be solved by a greedy approach²¹. However, if we consider multi-phase trials, the trade-off between effi-

¹⁹ A signal ω is more efficient than ω' if the following statement is true: when we use the same total probability of the receiver's preferred state, which corresponds to the sender's suggested action of the signal (θ_1 in this work), to implement both signals, the receiver's total probability of taking suggested action (ϕ_1) while receiving ω is higher than the receiver's total probability of taking suggested action while receiving ω' .

²⁰ The sender has a lexicographic preference on actions.

²¹ Given the sender's preference on actions, the sender has a preference on signals (in terms of the efficiency). In this set of Bayesian persuasion problems, the sender can

ciency and productivity becomes the sender's primary issue (even in the binary-state space Bayesian persuasion problem with a lexicographic-ordering sender) because of the enlarged signal space. That is to say, if we want to get a better understanding of how the signal strength and the signal distribution plays a role in Bayesian persuasions respectively, it is not necessary to build complex models with stylized utility functions or increased state space. In this part, we demonstrate an example where the most efficient signal is not used in the sender's optimal signaling strategy owing to the trade-off between efficiency and productivity.

Example:

Given two pre-determined phase-II experiments A, B with $(q_{A1}, q_{A2}) = (0.8, 0.5)$ and $(q_{B1}, q_{B2}) = (0.75, 0.15)$, we can derive the persuasion potential of E_A and E_B , where $E_A = (1.6, 1.4)$ and $E_B = (1.5, \frac{9}{7})$. Under this persuasion potential, the most efficient signal will be a signal $\bar{\omega}$ with $(\mathbb{P}(\theta_1|\bar{\omega}, E_A), \mathbb{P}(\theta_2|\bar{\omega}, E_A)) = (\frac{5}{13}, \frac{8}{13})$. As we can see, when the sender uses this signal, the sender is using the partial strategy α_A in her signaling strategy, and the IC constraint for α_A is tight. Here, we provide an example where the signal $\bar{\omega}$ is not in the support of the sender's optimal signaling strategy.

When the prior belief on state θ_1 , p , is $\frac{2}{3}$, we can solve the optimal signaling strategy for the sender using the approach developed in Section 3. The optimal signaling strategy when $p = \frac{2}{3}$ is (β_A, α_B) with $\mathbb{P}(E_A, \theta_1) = \frac{55}{84}$ and $\mathbb{P}(E_A, \theta_2) = \frac{22}{84}$. The persuasion ratio of this optimal signaling strategy is $\frac{471}{336} \approx 1.402$ and the sender's expected utility is $\frac{157}{168} \approx 0.935$. As we can see, the most efficient signal $\bar{\omega}$ is not in the support of the optimal signaling strategy.

However, if the sender insists to use the signal $\bar{\omega}$, her best signaling strategy when $p = \frac{2}{3}$ is (α_A, β_B) with $\mathbb{P}(E_A, \theta_1) = \frac{5}{46}$ and $\mathbb{P}(E_A, \theta_2) = \frac{8}{46}$. The corresponding persuasion ratio is $\frac{123}{92} \approx 1.337$ and the sender's expected utility is $\frac{41}{46} \approx 0.891$, which is lower than $\frac{157}{168}$ under the optimal signaling strategy. (The example is complete here)

In the above example, we demonstrate a case where using the most efficient signal is non-optimal in a two-phase trial's Bayesian persuasion problem. This example suggests that the sender has to consider the trade-off between efficiency and productivity to derive the optimal signaling strategy in multi-phase trials, which may not be necessary for single-trial Bayesian persuasion problems.

8 Appendix: Proofs

8.1 Proof of Lemma 1

We derive the optimal signaling strategy in each scheme and the participants expected utility to validate this claim. First, under different prior regions, the

greedily pick the most efficient signal where the prior allows iteratively to come up the optimal signaling strategy.

sender's optimal²² strategy in a single-phase trial is to commit to the following signaling strategy:

$p \leq \frac{1}{2}$	θ_1	θ_2	$p > \frac{1}{2}$	θ_1	θ_2
ω_1	p	p	ω_1	p	1-p
ω_2	0	1-2p	ω_2	0	0

Given the above signaling strategy, the sender and receiver's expected utility can be calculated in the following table:

Table 3. Table: Sender and Receiver's expected utility in single-phase trials

	$\mathbb{E}[U_S(\phi, \theta)]$	$\mathbb{E}[U_R(\phi, \theta)]$
$p \leq \frac{1}{2}$	2p	1-p
$p > \frac{1}{2}$	1	p

In a two-phase trial with a trivial experiment in phase II, we now solve for the sender's optimal signaling strategy. Without loss of generality, let's assume that the trivial experiment is the experiment E_A , $q_{A1} = q_{A2}$, and another experiment E_B has $q_{B1} > q_{B2}$. Given these two experiments, the sender's optimal signaling strategy can be derived via solving the following optimization problem:

$$\begin{aligned} & \max_{p_1, p_2} \mathbb{P}(\omega_A) \mathbf{1}_{\{\mathbb{P}(\theta_1|\omega_A) \geq \frac{1}{2}\}} + \mathbb{P}(\omega_{BP}) \mathbf{1}_{\{\mathbb{P}(\theta_1|\omega_{BP}) \geq \frac{1}{2}\}} + \mathbb{P}(\omega_{BF}) \mathbf{1}_{\{\mathbb{P}(\theta_1|\omega_{BF}) \geq \frac{1}{2}\}} \\ \text{subject to } & \mathbb{P}(\omega_A) = pp_1 + (1-p)p_2 \\ & \mathbb{P}(\omega_{BP}) = p(1-p_1)q_{B1} + (1-p)(1-p_2)q_{B2} \\ & \mathbb{P}(\omega_{BF}) = p(1-p_1)(1-q_{B1}) + (1-p)(1-p_2)(1-q_{B2}) \\ & \mathbb{P}(\theta_1|\omega_A) = \frac{pp_1}{pp_1 + (1-p)p_2} \\ & \mathbb{P}(\theta_1|\omega_{BP}) = \frac{p(1-p_1)q_{B1}}{p(1-p_1)q_{B1} + (1-p)(1-p_2)q_{B2}} \\ & \mathbb{P}(\theta_1|\omega_{BF}) = \frac{p(1-p_1)(1-q_{B1})}{p(1-p_1)(1-q_{B1}) + (1-p)(1-p_2)(1-q_{B2})} \end{aligned}$$

After solving this optimization problem, we can derive the sender and receiver's expected utility in Table 4:

Note that when $q_{B1} = 1$, the sender may have multiple optimal signaling strategies when the prior p is low. However, no matter which strategy the sender chooses, the sender and the receiver's expected utilities are the same.

After checking Table 3 and Table 4, we validate the fact that two schemes will provide the sender and the receiver the same expected utility under optimal signaling strategies.

²² This is to maximize the probability that the receiver will take action ϕ_1

Table 4. Sender and Receiver's expected utility under a trivial experiment

	$\mathbb{E}[U_S(\phi, \theta)]$	$\mathbb{E}[U_R(\phi, \theta)]$
$p \leq \frac{1}{2}$	$2p$	$1-p$
$p > \frac{1}{2}$	1	p

8.2 Proof of Lemma 3

We prove this lemma by explicitly verifying which strategies maximize the sender's expected utility. First, let's recall the IC requirement for each partial strategies listed in Section 3.3.

Partial strategy	IC requirement	Partial strategy	IC requirement
α_A	$p_1 \geq \frac{1-p}{p} \frac{q_{A2}}{q_{A1}} p_2$	α_B	$1-p_1 \geq \frac{1-p}{p} \frac{q_{B2}}{q_{B1}} (1-p_2)$
β_A	$p_1 \geq \frac{1-p}{p} \frac{1-q_{A2}}{1-q_{A1}} p_2$	β_B	$1-p_1 \geq \frac{1-p}{p} \frac{1-q_{B2}}{1-q_{B1}} (1-p_2)$
γ_A	$p_1 \leq \frac{1-p}{p} \frac{q_{A2}}{q_{A1}} p_2$	γ_B	$1-p_1 \leq \frac{1-p}{p} \frac{q_{B2}}{q_{B1}} (1-p_2)$

1. When $S \in (\alpha_A, \gamma_B)$ or $S \in (\gamma_A, \alpha_B)$

Suppose S is a (α_A, γ_B) type strategy, the sender's expected utility under S is $pp_1q_{A1} + (1-p)p_2q_{A2}$. Given the definition of persuasion ratio, $pp_1q_{A1} + (1-p)p_2q_{A2}$ is maximized when $p_1 = 1, p_2 = \frac{pp_1}{1-p} \frac{q_{A1}}{q_{A2}}$ or $p_1 = 1, p_2 = 1$. Hence, in the former scenario where $p_2 = \frac{pp_1}{1-p} \frac{q_{A1}}{q_{A2}}$, IC requirement of α_A is tight in S . In the later scenario, the sender sends signal ω_A with probability one because the prior is larger enough to make the posterior belief of θ_1 conditional on ω_{AP} to be $\geq \frac{1}{2}$. Hence, the lemma holds when S is a (α_A, γ_B) type strategy.

Similarly, if S is a (γ_A, α_B) type strategy, the sender's expected utility is $p(1-p_1)q_{B1} + (1-p)(1-p_2)q_{B2}$. When sender's expected utility is maximized at S , the parameter of (p_1, p_2) is either $p_1 = 0, p_2 = 1 - \frac{pq_{B1}}{(1-p)q_{B2}}$ or $p_1 = 0, p_2 = 0$. The IC requirement of α_B is tight in the former case and $\mathbb{P}(\omega_2) = 1$ in the later case. Thus, the lemma holds when S is a (α_B, γ_A) type strategy.

2. When $S \in (\beta_A, \gamma_B)$ or $S \in (\gamma_A, \beta_B)$

Suppose S is a (β_A, γ_B) type strategy, the sender's expected utility is $pp_1 + (1-p)p_2$. The strategy $S \in (\gamma_A, \beta_B)$ that maximizes the sender's utility is at $p_1 = 1, p_2 = \frac{p(1-q_{A1})}{(1-p)(1-q_{A2})}$ when $p \leq \frac{1-q_{A2}}{2-q_{A2}-q_{A1}}$ or at $p_1 = p_2 = 1$ when $p > \frac{1-q_{A2}}{2-q_{A2}-q_{A1}}$. In the former case, the IC requirement of β_A is tight. In the later case, the sender will send signal ω_1 with probability 1. Hence, the lemma holds when S is a (β_A, γ_B) type strategy.

3. When $S \in (\alpha_A, \beta_B)$ or $S \in (\beta_A, \alpha_B)$

Suppose S is a (α_A, β_B) type strategy, the sender's expected utility is

$$\begin{aligned} & pp_1q_{A1} + p(1-p_1) + (1-p)p_2q_{A2} + (1-p)(1-p_2) \\ &= 1 - p_1p(1-q_{A1}) - p_2(1-p)(1-q_{A2}) \end{aligned}$$

when the inequality of IC requirements $\frac{1-p}{p} \frac{q_{A2}}{q_{A1}} p_2 \leq p_1 \leq \frac{1-p}{p} \frac{1-q_{B2}}{1-q_{B1}} p_2 + (1 - \frac{1-p}{p} \frac{1-q_{B2}}{1-q_{B1}})$ is satisfied. Now, let's discuss the strategy S under different prior region.

- (a) When $p < \frac{q_{A2}}{q_{A1}+q_{A2}}$, the IC inequality will never be satisfied. Hence, there is no incentive compatible strategy in the set of strategy $S \in (\alpha_A, \beta_B)$ in this region.
- (b) When $\frac{q_{A2}}{q_{A1}+q_{A2}} \leq p \leq \frac{1-q_{B2}}{2-q_{B1}-q_{B2}}$, the sender's expected utility is maximized when both inequalities of IC requirements are tight, i.e.,

$$(p_1, p_2) = \left(\frac{1 - \frac{1-p}{p} \frac{1-q_{B2}}{1-q_{B1}}}{1 - \frac{q_{A1}}{q_{A2}} \frac{1-q_{B2}}{1-q_{B1}}}, \frac{\frac{p}{1-p} - \frac{1-q_{B2}}{1-q_{B1}}}{\frac{q_{A2}}{q_{A1}} - \frac{1-q_{B2}}{1-q_{B1}}} \right).$$

- (c) When $p > \frac{1-q_{B2}}{2-q_{B1}-q_{B2}}$, the sender's expected utility is maximized when $p_1 = p_2 = 0$. In other words, the sender will send signal ω_2 with probability 1.

After analyzing prior regions (a), (b), and (c), we verify the lemma holds when S is a (α_A, β_B) type strategy.

Similarly, we can use the same approach to verify when S is a (β_A, α_B) type strategy.

Suppose S is a (β_A, α_B) type strategy, the sender's expected utility is

$$\begin{aligned} & pp_1 + (1-p)p_2 + p(1-p_1)q_{B1} + (1-p)(1-p_2)q_{B2} \\ &= 1 - (1-p_1)p(1-q_{B1}) - (1-p_2)(1-p)(1-q_{B2}) \end{aligned}$$

when the inequality of IC requirements $\frac{1-p}{p} \frac{1-q_{A2}}{1-q_{A1}} p_2 \leq p_1 \leq \frac{1-p}{p} \frac{q_{B2}}{q_{B1}} p_2 + (1 - \frac{1-p}{p} \frac{q_{B2}}{q_{B1}})$ is satisfied. Now, let's discuss where the strategy S at under different prior region.

- (a) When $p < \frac{q_{B2}}{q_{B1}+q_{B2}}$, the IC inequality will never be satisfied. Hence, there is no incentive compatible strategy in the set of strategy $S \in (\alpha_A, \beta_B)$ in this region.
- (b) When $\frac{q_{B2}}{q_{B1}+q_{B2}} \leq p \leq \frac{1-p}{p} \frac{q_{A2}}{q_{A1}} (1-p_2)$, the sender's expected utility is maximized when both inequalities of IC requirements are tight, i.e.,

$$(p_1, p_2) = \left(\frac{1 - \frac{1-p}{p} \frac{q_{B2}}{q_{B1}}}{1 - \frac{1-q_{A1}}{1-q_{A2}} \frac{q_{B2}}{q_{B1}}}, \frac{\frac{p}{1-p} - \frac{q_{B2}}{q_{B1}}}{\frac{1-q_{A2}}{1-q_{A1}} - \frac{q_{B2}}{q_{B1}}} \right).$$

- (c) When $p > \frac{1-q_{A2}}{2-q_{A1}-q_{A2}}$, the sender's expected utility is maximized when $p_1 = p_2 = 1$. In other words, the sender will send signal ω_1 with probability 1.

After analyzing prior regions (a), (b), and (c), we verify the lemma holds when S is a (β_A, α_B) type strategy.

4. When $S \in (\alpha_A, \alpha_B)$

Suppose S is a (α_A, α_B) type strategy, the sender's expected utility is

$$pp_1q_{A1} + p(1-p_1)q_{B1} + (1-p)p_2q_{A2} + (1-p)(1-p_2)q_{B2}$$

when the inequality of IC requirements $\frac{1-p}{p} \frac{q_{A2}}{q_{A1}} p_2 \leq p_1 \leq \frac{1-p}{p} \frac{q_{B2}}{q_{B1}} p_2 + (1 - \frac{1-p}{p} \frac{q_{B2}}{q_{B1}})$ is satisfied. Now, let's discuss the strategy S under different prior region.

- (a) When $p < \min \left\{ \frac{q_{A2}}{q_{A1}+q_{A2}}, \frac{q_{B2}}{q_{B1}+q_{B2}} \right\}$, the IC inequality will never be satisfied. Hence, there is no incentive compatible strategy in the set of strategy $S \in (\alpha_A, \alpha_B)$ in this region.
- (b) When $\min \left\{ \frac{q_{A2}}{q_{A1}+q_{A2}}, \frac{q_{B2}}{q_{B1}+q_{B2}} \right\} \leq p \leq \max \left\{ \frac{q_{A2}}{q_{A1}+q_{A2}}, \frac{q_{B2}}{q_{B1}+q_{B2}} \right\}$, the sender's expected utility is maximized when both inequalities of IC requirements are tight, i.e.,

$$(p_1, p_2) = \left(\frac{1 - \frac{1-p}{p} \frac{q_{B2}}{q_{B1}}}{1 - \frac{q_{A1}}{q_{A2}} \frac{q_{B2}}{q_{B1}}}, \frac{\frac{p}{1-p} - \frac{q_{B2}}{q_{B1}}}{\frac{q_{A1}}{q_{A2}} - \frac{q_{B2}}{q_{B1}}} \right).$$

- (c) When $p > \max \left\{ \frac{q_{A2}}{q_{A1}+q_{A2}}, \frac{q_{B2}}{q_{B1}+q_{B2}} \right\}$, the sender's expected utility is maximized when exactly one IC requirement α_A or α_B is tight. (For readers curious about which requirement will be tight, the requirement α_A is tight when $p + (1-p)(2q_{A1} - 1) \frac{q_{A2}}{q_{A1}} + 2pq_{B1} - (1 - \frac{1-p}{p} \frac{q_{B2}}{q_{B1}})p(1 - 2q_{B1}) \geq 0$, otherwise, α_B is tight.)

After analyzing prior regions (a), (b), and (c), we verify the lemma holds when S is a (α_A, β_B) type strategy.

5. **When $S \in (\beta_A, \beta_B)$**

Suppose S is a (β_A, β_B) type strategy, the sender's expected utility is 1. However, the IC inequalities of this strategy can be satisfied only if the prior $p \geq \max \left\{ \frac{1-q_{A2}}{2-q_{A1}-q_{A2}}, \frac{1-q_{B2}}{2-q_{B1}-q_{B2}} \right\}$.

When $p < \min \left\{ \frac{q_{A2}}{q_{A1}+q_{A2}}, \frac{q_{B2}}{q_{B1}+q_{B2}} \right\}$, the IC inequality will never be satisfied. Hence, there is no incentive compatible strategy in the set of strategy $S \in (\alpha_A, \alpha_B)$ in this region.

8.3 Proof of Lemma 4

First, since (γ_A, γ_B) strategy has a persuasion ratio 0 when $\mathcal{S}_{\gamma_A, \gamma_B}(p) \neq \emptyset$, the statement in the lemma for each set of strategies: (α_A, γ_B) , (β_A, γ_B) , (γ_A, α_B) , and (γ_A, β_B) is true. Hence, we only need to verify this lemma for the following four sets of strategies: (1) (α_A, α_B) , (2) (α_A, β_B) , (3) (β_A, α_B) , and (4) (β_A, β_B) .

Let's start with the type of strategies (α_A, α_B) .

The IC requirements of this type of strategy can be satisfied when $p \geq \min \left\{ \frac{q_{A2}}{q_{A1}+q_{A2}}, \frac{q_{B2}}{q_{B1}+q_{B2}} \right\}$, i.e., $\mathcal{S}_{\alpha_A, \alpha_B}(p) \neq \emptyset$ when $p \geq \min \left\{ \frac{q_{A2}}{q_{A1}+q_{A2}}, \frac{q_{B2}}{q_{B1}+q_{B2}} \right\}$. When the IC requirements are satisfied, the sender's expected utility under a strategy $\{(\alpha_A, \alpha_B), p_1, p_2\}$ is

$$\mathbb{E}_p[U_S | (\alpha_A, \alpha_B), p_1, p_2] = pp_1q_{A1} + p(1-p_1)q_{B1} + (1-p)p_2q_{A2} + (1-p)(1-p_2)q_{B2}.$$

Besides, the sender's expected utility under the strategy types $\{(\alpha_A, \gamma_B), p_1, p_2\}$ and $\{(\gamma_A, \alpha_B), p_1, p_2\}$ are the following:

$$\begin{aligned} \mathbb{E}[U_S(p | (\alpha_A, \gamma_B), p_1, p_2)] &= pp_1q_{A1} + (1-p)p_2q_{A2}, \\ \mathbb{E}[U_S(p | (\gamma_A, \alpha_B), p_1, p_2)] &= p(1-p_1)q_{B1} + (1-p)(1-p_2)q_{B2}. \end{aligned}$$

Given the result in Lemma 3, we know that $\mathbb{E}[U_S(p|(\alpha_A, \gamma_B), p_1, p_2)]$ can be represented by a scaled optimized signaling strategy under another prior u such that $xu = pp_1$ and $\mathbb{E}[U_S(p|(\alpha_A, \gamma_B), p_1, p_2)] = xuPR(\alpha, \gamma, u)$. (Because an optimized strategy $\arg \max_{S \in (\alpha_A, \gamma_B, p'_1, p'_2)} \mathbb{E}[U_R(S, p')]$ must have $p'_1 = 1$ in the optimized S .) Similarly, we can represent $\mathbb{E}[U_S(p|(\gamma_A, \alpha_B), p_1, p_2)]$ as a scaled optimized signaling strategy under another prior v such that $(1-x)v = p(1-p_1)$ and $\mathbb{E}[U_S(p|(\gamma_A, \alpha_B), p_1, p_2)] = (1-x)vPR(\gamma, \alpha, u)$. Hence,

$$\begin{aligned} & \max_{p_1, p_2} \mathbb{E}[U_S(p|(\alpha_A, \alpha_B), p_1, p_2)] \\ &= (\max_{p_1, p_2} pp_1q_{A1} + p(1-p_1)q_{B1} + (1-p)p_2q_{A2} + (1-p)(1-p_2)q_{B2}) \\ &= \max_{p_1, p_2} (\mathbb{E}[U_S(p|(\alpha_A, \gamma_B), p_1, p_2)] + \mathbb{E}[U_S(p|(\gamma_A, \alpha_B), p_1, p_2)]) \\ &= \max_{x, u, v} xuPR((\alpha_A, \gamma_B), u) + (1-x)vPR((\gamma_A, \alpha_B), v) \text{ s.t. } xu + (1-x)v = p \end{aligned}$$

Now, let $y = \frac{xu}{p}$, we can represent the persuasion ratio curve of (α_A, α_B) strategy to be the following:

$$\begin{aligned} & PR((\alpha_A, \alpha_B), p) \\ &= \max_{p_1, p_2} \mathbb{E}[U_S(p|(\alpha_A, \alpha_B), p_1, p_2)]/p \\ &= \max_{x, u, v} \frac{xu}{p} PR((\alpha_A, \gamma_B), u) + \frac{(1-x)v}{p} PR((\gamma_A, \alpha_B), v) \text{ s.t. } xu + (1-x)v = p \\ &= \max_{y, u, v} \{yPR((\alpha_A, \gamma_B), u) + (1-y)PR((\gamma_A, \alpha_B), v) | yu + (1-y)v = p \ y \in [0, 1]\} \end{aligned}$$

Using the same approach, we can represent the maximum expected utility of the set of strategy (α_A, β_B) , (β_A, α_B) , (β_A, β_B) in the form of a maximum convex combination of two persuasion ratio curves by using the corresponding two of four utility functions listed below:

$$\begin{aligned} \mathbb{E}[U_S(p|(\alpha_A, \gamma_B), p_1, p_2)] &= pp_1q_{A1} + (1-p)p_2q_{A2}, \\ \mathbb{E}[U_S(p|(\gamma_A, \alpha_B), p_1, p_2)] &= p(1-p_1)q_{B1} + (1-p)(1-p_2)q_{B2}, \\ \mathbb{E}[U_S(p|(\beta_A, \gamma_B), p_1, p_2)] &= pp_1 + (1-p)p_2, \\ \mathbb{E}[U_S(p|(\gamma_A, \beta_B), p_1, p_2)] &= p(1-p_1) + (1-p)(1-p_2). \end{aligned}$$

8.4 Proof of Lemma 5

Given persuasion ratio curves of all types of strategies, the sender, in order to maximize her expected utility, will choose the type of strategies with the highest persuasion ratio. (Because the persuasion ratio indicates a “normalized” utility with respect to the prior.) When we plot the persuasion ratio the sender chooses for every prior, the optimal persuasion ratio curve is the upper envelope of the different types of strategies’ persuasion ratio curves. We want to explain why the persuasion ratio that the sender chooses to maximize her expected utility

must correspond to an incentive-compatible strategy. According to Definition 3, every non-zero point on the persuasion ratio curve of a given type of strategy corresponds to at least one incentive-compatible strategy. Hence, we need to show that at every prior $p \in (0, 1)$, there must exist a type of strategy with a persuasion ratio > 0 .

1. When $0 < p < \frac{q_{A2}}{q_{A1}+q_{A2}}$, the type of strategy (α_A, γ_B) has an incentive compatible strategies with persuasion ratio $2q_{A1}$.
2. When $\frac{q_{A2}}{q_{A1}+q_{A2}} \leq p < \frac{1-q_{B2}}{2-q_{B1}-q_{B2}}$, the type of strategy (α_A, β_B) has an incentive compatible strategy with persuasion ratio $\geq \min\{2q_{A1}, 1 + \frac{1-q_{B1}}{1-q_{B2}}\}$.
3. When $\frac{1-q_{B2}}{2-q_{B1}-q_{B2}} \leq p < 1$, the type of strategy (γ_A, β_B) has an incentive compatible strategy with persuasion ratio $\frac{1}{p}$.

Given the fact (1), (2), and (3), the value of the optimal persuasion ratio curve is non-zero for every $p \in (0, 1)$. Hence, the optimal signaling strategy is the strategy that reaches the frontier of the persuasion ratio curve.

8.5 Proof of Lemma 6

We prove this lemma by constructing an optimal signaling strategy in the pruned model, which has the same expected utility as the single-phase Bayesian persuasion problem.

Let's assume there is an N -phase model M for which the pruned model $Prun(M)$ satisfies the above two conditions stated in Lemma 6 and a prior $p < \frac{1}{2}$. We construct a signaling strategy that gives the sender the expected utility is equal to $2p$ (which is the same as the single-phase Bayesian persuasion).

First, for each non-trivial experiment E_X , design its preceding sender-designed experiment such that $\mathbb{P}(\theta_1|\omega_X) = \mathbb{P}(\theta_2|\omega_X) = 0$. In other words, we assign probability 0 to the experiment E_X . After the above process, if there exists some sender-designed experiments, design these experiments to be (arbitrary chosen) trivial experiment with $p_1 = p_2$.

Now, let $\mathbb{E}_{\mathbb{F}}$ be the set of sender-designed experiments such that for every $E_f \in \mathbb{E}_{\mathbb{F}}$, there is no sender-designed experiment between this experiment E_f and the experiment at root E_o . In other words, $\mathbb{E}_{\mathbb{F}}$ is the set of first-visited sender-designed experiments starting from the root. For every experiment $E_f = (p_1, p_2) \in \mathbb{E}_{\mathbb{F}}$ with succeeding experiments E_l, E_r (on the binary tree of experiments), let $(p_1, p_2) = (1, \frac{p}{1-p})$ if the succeeding experiment E_r is a non-trivial experiment, otherwise let $(p_1, p_2) = (0, 1 - \frac{p}{1-p})$. Hence, the posterior belief $\mathbb{P}(\theta_1|\omega)$ in this pruned model \mathbb{M} is either 0 or $\frac{1}{2}$. Since the whole signal distribution must respect the prior, the sender will have an expected utility $2p$ under this construction, which is the same as the classical Bayesian persuasion in single-phase model.

8.6 Proof of Lemma 7

We present a construction to substitute a given non-binary experiment $E = \{q_{1,1}, \dots, q_{1,n}; q_{2,1}, \dots, q_{2,n}\}$ by a sequence of binary outcome experiments.

First, we construct a level $\lceil \log_2 n \rceil$ of binary-outcome experiments - $\{E'_{1,1}, E'_{2,1}, E'_{1,2}, \dots, E'_{\lceil \log_2 n \rceil, 2^{\lceil \log_2 n \rceil}}\}$ - that we will use for replacement. Specifically, let $E_{i,j}$ to be the experiment below:

$$\left(\frac{\sum_{k=2^{i-1}, (j-1)+1}^{2^{i-1}, j} q_{1,k}}{\sum_{k=2^{i-1}, (j-1)+1}^{2^{i-1}, j} q_{1,k} + \sum_{l=2^{i-1}, (j-2)+1}^{2^{i-1}, (j-1)} q_{1,l}}, \frac{\sum_{k=2^{i-1}, (j-1)+1}^{2^{i-1}, j} q_{2,k}}{\sum_{k=2^{i-1}, (j-1)+1}^{2^{i-1}, j} q_{1,k} + \sum_{l=2^{i-1}, (j-2)+1}^{2^{i-1}, (j-1)} q_{2,l}} \right)$$

when i is even, and

$$\left(\frac{\sum_{k=2^{i-1}, (j-1)+1}^{2^{i-1}, j} q_{1,k}}{\sum_{k=2^{i-1}, (j-1)+1}^{2^{i-1}, j} q_{1,k} + \sum_{l=2^{i-1}, j+1}^{2^{i-1}, (j+1)} q_{1,l}}, \frac{\sum_{k=2^{i-1}, (j-1)+1}^{2^{i-1}, j} q_{2,k}}{\sum_{k=2^{i-1}, (j-1)+1}^{2^{i-1}, j} q_{1,k} + \sum_{l=2^{i-1}, j+1}^{2^{i-1}, (j+1)} q_{2,l}} \right)$$

when i is odd.

Note that the denominator sums to 1 in $E_{1,1}$, and the nominator cancels the denominator in the next level. Hence, when we multiple terms from the first level to the last level, the k^{th} outcome should yield $(q_{k,1}, q_{k,2})$.

8.7 Proof of Lemma 1

Given the receiver's utility function defined in this work, i.e., $U_R(a_i, \theta_j) = \mathbf{1}_{\{i=j\}}$, the receiver's utility is maximized when the sender commits to a truth-telling signaling strategy. Given the phase-II experiments $E_A = (1, 0)$ and $E_B = (1, 0)$ stated in the lemma, the posterior belief in each possible outcome $\mathbb{P}(\theta_1 | \omega_{AP})$, $\mathbb{P}(\theta_1 | \omega_{AF})$, $\mathbb{P}(\theta_1 | \omega_{BP})$, $\mathbb{P}(\theta_1 | \omega_{BF}) \in \{0, 1\}$ for any $(p_1, p_2) \in [0, 1]^2$ where the sender chooses phase-I experiment. In other words, the receiver knows the true state for every possible realized outcome $\omega \in \{\omega_{AP}, \omega_{AF}, \omega_{BP}, \omega_{BF}\}$. Hence, for any prior p , the receiver will have an utility $\mathbb{E}[U_R(\omega, p)] = 1$, which is the maximum utility the receiver can have under the given utility function.

8.8 Proof of Lemma 8

First, let's consider the case when $q_{Y1} \leq \frac{2-q_{Y2}}{3-2q_{Y2}}$.

1. Suppose a given experiment E_A has $\max\{2q_{A1} - 1, \frac{1-q_{A2}}{1-q_{A1}}\} \leq \frac{1-q_{Y2}}{1-q_{Y1}}$, the optimal signaling strategy of (E_A, E_Y) when $\mathbb{P}(a_1 | \Pi) < 1$ is (γ_A, β_Y) . Hence, if $\max\{2q_{X1} - 1, \frac{1-q_{X1}}{1-q_{X2}}\} < \frac{1-q_{Y1}}{1-q_{Y2}}$, the persuasion ratio curve of any type of IC strategy (c_A, d_X) with $c, d \in \{\alpha, \beta, \gamma\}$ has a persuasion ratio $\leq 1 + \frac{1-q_{Y2}}{1-q_{Y1}}$, for every possible prior. Hence, the lemma holds in this case.
2. Suppose a given experiment E_A has $\max\{2q_{A1} - 1, \frac{1-q_{A2}}{1-q_{A1}}\} > \frac{1-q_{Y2}}{1-q_{Y1}}$ and $2q_{A1} > 1 + \frac{1-q_{A2}}{1-q_{A1}}$, the optimal signaling strategy of (E_A, E_B) , $B \in \{X, Y\}$ when $\mathbb{P}(a_1 | \Pi) < 1$ is (α_A, γ_B) , (α_A, β_B) , or (β_A, γ_B) depending on the prior region. Given $\max\{2q_{X1} - 1, \frac{1-q_{X1}}{1-q_{X2}}\} < \frac{1-q_{Y1}}{1-q_{Y2}}$, the persuasion ratio of (α_A, β_Y) is higher than (α_A, β_X) for every prior p such that (α_A, β_Y) , (α_A, β_X) have IC strategies. Hence, the lemma holds in this case.

3. Suppose a given experiment E_A has $\max\{2q_{A1} - 1, \frac{1-q_{A2}}{1-q_{A1}}\} > \frac{1-q_{Y2}}{1-q_{Y1}}$ and $2q_{A1} < 1 + \frac{1-q_{A2}}{1-q_{A1}}$, the optimal signaling strategy of $(E_A, E_B), B \in \{X, Y\}$ when $\mathbb{P}(a_1|I) < 1$ is always a (β_A, γ_B) type strategy. Hence, the statement of lemma holds in this case.

After considering all scenarios under $q_{Y1} \leq \frac{2-q_{Y2}}{3-2q_{Y2}}$, we know that if $\max\{2q_{X1} - 1, \frac{1-q_{X1}}{1-q_{X2}}\} < \frac{1-q_{Y1}}{1-q_{Y2}}$, then E_X is inferior to E_Y .

Now, let's consider the case when $q_{Y1} > \frac{2-q_{Y2}}{3-2q_{Y2}}$. E_X is inferior to E_Y requires for every prior p , the inequality of optimal persuasion ratio $PR_{E_A, E_x}^*(p) \leq PR_{E_A, E_y}^*(p)$ holds. Since the experiment E_A can be arbitrary, E_X being inferior to E_Y requires the persuasion ratio curve of different type of strategies under (E_A, E_x) always being below the persuasion ratio curve of different type of strategies under (E_A, E_y) . Using the partial strategy analysis in Section 3.3, the above condition requires that every class of partial strategies $c_B, c \in \{\alpha, \beta\}, B \in \{X, Y\}$, using experiment E_X is always inefficient when compared to using experiment E_X . That is to say, $2q_{X1} < 2q_{Y1}$ and $1 + \frac{1-q_{X1}}{1-q_{X2}} < 1 + \frac{1-q_{Y1}}{1-q_{Y2}}$ according to the persuasion potential of E_X and E_Y . Hence, when $q_{Y1} > \frac{2-q_{Y2}}{3-2q_{Y2}}$, the condition derived from persuasion potential guaranteeing that E_X is inferior to E_Y satisfies the second condition stated in the lemma.

8.9 Proof of Corollary 1

When the prior $p \geq \min\{\frac{1-q_{A2}}{2-q_{A1}-q_{A2}}, \frac{1-q_{B2}}{2-q_{B1}-q_{B2}}\}$, the sender has an optimal signaling strategy to persuade the receiver to take action a_1 with probability one by $(p_A, p_B) = (1, 1)$ when $\frac{1-q_{A2}}{2-q_{A1}-q_{A2}} \leq \frac{1-q_{B2}}{2-q_{B1}-q_{B2}}$ or by $(p_A, p_B) = (0, 0)$ when $\frac{1-q_{A2}}{2-q_{A1}-q_{A2}} > \frac{1-q_{B2}}{2-q_{B1}-q_{B2}}$. Hence, to prove this lemma, we only need to consider the prior region $p \in [0, \min\{\frac{1-q_{A2}}{2-q_{A1}-q_{A2}}, \frac{1-q_{B2}}{2-q_{B1}-q_{B2}}\})$.

First, let's consider $p \in [0, \min\{\frac{q_{A2}}{q_{A1}+q_{A2}}, \frac{q_{B2}}{q_{B1}+q_{B2}}\}]$. When prior falls in this region, four type of strategies: $(\alpha_A, \alpha_B), (\alpha_A, \beta_B), (\beta_A, \alpha_B), (\beta_A, \beta_B)$ cannot satisfy the IC requirements²³. Hence, the optimal signaling strategy can only come from $(\alpha_A, \gamma_B), (\beta_A, \gamma_B), (\gamma_A, \alpha_B), (\gamma_A, \beta_B)$ types of strategies. Given the result of Lemma 3, the IC requirement of α or β partial strategy used in the optimal signaling strategy must be tight. This implies that the interim belief of α_X strategy must be $\frac{q_{X2}}{q_{X1}+q_{X2}}$ and the interim belief of β_X strategy $\frac{1-q_{X2}}{2-q_{X1}-q_{X2}}$ (otherwise the IC requirement is not tight). Under these interim belief, the α_X, β_X partial strategy is used in the most efficient manner as described in Section 3.3 and the corollary holds here.

Second, let's consider $p \in [\min\{\frac{q_{A2}}{q_{A1}+q_{A2}}, \frac{q_{B2}}{q_{B1}+q_{B2}}\}, \max\{\frac{q_{A2}}{q_{A1}+q_{A2}}, \frac{q_{B2}}{q_{B1}+q_{B2}}\}]$. When the prior falls in this region, the optimal signaling strategy can come from one of the 6 types of strategies²⁴: $(\alpha_A, \gamma_B), (\beta_A, \gamma_B), (\gamma_A, \beta_B), (\alpha_A, \alpha_B),$

²³ See Proof of Lemma 3 for details.

²⁴ (γ_A, α_B) cannot be an optimal signaling strategy in this region because $q_{A1} \geq q_{B1}$ is assumed in our framework.

$(\alpha_A, \beta_B), (\beta_A, \alpha_B)$. Recall the analysis in the proof of Lemma 3, when a strategy in the type of $(\alpha_A, \beta_B), (\beta_A, \alpha_B)$ or (α_A, α_B) maximizes the sender's expected utility in this prior region, both IC requirements are tight. Besides, when a strategy in the type of (β_A, γ_B) or (γ_A, β_B) maximizes the sender's expected utility in this prior region, the IC requirement of β_X is tight. Hence, the only possibility for this corollary to fail is when the optimal signaling strategy is a (α_A, γ_B) type strategy. Now, we prove that the optimal signaling strategy is never an (α_A, γ_B) type strategy in this prior region by comparing the sender's maximum expected utility between (α_A, γ_B) and (α_A, β_B) type strategies.

Under (α_A, γ_B) type strategy, the sender's expected utility is maximized when $(p_1, p_2 = 1)$. Hence, $U_S((\alpha_A, \gamma_B), p) = pq_{A1} + (1-p)q_{A2}$ in this prior region.

Under (α_A, β_B) type strategy, the sender's expected utility is maximized when $\mathbb{P}(\theta_1|E_A) = \frac{q_{A2}}{q_{A1}+q_{A2}}$ and $\mathbb{P}(\theta_1|E_B) = \frac{1-q_{B2}}{2-q_{B1}-q_{B2}}$.

$$\text{Hence, } U_S((\alpha_A, \beta_B), p) = 2 \frac{\mathbb{P}(\theta_1|E_B)-p}{\mathbb{P}(\theta_1|E_B)-\mathbb{P}(\theta_1|E_A)} \mathbb{P}(\theta_1|E_A)q_{A1} + (1 - \frac{\mathbb{P}(\theta_1|E_B)-p}{\mathbb{P}(\theta_1|E_B)-\mathbb{P}(\theta_1|E_A)}).$$

When we look at the sender's maximum expected utility under these two types of strategies, we can notice that $U_S((\alpha_A, \gamma_B), p) = U_S((\alpha_A, \beta_B), p)$ at $p = \frac{q_{A2}}{q_{A1}+q_{A2}}$, which is the minimum prior in this region. When p increases, the marginal utility gain at (α_A, γ_B) type strategy is $q_{A1} - q_{A2}$, and the marginal utility gain at (α_A, β_B) type strategy is

$$\frac{-2}{\mathbb{P}(\theta_1|E_B) - \mathbb{P}(\theta_1|E_A)} \mathbb{P}(\theta_1|E_A)q_{A1} + \frac{1}{\mathbb{P}(\theta_1|E_B) - \mathbb{P}(\theta_1|E_A)} = \frac{1 - 2q_{A1}\mathbb{P}(\theta_1|E_A)}{\mathbb{P}(\theta_1|E_B) - \mathbb{P}(\theta_1|E_A)}$$

Thus, the utility difference $U_S((\alpha_A, \beta_B), p) - U_S((\alpha_A, \gamma_B), p)$ in this prior region is

$$\begin{aligned} & p \times \left(\frac{1 - 2q_{A1}\mathbb{P}(\theta_1|E_A)}{\mathbb{P}(\theta_1|E_B) - \mathbb{P}(\theta_1|E_A)} - (q_{A1} - q_{A2}) \right) \\ &= \frac{p}{\mathbb{P}(\theta_1|E_B) - \mathbb{P}(\theta_1|E_A)} \times \left(1 - 2q_{A1}\mathbb{P}(\theta_1|E_A) - (\mathbb{P}(\theta_1|E_B) - \mathbb{P}(\theta_1|E_A))(q_{A1} - q_{A2}) \right) \\ &= \frac{p}{\mathbb{P}(\theta_1|E_B) - \mathbb{P}(\theta_1|E_A)} \times \left(1 - \mathbb{P}(\theta_1|E_A)(q_{A1} + q_{A2}) - \mathbb{P}(\theta_1|E_B)(q_{A1} - q_{A2}) \right) \\ &= \frac{p}{\mathbb{P}(\theta_1|E_B) - \mathbb{P}(\theta_1|E_A)} \times \left(1 - q_{A2} - \mathbb{P}(\theta_1|E_B)(q_{A1} - q_{A2}) \right) \\ &= \frac{p}{\mathbb{P}(\theta_1|E_B) - \mathbb{P}(\theta_1|E_A)} \times \left(1 - \frac{(1 - q_{B2})q_{A1} + (1 - q_{B1})q_{A2}}{2 - q_{B1} - q_{B2}} \right) \\ &> \frac{p}{\mathbb{P}(\theta_1|E_B) - \mathbb{P}(\theta_1|E_A)} \times (1 - q_{A1}) \geq 0. \end{aligned}$$

Given the calculation above, (α_A, γ_B) type strategy will never be an optimal signaling strategy, hence the corollary holds in this prior region.

Finally, we consider $p \in [\max\{\frac{q_{A2}}{q_{A1}+q_{A2}}, \frac{q_{B2}}{q_{B1}+q_{B2}}\}, \min\{\frac{1-q_{A2}}{2-q_{A1}-q_{A2}}, \frac{1-q_{B2}}{2-q_{B1}-q_{B2}}\}]$. When the prior falls in this region, all strategies except the (β_A, β_B) strategies can satisfy the IC requirements. Given the tightness analysis in the proof of Lemma 3, the corollary will fail if the optimal signaling strategy comes from type

(α_A, γ_B) , (γ_A, α_B) , or (α_A, α_B) . To rule out (α_A, γ_B) , (γ_A, α_B) , we use exactly the same calculation as we did in the prior region $p \in [\min\{\frac{q_{A2}}{q_{A1}+q_{A2}}, \frac{q_{B2}}{q_{B1}+q_{B2}}\}, \max\{\frac{q_{A2}}{q_{A1}+q_{A2}}, \frac{q_{B2}}{q_{B1}+q_{B2}}\}]$. Hence, the only interesting case to study is whether (α_A, α_B) type strategy can be an optimal signaling strategy in this prior region.

Suppose (α_A, α_B) type strategy is an optimal signaling strategy in this prior region, at most one *IC* requirement, which is α_A , can be tight. When the IC requirement of α_A is not tight, the strategy is not an optimal signaling strategy since one the sender can increase her expected payoff by increasing $\mathbb{P}(\omega_A)$ and reduce $\mathbb{P}(\omega_A)$ respecting the prior. When the IC requirement of α_A is tight and the current (α_A, β_B) -type strategy, called $W_{\alpha, \beta}$ is not an incentive compatible strategy for the receiver, the following modification can further increase the sender's expected utility:

- Reduce $\mathbb{P}(\theta_1, \omega_B)$ by ϵ but increase $\mathbb{P}(\theta_1, \omega_A)$ by ϵ ;
- Given the above ϵ , reduce $\mathbb{P}(\theta_2, \omega_B)$ by $\frac{1-q_{A1}}{1-q_{A2}}\epsilon$ but increase $\mathbb{P}(\theta_2, \omega_A)$ by $\frac{1-q_{A1}}{1-q_{A2}}\epsilon$.

When $W_{\alpha, \beta}$ is not an incentive compatible strategy for the receiver, there must exists an $\epsilon > 0$ such that the above modification constructs a new incentive compatible strategy, called $W_{alpha, \beta}^*$. When ϵ is picked such that $W_{\alpha, \beta}^*$ is an incentive compatible strategy for the receiver, the strategy type (α_A, β_B) (with the strategy $W_{\alpha, \beta}^*$ constructed above) gives a higher expected utility than the strategy type (α_A, α_B) under the same parameter of (p_1, p_2) . Hence, (α_A, α_B) is never an optimal signaling strategy (in this prior region) and the corollary holds.

8.10 Proof of Claim 2

We prove each assumptions by a replacement of “equivalent” experiment. First, suppose we have a phase-II experiment E_X , $X \in \{A, B\}$ which violates our first assumption with $q_{X1} \leq q_{X2}$. We can construct an equivalent experiment E'_X to replace the experiment E_X . Given $E_X = (q_{X1}, q_{X2})$ with $q_{X1} \leq q_{X2}$, we consider another experiment $E'_X = (q_{X'1}, q_{X'2})$ such that $q_{X'1} = q_{X2}$ and $q_{X'2} = q_{X1}$. This experiment E'_X can be implemented in two steps, the first step flips the index of state, and the second step operates the experiment same as E_X . For every interim belief \tilde{p}_X , we claim this replacement of experiment will not affect the sender's design room of optimal signaling strategies. Given a posterior belief $\mathbb{P}(\theta_1 | \tilde{p}_X, \omega_{XP})$ (or $\mathbb{P}(\theta_1 | \tilde{p}_X, \omega_{XF})$) is generated when the experiment E_X passes (or fails), the same posterior belief can be generated when the experiment E'_X

fails (or passes). Mathematically,

$$\begin{aligned}\mathbb{P}(\theta_1|\tilde{p}_X, \omega_{XP}) &= \frac{\tilde{p}_X q_{X1}}{\tilde{p}_X q_{X1} + (1 - \tilde{p}_X) q_{X2}} = \frac{\tilde{p}_X q_{X'2}}{\tilde{p}_X q_{X'2} + (1 - \tilde{p}_X) q_{X'1}} \\ &= 1 - \frac{(1 - \tilde{p}_X) q_{X'1}}{\tilde{p}_X q_{X'2} + (1 - \tilde{p}_X) q_{X'1}} = \mathbb{P}(\theta_1|\tilde{p}_X, \omega_{X'F}) \\ \mathbb{P}(\theta_1|\tilde{p}_X, \omega_{XF}) &= \frac{\tilde{p}_X(1 - q_{X1})}{\tilde{p}_X(1 - q_{X1}) + (1 - \tilde{p}_X)(1 - q_{X2})} \\ &= \frac{\tilde{p}_X(1 - q_{X'2})}{\tilde{p}_X(1 - q_{X'2}) + (1 - \tilde{p}_X)(1 - q_{X'1})} \\ &= 1 - \frac{(1 - \tilde{p}_X)(1 - q_{X'1})}{\tilde{p}_X(1 - q_{X'2}) + (1 - \tilde{p}_X)(1 - q_{X'1})} = \mathbb{P}(\theta_1|\tilde{p}_X, \omega_{X'P})\end{aligned}$$

Hence, the first assumption in Claim 2 can be made without loss of generality.

Suppose we have phase-II experiments E_A, E_B such that $q_{A1} \leq q_{B1}$, then we can replace experiments E_A, E_B by experiments $E_{A'}, E_{B'}$ such that $q_{A'1} = q_{B1}$ and $q_{B'1} = q_{A1}$ to satisfy the assumption 2. Similarly, we can prove this operation (of replacement) will not affect the sender's design room by proving the posterior belief $\mathbb{P}(\theta_1|\omega_{AY}) = \mathbb{P}(\theta_1|\omega_{B'Y})$, $Y \in \{P, F\}$ and the posterior belief $\mathbb{P}(\theta_1|\omega_{BY}) = \mathbb{P}(\theta_1|\omega_{A'Y})$, $Y \in \{P, F\}$. For the conciseness, we only present the math details for $Y = P$ to avoid redundant equations replacing $q_{A1}, q_{B1}, q_{A'1}, q_{B'1}$ with $(1 - q_{A1}), (1 - q_{B1}), (1 - q_{A'1}), (1 - q_{B'1})$ respectively.

$$\begin{aligned}\mathbb{P}(\theta_1|\omega_{AP}) &= \frac{pq_{A1}}{pq_{A1} + (1 - p)q_{A2}} = \frac{pq_{B'1}}{pq_{B'1} + (1 - p)q_{B'2}} = \mathbb{P}(\theta_1|\omega_{B'P}) \\ \mathbb{P}(\theta_1|\omega_{BP}) &= \frac{pq_{B1}}{pq_{B1} + (1 - p)q_{B2}} = \frac{pq_{A'1}}{pq_{A'1} + (1 - p)q_{A'2}} = \mathbb{P}(\theta_1|\omega_{A'P})\end{aligned}$$

Hence, the second assumption in Claim 2 can be made without loss of generality.

8.11 Proof of Claim 3.2

Given that $q_{X1} \geq q_{X2}$, let's calculate the posterior of outcome ω_{XP} and ω_{XF} . Suppose an interior belief of $\mathbb{P}(\theta_1|\omega_X) = \tilde{p}$, the posterior belief $\mathbb{P}(\theta_1|\omega_{XP}) = \frac{\tilde{p}q_{X1}}{\tilde{p}q_{X1} + (1 - \tilde{p})q_{X2}}$ and the posterior belief $\mathbb{P}(\theta_1|\omega_{XF}) = \frac{\tilde{p}(1 - q_{X1})}{\tilde{p}(1 - q_{X1}) + (1 - \tilde{p})(1 - q_{X2})}$.

$$\begin{aligned}\mathbb{P}(\theta_1|\omega_{XP}) &= \frac{\tilde{p}q_{X1}}{\tilde{p}q_{X1} + (1 - \tilde{p})q_{X2}} \\ &> \frac{\tilde{p}q_{X1}}{\tilde{p}q_{X1} + (1 - \tilde{p})q_{X1}} = \frac{\tilde{p}}{\tilde{p} + (1 - \tilde{p})} = \frac{\tilde{p}(1 - q_{X1})}{\tilde{p}(1 - q_{X1}) + (1 - \tilde{p})(1 - q_{X1})} \\ &> \frac{\tilde{p}(1 - q_{X1})}{\tilde{p}(1 - q_{X1}) + (1 - \tilde{p})(1 - q_{X2})} = \mathbb{P}(\theta_1|\omega_{XF}).\end{aligned}$$

Hence, taking action a_1 when E_X fails but taking action a_2 when E_X passes is not an incentive compatible strategy of the receiver for any interim belief $\mathbb{P}(\theta_1|E_X) \in [0, 1]$.

8.12 Proof of Claim 2

Given $PR_{K+1,2j-1}^*(p)$ and $PR_{K+1,2j}^*(p)$, We show that there exists an incentive compatible strategy $S_{K,j,+}$ starting from the experiment $E_{K,j}$ satisfies the following equation:

$$PR_{K,j}(S_{K,j,+}, p) = \max_{x,u,v \in [0,1], xu+(1-x)v=p} xPR_{K+1,2j-1}^*(u) + (1-x)PR_{K+1,2j}^*(v) \quad (8)$$

We prove it by mathematical induction. When $K = N - 2$, Lemma 5 tells that every point on an optimal persuasion ratio curve at $N - 1$ corresponds to at least one incentive compatible strategy. Hence, a strategy $S_{N-2,j,+}$ which uses the experiment $E_{N-2,j} = (\frac{xu}{p}, \frac{x(1-u)}{1-p})$ at phase K given the optimal IC signaling strategies at $E_{N-1,2j-1}$, $E_{N-1,2j}$ at phase $N - 1$ satisfying equation (8). The reason is that the role of experiment $E_{N-2,i}$ is to determine what incentive compatible strategies will be used at phase $N - 1$ by influencing the interim belief at phase $N - 1$. As long as the strategies taken at phase $N - 1$ satisfies the IC requirements, $S_{N-1,j,+}$ is also an incentive compatible strategy.

Suppose the statement is true at phase $K + 1$ and the corresponding optimal signaling strategies are $S_{K+1,2j-1,+}$ and $S_{K+1,2j,+}$, the strategy $S_{K,j,+}$ with $E_{K,j} = (\frac{xu}{p}, \frac{x(1-u)}{1-p})$ such that the parameters x, u, v correspond to a maximized the equation (8) is an incentive compatible strategy. This is because for every other strategy $S'_{K,j,+}$ not using both $S_{K+1,2j-1,+}$ and $S_{K+1,2j,+}$, suppose $S'_{K+1,2j-1,+}$ and $S'_{K+1,2j,+}$, the sender can replace $S'_{K+1,2j-1,+}$ by $S_{K+1,2j-1,+}$ and $S'_{K+1,2j,+}$ by $S_{K+1,2j,+}$ to construct another strategy no worse than the $S'_{K,j,+}$. Moreover, the strategy $S_{K,j,+}$ uses the parameters that maximize the equation (8) guarantees that there is no other combination of $S_{K+1,2j-1,+}$ and $S_{K+1,2j,+}$ gives the sender a higher expected utility. Hence, $S_{K,j,+}$ is an incentive compatible strategy in phase K if both $S_{K+1,2j-1,+}$ and $S_{K+1,2j,+}$ are incentive compatible strategies. Since it is true in every strategy $S_{N-2,j,+}$ at phase $K = N - 2$, the mathematical induction guarantees that $S_{K,j,+}$ is an incentive compatible strategy for every $K \leq N - 2$ and $j \in [1, 2^K]$ and the proof is complete here.

9 Appendix: Other related work

The topic of a constrained sender has received significant attention in the literature with the constraints arising in a varied manner. The work in [36,35] proves that pooling equilibria result if the receiver either performs a certification or validation process; the results allow for the signals of the sender to be exogenously constrained. There is a large body of work that considers scenarios where the constraints arise either due to communication costs [20,24,9,34], capacity limitations [29], the sender's signal playing multiple roles [6] (e.g. incentivizing a third party to take a payoff-relevant action), or costs to the receiver

for acquiring additional information [32]. These works characterize either the applicability of the concavization approach [27], the optimal signaling structure, or the conditions for the optimality of certain signaling structures. There is also a burgeoning literature on constraints on the sender arising from a privately informed receiver [28,23,12,7,8]. The main contributions here are to characterize the optimal signaling structure with a key aspect being the fact that the sender constructs a different signal for each receiver type.