

Sequential Elimination Contests with All-Pay Auctions*

Fupeng Sun** Yanwei Sun† Chiwei Yan‡ Li Jin§

May 18, 2022

Abstract

By modeling contests as all-pay auctions, we study two-stage sequential elimination contests (SEC) under incomplete information, where only the players with top efforts in the first stage can proceed to the second and final stage to compete for prizes. Players have privately held type/ability information that impacts their costs of exerting efforts. We characterize players' Perfect Bayesian Equilibrium strategies and discover a somewhat surprising result: *all players exert weakly lower efforts in the final stage of the SEC compared to those under a one-round contest, regardless of the number of players admitted to the final stage.* This result holds under any multi-prize reward structure, any type distribution and cost function. As a consequence, in terms of the expected highest effort or total efforts of the final stage, the optimal SEC is equivalent to a one-round contest by letting all players proceed to the final stage.

Keywords: Sequential Elimination Contests, All-Pay Auctions, Perfect Bayesian Equilibrium.

1. Introduction

In contests, players exert efforts to win prizes. As all players bear the cost of their efforts regardless of winning or not, different types of contests could be modeled as all-pay auctions (e.g., Moldovanu and Sela 2006 and Chawla et al. 2019). The contest sponsor sets up the contest rules, such as the number of prizes and how these prizes are allocated. The rules are commonly known by all players before the contest starts. Players with private types/abilities compete for prizes by exerting efforts. The ability represents the expertise of the player in the specific contest domain and will influence the cost of her efforts. Intuitively, given the same level of effort, the higher the ability is, the lower the cost should be. Typically, the sponsor will allocate prizes

*The first two authors contribute equally.

**School of Mathematics and Statistics, Beijing Institute of Technology, fupeng_sun@bit.edu.cn.

†Department of Industrial and Systems Engineering, University of Washington, Seattle, ywsun@uw.edu.

‡Department of Industrial and Systems Engineering, University of Washington, Seattle, chiwei@uw.edu.

§UM-SJTU Joint Institute, Shanghai Jiao Tong University, li.jin@sjtu.edu.cn.

according to the players' efforts, i.e., offering the best prize to the player with the highest effort, offering the second-best prize to the player with the second-highest effort, and so on until all prizes are allocated.

A popular type of contest is called *multi-stage elimination* contests where only the players with top efforts could proceed to the next round. For instance, many sports games, talent contests, and even political elections consist of multiple stages with effort level-based elimination. There are mainly two types of elimination mechanisms: *sequential elimination* and *sub-elimination*. In sequential elimination contests (SEC), all players attend one “giant” contest first, and only the players with top efforts proceed to the next stage. Many talent contests adopt such sequential elimination structure such as The Voice, an American singing competition. Eligible players advance from top 20, top 13, top 11, top 10, top 8 rounds to a top 5 final round eventually (Wikipedia 2021). On the other hand, in sub-elimination contests, players will be randomly divided into sub-groups, and only the winners of each sub-group proceed to the next stage. Typical sub-elimination contests are FIFA World Cup, where all teams are first divided into several sub-groups, and the winners of each sub-group proceed to the next round.

To understand whether sub-elimination contests have intrinsic advantages, Moldovanu and Sela (2006) studied two-stage sub-elimination contests under incomplete information, where i) in the first stage, players are randomly divided into sub-groups who do not know the precise abilities of other players, but have common knowledge about their distributions; ii) at the end of the first stage, the sponsor will announce the winners of each sub-group who will advance to the second stage; iii) the players in the second stage then compete for a grand prize. They show the dominance of sub-elimination contests in terms of the expected highest effort of the second stage over one-round contests under linear cost function when the number of players is large enough (see Theorem 4 in Moldovanu and Sela 2006).

On the other hand, there is limited work on the analysis of SEC under such incomplete information settings. Different from sub-elimination contests, SEC is harder to analyze because of the complexity of the posterior beliefs — once a player advances to the second round, how should she update her belief about her opponents' abilities in the second round? In sub-elimination contests, this is straightforward as the player will perceive the abilities of her opponents as the largest order statistic among each sub-group since each player in the second stage is the one with the highest ability among each sub-group in the first stage. Moreover, conditioning on the prior beliefs being IID, the posterior beliefs about different players in the second stage are also IID because players are randomly divided into sub-groups. However, in SEC, players who enter the second stage come from the same pool of competition, thus players' own abilities have an impact on their beliefs about other players' abilities after knowing who advances to the second stage. For the same reason, the beliefs about other players' abilities can be correlated in the second stage — knowing someone's ability in the second stage tells something about other players in that stage. This is a distinguishing feature of the analysis of SEC.

To the best of our knowledge, this is the first paper analyzing two-stage SEC by modeling it as an all-pay

auction under incomplete information.¹ The main results are as follows.

1. We characterize the structure of the posterior beliefs in a two-stage SEC with arbitrary cost function and type distribution, under any multi-prize reward structure at the final stage. We find that the posterior beliefs are not identical across players and depend on each player’s own ability. Moreover, in the second stage, the posterior beliefs about different opponents’ abilities are correlated.
2. We derive the perfect Bayesian equilibrium effort of the two-stage SEC. Interestingly, we find that the second-stage equilibrium effort shares a very similar structure with the equilibrium effort of a one-round contest except for an additional changing factor in the formulas that encapsulates the effect of SEC, which is quite elegant for the purpose of comparison.
3. By comparing the equilibrium efforts, we find a somewhat surprising result — *all players exert weakly lower efforts in the final stage of the SEC compared to those under a one-round contest, regardless of the number of players admitted to the final stage.* As a consequence, in terms of the expected highest effort or total efforts of the final stage, the optimal SEC is equivalent to a one-round contest by letting all players proceed to the final stage.

The remainder of the paper is organized as follows. In Section 2, we introduce the model setup and define the equilibrium notion we use. In Section 3, we characterize the posterior beliefs and then derive the equilibrium efforts. We then compare the equilibrium efforts of a two-stage SEC with a one-round contest in Section 4 and conclude in Section 5. Omitted proofs and auxiliary results are presented in the Appendix.

2. Model and Preliminaries

Consider a two-stage elimination contest where a set of $n_1 \in \mathbb{Z}_+$ ($n_1 \geq 2$) players (denoted as set \mathcal{I}^1) enter the first-stage contest, and depending on the outcome, the top $n_2 \in \mathbb{Z}_+$ ($2 \leq n_2 \leq n_1$) players from the first stage (denoted as set \mathcal{I}^2) proceed to the second and final stage to compete for $p \in \mathbb{Z}_+$ ($p \leq n_2$) prizes. The value of the l^{th} prize is denoted as V_l , where $V_1 \geq V_2 \geq \dots \geq V_p \geq 0$. The contest sponsor determines the number of players remained in the second stage n_2 , the number and value(s) of prizes, and these are made common knowledge. For $i \in \mathcal{I}^t$, let $\mathcal{I}_{-i}^t = \{j : j \in \mathcal{I}^t, j \neq i\}$ as the set of players in stage $t \in \{1, 2\}$ of the contest except for player i .

At each stage $t \in \{1, 2\}$ of the contest, a player $i \in \mathcal{I}^t$ exerts an effort e_i^t which incurs a cost $g(e_i^t)/a_i$ where $g : \mathbb{R}_{\geq 0} \mapsto \mathbb{R}_{\geq 0}$ is a strictly increasing, continuous and differentiable function with $g(0) = 0$ and a_i is

¹Hou and Zhang (2021) analyze a similar two-stage SEC as our setting. However, there are several mistakes in their analyses. In particular, they use an incorrect structure of the posterior belief and mistakenly assume that players’ posterior beliefs are IID. On the other hand, Fu and Lu (2012) and Fu and Wu (2021) studied a different type of SEC under the format of a Tullock contest. In their setup, players are homogeneous in their abilities and winners are selected probabilistically in the sense that the winning probability of player i with effort e_i is $e_i^r / \sum_j e_j^r$ for some constant $r > 0$.

a type/ability parameter. The ability a_i is private information to the player i herself. At the beginning of the first stage, each player perceives other players' abilities as IID random variables drawn from a commonly known distribution function $F(\cdot)$ with continuous density $f(\cdot) > 0$. Let A_i be the random variable (perceived by other players) of player i 's ability. Note that, the sponsor holds the same prior belief. Without loss of generality, we assume that $a_i \in (0, 1)$. Given the same effort, the player with higher ability incurs less cost. Intuitively, the ability parameter a_i can be explained as the rate at which player i works.

At each stage, eligible players will simultaneously and privately submit their efforts. Players whose first-stage efforts are among the top n_2 of all first-stage efforts enter the second stage. The player with the highest second-stage effort wins the first prize, V_1 ; similarly, the player with the second-highest second-stage effort wins the second prize, V_2 and so on until all the prizes are allocated.² Player i with ability a_i gets utility $V_j - (g(e_i^1) + g(e_i^2))/a_i$ if she wins the j^{th} prize with efforts e_i^1 and e_i^2 in both stages; if player i does not win any prize, she gets utility $-g(e_i^1)/a_i$ in the case that she gets eliminated after first stage, or $-(g(e_i^1) + g(e_i^2))/a_i$ in the case that she enters the second stage but does not land any prize. Players are strategic and risk-neutral, they choose their efforts in both stages in order to maximize their expected utilities, where the expectations take over the randomness of competing players' efforts. We will give a formal definition of expected utilities later. We now give a formal definition of player strategies.

Strategies. Player i 's strategy $e_i = (e_i^1, e_i^2)$ is a tuple of efforts she made at two stages of the contest *if she is eligible for them*. Moreover, for any player i , e_i^1 and e_i^2 are functions of her ability,

$$e_i^t = b^t(a_i), \quad \forall t \in \{1, 2\}.$$

We assume that $b^t(\cdot)$ is continuous, differentiable and strictly increasing in a_i . In words, we focus on symmetric and strictly increasing strategies in both stages of the contest where all players exert efforts according to their abilities, and the higher the ability, the more the efforts.

Belief System. We assume that at the end of the first stage, the contest sponsor will publicly announce who is promoted and who is eliminated. For any $i \in \mathcal{I}^1$, let $s_i^t \in \{0, 1\}$ be the *signal* of player i at stage t where $s_i^t = 1$ indicates that player i is able to attend stage t of the contest, and $s_i^t = 0$ otherwise. Since all players are able to attend the first-stage contest, we have $s_i^1 = 1, \forall i \in \mathcal{I}^1$. For $i \in \mathcal{I}^1$, put $s_{-i}^t = [s_j^t : j \in \mathcal{I}_{-i}^1]$ and $s^t = [s_i^t, s_{-i}^t]$. Let $h^t = [s^1, \dots, s^t]$ denote the *history* up to stage t of the contest. Note that h^t is observable to all players in \mathcal{I}^t .

For any player $i \in \mathcal{I}^t$ at stage $t \in \{1, 2\}$, let $\beta_i^t(a_j | h^t, a_i)$ denote her belief about the density of the ability of another player $j \in \mathcal{I}_{-i}^t$ in the same stage, given history h^t and her own ability a_i . For $i \in \mathcal{I}^t$, let $a_{-i}^t = [a_j : j \in \mathcal{I}_{-i}^t]$ and $A_{-i}^t = [A_j : j \in \mathcal{I}_{-i}^t]$. With a bit abuse of notation, denote $\beta_i^t(a_{-i}^t | h^t, a_i)$ as player $i \in \mathcal{I}^t$'s belief about the *joint* density of the abilities of all other players in stage t . For the first

²Ties can be broken arbitrarily as we focus on strictly increasing symmetric equilibrium strategies. Ties are thus measure-zero events due to the continuous ability distribution.

stage, we have $\beta_i^1(a_{-i}^1 | h^1, a_i) = \prod_{j \in \mathcal{I}_{-i}^1} \beta_i^1(a_j | h^1, a_i) = \prod_{j \in \mathcal{I}_{-i}^1} f(a_j)$ due to the assumption of IID prior distributions of players' abilities. The second-stage beliefs are more involved and we will discuss in details later.

The SEC is a dynamic game of incomplete information. However, different from a classic multi-stage game with observed actions, in our setup, players only get to observe who advances to the second stage but not their first-stage efforts. As a consequence, players may form different beliefs about the ability of the same other player based on their own private types — my own ability being high or low has an impact on my belief about other players' abilities after knowing who advance to the second stage. The beliefs about other players' abilities can also be correlated in the second stage — knowing someone's ability is high or low in the second stage tells something about other players in the second stage.

Equilibrium. We adopt the notion of Perfect Bayesian Equilibrium (PBE) to define our solution concept. For notation brevity, in the following, we sometimes suppress h^1 when appropriate since all n_1 players are able to attend the first-stage contest.

A PBE of the SEC is a tuple of a strategy $[b^1(\cdot), b^2(\cdot)]$ and posterior beliefs $[\beta_i^2(\cdot | h^2, a_i) : i \in \mathcal{I}^2]$ that satisfies the following conditions.

- (i) *Bayesian Updating:* for every player $i \in \mathcal{I}^2$, Bayes' rule is used to update her posterior belief $\beta_i^2(\cdot | h^2, a_i)$,

$$\begin{aligned} \beta_i^2(a_{-i}^2 | h^2, a_i) &= \beta_i^2(a_{-i}^2 | s_{-i}^2, s_i^2, a_i) = \frac{\beta_i^1(a_{-i}^2 | s_i^2, a_i) \Pr(s_{-i}^2 | a_{-i}^2, s_i^2, a_i)}{\int_{a_{-i}^2} \Pr(s_{-i}^2 | a_{-i}^2, s_i^2, a_i) \beta_i^1(a_{-i}^2 | s_i^2, a_i) da_{-i}^2} \\ &= \frac{\prod_{j \in \mathcal{I}_{-i}^2} f(a_j) \Pr(s_{-i}^2 | a_{-i}^2, s_i^2, a_i)}{\int_{a_{-i}^2} \Pr(s_{-i}^2 | a_{-i}^2, s_i^2, a_i) \prod_{j \in \mathcal{I}_{-i}^2} f(a_j) da_{-i}^2}. \end{aligned}$$

The last equation holds because for the conditional density $\beta_i^1(a_{-i}^2 | s_i^2, a_i)$, player i does *not* know who else enters the second stage, $\beta_i^1(a_{-i}^2 | s_i^2, a_i) = \prod_{j \in \mathcal{I}_{-i}^2} f(a_j)$.

- (ii) *Sequential Rationality:* player $i \in \mathcal{I}^t$'s expected utility starting at any stage $t \in \{1, 2\}$ of the contest is maximized by playing $b^t(a_i)$ given her belief $\beta_i^t(\cdot | h^t, a_i)$,

$$\begin{aligned} b^2(a_i) &\in \operatorname{argmax}_{e_i^2} \sum_{l=1}^p P_{i,l} \cdot V_l - \frac{g(e_i^2)}{a_i}, \\ b^1(a_i) &\in \operatorname{argmax}_{e_i^1} P_i \cdot \left(\sum_{l=1}^p P_{i,l} \cdot V_l - \frac{g(b^2(a_i))}{a_i} \right) - \frac{g(e_i^1)}{a_i}, \end{aligned}$$

where $P_{i,l}$ is the probability of a player $i \in \mathcal{I}^2$ winning the l^{th} prize based on her second-stage belief, and P_i is the probability of a player $i \in \mathcal{I}^1$ advancing to the second stage based on her first-stage belief.

Formally,

$$P_{i,l} := \Pr \left(e_i^2 \text{ ranks } l^{\text{th}} \text{ highest in } \{b^2(A_j) : j \in \mathcal{I}_{-i}^2\} \cup \{e_i^2\} \right), \quad A_{-i}^2 \sim \beta_i^2(\cdot | h^2, a_i),$$

$$P_i := \Pr \left(e_i^1 \text{ ranks top } n_2 \text{ in } \{b^1(A_j) : j \in \mathcal{I}_{-i}^1\} \cup \{e_i^1\} \right), \quad A_{-i}^1 \sim \beta_i^1(\cdot | h^1, a_i).$$

3. Equilibrium Characterization

In this section, we fully characterize the PBE of the SEC which includes the posterior belief $\beta_i^2(\cdot | h^2, a_i)$ and player equilibrium strategy $[b^1(\cdot), b^2(\cdot)]$.

3.1. Posterior Beliefs

Define the incomplete beta function $B(x, p, q)$ with parameters $x \in (0, 1), p \in \mathbb{Z}_+, q \in \mathbb{Z}_+$ as

$$B(x, p, q) := \int_0^x t^{p-1} (1-t)^{q-1} dt.$$

Lemma 1 (Posterior Beliefs). *If player i with ability a_i advances to the second stage of the contest, her belief about the joint density of the other $n_2 - 1$ players' abilities A_{-i}^2 in the second stage is*

$$\beta_i^2(a_{-i}^2 | h^2, a_i) = \begin{cases} \frac{1}{I(a_i, n_2)} \prod_{j \in \mathcal{I}_{-i}^2} f(a_j) & a_i < \min_{j \in \mathcal{I}_{-i}^2} a_j, \\ \frac{F^{n_1 - n_2} \left(\min_{j \in \mathcal{I}_{-i}^2} a_j \right)}{I(a_i, n_2)} \prod_{j \in \mathcal{I}_{-i}^2} f(a_j) & a_i > \min_{j \in \mathcal{I}_{-i}^2} a_j, \end{cases} \quad (1)$$

where

$$I(a_i, n_2) := (1 - F(a_i))^{n_2 - 1} + (n_2 - 1)B(F(a_i), n_1 - n_2 + 1, n_2 - 1).$$

Proof. See appendix. □

Note that, in equation (1) we do not define the density in the set $\{a_{-i}^2 : \min_{j \in \mathcal{I}_{-i}^2} a_j = a_i\}$ whose Lebesgue measure is 0; the density in this set can thus be defined arbitrarily without impacting the posterior belief distribution function. As a special case of posterior belief with $n_1 = n_2$, $I(a_i, n_2) = \sum_{k=0}^{n_2-1} \binom{n_2-1}{k} F(a_i)^k (1 - F(a_i))^{n_2-1-k} = 1$, $\forall a_i \in (0, 1)$, thus $\beta_i^2(a_{-i}^2 | h^2, a_i) = \prod_{j \in \mathcal{I}_{-i}^2} f(a_j) = \beta_i^1(a_{-i}^1 | a_i)$. In other words, when all n_1 players advance to the second stage, every player's posterior belief is the same as her prior belief.

Lemma 1 shows that the posteriors beliefs about the same player's ability are *not* identical across players and depend on each player's own ability. Moreover, $\beta_i^2(a_{-i}^2 | h^2, a_i)$ can be *discontinuous* at $\{a_{-i}^2 : \min_{j \in \mathcal{I}_{-i}^2} a_j = a_i\}$, i.e., the left-sided and right-sided limits do not agree. The dependency on a_i and the discontinuity both stem from the observation that when a player j 's ability is strictly higher than a_i , player i knows that with

probability one player j advances to the second stage, given player i herself is in the second stage.

We have the following immediate corollary on the player's marginal posterior belief based on Lemma 1.

Corollary 1 (Marginal Posterior Beliefs). *Player i 's ($i \in \mathcal{I}^2$) belief about player j 's ($j \in \mathcal{I}_{-i}^2$) ability is*

$$\beta_i^2(a_j | h^2, a_i) = \begin{cases} \frac{f(a_j)}{I(a_i, n_2)} \left((n_2 - 2)B(F(a_i), n_1 - n_2 + 1, n_2 - 2) + (1 - F(a_i))^{n_2 - 2} \right), & a_j > a_i, \\ \frac{f(a_j)}{I(a_i, n_2)} \left((n_2 - 2)B(F(a_j), n_1 - n_2 + 1, n_2 - 2) + F^{n_1 - n_2}(a_j)(1 - F(a_j))^{n_2 - 2} \right), & a_j < a_i. \end{cases}$$

Proof. See appendix. □

One can quickly check that $\beta_i^2(a_{-i}^2 | h^2, a_i) \neq \prod_{j \in \mathcal{I}_{-i}^2} \beta_i^2(a_j | h^2, a_i)$ in general. In words, suppose players i, j, k all advance to the second stage, player i 's belief about player j 's ability can depend on her belief about player k 's. However, the posterior beliefs $\beta_i^2(a_j | h^2, a_i)$ and $\beta_k^2(a_j | h^2, a_k)$ are independent for any $i \neq j \neq k \in \mathcal{I}^2$. Beliefs about the same player's ability are independent across players, though not identical as discussed previously. This allows us to simplify the analysis.

Example 1. *We now give an example with $n_2 = 2$ to illustrate the posterior beliefs derived in Lemma 1.*

When $n_2 = 2$, for any player $i \neq j \in \mathcal{I}^2$,

$$\beta_i^2(a_j | h^2, a_i) = \begin{cases} \frac{f(a_j)}{\frac{F^{n_1 - 1}(a_i)}{n_1 - 1} + 1 - F(a_i)}, & a_i < a_j, \\ \frac{f(a_j)F^{n_1 - 2}(a_i)}{\frac{F^{n_1 - 1}(a_i)}{n_1 - 1} + 1 - F(a_i)}, & a_i > a_j. \end{cases}$$

Figure 1 shows the comparison between a uniform prior belief and its corresponding posterior beliefs based on different values of a_i with $n_1 = 5, n_2 = 2$. As we can see, there is a jump at $a_j = a_i$ for the posterior density. The other interesting observation from the posterior CDF is that no matter what value a_i takes, once advancing to the second stage, player i always perceives her opponent stronger compared to her prior belief, i.e., $\Pr_{A_j \sim \beta_i^2(\cdot | h^2, a_i)}(A_j > a_j) > \Pr_{A_j \sim \beta_i^1(\cdot | h^1, a_i)}(A_j > a_j), \forall a_j \in (0, 1)$. In fact, this observation is true in general as stated in the following proposition.

Proposition 1 (Stochastic Dominance of Posterior Belief). *The posterior belief about the ability of an opponent stochastically dominates the prior belief. Formally, if $n_2 < n_1$, for all $a_i \in (0, 1)$,*

$$\Pr_{A_j \sim \beta_i^2(\cdot | h^2, a_i)}(A_j > a_j) > \Pr_{A_j \sim \beta_i^1(\cdot | h^1, a_i)}(A_j > a_j), \quad \forall a_j \in (0, 1).$$

Proof. See appendix. □




Figure 1: Comparison between prior and posterior beliefs ($n_1 = 5, n_2 = 2$).

3.2. Equilibrium Strategies

Denote $F_{(l,n)}(\cdot)$ as the distribution function of the l^{th} highest order statistic among n IID random variables with distribution $F(\cdot)$. We have the following identities,

$$F_{(l,n)}(x) = \sum_{j=n-l+1}^n \binom{n}{j} F^j(x) (1 - F(x))^{n-j},$$

$$dF_{(l,n)}(x) = \frac{n!}{(n-l)!(l-1)!} F^{n-l}(x) (1 - F(x))^{l-1} dF(x).$$

Define $F_{(0,n)}(x) = 0, F_{(n,n-1)}(x) = 0, dF_{(0,n)}(x) = 0, \forall x \in (0, 1)$. Put $g^{-1}(\cdot)$ as the inverse function of $g(\cdot)$.

We now show that even though the posterior beliefs are not identical, there still exists a symmetric equilibrium strategy $[b^1(\cdot), b^2(\cdot)]$ in a PBE. This is because players form their posterior beliefs through the same Bayesian updating process.

Theorem 1 (Equilibrium Efforts). *There exists a unique symmetric equilibrium strategy as follows in a PBE with posterior beliefs stated in equation (1).*

For any player $i \in \mathcal{I}^2$, her second-stage effort is

$$b^2(a_i) = \begin{cases} g^{-1} \left(\sum_{l=1}^p V_l \int_0^{a_i} \frac{x}{J(x, n_2)} (dF_{(l, n_1-1)}(x) - dF_{(l-1, n_1-1)}(x)) \right), & p < n_2, \\ g^{-1} \left(\sum_{l=1}^{p-1} V_l \int_0^{a_i} \frac{x}{J(x, n_2)} (dF_{(l, n_1-1)}(x) - dF_{(l-1, n_1-1)}(x)) \right. \\ \quad \left. - V_p \int_0^{a_i} \frac{(n_2-1)x}{I(x, n_2)} (1 - F(x))^{n_2-2} dF(x) \right), & p = n_2, \end{cases} \quad (2)$$

where $J(a_i, n_2) := \binom{n_1-1}{n_2-1} \cdot I(a_i, n_2)$; for any player $i \in \mathcal{I}^1$, her first-stage effort is

$$b^1(a_i) = g^{-1} \left(u_i^2 \sum_{l=1}^{n_2} \int_0^{a_i} x (dF_{(l, n_1-1)}(x) - dF_{(l-1, n_1-1)}(x)) \right),$$

where u_i^2 is the expected utility of player i starting at the second stage under strategy $b^2(a_i)$,

$$u_i^2 = \begin{cases} \sum_{l=1}^p \frac{V_l}{J(a_i, n_2)} \binom{n_1-1}{l-1} (1 - F(a_i))^{l-1} F^{n_1-l}(a_i) - \frac{g(b^2(a_i))}{a_i}, & p < n_2, \\ \sum_{l=1}^{p-1} \frac{V_l}{J(a_i, n_2)} \binom{n_1-1}{l-1} (1 - F(a_i))^{l-1} F^{n_1-l}(a_i) + \frac{V_p}{I(a_i, n_2)} (1 - F(a_i))^{n_2-1} - \frac{g(b^2(a_i))}{a_i}, & p = n_2. \end{cases}$$

Proof. See appendix. □

The derivation of the equilibrium strategy is based on backward induction. This is made possible because players cannot observe first-stage efforts, and thus the posterior belief does not depend on first-stage equilibrium effort. Note that the equilibrium efforts under $p = n_2$ is structurally different from the ones under $p < n_2$. This is caused by the discontinuity of posterior beliefs stated in Lemma 1. Since $b^2(\cdot)$ is a strictly increasing function, the probability of player $i \in \mathcal{I}^2$ winning l^{th} prize ($1 \leq l \leq p$) is the same as the probability that a_i ranks exactly l^{th} highest among all second-stage players' abilities. When $p < n_2$, even if player i wins the p^{th} prize, there are still $n_2 - p$ players whose abilities are lower than a_i . In this case, we only use the second part of posterior belief defined in equation (1). On the other hand, when $p = n_2$, if player i wins the p^{th} prize, a_i is the lowest value among player abilities in the second stage. In this case, both parts of the posterior belief will be needed.

4. Comparison of Equilibrium Outcomes

In this section, we compare the equilibrium outcomes of a two-stage SEC with those of a one-round contest. First, we state an existing result of a one-round contest under incomplete information. By Proposition 1 of Moldovanu and Sela (2006), we have the symmetric Bayesian Nash equilibrium of one-round contests as follows.

Proposition 2 (Moldovanu and Sela 2006). *Consider a one-round contest with n_1 players where the sponsor awards $p \leq n_1$ prizes with values $V_1 \geq V_2 \geq \dots \geq V_p \geq 0$. The symmetric Bayesian Nash equilibrium is*

$$b(a_i) = g^{-1} \left(\sum_{l=1}^p V_l \int_0^{a_i} x (dF_{(l, n-1)}(x) - dF_{(l-1, n-1)}(x)) \right). \quad (3)$$

Observe that when $p < n_2$, the difference between the equilibrium effort under a one-round contest $b(a_i)$ and a second-stage equilibrium effort of the SEC $b^2(a_i)$ is only a factor of $1/J(\cdot, n_2)$ in the integrand. This factor encapsulates the effect of SEC with updated beliefs and a reduced number of players in the second stage. We have the following Lemma 2 characterizing the range of $J(\cdot, n_2)$.

Lemma 2. *For any $n_2 \leq n_1$, $J(a_i, n_2) \geq 1$, $\forall a_i \in (0, 1)$, and the equality holds for all $a_i \in (0, 1)$ when $n_2 = n_1$.*

Proof. From the definition of $J(a_i, n_2)$,

$$\begin{aligned} J(a_i, n_2) &= \binom{n_1 - 1}{n_2 - 1} I(a_i, n_2) \\ &= \binom{n_1 - 1}{n_2 - 1} \left((n_2 - 1) \int_0^{F(a_i)} t^{n_1 - n_2} (1 - t)^{n_2 - 2} dt + (1 - F(a_i))^{n_2 - 1} \right), \forall a_i \in (0, 1). \end{aligned}$$

Note that

$$\begin{aligned} \frac{\partial I(a_i, n_2)}{\partial a_i} &= (n_2 - 1) f(a_i) F^{n_1 - n_2}(a_i) (1 - F(a_i))^{n_2 - 2} - f(a_i) (n_2 - 1) (1 - F(a_i))^{n_2 - 2} \\ &= (n_2 - 1) f(a_i) (1 - F(a_i))^{n_2 - 2} (F^{n_1 - n_2}(a_i) - 1) \leq 0, \forall a_i \in (0, 1). \end{aligned}$$

Thus we have $\partial J(a_i, n_2) / \partial a_i \leq 0$, $\forall a_i \in (0, 1)$, which yields

$$J(a_i, n_2) \geq J(1, n_2) = \frac{(n_1 - 1)!}{(n_1 - n_2)! (n_2 - 1)!} (n_2 - 1) \int_0^1 t^{n_1 - n_2} (1 - t)^{n_2 - 2} dt = 1, \forall a_i \in (0, 1).$$

When $n_1 = n_2$, $J(a_i, n_2) = I(a_i, n_2) = \sum_{k=0}^{n_2 - 1} \binom{n_2 - 1}{k} F(a_i)^k (1 - F(a_i))^{n_2 - 1 - k} = 1$, $\forall a_i \in (0, 1)$. This completes the proof. \square

It is worth noting that in general $J(a_i, n_2)$ has *no monotonicity* in the number of players admitted to the second stage n_2 . Based on Lemma 2, we have the following dominance result regarding the comparison of the equilibrium efforts.

Theorem 2 (Dominance of Equilibrium Efforts). *Consider a one-round contest and an SEC that adopt the same reward structure $V_1 \geq V_2 \geq \dots \geq V_p \geq 0$. All players exert weakly lower efforts in the final stage of the SEC compared to those under the one-round contest, regardless of the number of players admitted to the final stage,*

$$b^2(a_i) \leq b(a_i), \quad \forall a_i \in (0, 1), \forall n_2 \leq n_1,$$

and the equality holds if $n_2 = n_1$.

Proof. Since $g(\cdot)$ is strictly increasing, $g^{-1}(\cdot)$ is also strictly increasing. In order to show $b^2(a_i) \leq b(a_i)$, it suffices to show that the term inside $g^{-1}(\cdot)$ in equation (2) is smaller than that inside $g^{-1}(\cdot)$ in equation (3).

Case 1: $p < n_2$

Let $z_1(a_i) := \sum_{l=1}^p V_l \int_0^{a_i} x(dF_{(l,n_1-1)}(x) - dF_{(l-1,n_1-1)}(x))$ and $z_2(a_i) := \sum_{l=1}^p V_l \int_0^{a_i} \frac{x}{J(x,n_2)}(dF_{(l,n_1-1)}(x) - dF_{(l-1,n_1-1)}(x))$ be the terms inside $g^{-1}(\cdot)$ respectively. We have

$$\begin{aligned} \frac{dz_2(a_i)}{da_i} &= \frac{a_i}{J(a_i, n_2)} \sum_{l=1}^p V_l \left(\frac{dF_{(l,n_1-1)}(a_i)}{da_i} - \frac{dF_{(l-1,n_1-1)}(a_i)}{da_i} \right), \\ \frac{dz_1(a_i)}{da_i} &= a_i \sum_{l=1}^p V_l \left(\frac{dF_{(l,n_1-1)}(a_i)}{da_i} - \frac{dF_{(l-1,n_1-1)}(a_i)}{da_i} \right). \end{aligned}$$

Observe that

$$\sum_{l=1}^p V_l \left(\frac{dF_{(l,n_1-1)}(a_i)}{da_i} - \frac{dF_{(l-1,n_1-1)}(a_i)}{da_i} \right) = V_p \frac{dF_{(p,n_1-1)}(a_i)}{da_i} + \sum_{l=1}^{p-1} (V_l - V_{l+1}) \frac{dF_{(l,n_1-1)}(a_i)}{da_i} > 0,$$

by noting that $dF_{(0,n_1-1)}(a_i) = 0$, $\forall a_i \in (0, 1)$.

Since $J(a_i, n_2) \geq 1$ by Lemma 2, we have $0 < dz_2(a_i)/da_i \leq dz_1(a_i)/da_i$, $\forall a_i \in (0, 1)$. Also, $z_2(0) = 0$ and $z_1(0) = 0$, and thus $z_2(a_i) \leq z_1(a_i)$, $\forall a_i \in (0, 1)$ by fundamental theorem of calculus.

Case 2: $p = n_2$

Redefine $z_2(a_i) := \sum_{l=1}^{p-1} V_l \int_0^{a_i} \frac{x}{J(x,n_2)}(dF_{(l,n_1-1)}(x) - dF_{(l-1,n_1-1)}(x)) - V_p \int_0^{a_i} \frac{(n_2-1)x}{I(x,n_2)}(1-F(x))^{n_2-2} dF(x)$, which is the term inside the $g^{-1}(\cdot)$ of $b^2(a_i)$ when $p = n_2$. Since

$$\int_0^{a_i} \frac{V_p \cdot (n_2 - 1) \cdot x}{I(x, n_2)} (1 - F(x))^{n_2-2} dF(x) > 0, \quad \forall a_i \in (0, 1),$$

which yields

$$\begin{aligned} z_2(a_i) &= \int_0^{a_i} \sum_{l=1}^{p-1} V_l \frac{x}{J(x, n_2)} (dF_{(l,n_1-1)}(x) - dF_{(l-1,n_1-1)}(x)) - \frac{V_p \cdot (n_2 - 1) \cdot x}{I(x, n_2)} (1 - F(x))^{n_2-2} dF(x) \\ &< \int_0^{a_i} \sum_{l=1}^{p-1} V_l \frac{x}{J(x, n_2)} (dF_{(l,n_1-1)}(x) - dF_{(l-1,n_1-1)}(x)) \\ &\leq \int_0^{a_i} \sum_{l=1}^{p-1} V_l x (dF_{(l,n_1-1)}(x) - dF_{(l-1,n_1-1)}(x)) \\ &< \sum_{l=1}^p V_l \int_0^{a_i} x (dF_{(l,n_1-1)}(x) - dF_{(l-1,n_1-1)}(x)) \\ &= z_1(a_i), \quad \forall a_i \in (0, 1). \end{aligned}$$

Since $J(a_i, n_2) = 1, \forall a_i \in (0, 1)$ when $n_2 = n_1$, we have $b^2(a_i) = b(a_i), \forall a_i \in (0, 1)$. This completes the proof. \square

The following corollary regarding the design of SEC is a direct consequence of Theorem 2.

Corollary 2. *Given the reward structure $V_1 \geq V_2 \geq \dots \geq V_p \geq 0$, in terms of the expected highest effort or the expected total effort of the final stage, the optimal two-stage SEC is effectively a one-round contest by letting all n_1 players proceed to the second stage of the contest.*

Proof. Theorem 2 directly implies Corollary 2. \square

Moldovanu and Sela (2006) show that under linear cost function, when the number of total participants approaches infinity, a two-stage sub-elimination will dominate a one-round contest in terms of the expected highest efforts of the second stage. However, somewhat surprisingly, Theorem 2 shows that, no matter what the cost function is, a two-stage SEC cannot be better than a one-round contest. In other words, the overall coupling effect of the posterior beliefs and the reduced number of players in the final stage is to discourage players from exerting efforts in the final stage regardless of the cost function.

This suggests that the justification for running SEC in practice might come from other reasons other than the efforts in the final stage — for example, the total efforts across all stages. Though by the revenue equivalence theorem (Myerson 1981), the expected total efforts across all stages are the same as the one under a one-round contest when the cost function is affine, since the allocation rules of an SEC and a one-round contest are the same, i.e., allocating the j^{th} highest prize to the player with j^{th} highest ability among all players. It is unclear how the expected total efforts across two stages compare under other cost functions such as convex cost functions. On the other hand, it is perhaps justifiable that many sponsors only care about the second-stage efforts when the first stage is simply used to filter incompetent players. In such cases, our prescription of no need to run an SEC is definitive and robust.

5. Closing Remarks

Our results reveal insights into the comparison of a two-stage SEC and a one-round contest under incomplete information. In short, we show that players in the second stage of an SEC exert lower efforts than those under a one-round contest. Thus, for sponsors who only care about the final-stage efforts, there is no need to run a two-stage SEC. One possible extension of our work is to study information design in SEC — how should a sponsor announce players' efforts at the end of the first stage? In this paper, we follow the assumption in Moldovanu and Sela (2006) that the sponsor only announces the information of who is promoted and who is eliminated. Instead, the sponsor could consider disclosing all players' efforts or the ranking of their efforts in the first stage. It would be interesting to understand whether the sponsor is able to improve the outcome of the second-stage efforts through a better information disclosure.

Appendix

A. Omitted Proofs

Proof of Lemma 1. To simplify the notation, put $a_{(1)}^2 := \min_{j \in \mathcal{I}^2} a_j$. Player i 's ($i \in \mathcal{I}^2$) belief about the other $n_2 - 1$ players' abilities in the second stage is

$$\begin{aligned} \beta_i^2(a_{-i}^2 | h^2, a_i) &= \beta_i^2(a_{-i}^2 | s_{-i}^2, s_i^2, a_i) = \frac{\beta_i^1(a_{-i}^2 | s_i^2, a_i) \cdot \Pr(s_{-i}^2 | a_{-i}^2, s_i^2, a_i)}{\Pr(s_{-i}^2 | s_i^2, a_i)} \\ &= \frac{\beta_i^1(a_{-i}^2 | a_i) \cdot \Pr(s_{-i}^2 | a_{-i}^2, s_i^2, a_i)}{\int_{a_{-i}^2} \Pr(s_{-i}^2 | a_{-i}^2, s_i^2, a_i) \cdot \beta_i^1(a_{-i}^2 | a_i) da_{-i}^2}, \end{aligned} \quad (\text{A.1})$$

where

$$\begin{aligned} \Pr(s_{-i}^2 | a_{-i}^2, s_i^2, a_i) &= \begin{cases} 1, & a_{(1)}^2 > a_i \\ \Pr(\max\{e_k^1 : k \in \mathcal{I}^1 \setminus \mathcal{I}^2\} < \min\{e_j^1 : j \in \mathcal{I}^2, j \neq i\} | a_{-i}^2, s_i^2, a_i), & a_{(1)}^2 < a_i \end{cases} \\ &= \begin{cases} 1, & a_{(1)}^2 > a_i, \\ \Pr(\max\{A_k : k \in \mathcal{I}^1 \setminus \mathcal{I}^2\} < a_{(1)}^2 | a_{-i}^2, s_i^2, a_i), & a_{(1)}^2 < a_i. \end{cases} \end{aligned}$$

In particular,

$$\begin{aligned} \Pr(\max\{A_k : k \in \mathcal{I}^1 \setminus \mathcal{I}^2\} < a_{(1)}^2 | a_{-i}^2, s_i^2, a_i) &= \int_0^{a_{(1)}^2} \cdots \int_0^{a_{(1)}^2} \beta_i^1([a_j : j \in \mathcal{I}^1 \setminus \mathcal{I}^2] | a_{-i}^2, s_i^2, a_i) \prod_{j \in \mathcal{I}^1 \setminus \mathcal{I}^2} da_j \\ &= \int_0^{a_{(1)}^2} \cdots \int_0^{a_{(1)}^2} \beta_i^1([a_j : j \in \mathcal{I}^1 \setminus \mathcal{I}^2] | a_i) \prod_{j \in \mathcal{I}^1 \setminus \mathcal{I}^2} da_j \\ &= \underbrace{\int_0^{a_{(1)}^2} \cdots \int_0^{a_{(1)}^2} \prod_{j \in \mathcal{I}^1 \setminus \mathcal{I}^2} (f(a_j) da_j)}_{n_1 - n_2} \\ &= F^{n_1 - n_2}(a_{(1)}^2). \end{aligned}$$

Thus,

$$\Pr(s_{-i}^2 | a_{-i}^2, s_i^2, a_i) = \begin{cases} 1, & a_{(1)}^2 > a_i, \\ F^{n_1 - n_2}(a_{(1)}^2), & a_{(1)}^2 < a_i. \end{cases}$$

The denominator in equation (A.1) is

$$\begin{aligned}
& \int_{a_{-i}^2} \Pr(s_{-i}^2 | a_{-i}^2, s_i^2, a_i) \cdot \beta_i^1(a_{-i}^2 | a_i) da_{-i}^2 \\
&= \underbrace{\int_0^1 \cdots \int_0^1}_{n_2-1} \Pr(s_{-i}^2 | a_{-i}^2, s_i^2, a_i) \cdot \prod_{j \in \mathcal{I}_{-i}^2} (f(a_j) da_j) \\
&= (n_2 - 1) \left(\int_0^{a_i} \left(\underbrace{\int_{a_k}^1 \cdots \int_{a_k}^1}_{n_2-2} F^{n_1-n_2}(a_k) \prod_{j \neq k, j \in \mathcal{I}_{-i}^2} (f(a_j) da_j) \right) f(a_k) \underbrace{da_k}_{k \in \mathcal{I}_{-i}^2} \right) \\
&\quad + (n_2 - 1) \left(\int_{a_i}^1 \left(\underbrace{\int_{a_k}^1 \cdots \int_{a_k}^1}_{n_2-2} \prod_{j \neq k, j \in \mathcal{I}_{-i}^2} (f(a_j) da_j) \right) f(a_k) \underbrace{da_k}_{k \in \mathcal{I}_{-i}^2} \right) \\
&= (n_2 - 1) \int_0^{a_i} (1 - F(a_k))^{n_2-2} F^{n_1-n_2}(a_k) f(a_k) da_k + (n_2 - 1) \int_{a_i}^1 (1 - F(a_k))^{n_2-2} f(a_k) da_k \\
&= (n_2 - 1) B(F(a_i), n_1 - n_2 + 1, n_2 - 1) + (1 - F(a_i))^{n_2-1} \\
&:= I(a_i, n_2).
\end{aligned}$$

Thus,

$$\beta_i^2(a_{-i}^2 | h^2, a_i) = \begin{cases} \frac{1}{I(a_i, n_2)} \prod_{j=1, j \neq i}^{n_2} f(a_j), & a_i < a_{(1)}^2, \\ \frac{F^{n_1-n_2}(a_{(1)}^2)}{I(a_i, n_2)} \prod_{j=1, j \neq i}^{n_2} f(a_j), & a_i > a_{(1)}^2. \end{cases}$$

This completes the proof. \square

Proof of Corollary 1. When $a_i < a_j < 1$, by Lemma 1,

$$\beta_i^2(a_{-i}^2 | h^2, a_i) = \begin{cases} \frac{1}{I(a_i, n_2)} \prod_{k \in \mathcal{I}_{-i}^2} f(a_k), & a_i < \min_{k \in \mathcal{I}_{-i}^2 \setminus \{j\}} a_k < 1, \\ \frac{F^{n_1-n_2}(\tilde{a}_{(1)}^2)}{I(a_i, n_2)} \prod_{k \in \mathcal{I}_{-i}^2} f(a_k), & 0 < \min_{k \in \mathcal{I}_{-i}^2 \setminus \{j\}} a_k < a_i. \end{cases}$$

When $0 < a_j < a_i$, again by Lemma 1,

$$\beta_i^2(a_{-i}^2 | h^2, a_i) = \begin{cases} \frac{F^{n_1-n_2}(\tilde{a}_j^2)}{I(a_i, n_2)} \prod_{k \in \mathcal{I}_{-i}^2} f(a_k), & a_j < \min_{k \in \mathcal{I}_{-i}^2 \setminus \{j\}} a_k < 1, \\ \frac{F^{n_1-n_2}(\tilde{a}_{(1)}^2)}{I(a_i, n_2)} \prod_{k \in \mathcal{I}_{-i}^2} f(a_k), & 0 < \min_{k \in \mathcal{I}_{-i}^2 \setminus \{j\}} a_k < a_j. \end{cases}$$

Thus, when $a_i < a_j < 1$,

$$\begin{aligned}
\beta_i^2(a_j^2 | h^2, a_i) &= \frac{(n_2 - 2)}{I(a_i, n_2)} \left(\int_0^{a_i} \left(\underbrace{\int_{a_l}^1 \cdots \int_{a_l}^1}_{n_2-3} f(a_j) f(a_l) F^{n_1-n_2}(a_l) \prod_{k \in \mathcal{I}_{-i}^2 \setminus \{j, l\}} (f(a_k) da_k) \right) \underbrace{da_l}_{l \in \mathcal{I}_{-i}^2 \setminus \{k\}} \right) \\
&\quad + \frac{(n_2 - 2)}{I(a_i, n_2)} \left(\int_{a_i}^1 \left(\underbrace{\int_{a_l}^1 \cdots \int_{a_l}^1}_{n_2-3} f(a_j) f(a_l) \prod_{k \in \mathcal{I}_{-i}^2 \setminus \{j, l\}} (f(a_k) da_k) \right) \underbrace{da_l}_{l \in \mathcal{I}_{-i}^2 \setminus \{k\}} \right) \\
&= \frac{(n_2 - 2)}{I(a_i, n_2)} f(a_j) \int_0^{a_i} (1 - F(a_l))^{n_2-3} F^{n_1-n_2}(a_l) f(a_l) da_l \\
&\quad + \frac{(n_2 - 2)}{I(a_i, n_2)} f(a_j) \int_{a_i}^1 (1 - F(a_l))^{n_2-3} f(a_l) da_l \\
&= \frac{f(a_j)}{I(a_i, n_2)} \left((n_2 - 2) B(F(a_i), n_1 - n_2 + 1, n_2 - 2) + (1 - F(a_i))^{n_2-2} \right).
\end{aligned}$$

When $0 < a_j < a_i$,

$$\begin{aligned}
\beta_i^2(a_j^2 | h^2, a_i) &= \frac{(n_2 - 2)}{I(a_i, n_2)} \left(\int_0^{a_j} \left(\underbrace{\int_{a_l}^1 \cdots \int_{a_l}^1}_{n_2-3} f(a_j) f(a_l) F^{n_1-n_2}(a_l) \prod_{k \in \mathcal{I}_{-i}^2 \setminus \{j, l\}} (f(a_k) da_k) \right) \underbrace{da_l}_{l \in \mathcal{I}_{-i}^2 \setminus \{k\}} \right) \\
&\quad + \frac{(n_2 - 2)}{I(a_i, n_2)} \left(\int_{a_j}^1 \left(\underbrace{\int_{a_l}^1 \cdots \int_{a_l}^1}_{n_2-3} f(a_j) f(a_l) F^{n_1-n_2}(a_j) \prod_{k \in \mathcal{I}_{-i}^2 \setminus \{j, l\}} (f(a_k) da_k) \right) \underbrace{da_l}_{l \in \mathcal{I}_{-i}^2 \setminus \{k\}} \right) \\
&= \frac{(n_2 - 2)}{I(a_i, n_2)} f(a_j) \int_0^{a_j} (1 - F(a_l))^{n_2-3} F^{n_1-n_2}(a_l) f(a_l) da_l \\
&\quad + \frac{(n_2 - 2)}{I(a_i, n_2)} f(a_j) F^{n_1-n_2}(a_j) \int_{a_j}^1 (1 - F(a_l))^{n_2-3} f(a_l) da_l \\
&= \frac{f(a_j)}{I(a_i, n_2)} \left((n_2 - 2) B(F(a_j), n_1 - n_2 + 1, n_2 - 2) + F^{n_1-n_2}(a_j) (1 - F(a_j))^{n_2-2} \right).
\end{aligned}$$

Therefore,

$$\beta_i^2(a_j | h^2, a_i) = \begin{cases} \frac{f(a_j)}{I(a_i, n_2)} \left((n_2 - 2) B(F(a_i), n_1 - n_2 + 1, n_2 - 2) + (1 - F(a_i))^{n_2-2} \right), & a_j > a_i, \\ \frac{f(a_j)}{I(a_i, n_2)} \left((n_2 - 2) B(F(a_j), n_1 - n_2 + 1, n_2 - 2) + F^{n_1-n_2}(a_j) (1 - F(a_j))^{n_2-2} \right), & a_j < a_i. \end{cases}$$

This completes the proof. \square

Proof of Proposition 1. Proving the stochastic dominance result is equivalent to show, if $2 \leq n_2 < n_1$,

$$\Pr_{A_j \sim \beta_i^2(\cdot|h^2, a_i)}(A_j \leq a_j) < \Pr_{A_j \sim \beta_i^1(\cdot|h^1, a_i)}(A_j \leq a_j) = F(a_j), \quad \forall a_j \in (0, 1).$$

To start off, note that the following identities hold. For all $\alpha, \beta \in \mathbb{Z}_{>1}$,

$$\begin{aligned} \beta B(x, \alpha, \beta) &= \beta \int_0^x t^{\alpha-1} (1-t)^{\beta-1} dt \\ &= - \int_0^x t^{\alpha-1} d(1-t)^\beta \\ &= (\alpha-1) \int_0^x t^{\alpha-2} (1-t)^\beta dt - x^{\alpha-1} (1-x)^\beta. \end{aligned} \quad (\text{A.2})$$

By (A.2), we have

$$\begin{aligned} I(a_i, n_2) &= (n_2 - 1)B(F(a_i), n_1 - n_2 + 1, n_2 - 1) + (1 - F(a_i))^{n_2-1} \\ &= (n_1 - n_2) \int_0^{F(a_i)} x^{n_1-n_2-1} (1-x)^{n_2-1} dx + (1 - F(a_i))^{n_2-1} (1 - F^{n_1-n_2}(a_i)). \end{aligned} \quad (\text{A.3})$$

Case 1: $a_j < a_i$

When $a_j < a_i$, we have

$$\begin{aligned} &\Pr_{A_j \sim \beta_i^2(\cdot|h^2, a_i)}(A_j \leq a_j) \\ &= \frac{1}{I(a_i, n_2)} \left(\int_0^{a_j} (n_2 - 2)B(F(t), n_1 - n_2 + 1, n_2 - 2) dF(t) + \int_0^{a_j} F^{n_1-n_2}(t)(1-F(t))^{n_2-2} dF(t) \right) \\ &= \frac{1}{I(a_i, n_2)} \left(\int_0^{F(a_j)} (n_2 - 2)B(s, n_1 - n_2 + 1, n_2 - 2) ds + \int_0^{F(a_j)} s^{n_1-n_2} (1-s)^{n_2-2} ds \right). \end{aligned}$$

In addition,

$$\begin{aligned} &\int_0^{F(a_j)} (n_2 - 2)B(s, n_1 - n_2 + 1, n_2 - 2) ds \\ &= (n_2 - 2) \int_0^{F(a_j)} ds \int_0^s x^{n_1-n_2} (1-x)^{n_2-3} dx \\ &= (n_2 - 2) \int_0^{F(a_j)} dx \int_x^{F(a_j)} x^{n_1-n_2} (1-x)^{n_2-3} ds \\ &= (n_2 - 2)F(a_j) \int_0^{F(a_j)} x^{n_1-n_2} (1-x)^{n_2-3} dx - (n_2 - 2) \int_0^{F(a_j)} x^{n_1-n_2+1} (1-x)^{n_2-3} dx \\ &= (n_1 - n_2)F(a_j) \int_0^{F(a_j)} x^{n_1-n_2-1} (1-x)^{n_2-2} dx - (n_1 - n_2 + 1) \int_0^{F(a_j)} x^{n_1-n_2} (1-x)^{n_2-2} dx, \end{aligned} \quad (\text{A.4})$$

where equation (A.4) is obtained from equation (A.2).

Hence,

$$\begin{aligned}
& \Pr_{A_j \sim \beta_i^2(\cdot|h^2, a_i)} (A_j \leq a_j) \\
&= \frac{1}{I(a_i, n_2)} (n_1 - n_2) \left(F(a_j) \int_0^{F(a_j)} x^{n_1 - n_2 - 1} (1 - x)^{n_2 - 2} dx - \int_0^{F(a_j)} x^{n_1 - n_2} (1 - x)^{n_2 - 2} dx \right) \quad (\text{A.5}) \\
&< \frac{1}{I(a_i, n_2)} (n_1 - n_2) \left(F(a_j) \int_0^{F(a_j)} x^{n_1 - n_2 - 1} (1 - x)^{n_2 - 2} dx - F(a_j) \int_0^{F(a_j)} x^{n_1 - n_2} (1 - x)^{n_2 - 2} dx \right) \\
&< \frac{1}{I(a_i, n_2)} F(a_j) \left((n_1 - n_2) \int_0^{F(a_j)} (x^{n_1 - n_2 - 1} (1 - x)^{n_2 - 2} - x^{n_1 - n_2} (1 - x)^{n_2 - 2}) dx \right) \\
&\quad + \frac{1}{I(a_i, n_2)} F(a_j) (1 - F(a_i))^{n_2 - 1} (1 - F^{n_1 - n_2}(a_i)) \\
&= \frac{1}{I(a_i, n_2)} F(a_j) \left((n_1 - n_2) \int_0^{F(a_j)} x^{n_1 - n_2 - 1} (1 - x)^{n_2 - 1} dx + (1 - F(a_i))^{n_2 - 1} (1 - F^{n_1 - n_2}(a_i)) \right) \\
&< \frac{1}{I(a_i, n_2)} F(a_j) \underbrace{\left((n_1 - n_2) \int_0^{F(a_i)} x^{n_1 - n_2 - 1} (1 - x)^{n_2 - 1} dx + (1 - F(a_i))^{n_2 - 1} (1 - F^{n_1 - n_2}(a_i)) \right)}_{I(a_i, n_2)} \\
&= F(a_j) \\
&= \Pr_{A_j \sim \beta_i^1(\cdot|h^1, a_i)} (A_j \leq a_j).
\end{aligned}$$

Case 2: $a_j > a_i$

When $a_j > a_i$, we have

$$\begin{aligned}
& \Pr_{A_j \sim \beta_i^2(\cdot|h^2, a_i)} (A_j \leq a_j) \\
&= \frac{1}{I(a_i, n_2)} \left(\int_0^{a_i} (n_2 - 2) B(F(t), n_1 - n_2 + 1, n_2 - 2) dF(t) + \int_0^{a_i} F^{n_1 - n_2}(t) (1 - F(t))^{n_2 - 2} dF(t) \right) \\
&\quad + \frac{1}{I(a_i, n_2)} \left(\int_{a_i}^{a_j} (n_2 - 2) B(F(t), n_1 - n_2 + 1, n_2 - 2) + (1 - F(t))^{n_2 - 2} dF(t) \right).
\end{aligned}$$

In addition, by equation (A.5),

$$\begin{aligned}
& \frac{1}{I(a_i, n_2)} \left(\int_0^{a_i} (n_2 - 2) B(F(t), n_1 - n_2 + 1, n_2 - 2) dF(t) + \int_0^{a_i} F^{n_1 - n_2}(t) (1 - F(t))^{n_2 - 3} dF(t) \right) \\
&= \frac{1}{I(a_i, n_2)} (n_1 - n_2) \left(F(a_i) \int_0^{F(a_i)} x^{n_1 - n_2 - 1} (1 - x)^{n_2 - 2} dx - \int_0^{F(a_i)} x^{n_1 - n_2} (1 - x)^{n_2 - 2} dx \right).
\end{aligned}$$

Moreover,

$$\begin{aligned}
& \frac{1}{I(a_i, n_2)} \left(\int_{a_i}^{a_j} (n_2 - 2) B(F(a_i), n_1 - n_2 + 1, n_2 - 2) + (1 - F(a_i))^{n_2 - 2} dF(t) \right) \\
&= \frac{1}{I(a_i, n_2)} \left((n_2 - 2)(F(a_j) - F(a_i)) \int_0^{F(a_i)} x^{n_1 - n_2} (1 - x)^{n_2 - 3} dx + (F(a_j) - F(a_i))(1 - F(a_i))^{n_2 - 2} \right) \\
&= \frac{1}{I(a_i, n_2)} (F(a_j) - F(a_i)) \left((n_1 - n_2) \int_0^{F(a_i)} x^{n_1 - n_2 - 1} (1 - x)^{n_2 - 2} dx + (1 - F(a_i))^{n_2 - 2} (1 - F^{n_1 - n_2}(a_i)) \right)
\end{aligned}$$

where the last equality is obtained by equation (A.2). This yields

$$\begin{aligned}
& \Pr_{A_j \sim \beta_i^2(\cdot|h^2, a_i)} (A_j \leq a_j) \\
&= \frac{1}{I(a_i, n_2)} (n_1 - n_2) \left(F(a_j) \int_0^{F(a_i)} x^{n_1 - n_2 - 1} (1 - x)^{n_2 - 2} dx - \int_0^{F(a_i)} x^{n_1 - n_2} (1 - x)^{n_2 - 2} dx \right) \\
&\quad + \frac{1}{I(a_i, n_2)} (F(a_j) - F(a_i))(1 - F(a_i))^{n_2 - 2} (1 - F^{n_1 - n_2}(a_i)) \\
&< \frac{1}{I(a_i, n_2)} F(a_j) \left((n_1 - n_2) \int_0^{F(a_j)} (x^{n_1 - n_2 - 1} (1 - x)^{n_2 - 2} - x^{n_1 - n_2} (1 - x)^{n_2 - 2}) dx \right) \\
&\quad + \frac{1}{I(a_i, n_2)} F(a_j) (1 - F(a_i))^{n_2 - 1} (1 - F^{n_1 - n_2}(a_i)) \\
&= \frac{1}{I(a_i, n_2)} F(a_j) \left((n_1 - n_2) \int_0^{F(a_j)} x^{n_1 - n_2 - 1} (1 - x)^{n_2 - 1} dx + (1 - F(a_i))^{n_2 - 1} (1 - F^{n_1 - n_2}(a_i)) \right) \\
&< \frac{1}{I(a_i, n_2)} F(a_j) \underbrace{\left((n_1 - n_2) \int_0^{F(a_i)} x^{n_1 - n_2 - 1} (1 - x)^{n_2 - 1} dx + (1 - F(a_i))^{n_2 - 1} (1 - F^{n_1 - n_2}(a_i)) \right)}_{I(a_i, n_2)} \\
&= F(a_j) \\
&= \Pr_{A_j \sim \beta_i^1(\cdot|h^1, a_i)} (A_j \leq a_j).
\end{aligned}$$

This completes the proof. \square

Proof of Theorem 1. We use backward induction to derive the equilibrium effort of the two-stage SEC.

Step 1: the second-stage equilibrium effort

For player $i \in \mathcal{I}^2$, since she knows her bidding effort e_i^1 in the first-stage, the first-stage cost $g(e_i^1)/a_i$ is a constant for her. Thus, she maximizes the following objective function in the second stage,

$$u_i^2 := \max_{e_i^2} \sum_{l=1}^p V_l P_{i,l} - \frac{g(e_i^2)}{a_i}, \quad (\text{A.6})$$

where $P_{i,l}$ is player i 's winning probability of the l^{th} ($1 \leq l \leq p$) prize based on her second-stage belief. We

now consider two separate cases, $p < n_2$ and $p = n_2$.

Case 1: $p < n_2$

Denote $\gamma_2(\cdot)$ as the inverse function of $b^2(\cdot)$, $\gamma_1(\cdot)$ as the inverse function of $b^1(\cdot)$. For any $i \in \mathcal{I}^2$, put $\tilde{\mathcal{I}}_l^2 \subset \mathcal{I}_{-i}^2$, $1 \leq l \leq p$ as a subset of \mathcal{I}_{-i}^2 including any $l - 1$ players in \mathcal{I}_{-i}^2 .

$$\begin{aligned}
P_{i,l} &= \Pr \left(e_i^2 \text{ ranks } l^{\text{th}} \text{ highest in } \{b^2(A_j) : j \in \mathcal{I}_{-i}^2\} \cup \{e_i^2\} \right) \\
&= \binom{n_2-1}{l-1} \underbrace{\int_{\gamma_2(e_i^2)}^1 \cdots \int_{\gamma_2(e_i^2)}^1}_{l-1} \underbrace{\int_0^{\gamma_2(e_i^2)} \cdots \int_0^{\gamma_2(e_i^2)}_{n_2-l}} \beta_i^2(a_{-i}^2 | h^2, a_i) da_{-i}^2 \\
&= \binom{n_2-1}{l-1} \left(\prod_{s \in \tilde{\mathcal{I}}_l^2} \int_{\gamma_2(e_i^2)}^1 f(a_s) da_s \right) \underbrace{\int_0^{\gamma_2(e_i^2)} \cdots \int_0^{\gamma_2(e_i^2)}_{n_2-l}} \frac{1}{I(a_i, n_2)} F^{n_1-n_2}(a_{(1)}^2) \prod_{k \in \mathcal{I}_{-i}^2 \setminus \tilde{\mathcal{I}}_l^2} (f(a_k) da_k) \quad (\text{A.7})
\end{aligned}$$

$$= \frac{(n_2-1)!}{(l-1)!(n_2-l)!} (1 - F(\gamma_2(e_i^2)))^{l-1} \frac{1}{I(a_i, n_2)} \underbrace{F^{n_1-n_2+n_2-l}(\gamma_2(e_i^2))}_{\text{Lemma 3}} \frac{(n_1-n_2)!(n_2-l)!}{(n_1-n_2+n_2-l)!} \quad (\text{A.8})$$

$$= \frac{1}{J(a_i, n_2)} \binom{n_1-1}{l-1} (1 - F(\gamma_2(e_i^2)))^{l-1} F^{n_1-l}(\gamma_2(e_i^2)), \quad (\text{A.9})$$

where $J(a_i, n_2) := \binom{n_1-1}{n_2-1} \cdot I(a_i, n_2)$. Note that in equation (A.7), we use the notation $a_{(1)}^2 = \min \{a_j : j \in \mathcal{I}_{-i}^2\}$. Since $\min \{a_j : j \in \tilde{\mathcal{I}}_l^2\} > a_i$ and $\max \{a_j : j \in \mathcal{I}_{-i}^2 \setminus \tilde{\mathcal{I}}_l^2\} < a_i$, we also have $a_{(1)}^2 = \min \{a_j : j \in \mathcal{I}_{-i}^2 \setminus \tilde{\mathcal{I}}_l^2\}$. Thus, we can apply Lemma 3 in equation (A.8).

Then, the second-stage objective function in equation (A.6) can be written as follows,

$$u_i^2 = \max_{e_i^2} \sum_{l=1}^p V_l \frac{1}{J(a_i, n_2)} \binom{n_1-1}{l-1} (1 - F(\gamma_2(e_i^2)))^{l-1} F^{n_1-l}(\gamma_2(e_i^2)) - \frac{g(e_i^2)}{a_i}.$$

The first-order condition regarding $e_i^2 = b^2(a_i)$ is

$$\begin{aligned}
&\frac{1}{(b^2)'(\gamma_2(e_i^2))} \sum_{l=1}^p V_l \frac{1}{J(a_i, n_2)} \binom{n_1-1}{l-1} \left((1 - F(\gamma_2(e_i^2)))^{l-2} F^{n_1-l-1}(\gamma_2(e_i^2)) f(\gamma_2(e_i^2)) \right) \\
&\quad \cdot \left((n_1-l)(1 - F(\gamma_2(e_i^2))) - (l-1)F(\gamma_2(e_i^2)) \right) - \frac{g'(b^2(a_i))}{a_i} = 0.
\end{aligned}$$

Note that $a_i = \gamma_2(e_i^2)$,

$$\begin{aligned}
&\frac{1}{(b^2)'(a_i)} \sum_{l=1}^p V_l \frac{1}{J(n_2, a_i)} \binom{n_1-1}{l-1} \left((1 - F(a_i))^{l-2} F^{n_1-l-1}(a_i) f(a_i) \right) \\
&\quad \cdot \left((n_1-l)(1 - F(a_i)) - (l-1)F(a_i) \right) - \frac{g'(b^2(a_i))}{a_i} = 0,
\end{aligned}$$

which yields,

$$\int_{b^2(a_i)} g'(b^2(a_i)) db^2(a_i) = \int_{a_i} \sum_{l=1}^p V_l \frac{1}{J(n_2, a_i)} \binom{n_1-1}{l-1} a_i \left((1-F(a_i))^{l-2} F^{n_1-l-1}(a_i) f(a_i) \right) \cdot \left((n_1-l)(1-F(a_i)) - (l-1)F(a_i) \right) da_i,$$

and thus we have,

$$g(b^2(a_i)) = \int_0^{a_i} \sum_{l=1}^p V_l \frac{1}{J(x, n_2)} \binom{n_1-1}{l-1} x \left((1-F(x))^{l-2} F^{n_1-l-1}(x) f(x) \right) \left((n_1-l)(1-F(x)) - (l-1)F(x) \right) dx.$$

Noting the fact that

$$\binom{n_1-1}{l-1} \left((1-F(x))^{l-2} F^{n_1-l-1}(x) f(x) \right) (n_1-l)(1-F(x)) dx = dF_{(l, n_1-1)}(x),$$

and

$$\binom{n_1-1}{l-1} \left((1-F(x))^{l-2} F^{n_1-l-1}(x) f(x) \right) (l-1)F(x) dx = dF_{(l-1, n_1-1)}(x),$$

we have the second-stage equilibrium when $p < n_2$ as follows,

$$b^2(a_i) = g^{-1} \left(\sum_{l=1}^p V_l \int_0^{a_i} \frac{x}{J(x, n_2)} (dF_{(l, n_1-1)}(x) - dF_{(l-1, n_1-1)}(x)) \right).$$

Case 2: $p = n_2$

For player i , the winning probability of the l^{th} ($l < p$) prize is the same as equation (A.9), on the other hand the winning the probability of the p^{th} prize becomes

$$\begin{aligned} P_{i,p} &= \Pr(e_i^2 < b^2(A_s), s \in \mathcal{I}_{-i}^2) \\ &= \Pr(\gamma_2(e_i^2) < A_s, s \in \mathcal{I}_{-i}^2) \\ &= \underbrace{\int_{\gamma_2(e_i^2)}^1 \cdots \int_{\gamma_2(e_i^2)}^1}_{n_2-1} \beta_i^2(a_{-i}^2 | h^2, a_i) da_{-i}^2 \\ &= \underbrace{\int_{\gamma_2(e_i^2)}^1 \cdots \int_{\gamma_2(e_i^2)}^1}_{n_2-1} \frac{1}{I(a_i, n_2)} \prod_{k \in \mathcal{I}_{-i}^2} (f(a_k) da_k) \\ &= \frac{1}{I(a_i, n_2)} \left(1 - F(\gamma_2(e_i^2)) \right)^{n_2-1}. \end{aligned}$$

Following the same logic, we can derive the second-stage equilibrium effort when $p = n_2$ as follows,

$$b^2(a_i) = g^{-1} \left(\int_0^{a_i} \sum_{l=1}^{p-1} V_l \frac{x}{J(x, n_2)} (dF_{(l, n_1-1)}(x) - dF_{(l-1, n_1-1)}(x)) - \int_0^{a_i} \frac{V_p \cdot (n_2 - 1) \cdot x}{I(x, n_2)} (1 - F(x))^{n_2-2} dF(x) \right).$$

Step 2: the first-stage equilibrium effort

In the first stage, every player $i \in \mathcal{I}^1$ maximizes the following objective function based on her first-stage belief,

$$\max_{e_i^1} P_i \left(\sum_{l=1}^p V_l P_{i,l} - \frac{g(b^2(a_i))}{a_i} \right) - \frac{g(e_i^1)}{a_i} = \max_{e_i^1} P_i u_i^2 - \frac{g(e_i^1)}{a_i},$$

where

$$u_i^2 = \begin{cases} \sum_{l=1}^p V_l \frac{1}{J(a_i, n_2)} \binom{n_1-1}{l-1} (1 - F(a_i))^{l-1} F^{n_1-l}(a_i) - \frac{g(b^2(a_i))}{a_i}, & p < n_2, \\ \frac{V_p}{I(a_i, n_2)} (1 - F(a_i))^{n_2-1} + \sum_{l=1}^{p-1} \frac{V_l}{J(a_i, n_2)} \binom{n_1-1}{l-1} (1 - F(a_i))^{l-1} F^{n_1-l}(a_i) - \frac{g(b^2(a_i))}{a_i}, & p = n_2, \end{cases}$$

and

$$\begin{aligned} P_i &= \sum_{l=1}^{n_2} \Pr \left(e_i^1 \text{ ranks } l^{\text{th}} \text{ highest in } \{b^1(A_j) : j \in \mathcal{I}_{-i}^1\} \cup \{e_i^1\} \right) \\ &= \sum_{l=1}^{n_2} \binom{n_1-1}{l-1} F^{n_1-l}(\gamma_1(e_i^1)) (1 - F(\gamma_1(e_i^1)))^{l-1}. \end{aligned}$$

Note that u_i^2 is independent of e_i^1 . Following the same logic (first derive the first-order condition, then solve the differential equation), we get the first-stage equilibrium effort as follows,

$$b^1(a_i) = g^{-1} \left(u_i^2 \sum_{l=1}^{n_2} \int_0^{a_i} x (dF_{(l, n_1-1)}(x) - dF_{(l-1, n_1-1)}(x)) \right).$$

Since the solution of the first-order conditions is unique, the symmetric equilibrium effort is unique. This completes the proof. \square

B. Auxiliary Results

Lemma 3. For any distribution function $F(\cdot)$ with continuous density $f(\cdot)$ in the support of $(0, 1)$,

$$\underbrace{\int_0^x \cdots \int_0^x}_{k} F^{n-m}(t_{(1)}) \prod_i^k f(t_i) dt_1 \cdots dt_k = \frac{(n-m)!k!}{(n-m+k)!} F^{n-m+k}(x) \quad \forall x \in (0, 1),$$

where $t_{(1)} = \min\{t_1, t_2, \dots, t_k\}$.

Proof. We have the following identity,

$$\begin{aligned} \underbrace{\int_0^x \cdots \int_0^x}_{k} F^{n-m}(t_{(1)}) \prod_i^k f(t_i) dt_1 \cdots dt_k &= \frac{k!}{(k-1)!} \int_0^x \left(\underbrace{\int_{t_1}^x \cdots \int_{t_1}^x}_{k-1} F^{n-m}(t_1) \prod_{i=1}^k f(t_i) dt_2 \cdots dt_k \right) dt_1 \\ &= k \int_0^x F^{n-m}(t_1) f(t_1) (F(x) - F(t_1))^{k-1} dt_1 \\ &= k \int_0^x F^{n-m}(t_1) (F(x) - F(t_1))^{k-1} dF(t_1) \\ &= k \int_0^{F(x)} t^{n-m} (F(x) - t)^{k-1} dt \\ &= k \int_0^{F(x)} \sum_{j=0}^{k-1} \binom{k-1}{j} (-1)^j F^{k-1-j}(x) t^{n-m+j} dt \\ &= k \sum_{j=0}^{k-1} \binom{k-1}{j} (-1)^j \frac{1}{n-m+j+1} F^{n-m+k}(x) \\ &= k F^{n-m+k}(x) \int_0^1 \sum_{j=0}^{k-1} \binom{k-1}{j} (-1)^j t^{n-m+j} dt \\ &= k F^{n-m+k}(x) \int_0^1 t^{n-m} (1-t)^{k-1} dt \\ &= \frac{(n-m)!k!}{(n-m+k)!} F^{n-m+k}(x). \end{aligned}$$

This completes the proof. □

References

- Chawla S, Hartline JD, Sivan B (2019) Optimal crowdsourcing contests. *Games and Economic Behavior* 113:80–96.
- Fu Q, Lu J (2012) The optimal multi-stage contest. *Economic Theory* 51(2):351–382.
- Fu Q, Wu Z (2021) Disclosure and favoritism in sequential elimination contests. *American Economic Journal: Microeconomics* 513–535.

- Hou T, Zhang W (2021) Optimal two-stage elimination contests for crowdsourcing. *Transportation Research Part E: Logistics and Transportation Review* 145:102156.
- Moldovanu B, Sela A (2006) Contest architecture. *Journal of Economic Theory* 126(1):70–96.
- Myerson RB (1981) Optimal auction design. *Mathematics of Operations Research* 6(1):58–73.
- Wikipedia (2021) The Voice. [https://en.wikipedia.org/wiki/The_Voice_\(American_season_21\)](https://en.wikipedia.org/wiki/The_Voice_(American_season_21)).