

GROUP DIVISIBLE DESIGNS WITH BLOCK SIZE FIVE: DIRECT CONSTRUCTIONS

A. D. FORBES

ABSTRACT. We give direct constructions for 226 group divisible designs with block size five, mostly of type $g^u m^1$, $m > 0$.

1. INTRODUCTION

Our purpose, a *group divisible design* with block size 5, 5-GDD, and type $g_1^{u_1} g_2^{u_2} \dots g_r^{u_r}$ is an ordered triple $(V, \mathcal{G}, \mathcal{B})$ such that:

- (i) V is a base set of cardinality $u_1 g_1 + u_2 g_2 + \dots + u_r g_r$;
- (ii) \mathcal{G} is a partition of V into u_i subsets of cardinality g_i , $i = 1, 2, \dots, r$, called *groups*;
- (iii) \mathcal{B} is a non-empty collection of 5-subsets of V called *blocks*; and
- (iv) each pair of elements from distinct groups occurs in precisely one block but no pair of elements from the same group occurs in any block.

The sole purpose of this paper is to prove Theorem 1.1, below, which asserts the existence of 226 specific 5-GDDs. Direct constructions are given in each case, but it is possible that some might arise from known structures. The paper is cited by [1] to which it is intended to act as a supplement. We hope it will be of some use to researchers.

Theorem 1.1. *There exist 5-GDDs of types* $1^{48}9^1, 1^{60}9^1, 1^{60}13^1, 1^{68}9^1, 1^{72}17^1, 1^{80}9^1, 1^{80}13^1, 1^{80}25^1, 1^{84}21^1, 1^{88}9^1, 1^{92}17^1, 1^{96}25^1, 1^{100}9^1, 1^{100}13^1, 1^{100}25^1, 1^{104}21^1, 1^{108}9^1, 1^{108}29^1, 1^{112}17^1, 1^{124}21^1, 1^{128}9^1, 1^{128}29^1, 1^{132}17^1, 1^{132}37^1, 1^{136}25^1, 1^{144}21^1, 1^{144}41^1, 1^{148}29^1, 1^{152}17^1, 1^{152}37^1, 1^{156}25^1, 1^{156}45^1, 1^{160}33^1, 1^{164}21^1, 1^{164}41^1, 1^{168}29^1, 1^{168}49^1, 1^{172}17^1, 1^{176}25^1, 1^{176}45^1, 1^{184}21^1, 1^{184}41^1, 1^{188}29^1, 1^{192}17^1, 1^{192}37^1, 1^{192}57^1, 1^{196}25^1, 1^{196}45^1, 2^{32}14^1, 2^{40}6^1, 2^{48}18^1, 2^{52}14^1, 2^{56}10^1, 2^{60}6^1, 3^{20}11^1, 3^{28}7^1, 3^{32}11^1, 3^{36}15^1, 5^{24}25^1, 5^{28}25^1, 5^{32}25^1, 5^{32}45^1, 5^{36}45^1, 5^{40}45^1, 5^{44}25^1, 5^{44}45^1, 6^{16}10^1, 8^8 12^1, 8^{10}16^1, 8^{10}20^1, 8^{14}28^1, 8^{15}16^1, 8^{15}24^1, 8^{15}36^1, 8^{16}20^1, 8^{17}16^1, 8^{18}32^1, 8^{20}44^1, 8^{21}20^1, 8^{21}40^1, 8^{22}16^1, 8^{22}36^1, 8^{23}32^1, 8^{24}28^1, 8^{25}4^1, 8^{25}24^1, 8^{26}20^1, 8^{27}16^1, 8^{28}12^1, 9^8 1^1, 9^{12}13^1, 9^{16}5^1, 9^{16}25^1, 9^{20}17^1, 9^{20}29^1, 9^{20}37^1, 9^{20}49^1, 9^{28}1^1, 10^{10}18^1, 10^{20}38^1, 11^{20}19^1, 12^5 8^1, 12^{10}28^1, 12^{11}20^1, 12^{12}24^1, 12^{13}28^1, 12^{14}32^1, 12^{15}8^1, 12^{15}16^1, 12^{15}28^1, 12^{15}36^1, 12^{15}48^1, 12^{16}20^1,$

Date: version 1.0 November 28, 2022.

2010 Mathematics Subject Classification. 05B30.

Key words and phrases. Group divisible design, 5-GDD.

$12^{16}40^1, 12^{17}4^1, 12^{17}24^1, 12^{17}44^1, 12^{18}8^1, 12^{18}28^1, 12^{18}48^1, 12^{19}32^1,$
 $12^{19}52^1, 12^{20}8^1, 12^{21}20^1, 12^{21}40^1, 12^{21}60^1, 12^{22}4^1, 12^{22}24^1, 12^{22}44^1,$
 $12^{22}64^1, 12^{23}28^1, 12^{23}48^1, 12^{23}68^1, 12^{24}32^1, 12^{24}52^1, 12^{27}4^1, 13^817^1,$
 $13^{12}1^1, 13^{12}21^1, 13^{12}41^1, 13^{16}5^1, 13^{16}25^1, 13^{20}1^1, 14^86^1, 16^620^1, 16^936^1,$
 $16^{10}8^1, 16^{10}20^1, 16^{10}28^1, 16^{10}36^1, 16^{10}40^1, 16^{11}20^1, 16^{11}40^1, 16^{12}12^1,$
 $16^{12}52^1, 16^{13}4^1, 16^{13}24^1, 16^{13}44^1, 16^{14}36^1, 16^{15}8^1, 16^{15}28^1, 16^{16}20^1,$
 $16^{16}40^1, 16^{17}12^1, 17^813^1, 17^833^1, 17^{12}9^1, 17^{12}29^1, 17^{12}49^1, 17^{16}5^1, 20^840^1,$
 $20^940^1, 20^{10}36^1, 20^{10}40^1, 20^{11}40^1, 21^89^1, 21^829^1, 21^{12}17^1, 23^87^1, 24^620^1,$
 $24^78^1, 24^728^1, 24^816^1, 24^836^1, 24^94^1, 24^944^1, 24^{10}4^1, 24^{10}12^1, 24^{10}32^1,$
 $24^{11}20^1, 25^85^1, 25^845^1, 28^620^1, 28^640^1, 28^716^1, 28^736^1, 28^812^1, 28^832^1,$
 $28^852^1, 28^98^1, 28^948^1, 28^{10}4^1, 28^{10}24^1, 29^81^1, 29^821^1, 32^620^1, 32^640^1,$
 $32^74^1, 32^724^1, 32^744^1, 32^88^1, 32^828^1, 32^912^1, 36^620^1, 36^640^1, 36^712^1,$
 $36^732^1, 36^824^1, 40^620^1, 44^620^1, 44^640^1, 44^78^1, 48^620^1, 1^{16}9^5, 1^{46}5^3 \text{ and}$
 $4^58^5.$

Proof. $1^{48}9^1$ With the point set $\{0, 1, \dots, 56\}$ partitioned into residue classes modulo 48 for $\{0, 1, \dots, 47\}$, and $\{48, 49, \dots, 56\}$, the design is generated from

$$\{0, 1, 3, 11, 32\}, \{0, 4, 18, 43, 52\}, \{0, 6, 13, 28, 51\}, \\ \{0, 12, 24, 36, 56\}$$

by the mapping: $x \mapsto x + j \pmod{48}$ for $x < 48$, $x \mapsto (x + j \pmod{8}) + 48$ for $48 \leq x < 56$, $56 \mapsto 56$, $0 \leq j < 48$ for the first three blocks, $0 \leq j < 12$ for the last block.

$1^{60}9^1$ With the point set $\{0, 1, \dots, 68\}$ partitioned into residue classes modulo 60 for $\{0, 1, \dots, 59\}$, and $\{60, 61, \dots, 68\}$, the design is generated from

$$\{0, 1, 7, 58, 66\}, \{0, 5, 39, 41, 44\}, \{0, 8, 31, 43, 59\}, \\ \{0, 4, 17, 37, 50\}, \{0, 11, 22, 42, 60\}, \{0, 6, 25, 32, 62\}, \\ \{1, 5, 15, 23, 65\}, \{0, 15, 30, 45, 68\}, \{0, 12, 24, 36, 48\}$$

by the mapping: $x \mapsto x + 2j \pmod{60}$ for $x < 60$, $x \mapsto (x + j \pmod{6}) + 60$ for $60 \leq x < 66$, $x \mapsto (x + j \pmod{2}) + 66$ for $66 \leq x < 68$, $68 \mapsto 68$, $0 \leq j < 30$ for the first seven blocks, $0 \leq j < 15$ for the next block, $0 \leq j < 6$ for the last block.

$1^{60}13^1$ With the point set $\{0, 1, \dots, 72\}$ partitioned into residue classes modulo 60 for $\{0, 1, \dots, 59\}$, and $\{60, 61, \dots, 72\}$, the design is generated from

$$\{0, 2, 34, 59, 61\}, \{0, 10, 21, 23, 67\}, \{0, 1, 35, 41, 65\}, \\ \{0, 3, 12, 19, 55\}, \{0, 5, 16, 36, 53\}, \{0, 6, 39, 52, 66\}, \\ \{0, 4, 22, 31, 68\}, \{1, 5, 15, 43, 60\}, \{0, 15, 30, 45, 72\}$$

by the mapping: $x \mapsto x + 2j \pmod{60}$ for $x < 60$, $x \mapsto (x + 2j \pmod{12}) + 60$ for $60 \leq x < 72$, $72 \mapsto 72$, $0 \leq j < 30$ for the first eight blocks, $0 \leq j < 15$ for the last block.

$1^{68}9^1$ With the point set $\{0, 1, \dots, 76\}$ partitioned into residue classes modulo 68 for $\{0, 1, \dots, 67\}$, and $\{68, 69, \dots, 76\}$, the design is generated from

$$\{0, 1, 7, 66, 69\}, \{0, 5, 15, 62, 71\}, \{0, 10, 41, 67, 70\},$$

$\{0, 19, 33, 38, 68\}$, $\{0, 4, 12, 26, 44\}$, $\{0, 20, 43, 55, 59\}$,
 $\{0, 25, 27, 47, 65\}$, $\{0, 13, 37, 45, 52\}$, $\{0, 17, 34, 51, 76\}$

by the mapping: $x \mapsto x+2j \pmod{68}$ for $x < 68$, $x \mapsto (x-68+4j \pmod{8})+68$ for $68 \leq x < 76$, $76 \mapsto 76$, $0 \leq j < 34$ for the first eight blocks, $0 \leq j < 17$ for the last block.

1⁷²17¹ With the point set $\{0, 1, \dots, 88\}$ partitioned into residue classes modulo 72 for $\{0, 1, \dots, 71\}$, and $\{72, 73, \dots, 88\}$, the design is generated from

$\{0, 1, 3, 66, 84\}$, $\{0, 5, 17, 27, 51\}$, $\{0, 8, 39, 52, 76\}$,
 $\{0, 14, 30, 49, 83\}$, $\{0, 4, 15, 47, 78\}$, $\{0, 18, 36, 54, 88\}$

by the mapping: $x \mapsto x+j \pmod{72}$ for $x < 72$, $x \mapsto (x+j \pmod{12})+72$ for $72 \leq x < 84$, $x \mapsto (x+j \pmod{4})+84$ for $84 \leq x < 88$, $88 \mapsto 88$, $0 \leq j < 72$ for the first five blocks, $0 \leq j < 18$ for the last block.

1⁸⁰9¹ With the point set $\{0, 1, \dots, 88\}$ partitioned into residue classes modulo 80 for $\{0, 1, \dots, 79\}$, and $\{80, 81, \dots, 88\}$, the design is generated from

$\{0, 47, 51, 59, 80\}$, $\{0, 1, 74, 78, 82\}$, $\{0, 5, 19, 70, 87\}$,
 $\{0, 21, 45, 58, 86\}$, $\{0, 8, 34, 65, 71\}$, $\{0, 9, 35, 62, 79\}$,
 $\{0, 12, 25, 36, 50\}$, $\{0, 11, 33, 49, 52\}$, $\{0, 23, 41, 73, 75\}$,
 $\{0, 20, 40, 60, 88\}$, $\{1, 21, 41, 61, 88\}$, $\{0, 16, 32, 48, 64\}$

by the mapping: $x \mapsto x+2j \pmod{80}$ for $x < 80$, $x \mapsto (x+j \pmod{8})+80$ for $80 \leq x < 88$, $88 \mapsto 88$, $0 \leq j < 40$ for the first nine blocks, $0 \leq j < 10$ for the next two blocks, $0 \leq j < 8$ for the last block.

1⁸⁰13¹ With the point set $\{0, 1, \dots, 92\}$ partitioned into residue classes modulo 80 for $\{0, 1, \dots, 79\}$, and $\{80, 81, \dots, 92\}$, the design is generated from

$\{0, 1, 3, 74, 88\}$, $\{0, 4, 21, 47, 52\}$, $\{0, 8, 22, 35, 64\}$,
 $\{0, 10, 46, 65, 82\}$, $\{0, 11, 23, 41, 86\}$, $\{0, 20, 40, 60, 92\}$

by the mapping: $x \mapsto x+j \pmod{80}$ for $x < 80$, $x \mapsto (x+j \pmod{8})+80$ for $80 \leq x < 88$, $x \mapsto (x+j \pmod{4})+88$ for $88 \leq x < 92$, $92 \mapsto 92$, $0 \leq j < 80$ for the first five blocks, $0 \leq j < 20$ for the last block.

1⁸⁰25¹ With the point set $\{0, 1, \dots, 104\}$ partitioned into residue classes modulo 80 for $\{0, 1, \dots, 79\}$, and $\{80, 81, \dots, 104\}$, the design is generated from

$\{0, 5, 38, 49, 98\}$, $\{0, 1, 4, 23, 102\}$, $\{0, 6, 52, 73, 96\}$,
 $\{0, 9, 26, 50, 91\}$, $\{0, 2, 14, 29, 88\}$, $\{0, 8, 18, 43, 95\}$,
 $\{0, 20, 40, 60, 100\}$, $\{0, 16, 32, 48, 64\}$

by the mapping: $x \mapsto x+j \pmod{80}$ for $x < 80$, $x \mapsto (x+j \pmod{20})+80$ for $80 \leq x < 100$, $x \mapsto (x+j \pmod{5})+100$ for $x \geq 100$, $0 \leq j < 80$ for the first six blocks, $0 \leq j < 20$ for the next block, $0 \leq j < 16$ for the last block.

1⁸⁴21¹ With the point set $\{0, 1, \dots, 104\}$ partitioned into residue classes modulo 84 for $\{0, 1, \dots, 83\}$, and $\{84, 85, \dots, 104\}$, the design is generated from

$$\begin{aligned} &\{0, 1, 4, 6, 91\}, \{0, 7, 15, 29, 96\}, \{0, 9, 28, 40, 60\}, \\ &\{0, 11, 37, 54, 94\}, \{0, 10, 35, 48, 86\}, \{0, 16, 39, 66, 95\}, \\ &\{0, 21, 42, 63, 84\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{84}$ for $x < 84$, $x \mapsto (x + j \pmod{21}) + 84$ for $x \geq 84$, $0 \leq j < 84$ for the first six blocks, $0 \leq j < 21$ for the last block.

1⁸⁸9¹ With the point set $\{0, 1, \dots, 96\}$ partitioned into residue classes modulo 88 for $\{0, 1, \dots, 87\}$, and $\{88, 89, \dots, 96\}$, the design is generated from

$$\begin{aligned} &\{0, 1, 3, 11, 15\}, \{0, 7, 23, 42, 63\}, \{0, 9, 27, 47, 64\}, \\ &\{0, 5, 31, 59, 88\}, \{0, 6, 45, 58, 92\}, \{0, 22, 44, 66, 96\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{88}$ for $x < 88$, $x \mapsto (x + j \pmod{8}) + 88$ for $88 \leq x < 96$, $96 \mapsto 96$, $0 \leq j < 88$ for the first five blocks, $0 \leq j < 22$ for the last block.

1⁹²17¹ With the point set $\{0, 1, \dots, 108\}$ partitioned into residue classes modulo 92 for $\{0, 1, \dots, 91\}$, and $\{92, 93, \dots, 108\}$, the design is generated from

$$\begin{aligned} &\{65, 107, 64, 78, 59\}, \{102, 21, 10, 51, 48\}, \{51, 44, 104, 53, 54\}, \\ &\{71, 97, 29, 0, 86\}, \{0, 2, 15, 49, 95\}, \{0, 17, 34, 55, 98\}, \\ &\{0, 18, 51, 61, 92\}, \{0, 25, 39, 50, 93\}, \{0, 5, 31, 40, 70\}, \\ &\{0, 4, 16, 64, 72\}, \{0, 19, 37, 59, 66\}, \{1, 5, 17, 65, 73\}, \\ &\{0, 23, 46, 69, 108\} \end{aligned}$$

by the mapping: $x \mapsto x + 2j \pmod{92}$ for $x < 92$, $x \mapsto (x - 92 + 8j \pmod{16}) + 92$ for $92 \leq x < 108$, $108 \mapsto 108$, $0 \leq j < 46$ for the first 12 blocks, $0 \leq j < 23$ for the last block.

1⁹⁶25¹ With the point set $\{0, 1, \dots, 120\}$ partitioned into residue classes modulo 96 for $\{0, 1, \dots, 95\}$, and $\{96, 97, \dots, 120\}$, the design is generated from

$$\begin{aligned} &\{44, 80, 52, 55, 98\}, \{100, 72, 73, 11, 15\}, \{0, 2, 12, 53, 108\}, \\ &\{0, 6, 15, 80, 101\}, \{0, 7, 21, 40, 104\}, \{0, 13, 30, 67, 111\}, \\ &\{0, 5, 23, 49, 69\}, \{0, 24, 48, 72, 120\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{96}$ for $x < 96$, $x \mapsto (x + j \pmod{24}) + 96$ for $96 \leq x < 120$, $120 \mapsto 120$, $0 \leq j < 96$ for the first seven blocks, $0 \leq j < 24$ for the last block.

1¹⁰⁰9¹ With the point set $\{0, 1, \dots, 108\}$ partitioned into residue classes modulo 100 for $\{0, 1, \dots, 99\}$, and $\{100, 101, \dots, 108\}$, the design is generated from

$$\begin{aligned} &\{53, 101, 75, 76, 18\}, \{30, 96, 11, 92, 43\}, \{75, 64, 103, 38, 29\}, \\ &\{0, 1, 7, 98, 100\}, \{0, 23, 70, 97, 102\}, \{0, 16, 55, 68, 85\}, \\ &\{0, 5, 33, 44, 93\}, \{0, 6, 14, 24, 78\}, \{0, 12, 43, 79, 95\}, \\ &\{0, 29, 63, 71, 73\}, \{0, 21, 41, 45, 59\}, \{0, 25, 50, 75, 108\}, \\ &\{0, 20, 40, 60, 80\} \end{aligned}$$

by the mapping: $x \mapsto x + 2j \pmod{100}$ for $x < 100$, $x \mapsto (x - 100 + 4j \pmod{8}) + 100$ for $100 \leq x < 108$, $108 \mapsto 108$, $0 \leq j < 50$ for the first 11 blocks, $0 \leq j < 25$ for the next block, $0 \leq j < 10$ for the last block.

1¹⁰⁰13¹ With the point set $\{0, 1, \dots, 112\}$ partitioned into residue classes modulo 100 for $\{0, 1, \dots, 99\}$, and $\{100, 101, \dots, 112\}$, the design is generated from

$$\begin{aligned} &\{107, 32, 94, 3, 9\}, \{5, 105, 91, 32, 10\}, \{0, 1, 43, 46, 100\}, \\ &\{0, 2, 10, 26, 66\}, \{0, 4, 32, 53, 65\}, \{0, 7, 18, 70, 87\}, \\ &\{0, 25, 50, 75, 112\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{100}$ for $x < 100$, $x \mapsto (x - 100 + 3j \pmod{12}) + 100$ for $100 \leq x < 112$, $112 \mapsto 112$, $0 \leq j < 100$ for the first six blocks, $0 \leq j < 25$ for the last block.

1¹⁰⁰25¹ With the point set $\{0, 1, \dots, 124\}$ partitioned into residue classes modulo 100 for $\{0, 1, \dots, 99\}$, and $\{100, 101, \dots, 124\}$, the design is generated from

$$\begin{aligned} &\{104, 90, 92, 3, 36\}, \{49, 71, 13, 97, 103\}, \{0, 1, 6, 83, 111\}, \\ &\{0, 9, 43, 90, 117\}, \{0, 7, 15, 45, 86\}, \{0, 12, 39, 63, 109\}, \\ &\{0, 3, 68, 72, 116\}, \{0, 25, 50, 75, 100\}, \{0, 20, 40, 60, 80\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{100}$ for $x < 100$, $x \mapsto (x + j \pmod{25}) + 100$ for $x \geq 100$, $0 \leq j < 100$ for the first seven blocks, $0 \leq j < 25$ for the next block, $0 \leq j < 20$ for the last block.

1¹⁰⁴21¹ With the point set $\{0, 1, \dots, 124\}$ partitioned into residue classes modulo 104 for $\{0, 1, \dots, 103\}$, and $\{104, 105, \dots, 124\}$, the design is generated from

$$\begin{aligned} &\{22, 57, 113, 43, 56\}, \{56, 121, 102, 71, 93\}, \{0, 2, 5, 43, 105\}, \\ &\{0, 7, 25, 54, 107\}, \{0, 11, 30, 53, 104\}, \{0, 6, 16, 33, 65\}, \\ &\{0, 4, 28, 40, 48\}, \{0, 26, 52, 78, 124\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{104}$ for $x < 104$, $x \mapsto (x - 104 + 5j \pmod{20}) + 104$ for $104 \leq x < 124$, $124 \mapsto 124$, $0 \leq j < 104$ for the first seven blocks, $0 \leq j < 26$ for the last block.

1¹⁰⁸9¹ With the point set $\{0, 1, \dots, 116\}$ partitioned into residue classes modulo 108 for $\{0, 1, \dots, 107\}$, and $\{108, 109, \dots, 116\}$, the design is generated from

$$\begin{aligned} &\{83, 81, 102, 40, 111\}, \{69, 60, 98, 112, 47\}, \{0, 1, 5, 31, 49\}, \\ &\{0, 8, 28, 42, 53\}, \{0, 3, 15, 39, 76\}, \{0, 6, 16, 23, 56\}, \\ &\{0, 27, 54, 81, 116\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{108}$ for $x < 108$, $x \mapsto (x - 108 + 2j \pmod{8}) + 108$ for $108 \leq x < 116$, $116 \mapsto 116$, $0 \leq j < 108$ for the first six blocks, $0 \leq j < 27$ for the last block.

1¹⁰⁸29¹ With the point set $\{0, 1, \dots, 136\}$ partitioned into residue classes modulo 108 for $\{0, 1, \dots, 107\}$, and $\{108, 109, \dots, 136\}$, the design is generated from

$\{37, 103, 12, 124, 30\}$, $\{98, 55, 126, 104, 53\}$, $\{76, 127, 71, 102, 105\}$,
 $\{0, 9, 19, 30, 121\}$, $\{0, 4, 62, 75, 112\}$, $\{0, 8, 20, 48, 84\}$,
 $\{0, 1, 15, 56, 114\}$, $\{0, 16, 39, 86, 119\}$, $\{0, 27, 54, 81, 136\}$

by the mapping: $x \mapsto x+j \pmod{108}$ for $x < 108$, $x \mapsto (x+j \pmod{12})+108$
for $108 \leq x < 120$, $x \mapsto (x-120+4j \pmod{16})+120$ for $120 \leq x < 136$,
 $136 \mapsto 136$, $0 \leq j < 108$ for the first eight blocks, $0 \leq j < 27$ for the last
block.

1¹¹²17¹ With the point set $\{0, 1, \dots, 128\}$ partitioned into residue classes
modulo 112 for $\{0, 1, \dots, 111\}$, and $\{112, 113, \dots, 128\}$, the design is gener-
ated from

$\{104, 2, 96, 103, 5\}$, $\{86, 15, 27, 10, 113\}$, $\{0, 2, 32, 48, 70\}$,
 $\{0, 4, 19, 69, 115\}$, $\{0, 6, 45, 85, 122\}$, $\{0, 20, 51, 75, 124\}$,
 $\{0, 9, 34, 63, 86\}$, $\{0, 28, 56, 84, 128\}$

by the mapping: $x \mapsto x+j \pmod{112}$ for $x < 112$, $x \mapsto (x+j \pmod{16})+112$
for $112 \leq x < 128$, $128 \mapsto 128$, $0 \leq j < 112$ for the first seven blocks,
 $0 \leq j < 28$ for the last block.

1¹²⁴21¹ With the point set $\{0, 1, \dots, 144\}$ partitioned into residue classes
modulo 124 for $\{0, 1, \dots, 123\}$, and $\{124, 125, \dots, 144\}$, the design is gener-
ated from

$\{64, 23, 66, 136, 117\}$, $\{122, 16, 125, 119, 9\}$, $\{0, 1, 6, 35, 124\}$,
 $\{0, 9, 55, 70, 127\}$, $\{0, 10, 23, 97, 128\}$, $\{0, 16, 40, 65, 98\}$,
 $\{0, 17, 39, 77, 96\}$, $\{0, 4, 36, 48, 56\}$, $\{0, 31, 62, 93, 144\}$

by the mapping: $x \mapsto x+j \pmod{124}$ for $x < 124$, $x \mapsto (x-124+5j \pmod{20})+124$
for $124 \leq x < 144$, $144 \mapsto 144$, $0 \leq j < 124$ for the first
eight blocks, $0 \leq j < 31$ for the last block.

1¹²⁸9¹ With the point set $\{0, 1, \dots, 136\}$ partitioned into residue classes
modulo 128 for $\{0, 1, \dots, 127\}$, and $\{128, 129, \dots, 136\}$, the design is gener-
ated from

$\{78, 4, 128, 66, 21\}$, $\{93, 130, 34, 115, 65\}$, $\{0, 1, 3, 9, 14\}$,
 $\{0, 7, 34, 44, 82\}$, $\{0, 4, 25, 67, 102\}$, $\{0, 15, 33, 56, 85\}$,
 $\{0, 16, 36, 55, 104\}$, $\{0, 32, 64, 96, 136\}$

by the mapping: $x \mapsto x+j \pmod{128}$ for $x < 128$, $x \mapsto (x+j \pmod{8})+128$
for $128 \leq x < 136$, $136 \mapsto 136$, $0 \leq j < 128$ for the first seven blocks,
 $0 \leq j < 32$ for the last block.

1¹²⁸29¹ With the point set $\{0, 1, \dots, 156\}$ partitioned into residue classes
modulo 128 for $\{0, 1, \dots, 127\}$, and $\{128, 129, \dots, 156\}$, the design is gener-
ated from

$\{61, 62, 89, 145, 71\}$, $\{120, 53, 89, 11, 128\}$, $\{100, 104, 21, 133, 124\}$,
 $\{0, 2, 76, 123, 145\}$, $\{0, 13, 39, 98, 152\}$, $\{0, 16, 33, 62, 106\}$,
 $\{0, 14, 51, 72, 130\}$, $\{0, 3, 11, 68, 116\}$, $\{0, 6, 41, 94, 140\}$,
 $\{0, 32, 64, 96, 156\}$

by the mapping: $x \mapsto x+j \pmod{128}$ for $x < 128$, $x \mapsto (x+j \pmod{16})+128$
for $128 \leq x < 144$, $x \mapsto (x+j \pmod{8})+144$ for $144 \leq x < 152$, $x \mapsto$

$(x + j \pmod{4}) + 152$ for $152 \leq x < 156$, $156 \mapsto 156$, $0 \leq j < 128$ for the first nine blocks, $0 \leq j < 32$ for the last block.

1¹³²17¹ With the point set $\{0, 1, \dots, 148\}$ partitioned into residue classes modulo 132 for $\{0, 1, \dots, 131\}$, and $\{132, 133, \dots, 148\}$, the design is generated from

$$\begin{aligned} &\{102, 126, 4, 6, 64\}, \{23, 113, 109, 92, 143\}, \{0, 1, 23, 26, 144\}, \\ &\{0, 6, 37, 55, 84\}, \{0, 7, 20, 35, 88\}, \{0, 8, 73, 100, 141\}, \\ &\{0, 9, 50, 89, 136\}, \{0, 5, 16, 61, 118\}, \{0, 33, 66, 99, 148\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{132}$ for $x < 132$, $x \mapsto (x + j \pmod{12}) + 132$ for $132 \leq x < 144$, $x \mapsto (x + j \pmod{4}) + 144$ for $144 \leq x < 148$, $148 \mapsto 148$, $0 \leq j < 132$ for the first eight blocks, $0 \leq j < 33$ for the last block.

1¹³²37¹ With the point set $\{0, 1, \dots, 168\}$ partitioned into residue classes modulo 132 for $\{0, 1, \dots, 131\}$, and $\{132, 133, \dots, 168\}$, the design is generated from

$$\begin{aligned} &\{29, 49, 145, 109, 99\}, \{4, 108, 123, 2, 10\}, \{158, 73, 72, 131, 30\}, \\ &\{0, 3, 49, 54, 165\}, \{0, 4, 69, 91, 134\}, \{0, 7, 68, 95, 143\}, \\ &\{0, 12, 30, 115, 137\}, \{0, 21, 57, 97, 148\}, \{0, 9, 32, 116, 155\}, \\ &\{0, 14, 53, 108, 153\}, \{0, 33, 66, 99, 132\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{132}$ for $x < 132$, $x \mapsto (x + j \pmod{33}) + 132$ for $132 \leq x < 165$, $x \mapsto (x - 165 + j \pmod{4}) + 165$ for $x \geq 165$, $0 \leq j < 132$ for the first ten blocks, $0 \leq j < 33$ for the last block.

1¹³⁶25¹ With the point set $\{0, 1, \dots, 160\}$ partitioned into residue classes modulo 136 for $\{0, 1, \dots, 135\}$, and $\{136, 137, \dots, 160\}$, the design is generated from

$$\begin{aligned} &\{148, 103, 109, 12, 19\}, \{146, 51, 29, 87, 14\}, \{0, 1, 10, 134, 148\}, \\ &\{0, 4, 17, 42, 146\}, \{0, 21, 44, 75, 108\}, \{0, 11, 27, 80, 104\}, \\ &\{0, 8, 26, 55, 96\}, \{0, 20, 50, 85, 153\}, \{0, 5, 62, 122, 150\}, \\ &\{0, 34, 68, 102, 160\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{136}$ for $x < 136$, $x \mapsto (x - 136 + 3j \pmod{24}) + 136$ for $136 \leq x < 160$, $160 \mapsto 160$, $0 \leq j < 136$ for the first nine blocks, $0 \leq j < 34$ for the last block.

1¹⁴⁴21¹ With the point set $\{0, 1, \dots, 164\}$ partitioned into residue classes modulo 144 for $\{0, 1, \dots, 143\}$, and $\{144, 145, \dots, 164\}$, the design is generated from

$$\begin{aligned} &\{125, 72, 112, 120, 11\}, \{50, 107, 33, 138, 88\}, \{0, 22, 132, 86, 112\}, \\ &\{0, 6, 21, 103, 160\}, \{0, 2, 11, 79, 95\}, \{0, 7, 78, 107, 144\}, \\ &\{0, 4, 18, 63, 158\}, \{0, 1, 25, 28, 148\}, \{0, 10, 33, 102, 151\}, \\ &\{0, 36, 72, 108, 164\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{144}$ for $x < 144$, $x \mapsto (x + j \pmod{16}) + 144$ for $144 \leq x < 160$, $x \mapsto (x + j \pmod{4}) + 160$ for $160 \leq x < 164$, $164 \mapsto 164$, $0 \leq j < 144$ for the first nine blocks, $0 \leq j < 36$ for the last block.

1¹⁴⁴41¹ With the point set $\{0, 1, \dots, 184\}$ partitioned into residue classes modulo 144 for $\{0, 1, \dots, 143\}$, and $\{144, 145, \dots, 184\}$, the design is generated from

$$\begin{aligned} &\{147, 45, 1, 70, 38\}, \{26, 166, 4, 38, 99\}, \{175, 93, 117, 94, 53\}, \\ &\{107, 23, 13, 56, 91\}, \{0, 2, 5, 131, 180\}, \{0, 9, 62, 114, 169\}, \\ &\{0, 4, 21, 67, 172\}, \{0, 6, 96, 124, 171\}, \{0, 8, 27, 65, 152\}, \\ &\{0, 11, 58, 113, 178\}, \{0, 14, 70, 99, 148\}, \{0, 36, 72, 108, 184\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{144}$ for $x < 144$, $x \mapsto (x+j \pmod{36})+144$ for $144 \leq x < 180$, $x \mapsto (x+j \pmod{4})+180$ for $180 \leq x < 184$, $184 \mapsto 184$, $0 \leq j < 144$ for the first 11 blocks, $0 \leq j < 36$ for the last block.

1¹⁴⁸29¹ With the point set $\{0, 1, \dots, 176\}$ partitioned into residue classes modulo 148 for $\{0, 1, \dots, 147\}$, and $\{148, 149, \dots, 176\}$, the design is generated from

$$\begin{aligned} &\{154, 90, 12, 33, 55\}, \{148, 51, 54, 52, 45\}, \{105, 34, 60, 7, 158\}, \\ &\{0, 5, 19, 30, 149\}, \{0, 10, 41, 75, 152\}, \{0, 15, 33, 82, 153\}, \\ &\{0, 17, 63, 86, 150\}, \{0, 4, 42, 55, 94\}, \{0, 12, 40, 72, 101\}, \\ &\{0, 8, 24, 44, 92\}, \{0, 37, 74, 111, 176\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{148}$ for $x < 148$, $x \mapsto (x-148+7j \pmod{28})+148$ for $148 \leq x < 176$, $176 \mapsto 176$, $0 \leq j < 148$ for the first ten blocks, $0 \leq j < 37$ for the last block.

1¹⁵²17¹ With the point set $\{0, 1, \dots, 168\}$ partitioned into residue classes modulo 152 for $\{0, 1, \dots, 151\}$, and $\{152, 153, \dots, 168\}$, the design is generated from

$$\begin{aligned} &\{83, 55, 96, 53, 38\}, \{31, 4, 131, 165, 78\}, \{64, 68, 152, 31, 9\}, \\ &\{0, 1, 19, 92, 164\}, \{0, 9, 21, 98, 165\}, \{0, 10, 44, 80, 112\}, \\ &\{0, 7, 31, 88, 117\}, \{0, 3, 8, 14, 104\}, \{0, 16, 39, 65, 85\}, \\ &\{0, 38, 76, 114, 168\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{152}$ for $x < 152$, $x \mapsto (x-152+2j \pmod{16})+152$ for $152 \leq x < 168$, $168 \mapsto 168$, $0 \leq j < 152$ for the first nine blocks, $0 \leq j < 38$ for the last block.

1¹⁵²37¹ With the point set $\{0, 1, \dots, 188\}$ partitioned into residue classes modulo 152 for $\{0, 1, \dots, 151\}$, and $\{152, 153, \dots, 188\}$, the design is generated from

$$\begin{aligned} &\{181, 146, 57, 149, 84\}, \{72, 115, 154, 82, 101\}, \{148, 97, 187, 114, 31\}, \\ &\{82, 7, 166, 137, 52\}, \{0, 1, 5, 58, 157\}, \{0, 8, 24, 49, 64\}, \\ &\{0, 6, 18, 54, 126\}, \{0, 9, 46, 93, 156\}, \{0, 7, 20, 81, 176\}, \\ &\{0, 11, 42, 124, 171\}, \{0, 2, 23, 102, 175\}, \{0, 38, 76, 114, 188\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{152}$ for $x < 152$, $x \mapsto (x-152+4j \pmod{32})+152$ for $152 \leq x < 184$, $x \mapsto (x+j \pmod{4})+184$ for $184 \leq x < 188$, $188 \mapsto 188$, $0 \leq j < 152$ for the first 11 blocks, $0 \leq j < 38$ for the last block.

$1^{156}25^1$ With the point set $\{0, 1, \dots, 180\}$ partitioned into residue classes modulo 156 for $\{0, 1, \dots, 155\}$, and $\{156, 157, \dots, 180\}$, the design is generated from

$$\begin{aligned} &\{32, 117, 8, 74, 57\}, \{125, 55, 33, 85, 113\}, \{41, 103, 40, 175, 114\}, \\ &\{22, 18, 162, 68, 155\}, \{0, 5, 20, 53, 125\}, \{0, 14, 79, 135, 158\}, \\ &\{0, 27, 61, 115, 162\}, \{0, 3, 9, 16, 127\}, \{0, 18, 55, 130, 171\}, \\ &\{0, 2, 59, 148, 177\}, \{0, 39, 78, 117, 180\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{156}$ for $x < 156$, $x \mapsto (x - 156 + 2j \pmod{24}) + 156$ for $156 \leq x < 180$, $180 \mapsto 180$, $0 \leq j < 156$ for the first ten blocks, $0 \leq j < 39$ for the last block.

$1^{156}45^1$ With the point set $\{0, 1, \dots, 200\}$ partitioned into residue classes modulo 156 for $\{0, 1, \dots, 155\}$, and $\{156, 157, \dots, 200\}$, the design is generated from

$$\begin{aligned} &\{155, 128, 193, 57, 154\}, \{177, 141, 110, 95, 97\}, \{138, 20, 133, 166, 127\}, \\ &\{194, 85, 104, 127, 34\}, \{80, 84, 62, 183, 117\}, \{0, 10, 99, 131, 162\}, \\ &\{0, 12, 40, 96, 120\}, \{0, 7, 41, 61, 175\}, \{0, 17, 47, 111, 166\}, \\ &\{0, 8, 29, 81, 185\}, \{0, 3, 90, 106, 173\}, \{0, 9, 77, 91, 167\}, \\ &\{0, 39, 78, 117, 200\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{156}$ for $x < 156$, $x \mapsto (x - 156 + 3j \pmod{36}) + 156$ for $156 \leq x < 192$, $x \mapsto (x + 2j \pmod{8}) + 192$ for $192 \leq x < 200$, $200 \mapsto 200$, $0 \leq j < 156$ for the first 12 blocks, $0 \leq j < 39$ for the last block.

$1^{160}33^1$ With the point set $\{0, 1, \dots, 192\}$ partitioned into residue classes modulo 160 for $\{0, 1, \dots, 159\}$, and $\{160, 161, \dots, 192\}$, the design is generated from

$$\begin{aligned} &\{58, 188, 97, 53, 148\}, \{73, 84, 97, 167, 42\}, \{161, 48, 66, 39, 150\}, \\ &\{17, 151, 5, 161, 51\}, \{0, 1, 75, 79, 184\}, \{0, 7, 61, 104, 172\}, \\ &\{0, 8, 33, 140, 161\}, \{0, 15, 62, 92, 178\}, \{0, 17, 67, 89, 108\}, \\ &\{0, 3, 32, 38, 48\}, \{0, 2, 23, 59, 96\}, \{0, 40, 80, 120, 192\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{160}$ for $x < 160$, $x \mapsto (x + j \pmod{32}) + 160$ for $160 \leq x < 192$, $192 \mapsto 192$, $0 \leq j < 160$ for the first 11 blocks, $0 \leq j < 40$ for the last block.

$1^{164}21^1$ With the point set $\{0, 1, \dots, 184\}$ partitioned into residue classes modulo 164 for $\{0, 1, \dots, 163\}$, and $\{164, 165, \dots, 184\}$, the design is generated from

$$\begin{aligned} &\{136, 87, 3, 31, 135\}, \{81, 135, 120, 62, 102\}, \{105, 7, 170, 62, 88\}, \\ &\{0, 2, 71, 77, 168\}, \{0, 9, 46, 99, 167\}, \{0, 10, 23, 117, 164\}, \\ &\{0, 22, 51, 101, 166\}, \{0, 3, 7, 129, 159\}, \{0, 14, 34, 78, 102\}, \\ &\{0, 11, 27, 72, 139\}, \{0, 41, 82, 123, 184\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{164}$ for $x < 164$, $x \mapsto (x - 164 + 5j \pmod{20}) + 164$ for $164 \leq x < 184$, $184 \mapsto 184$, $0 \leq j < 164$ for the first ten blocks, $0 \leq j < 41$ for the last block.

1¹⁶⁴41¹ With the point set $\{0, 1, \dots, 204\}$ partitioned into residue classes modulo 164 for $\{0, 1, \dots, 163\}$, and $\{164, 165, \dots, 204\}$, the design is generated from

$\{19, 76, 176, 22, 45\}$, $\{78, 201, 25, 7, 88\}$, $\{145, 106, 203, 55, 72\}$,
 $\{39, 168, 9, 52, 94\}$, $\{0, 1, 6, 95, 164\}$, $\{0, 2, 27, 49, 170\}$,
 $\{0, 7, 21, 126, 165\}$, $\{0, 9, 67, 86, 169\}$, $\{0, 11, 46, 61, 172\}$,
 $\{0, 29, 62, 127, 167\}$, $\{0, 4, 60, 76, 100\}$, $\{0, 8, 20, 52, 136\}$,
 $\{0, 41, 82, 123, 204\}$

by the mapping: $x \mapsto x + j \pmod{164}$ for $x < 164$, $x \mapsto (x - 164 + 10j \pmod{40}) + 164$ for $164 \leq x < 204$, $204 \mapsto 204$, $0 \leq j < 164$ for the first 12 blocks, $0 \leq j < 41$ for the last block.

1¹⁶⁸29¹ With the point set $\{0, 1, \dots, 196\}$ partitioned into residue classes modulo 168 for $\{0, 1, \dots, 167\}$, and $\{168, 169, \dots, 196\}$, the design is generated from

$\{190, 159, 102, 2, 25\}$, $\{161, 67, 58, 191, 122\}$, $\{32, 194, 39, 54, 68\}$,
 $\{20, 65, 137, 25, 163\}$, $\{0, 1, 4, 62, 148\}$, $\{0, 10, 28, 88, 115\}$,
 $\{0, 17, 66, 109, 184\}$, $\{0, 8, 122, 135, 186\}$, $\{0, 2, 99, 118, 179\}$,
 $\{0, 6, 37, 130, 175\}$, $\{0, 12, 47, 79, 95\}$, $\{0, 42, 84, 126, 196\}$

by the mapping: $x \mapsto x + j \pmod{168}$ for $x < 168$, $x \mapsto (x + j \pmod{28}) + 168$ for $168 \leq x < 196$, $196 \mapsto 196$, $0 \leq j < 168$ for the first 11 blocks, $0 \leq j < 42$ for the last block.

1¹⁶⁸49¹ With the point set $\{0, 1, \dots, 216\}$ partitioned into residue classes modulo 168 for $\{0, 1, \dots, 167\}$, and $\{168, 169, \dots, 216\}$, the design is generated from

$\{190, 2, 20, 134, 132\}$, $\{196, 9, 156, 85, 162\}$, $\{206, 21, 96, 49, 37\}$,
 $\{121, 134, 68, 209, 36\}$, $\{39, 158, 84, 169, 157\}$, $\{0, 3, 141, 146, 194\}$,
 $\{0, 4, 68, 158, 176\}$, $\{0, 19, 52, 86, 182\}$, $\{0, 9, 40, 105, 129\}$,
 $\{0, 8, 43, 69, 215\}$, $\{0, 7, 51, 62, 211\}$, $\{0, 17, 46, 127, 209\}$,
 $\{0, 20, 57, 80, 171\}$, $\{0, 42, 84, 126, 216\}$

by the mapping: $x \mapsto x + j \pmod{168}$ for $x < 168$, $x \mapsto (x - 168 + 2j \pmod{48}) + 168$ for $168 \leq x < 216$, $216 \mapsto 216$, $0 \leq j < 168$ for the first 13 blocks, $0 \leq j < 42$ for the last block.

1¹⁷²17¹ With the point set $\{0, 1, \dots, 188\}$ partitioned into residue classes modulo 172 for $\{0, 1, \dots, 171\}$, and $\{172, 173, \dots, 188\}$, the design is generated from

$\{91, 84, 164, 53, 31\}$, $\{113, 19, 59, 8, 56\}$, $\{136, 163, 111, 144, 8\}$,
 $\{0, 5, 47, 106, 173\}$, $\{0, 9, 35, 98, 174\}$, $\{0, 15, 49, 90, 172\}$,
 $\{0, 21, 79, 102, 175\}$, $\{0, 1, 46, 96, 108\}$, $\{0, 13, 29, 85, 117\}$,
 $\{0, 2, 6, 20, 30\}$, $\{0, 43, 86, 129, 188\}$

by the mapping: $x \mapsto x + j \pmod{172}$ for $x < 172$, $x \mapsto (x - 172 + 4j \pmod{16}) + 172$ for $172 \leq x < 188$, $188 \mapsto 188$, $0 \leq j < 172$ for the first ten blocks, $0 \leq j < 43$ for the last block.

1¹⁷⁶25¹ With the point set $\{0, 1, \dots, 200\}$ partitioned into residue classes modulo 176 for $\{0, 1, \dots, 175\}$, and $\{176, 177, \dots, 200\}$, the design is generated from

$$\begin{aligned} &\{0, 124, 140, 112, 161\}, \{109, 53, 180, 51, 106\}, \{173, 103, 10, 125, 84\}, \\ &\{137, 45, 0, 171, 99\}, \{0, 1, 30, 97, 101\}, \{0, 7, 32, 117, 143\}, \\ &\{0, 9, 23, 69, 193\}, \{0, 11, 31, 73, 198\}, \{0, 6, 63, 158, 178\}, \\ &\{0, 10, 108, 159, 181\}, \{0, 8, 43, 90, 184\}, \{0, 44, 88, 132, 200\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{176}$ for $x < 176$, $x \mapsto (x+j \pmod{16})+176$ for $176 \leq x < 192$, $x \mapsto (x+j \pmod{8})+192$ for $192 \leq x < 200$, $200 \mapsto 200$, $0 \leq j < 176$ for the first 11 blocks, $0 \leq j < 44$ for the last block.

1¹⁷⁶45¹ With the point set $\{0, 1, \dots, 220\}$ partitioned into residue classes modulo 176 for $\{0, 1, \dots, 175\}$, and $\{176, 177, \dots, 220\}$, the design is generated from

$$\begin{aligned} &\{187, 128, 49, 139, 167\}, \{111, 115, 92, 38, 193\}, \{9, 186, 175, 161, 51\}, \\ &\{91, 152, 112, 195, 158\}, \{209, 121, 151, 143, 148\}, \{0, 1, 143, 145, 208\}, \\ &\{0, 18, 69, 141, 183\}, \{0, 15, 70, 117, 188\}, \{0, 9, 71, 96, 194\}, \\ &\{0, 7, 48, 91, 108\}, \{0, 20, 57, 113, 181\}, \{0, 12, 112, 138, 184\}, \\ &\{0, 13, 49, 78, 94\}, \{0, 44, 88, 132, 220\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{176}$ for $x < 176$, $x \mapsto (x+j \pmod{44})+176$ for $176 \leq x < 220$, $220 \mapsto 220$, $0 \leq j < 176$ for the first 13 blocks, $0 \leq j < 44$ for the last block.

1¹⁸⁴21¹ With the point set $\{0, 1, \dots, 204\}$ partitioned into residue classes modulo 184 for $\{0, 1, \dots, 183\}$, and $\{184, 185, \dots, 204\}$, the design is generated from

$$\begin{aligned} &\{36, 2, 116, 109, 165\}, \{24, 102, 124, 125, 28\}, \{68, 197, 131, 0, 157\}, \\ &\{71, 52, 119, 157, 88\}, \{0, 3, 15, 50, 199\}, \{0, 13, 42, 103, 200\}, \\ &\{0, 2, 18, 120, 145\}, \{0, 6, 20, 132, 160\}, \{0, 5, 37, 45, 130\}, \\ &\{0, 9, 60, 71, 186\}, \{0, 10, 43, 119, 196\}, \{0, 46, 92, 138, 204\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{184}$ for $x < 184$, $x \mapsto (x-184+2j \pmod{16})+184$ for $184 \leq x < 200$, $x \mapsto (x+j \pmod{4})+200$ for $200 \leq x < 204$, $204 \mapsto 204$, $0 \leq j < 184$ for the first 11 blocks, $0 \leq j < 46$ for the last block.

1¹⁸⁴41¹ With the point set $\{0, 1, \dots, 224\}$ partitioned into residue classes modulo 184 for $\{0, 1, \dots, 183\}$, and $\{184, 185, \dots, 224\}$, the design is generated from

$$\begin{aligned} &\{200, 80, 93, 174, 155\}, \{71, 185, 177, 148, 14\}, \{70, 96, 61, 217, 58\}, \\ &\{20, 121, 208, 24, 85\}, \{219, 136, 1, 26, 85\}, \{214, 29, 115, 182, 122\}, \\ &\{0, 20, 63, 131, 193\}, \{0, 14, 41, 140, 202\}, \{0, 1, 16, 96, 129\}, \\ &\{0, 10, 76, 115, 206\}, \{0, 6, 17, 54, 156\}, \{0, 2, 24, 32, 144\}, \\ &\{0, 5, 52, 166, 201\}, \{0, 46, 92, 138, 224\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{184}$ for $x < 184$, $x \mapsto (x-184+5j \pmod{40})+184$ for $184 \leq x < 224$, $224 \mapsto 224$, $0 \leq j < 184$ for the first 13 blocks, $0 \leq j < 46$ for the last block.

1¹⁸⁸29¹ With the point set $\{0, 1, \dots, 216\}$ partitioned into residue classes modulo 188 for $\{0, 1, \dots, 187\}$, and $\{188, 189, \dots, 216\}$, the design is generated from

$\{209, 108, 5, 82, 71\}$, $\{109, 196, 182, 148, 119\}$, $\{124, 79, 170, 110, 66\}$,
 $\{204, 56, 107, 106, 125\}$, $\{0, 2, 5, 27, 191\}$, $\{0, 6, 21, 95, 194\}$,
 $\{0, 17, 59, 82, 193\}$, $\{0, 30, 79, 117, 192\}$, $\{0, 4, 24, 102, 156\}$,
 $\{0, 8, 61, 70, 113\}$, $\{0, 12, 67, 108, 124\}$, $\{0, 7, 35, 107, 155\}$,
 $\{0, 47, 94, 141, 216\}$

by the mapping: $x \mapsto x + j \pmod{188}$ for $x < 188$, $x \mapsto (x - 188 + 7j \pmod{28}) + 188$ for $188 \leq x < 216$, $216 \mapsto 216$, $0 \leq j < 188$ for the first 12 blocks, $0 \leq j < 47$ for the last block.

1¹⁹²17¹ With the point set $\{0, 1, \dots, 208\}$ partitioned into residue classes modulo 192 for $\{0, 1, \dots, 191\}$, and $\{192, 193, \dots, 208\}$, the design is generated from

$\{43, 188, 94, 101, 134\}$, $\{189, 115, 101, 119, 39\}$, $\{116, 135, 188, 166, 99\}$,
 $\{129, 88, 134, 190, 202\}$, $\{0, 1, 3, 12, 129\}$, $\{0, 28, 60, 99, 137\}$,
 $\{0, 16, 43, 111, 135\}$, $\{0, 15, 52, 162, 202\}$, $\{0, 8, 21, 86, 197\}$,
 $\{0, 6, 26, 85, 169\}$, $\{0, 10, 35, 158, 193\}$, $\{0, 48, 96, 144, 208\}$

by the mapping: $x \mapsto x + j \pmod{192}$ for $x < 192$, $x \mapsto (x + j \pmod{16}) + 192$ for $192 \leq x < 208$, $208 \mapsto 208$, $0 \leq j < 192$ for the first 11 blocks, $0 \leq j < 48$ for the last block.

1¹⁹²37¹ With the point set $\{0, 1, \dots, 228\}$ partitioned into residue classes modulo 192 for $\{0, 1, \dots, 191\}$, and $\{192, 193, \dots, 228\}$, the design is generated from

$\{128, 120, 2, 201, 90\}$, $\{182, 67, 222, 58, 72\}$, $\{152, 61, 7, 156, 85\}$,
 $\{41, 62, 206, 168, 74\}$, $\{72, 83, 44, 128, 28\}$, $\{219, 29, 54, 2, 3\}$,
 $\{0, 35, 105, 151, 218\}$, $\{0, 15, 32, 72, 90\}$, $\{0, 2, 36, 85, 200\}$,
 $\{0, 3, 22, 64, 133\}$, $\{0, 7, 80, 179, 202\}$, $\{0, 10, 63, 113, 196\}$,
 $\{0, 6, 29, 161, 214\}$, $\{0, 48, 96, 144, 228\}$

by the mapping: $x \mapsto x + j \pmod{192}$ for $x < 192$, $x \mapsto (x + j \pmod{24}) + 192$ for $192 \leq x < 216$, $x \mapsto (x + j \pmod{12}) + 216$ for $216 \leq x < 228$, $228 \mapsto 228$, $0 \leq j < 192$ for the first 13 blocks, $0 \leq j < 48$ for the last block.

1¹⁹²57¹ With the point set $\{0, 1, \dots, 248\}$ partitioned into residue classes modulo 192 for $\{0, 1, \dots, 191\}$, and $\{192, 193, \dots, 248\}$, the design is generated from

$\{60, 186, 233, 46, 43\}$, $\{165, 107, 65, 211, 50\}$, $\{93, 113, 193, 120, 77\}$,
 $\{27, 237, 101, 83, 182\}$, $\{57, 238, 78, 82, 90\}$, $\{174, 246, 61, 143, 114\}$,
 $\{80, 124, 57, 200, 119\}$, $\{0, 26, 61, 146, 227\}$, $\{0, 1, 11, 76, 246\}$,
 $\{0, 6, 38, 128, 147\}$, $\{0, 9, 68, 98, 199\}$, $\{0, 40, 95, 145, 202\}$,
 $\{0, 24, 78, 112, 205\}$, $\{0, 22, 63, 91, 214\}$, $\{0, 2, 73, 86, 220\}$,
 $\{0, 48, 96, 144, 248\}$

by the mapping: $x \mapsto x + j \pmod{192}$ for $x < 192$, $x \mapsto (x + j \pmod{32}) + 192$ for $192 \leq x < 224$, $x \mapsto (x + j \pmod{16}) + 224$ for $224 \leq x < 240$,

$x \mapsto (x + j \pmod{8}) + 240$ for $240 \leq x < 248$, $248 \mapsto 248$, $0 \leq j < 192$ for the first 15 blocks, $0 \leq j < 48$ for the last block.

$1^{196}25^1$ With the point set $\{0, 1, \dots, 220\}$ partitioned into residue classes modulo 196 for $\{0, 1, \dots, 195\}$, and $\{196, 197, \dots, 220\}$, the design is generated from

$\{53, 122, 200, 96, 131\}$, $\{147, 142, 120, 179, 139\}$, $\{202, 25, 102, 32, 183\}$,
 $\{130, 204, 147, 13, 76\}$, $\{16, 47, 144, 57, 168\}$, $\{0, 1, 83, 106, 201\}$,
 $\{0, 11, 53, 146, 199\}$, $\{0, 21, 55, 94, 197\}$, $\{0, 6, 57, 72, 86\}$,
 $\{0, 12, 25, 58, 132\}$, $\{0, 2, 20, 67, 168\}$, $\{0, 4, 60, 96, 112\}$,
 $\{0, 49, 98, 147, 220\}$

by the mapping: $x \mapsto x + j \pmod{196}$ for $x < 196$, $x \mapsto (x - 196 + 6j \pmod{24}) + 196$ for $196 \leq x < 220$, $220 \mapsto 220$, $0 \leq j < 196$ for the first 12 blocks, $0 \leq j < 49$ for the last block.

$1^{196}45^1$ With the point set $\{0, 1, \dots, 240\}$ partitioned into residue classes modulo 196 for $\{0, 1, \dots, 195\}$, and $\{196, 197, \dots, 240\}$, the design is generated from

$\{76, 239, 147, 146, 161\}$, $\{191, 84, 112, 138, 149\}$, $\{7, 233, 12, 174, 165\}$,
 $\{224, 124, 145, 94, 151\}$, $\{182, 230, 157, 27, 60\}$, $\{175, 116, 85, 203, 81\}$,
 $\{161, 219, 57, 12, 89\}$, $\{0, 2, 20, 82, 138\}$, $\{0, 7, 24, 68, 91\}$,
 $\{0, 3, 22, 123, 203\}$, $\{0, 8, 108, 121, 221\}$, $\{0, 16, 55, 103, 210\}$,
 $\{0, 12, 64, 127, 216\}$, $\{0, 10, 46, 156, 205\}$, $\{0, 49, 98, 147, 240\}$

by the mapping: $x \mapsto x + j \pmod{196}$ for $x < 196$, $x \mapsto (x + j \pmod{28}) + 196$ for $196 \leq x < 224$, $x \mapsto (x + 4j \pmod{16}) + 224$ for $224 \leq x < 240$, $240 \mapsto 240$, $0 \leq j < 196$ for the first 14 blocks, $0 \leq j < 49$ for the last block.

$2^{32}14^1$ With the point set $\{0, 1, \dots, 77\}$ partitioned into residue classes modulo 32 for $\{0, 1, \dots, 63\}$, and $\{64, 65, \dots, 77\}$, the design is generated from

$\{0, 11, 20, 53, 65\}$, $\{0, 1, 7, 62, 76\}$, $\{0, 4, 30, 43, 69\}$,
 $\{0, 23, 59, 63, 64\}$, $\{0, 12, 49, 57, 66\}$, $\{0, 6, 16, 24, 41\}$,
 $\{0, 5, 21, 31, 51\}$, $\{0, 14, 42, 61, 73\}$, $\{0, 15, 27, 29, 75\}$

by the mapping: $x \mapsto x + 2j \pmod{64}$ for $x < 64$, $x \mapsto (x + j \pmod{8}) + 64$ for $64 \leq x < 72$, $x \mapsto (x + j \pmod{4}) + 72$ for $72 \leq x < 76$, $x \mapsto (x + j \pmod{2}) + 76$ for $x \geq 76$, $0 \leq j < 32$.

$2^{40}6^1$ With the point set $\{0, 1, \dots, 85\}$ partitioned into residue classes modulo 40 for $\{0, 1, \dots, 79\}$, and $\{80, 81, \dots, 85\}$, the design is generated from

$\{51, 31, 63, 50, 27\}$, $\{4, 7, 69, 34, 71\}$, $\{0, 2, 7, 73, 80\}$,
 $\{0, 6, 49, 75, 82\}$, $\{0, 20, 41, 51, 79\}$, $\{0, 11, 45, 62, 81\}$,
 $\{0, 8, 17, 23, 64\}$, $\{0, 19, 27, 52, 77\}$, $\{0, 4, 14, 46, 58\}$

by the mapping: $x \mapsto x + 2j \pmod{80}$ for $x < 80$, $x \mapsto (x - 80 + 3j \pmod{6}) + 80$ for $x \geq 80$, $0 \leq j < 40$.

2⁴⁸18¹ With the point set $\{0, 1, \dots, 113\}$ partitioned into residue classes modulo 48 for $\{0, 1, \dots, 95\}$, and $\{96, 97, \dots, 113\}$, the design is generated from

$$\begin{aligned} &\{111, 83, 60, 53, 38\}, \{15, 79, 50, 48, 84\}, \{80, 3, 98, 19, 57\}, \\ &\{0, 5, 32, 58, 79\}, \{0, 1, 3, 9, 108\}, \{0, 6, 39, 82, 112\}, \\ &\{0, 8, 65, 80, 93\}, \{0, 41, 51, 75, 87\}, \{0, 7, 66, 83, 101\}, \\ &\{1, 5, 57, 83, 107\}, \{0, 11, 12, 52, 97\}, \{0, 10, 59, 78, 105\}, \\ &\{0, 4, 46, 71, 98\} \end{aligned}$$

by the mapping: $x \mapsto x + 2j \pmod{96}$ for $x < 96$, $x \mapsto (x + j \pmod{12}) + 96$ for $96 \leq x < 108$, $x \mapsto (x + j \pmod{6}) + 108$ for $x \geq 108$, $0 \leq j < 48$.

2⁵²14¹ With the point set $\{0, 1, \dots, 117\}$ partitioned into residue classes modulo 52 for $\{0, 1, \dots, 103\}$, and $\{104, 105, \dots, 117\}$, the design is generated from

$$\begin{aligned} &\{55, 54, 97, 0, 15\}, \{26, 87, 56, 109, 29\}, \{112, 30, 83, 65, 20\}, \\ &\{16, 83, 11, 27, 95\}, \{0, 2, 9, 103, 108\}, \{0, 5, 39, 86, 104\}, \\ &\{0, 13, 17, 46, 93\}, \{0, 25, 51, 70, 106\}, \{0, 21, 81, 87, 95\}, \\ &\{0, 27, 29, 42, 107\}, \{0, 14, 33, 83, 110\}, \{0, 4, 41, 72, 96\}, \\ &\{0, 6, 26, 66, 82\} \end{aligned}$$

by the mapping: $x \mapsto x + 2j \pmod{104}$ for $x < 104$, $x \mapsto (x - 104 + 7j \pmod{14}) + 104$ for $x \geq 104$, $0 \leq j < 52$.

2⁵⁶10¹ With the point set $\{0, 1, \dots, 121\}$ partitioned into residue classes modulo 56 for $\{0, 1, \dots, 111\}$, and $\{112, 113, \dots, 121\}$, the design is generated from

$$\begin{aligned} &\{120, 105, 88, 79, 102\}, \{20, 107, 10, 52, 16\}, \{20, 78, 116, 105, 45\}, \\ &\{67, 72, 116, 26, 31\}, \{0, 1, 2, 92, 116\}, \{0, 15, 37, 49, 113\}, \\ &\{0, 8, 26, 61, 77\}, \{0, 9, 29, 48, 82\}, \{0, 7, 44, 72, 96\}, \\ &\{0, 12, 43, 45, 74\}, \{0, 13, 19, 63, 101\}, \{0, 11, 57, 65, 105\}, \\ &\{0, 67, 95, 99, 109\} \end{aligned}$$

by the mapping: $x \mapsto x + 2j \pmod{112}$ for $x < 112$, $x \mapsto (x + j \pmod{8}) + 112$ for $112 \leq x < 120$, $x \mapsto (x + j \pmod{2}) + 120$ for $x \geq 120$, $0 \leq j < 56$.

2⁶⁰6¹ With the point set $\{0, 1, \dots, 125\}$ partitioned into residue classes modulo 60 for $\{0, 1, \dots, 119\}$, and $\{120, 121, \dots, 125\}$, the design is generated from

$$\begin{aligned} &\{15, 81, 4, 83, 10\}, \{39, 123, 56, 22, 109\}, \{80, 73, 102, 77, 8\}, \\ &\{20, 102, 124, 98, 105\}, \{62, 54, 52, 34, 43\}, \{0, 15, 55, 93, 122\}, \\ &\{0, 12, 36, 63, 68\}, \{0, 14, 30, 59, 80\}, \{0, 1, 21, 37, 74\}, \\ &\{0, 25, 33, 39, 57\}, \{0, 23, 49, 62, 97\}, \{0, 19, 31, 41, 75\}, \\ &\{0, 13, 43, 44, 105\} \end{aligned}$$

by the mapping: $x \mapsto x + 2j \pmod{120}$ for $x < 120$, $x \mapsto (x + j \pmod{6}) + 120$ for $x \geq 120$, $0 \leq j < 60$.

3²⁰11¹ With the point set $\{0, 1, \dots, 70\}$ partitioned into residue classes modulo 20 for $\{0, 1, \dots, 59\}$, and $\{60, 61, \dots, 70\}$, the design is generated from

$\{0, 3, 11, 38, 61\}$, $\{0, 1, 5, 7, 44\}$, $\{0, 13, 29, 55, 69\}$,
 $\{0, 2, 10, 37, 51\}$, $\{0, 9, 31, 59, 63\}$, $\{0, 4, 43, 46, 68\}$,
 $\{0, 6, 34, 53, 67\}$, $\{0, 15, 30, 45, 70\}$, $\{0, 12, 24, 36, 48\}$,
 $\{1, 13, 25, 37, 49\}$

by the mapping: $x \mapsto x + 2j \pmod{60}$ for $x < 60$, $x \mapsto (x + j \pmod{10}) + 60$ for $60 \leq x < 70$, $70 \mapsto 70$, $0 \leq j < 30$ for the first seven blocks, $0 \leq j < 15$ for the next block, $0 \leq j < 6$ for the last two blocks.

$3^{28}7^1$ With the point set $\{0, 1, \dots, 90\}$ partitioned into residue classes modulo 28 for $\{0, 1, \dots, 83\}$, and $\{84, 85, \dots, 90\}$, the design is generated from
 $\{0, 60, 9, 82, 50\}$, $\{9, 15, 19, 49, 58\}$, $\{0, 1, 8, 59, 78\}$,
 $\{0, 19, 57, 71, 79\}$, $\{0, 16, 53, 55, 90\}$, $\{0, 3, 38, 64, 69\}$,
 $\{0, 12, 27, 30, 86\}$, $\{0, 47, 67, 83, 88\}$, $\{0, 4, 17, 29, 40\}$,
 $\{0, 21, 42, 63, 84\}$

by the mapping: $x \mapsto x + 2j \pmod{84}$ for $x < 84$, $x \mapsto (x + j \pmod{7}) + 84$ for $x \geq 84$, $0 \leq j < 42$ for the first nine blocks, $0 \leq j < 21$ for the last block.

$3^{32}11^1$ With the point set $\{0, 1, \dots, 106\}$ partitioned into residue classes modulo 32 for $\{0, 1, \dots, 95\}$, and $\{96, 97, \dots, 106\}$, the design is generated from

$\{99, 75, 72, 57, 14\}$, $\{8, 101, 2, 55, 21\}$, $\{23, 86, 91, 0, 35\}$,
 $\{0, 1, 2, 27, 98\}$, $\{0, 14, 31, 77, 97\}$, $\{0, 18, 87, 89, 100\}$,
 $\{0, 37, 41, 57, 79\}$, $\{0, 7, 59, 67, 73\}$, $\{0, 4, 15, 26, 60\}$,
 $\{0, 8, 20, 29, 50\}$, $\{0, 16, 55, 65, 68\}$, $\{0, 24, 48, 72, 106\}$,
 $\{1, 25, 49, 73, 106\}$

by the mapping: $x \mapsto x + 2j \pmod{96}$ for $x < 96$, $x \mapsto (x - 96 + 5j \pmod{10}) + 96$ for $96 \leq x < 106$, $106 \mapsto 106$, $0 \leq j < 48$ for the first 11 blocks, $0 \leq j < 12$ for the last two blocks.

$3^{36}15^1$ With the point set $\{0, 1, \dots, 122\}$ partitioned into residue classes modulo 36 for $\{0, 1, \dots, 107\}$, and $\{108, 109, \dots, 122\}$, the design is generated from

$\{104, 7, 20, 0, 75\}$, $\{13, 24, 37, 14, 7\}$, $\{100, 78, 116, 32, 81\}$,
 $\{54, 42, 70, 107, 85\}$, $\{0, 1, 6, 39, 120\}$, $\{0, 8, 38, 56, 85\}$,
 $\{0, 14, 59, 87, 111\}$, $\{0, 2, 63, 66, 119\}$, $\{0, 5, 21, 25, 115\}$,
 $\{0, 9, 57, 71, 83\}$, $\{0, 26, 67, 76, 118\}$, $\{0, 17, 35, 74, 93\}$,
 $\{1, 3, 11, 67, 116\}$, $\{0, 27, 54, 81, 122\}$

by the mapping: $x \mapsto x + 2j \pmod{108}$ for $x < 108$, $x \mapsto (x + 2j \pmod{12}) + 108$ for $108 \leq x < 120$, $x \mapsto (x + j \pmod{2}) + 120$ for $120 \leq x < 122$, $122 \mapsto 122$, $0 \leq j < 54$ for the first 13 blocks, $0 \leq j < 27$ for the last block.

$5^{24}25^1$ With the point set $\{0, 1, \dots, 144\}$ partitioned into residue classes modulo 24 for $\{0, 1, \dots, 119\}$, and $\{120, 121, \dots, 144\}$, the design is generated from

$\{2, 54, 94, 116, 13\}$, $\{78, 105, 69, 112, 134\}$, $\{109, 31, 121, 5, 96\}$,
 $\{0, 8, 61, 71, 123\}$, $\{0, 2, 21, 85, 97\}$, $\{0, 5, 20, 38, 131\}$,

$\{0, 1, 32, 46, 120\}$, $\{0, 3, 69, 73, 130\}$, $\{0, 30, 60, 90, 144\}$

by the mapping: $x \mapsto x+j \pmod{120}$ for $x < 120$, $x \mapsto (x+j \pmod{24})+120$ for $120 \leq x < 144$, $144 \mapsto 144$, $0 \leq j < 120$ for the first eight blocks, $0 \leq j < 30$ for the last block.

5²⁸25¹ With the point set $\{0, 1, \dots, 164\}$ partitioned into residue classes modulo 28 for $\{0, 1, \dots, 139\}$, and $\{140, 141, \dots, 164\}$, the design is generated from

$\{41, 28, 158, 75, 14\}$, $\{107, 154, 33, 108, 65\}$, $\{50, 0, 145, 137, 46\}$,
 $\{0, 2, 17, 39, 160\}$, $\{0, 12, 38, 83, 154\}$, $\{0, 6, 25, 58, 158\}$,
 $\{0, 5, 16, 36, 116\}$, $\{0, 7, 30, 51, 92\}$, $\{0, 8, 18, 72, 81\}$,
 $\{0, 35, 70, 105, 164\}$

by the mapping: $x \mapsto x+j \pmod{140}$ for $x < 140$, $x \mapsto (x+j \pmod{20})+140$ for $140 \leq x < 160$, $x \mapsto (x+j \pmod{4})+160$ for $160 \leq x < 164$, $164 \mapsto 164$, $0 \leq j < 140$ for the first nine blocks, $0 \leq j < 35$ for the last block.

5³²25¹ With the point set $\{0, 1, \dots, 184\}$ partitioned into residue classes modulo 32 for $\{0, 1, \dots, 159\}$, and $\{160, 161, \dots, 184\}$, the design is generated from

$\{35, 27, 136, 171, 2\}$, $\{75, 90, 104, 22, 176\}$, $\{69, 129, 50, 123, 107\}$,
 $\{0, 1, 3, 10, 180\}$, $\{0, 11, 31, 86, 130\}$, $\{0, 12, 36, 83, 133\}$,
 $\{0, 21, 58, 93, 171\}$, $\{0, 28, 70, 104, 167\}$, $\{0, 5, 23, 117, 165\}$,
 $\{0, 4, 17, 69, 115\}$, $\{0, 40, 80, 120, 184\}$

by the mapping: $x \mapsto x+j \pmod{160}$ for $x < 160$, $x \mapsto (x+j \pmod{20})+160$ for $160 \leq x < 180$, $x \mapsto (x+j \pmod{4})+180$ for $180 \leq x < 184$, $184 \mapsto 184$, $0 \leq j < 160$ for the first ten blocks, $0 \leq j < 40$ for the last block.

5³²45¹ With the point set $\{0, 1, \dots, 204\}$ partitioned into residue classes modulo 32 for $\{0, 1, \dots, 159\}$, and $\{160, 161, \dots, 204\}$, the design is generated from

$\{169, 28, 2, 16, 88\}$, $\{186, 137, 94, 89, 124\}$, $\{139, 173, 28, 56, 80\}$,
 $\{95, 170, 32, 26, 116\}$, $\{0, 1, 3, 10, 200\}$, $\{0, 4, 15, 109, 180\}$,
 $\{0, 8, 46, 62, 93\}$, $\{0, 18, 41, 133, 188\}$, $\{0, 19, 53, 135, 171\}$,
 $\{0, 17, 56, 127, 166\}$, $\{0, 20, 81, 123, 163\}$, $\{0, 22, 58, 87, 186\}$,
 $\{0, 40, 80, 120, 204\}$

by the mapping: $x \mapsto x+j \pmod{160}$ for $x < 160$, $x \mapsto (x+j \pmod{40})+160$ for $160 \leq x < 200$, $x \mapsto (x+j \pmod{4})+200$ for $200 \leq x < 204$, $204 \mapsto 204$, $0 \leq j < 160$ for the first 12 blocks, $0 \leq j < 40$ for the last block.

5³⁶45¹ With the point set $\{0, 1, \dots, 224\}$ partitioned into residue classes modulo 36 for $\{0, 1, \dots, 179\}$, and $\{180, 181, \dots, 224\}$, the design is generated from

$\{99, 71, 104, 57, 34\}$, $\{9, 73, 88, 219, 164\}$, $\{99, 130, 190, 16, 67\}$,
 $\{75, 86, 214, 8, 92\}$, $\{96, 109, 2, 28, 185\}$, $\{0, 1, 4, 160, 162\}$,
 $\{0, 35, 93, 141, 223\}$, $\{0, 10, 59, 134, 203\}$, $\{0, 8, 60, 100, 207\}$,
 $\{0, 30, 71, 125, 186\}$, $\{0, 9, 38, 136, 209\}$, $\{0, 16, 43, 77, 185\}$,
 $\{0, 7, 118, 130, 222\}$, $\{0, 45, 90, 135, 180\}$

by the mapping: $x \mapsto x+j \pmod{180}$ for $x < 180$, $x \mapsto (x+j \pmod{45})+180$ for $x \geq 180$, $0 \leq j < 180$ for the first 13 blocks, $0 \leq j < 45$ for the last block.

5⁴⁰45¹ With the point set $\{0, 1, \dots, 244\}$ partitioned into residue classes modulo 40 for $\{0, 1, \dots, 199\}$, and $\{200, 201, \dots, 244\}$, the design is generated from

$\{100, 67, 95, 19, 199\}$, $\{230, 112, 88, 70, 186\}$, $\{98, 88, 61, 104, 210\}$,
 $\{243, 153, 6, 75, 36\}$, $\{75, 0, 94, 12, 23\}$, $\{213, 125, 34, 36, 94\}$,
 $\{0, 4, 17, 107, 205\}$, $\{0, 1, 46, 55, 231\}$, $\{0, 15, 47, 88, 221\}$,
 $\{0, 8, 34, 70, 95\}$, $\{0, 3, 38, 67, 210\}$, $\{0, 7, 92, 151, 227\}$,
 $\{0, 14, 65, 86, 209\}$, $\{0, 22, 79, 156, 233\}$, $\{0, 50, 100, 150, 244\}$

by the mapping: $x \mapsto x+j \pmod{200}$ for $x < 200$, $x \mapsto (x+j \pmod{40})+200$ for $200 \leq x < 240$, $x \mapsto (x+j \pmod{4})+240$ for $240 \leq x < 244$, $244 \mapsto 244$, $0 \leq j < 200$ for the first 14 blocks, $0 \leq j < 50$ for the last block.

5⁴⁴25¹ With the point set $\{0, 1, \dots, 244\}$ partitioned into residue classes modulo 44 for $\{0, 1, \dots, 219\}$, and $\{220, 221, \dots, 244\}$, the design is generated from

$\{48, 152, 234, 101, 49\}$, $\{20, 181, 213, 144, 38\}$, $\{216, 27, 93, 118, 135\}$,
 $\{14, 148, 158, 184, 156\}$, $\{142, 119, 231, 176, 17\}$, $\{0, 3, 9, 14, 240\}$,
 $\{0, 22, 62, 127, 162\}$, $\{0, 13, 33, 54, 146\}$, $\{0, 4, 16, 64, 153\}$,
 $\{0, 15, 99, 145, 223\}$, $\{0, 7, 63, 101, 148\}$, $\{0, 29, 68, 138, 239\}$,
 $\{0, 19, 49, 196, 236\}$, $\{0, 55, 110, 165, 244\}$

by the mapping: $x \mapsto x+j \pmod{220}$ for $x < 220$, $x \mapsto (x+j \pmod{20})+220$ for $220 \leq x < 240$, $x \mapsto (x+j \pmod{4})+240$ for $240 \leq x < 244$, $244 \mapsto 244$, $0 \leq j < 220$ for the first 13 blocks, $0 \leq j < 55$ for the last block.

5⁴⁴45¹ With the point set $\{0, 1, \dots, 264\}$ partitioned into residue classes modulo 44 for $\{0, 1, \dots, 219\}$, and $\{220, 221, \dots, 264\}$, the design is generated from

$\{238, 107, 38, 100, 124\}$, $\{144, 135, 226, 109, 104\}$, $\{54, 151, 223, 214, 102\}$,
 $\{4, 72, 260, 33, 1\}$, $\{64, 164, 250, 202, 148\}$, $\{258, 218, 11, 21, 135\}$,
 $\{230, 134, 123, 53, 33\}$, $\{0, 12, 65, 117, 145\}$, $\{0, 8, 164, 178, 233\}$,
 $\{0, 30, 89, 146, 252\}$, $\{0, 15, 37, 73, 235\}$, $\{0, 4, 111, 129, 240\}$,
 $\{0, 33, 67, 118, 159\}$, $\{0, 1, 77, 79, 122\}$, $\{0, 6, 25, 72, 199\}$,
 $\{0, 55, 110, 165, 264\}$

by the mapping: $x \mapsto x+j \pmod{220}$ for $x < 220$, $x \mapsto (x+j \pmod{44})+220$ for $220 \leq x < 264$, $264 \mapsto 264$, $0 \leq j < 220$ for the first 15 blocks, $0 \leq j < 55$ for the last block.

6¹⁶10¹ With the point set $\{0, 1, \dots, 105\}$ partitioned into residue classes modulo 16 for $\{0, 1, \dots, 95\}$, and $\{96, 97, \dots, 105\}$, the design is generated from

$\{105, 17, 83, 38, 28\}$, $\{20, 99, 63, 48, 94\}$, $\{95, 58, 60, 11, 84\}$,
 $\{0, 1, 4, 7, 40\}$, $\{0, 9, 18, 52, 103\}$, $\{0, 29, 31, 51, 58\}$,
 $\{0, 12, 66, 83, 91\}$, $\{0, 5, 6, 33, 88\}$, $\{0, 19, 61, 76, 96\}$,

$\{1, 11, 35, 61, 102\}, \{0, 21, 59, 73, 77\}$

by the mapping: $x \mapsto x + 2j \pmod{96}$ for $x < 96$, $x \mapsto (x + j \pmod{8}) + 96$ for $96 \leq x < 104$, $x \mapsto (x + j \pmod{2}) + 104$ for $x \geq 104$, $0 \leq j < 48$.

$8^8 12^1$ With the point set $\{0, 1, \dots, 75\}$ partitioned into residue classes modulo 8 for $\{0, 1, \dots, 63\}$, and $\{64, 65, \dots, 75\}$, the design is generated from $\{49, 48, 72, 18, 31\}, \{55, 48, 50, 12, 69\}, \{20, 26, 29, 40, 68\}, \{0, 4, 19, 29, 41\}$

by the mapping: $x \mapsto x + j \pmod{64}$ for $x < 64$, $x \mapsto (x + j \pmod{8}) + 64$ for $64 \leq x < 72$, $x \mapsto (x + j \pmod{4}) + 72$ for $x \geq 72$, $0 \leq j < 64$.

$8^{10} 16^1$ With the point set $\{0, 1, \dots, 95\}$ partitioned into residue classes modulo 10 for $\{0, 1, \dots, 79\}$, and $\{80, 81, \dots, 95\}$, the design is generated from

$\{0, 1, 4, 6, 23\}, \{0, 8, 42, 51, 90\}, \{0, 11, 26, 44, 89\},$
 $\{0, 7, 21, 56, 91\}, \{0, 12, 25, 53, 81\}, \{0, 16, 32, 48, 64\}$

by the mapping: $x \mapsto x + j \pmod{80}$ for $x < 80$, $x \mapsto (x + j \pmod{16}) + 80$ for $x \geq 80$, $0 \leq j < 80$ for the first five blocks, $0 \leq j < 16$ for the last block.

$8^{10} 20^1$ With the point set $\{0, 1, \dots, 99\}$ partitioned into residue classes modulo 10 for $\{0, 1, \dots, 79\}$, and $\{80, 81, \dots, 99\}$, the design is generated from

$\{90, 78, 79, 50, 76\}, \{86, 50, 6, 55, 17\}, \{63, 46, 11, 40, 29\},$
 $\{0, 4, 12, 79, 96\}, \{0, 7, 14, 33, 84\}, \{0, 18, 56, 77, 88\},$
 $\{0, 9, 25, 34, 86\}, \{0, 22, 53, 65, 98\}, \{0, 15, 37, 39, 82\},$
 $\{0, 13, 57, 61, 95\}, \{0, 27, 35, 41, 93\}, \{0, 16, 32, 48, 64\}$

by the mapping: $x \mapsto x + 2j \pmod{80}$ for $x < 80$, $x \mapsto (x + j \pmod{20}) + 80$ for $x \geq 80$, $0 \leq j < 40$ for the first 11 blocks, $0 \leq j < 8$ for the last block.

$8^{14} 28^1$ With the point set $\{0, 1, \dots, 139\}$ partitioned into residue classes modulo 14 for $\{0, 1, \dots, 111\}$, and $\{112, 113, \dots, 139\}$, the design is generated from

$\{127, 27, 96, 108, 35\}, \{1, 112, 16, 26, 102\}, \{0, 1, 94, 110, 119\},$
 $\{0, 4, 68, 75, 116\}, \{0, 13, 45, 91, 130\}, \{0, 9, 38, 58, 136\},$
 $\{0, 6, 30, 53, 135\}, \{0, 5, 27, 60, 77\}$

by the mapping: $x \mapsto x + j \pmod{112}$ for $x < 112$, $x \mapsto (x + j \pmod{28}) + 112$ for $x \geq 112$, $0 \leq j < 112$.

$8^{15} 16^1$ With the point set $\{0, 1, \dots, 135\}$ partitioned into residue classes modulo 15 for $\{0, 1, \dots, 119\}$, and $\{120, 121, \dots, 135\}$, the design is generated from

$\{0, 1, 4, 6, 110\}, \{0, 7, 39, 47, 56\}, \{0, 12, 62, 89, 122\},$
 $\{0, 18, 53, 86, 128\}, \{0, 26, 55, 92, 121\}, \{0, 13, 36, 57, 82\},$
 $\{0, 19, 78, 98, 131\}, \{0, 24, 48, 72, 96\}$

by the mapping: $x \mapsto x + j \pmod{120}$ for $x < 120$, $x \mapsto (x - 120 + 2j \pmod{16}) + 120$ for $x \geq 120$, $0 \leq j < 120$ for the first seven blocks;

$x \mapsto x + j \pmod{120}$ for $x < 120$, $x \mapsto (x - 120 + 4j \pmod{16}) + 120$ for $x \geq 120$, $0 \leq j < 24$ for the last block.

8¹⁵24¹ With the point set $\{0, 1, \dots, 143\}$ partitioned into residue classes modulo 15 for $\{0, 1, \dots, 119\}$, and $\{120, 121, \dots, 143\}$, the design is generated from

$$\begin{aligned} &\{136, 16, 113, 110, 36\}, \{67, 140, 31, 99, 14\}, \{0, 1, 6, 10, 102\}, \\ &\{0, 8, 22, 70, 91\}, \{0, 12, 59, 93, 128\}, \{0, 16, 57, 82, 139\}, \\ &\{0, 7, 40, 71, 134\}, \{0, 2, 13, 78, 138\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{120}$ for $x < 120$, $x \mapsto (x + j \pmod{24}) + 120$ for $x \geq 120$, $0 \leq j < 120$.

8¹⁵36¹ With the point set $\{0, 1, \dots, 155\}$ partitioned into residue classes modulo 15 for $\{0, 1, \dots, 119\}$, and $\{120, 121, \dots, 155\}$, the design is generated from

$$\begin{aligned} &\{80, 58, 155, 119, 54\}, \{74, 24, 129, 66, 101\}, \{0, 1, 3, 114, 154\}, \\ &\{0, 14, 33, 54, 152\}, \{0, 5, 36, 88, 125\}, \{0, 11, 62, 82, 128\}, \\ &\{0, 10, 63, 86, 136\}, \{0, 17, 46, 64, 132\}, \{0, 12, 25, 104, 131\}, \\ &\{0, 24, 48, 72, 96\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{120}$ for $x < 120$, $x \mapsto (x + j \pmod{24}) + 120$ for $120 \leq x < 144$, $x \mapsto (x + j \pmod{12}) + 144$ for $x \geq 144$, $0 \leq j < 120$ for the first nine blocks, $0 \leq j < 24$ for the last block.

8¹⁶20¹ With the point set $\{0, 1, \dots, 147\}$ partitioned into residue classes modulo 16 for $\{0, 1, \dots, 127\}$, and $\{128, 129, \dots, 147\}$, the design is generated from

$$\begin{aligned} &\{21, 31, 76, 89, 27\}, \{21, 74, 105, 139, 54\}, \{0, 1, 3, 110, 144\}, \\ &\{0, 8, 71, 101, 131\}, \{0, 9, 34, 90, 137\}, \{0, 5, 17, 59, 105\}, \\ &\{0, 11, 26, 50, 87\}, \{0, 7, 92, 106, 132\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{128}$ for $x < 128$, $x \mapsto (x + j \pmod{16}) + 128$ for $128 \leq x < 144$, $x \mapsto (x + j \pmod{4}) + 144$ for $x \geq 144$, $0 \leq j < 128$.

8¹⁷16¹ With the point set $\{0, 1, \dots, 151\}$ partitioned into residue classes modulo 17 for $\{0, 1, \dots, 135\}$, and $\{136, 137, \dots, 151\}$, the design is generated from

$$\begin{aligned} &\{82, 29, 94, 18, 126\}, \{60, 24, 102, 87, 40\}, \{0, 2, 5, 24, 45\}, \\ &\{0, 8, 38, 56, 69\}, \{0, 7, 57, 66, 140\}, \{0, 1, 26, 55, 148\}, \\ &\{0, 4, 103, 126, 137\}, \{0, 6, 52, 101, 143\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{136}$ for $x < 136$, $x \mapsto (x - 136 + 2j \pmod{16}) + 136$ for $x \geq 136$, $0 \leq j < 136$.

8¹⁸32¹ With the point set $\{0, 1, \dots, 175\}$ partitioned into residue classes modulo 18 for $\{0, 1, \dots, 143\}$, and $\{144, 145, \dots, 175\}$, the design is generated from

$$\begin{aligned} &\{60, 54, 100, 156, 135\}, \{162, 11, 60, 77, 3\}, \{45, 116, 139, 25, 155\}, \\ &\{0, 1, 3, 27, 152\}, \{0, 13, 51, 113, 160\}, \{0, 10, 32, 96, 111\}, \\ &\{0, 9, 21, 37, 76\}, \{0, 4, 29, 88, 167\}, \{0, 5, 19, 102, 155\}, \end{aligned}$$

$\{0, 7, 41, 52, 171\}$

by the mapping: $x \mapsto x + j \pmod{144}$ for $x < 144$, $x \mapsto (x - 144 + 2j \pmod{32}) + 144$ for $x \geq 144$, $0 \leq j < 144$.

8²⁰44¹ With the point set $\{0, 1, \dots, 203\}$ partitioned into residue classes modulo 20 for $\{0, 1, \dots, 159\}$, and $\{160, 161, \dots, 203\}$, the design is generated from

$\{98, 87, 68, 183, 84\}$, $\{59, 81, 116, 162, 15\}$, $\{22, 86, 53, 159, 77\}$,
 $\{174, 126, 134, 152, 73\}$, $\{43, 201, 85, 0, 154\}$, $\{0, 1, 29, 113, 164\}$,
 $\{0, 2, 67, 88, 180\}$, $\{0, 25, 62, 133, 170\}$, $\{0, 4, 50, 147, 177\}$,
 $\{0, 12, 70, 104, 186\}$, $\{0, 5, 41, 150, 199\}$, $\{0, 7, 39, 122, 191\}$

by the mapping: $x \mapsto x + j \pmod{160}$ for $x < 160$, $x \mapsto (x + j \pmod{40}) + 160$ for $160 \leq x < 200$, $x \mapsto (x + j \pmod{4}) + 200$ for $x \geq 200$, $0 \leq j < 160$.

8²¹20¹ With the point set $\{0, 1, \dots, 187\}$ partitioned into residue classes modulo 21 for $\{0, 1, \dots, 167\}$, and $\{168, 169, \dots, 187\}$, the design is generated from

$\{127, 171, 77, 36, 42\}$, $\{145, 58, 180, 136, 11\}$, $\{48, 0, 33, 29, 103\}$,
 $\{0, 1, 3, 146, 172\}$, $\{0, 5, 18, 67, 175\}$, $\{0, 7, 38, 89, 184\}$,
 $\{0, 11, 27, 122, 142\}$, $\{0, 12, 64, 92, 109\}$, $\{0, 10, 40, 54, 112\}$,
 $\{0, 8, 32, 68, 107\}$

by the mapping: $x \mapsto x + j \pmod{168}$ for $x < 168$, $x \mapsto (x - 168 + 2j \pmod{16}) + 168$ for $168 \leq x < 184$, $x \mapsto (x + j \pmod{4}) + 184$ for $x \geq 184$, $0 \leq j < 168$.

8²¹40¹ With the point set $\{0, 1, \dots, 207\}$ partitioned into residue classes modulo 21 for $\{0, 1, \dots, 167\}$, and $\{168, 169, \dots, 207\}$, the design is generated from

$\{178, 42, 76, 70, 122\}$, $\{116, 191, 138, 85, 21\}$, $\{88, 174, 58, 47, 45\}$,
 $\{142, 189, 125, 109, 55\}$, $\{0, 1, 103, 165, 192\}$, $\{0, 7, 57, 86, 204\}$,
 $\{0, 12, 48, 72, 109\}$, $\{0, 8, 27, 47, 85\}$, $\{0, 10, 25, 100, 181\}$,
 $\{0, 18, 67, 112, 175\}$, $\{0, 23, 92, 136, 194\}$, $\{0, 5, 14, 40, 191\}$

by the mapping: $x \mapsto x + j \pmod{168}$ for $x < 168$, $x \mapsto (x - 168 + 3j \pmod{36}) + 168$ for $168 \leq x < 204$, $x \mapsto (x + j \pmod{4}) + 204$ for $x \geq 204$, $0 \leq j < 168$.

8²²16¹ With the point set $\{0, 1, \dots, 191\}$ partitioned into residue classes modulo 22 for $\{0, 1, \dots, 175\}$, and $\{176, 177, \dots, 191\}$, the design is generated from

$\{191, 130, 134, 128, 107\}$, $\{62, 112, 77, 15, 44\}$, $\{152, 57, 89, 37, 106\}$,
 $\{0, 1, 8, 11, 104\}$, $\{0, 5, 36, 75, 123\}$, $\{0, 16, 57, 76, 121\}$,
 $\{0, 14, 42, 98, 136\}$, $\{0, 13, 37, 146, 179\}$, $\{0, 25, 59, 150, 176\}$,
 $\{0, 9, 99, 111, 187\}$

by the mapping: $x \mapsto x + j \pmod{176}$ for $x < 176$, $x \mapsto (x + j \pmod{16}) + 176$ for $x \geq 176$, $0 \leq j < 176$.

8²²36¹ With the point set $\{0, 1, \dots, 211\}$ partitioned into residue classes modulo 22 for $\{0, 1, \dots, 175\}$, and $\{176, 177, \dots, 211\}$, the design is generated from

$\{40, 88, 91, 38, 130\}$, $\{114, 49, 105, 31, 205\}$, $\{101, 198, 162, 127, 115\}$,
 $\{58, 13, 205, 68, 30\}$, $\{0, 1, 6, 31, 208\}$, $\{0, 4, 15, 122, 181\}$,
 $\{0, 29, 75, 127, 189\}$, $\{0, 8, 32, 99, 112\}$, $\{0, 23, 105, 139, 204\}$,
 $\{0, 16, 36, 57, 133\}$, $\{0, 7, 40, 113, 180\}$, $\{0, 19, 81, 108, 176\}$

by the mapping: $x \mapsto x + j \pmod{176}$ for $x < 176$, $x \mapsto (x - 176 + 2j \pmod{32}) + 176$ for $176 \leq x < 208$, $x \mapsto (x + j \pmod{4}) + 208$ for $x \geq 208$, $0 \leq j < 176$.

8²³32¹ With the point set $\{0, 1, \dots, 215\}$ partitioned into residue classes modulo 23 for $\{0, 1, \dots, 183\}$, and $\{184, 185, \dots, 215\}$, the design is generated from

$\{120, 119, 172, 2, 29\}$, $\{186, 180, 73, 182, 101\}$, $\{24, 20, 209, 54, 98\}$,
 $\{205, 142, 18, 152, 116\}$, $\{0, 3, 20, 25, 190\}$, $\{0, 7, 15, 39, 102\}$,
 $\{0, 13, 29, 112, 149\}$, $\{0, 9, 49, 80, 137\}$, $\{0, 21, 76, 146, 204\}$,
 $\{0, 6, 139, 172, 192\}$, $\{0, 19, 61, 119, 187\}$, $\{0, 11, 73, 141, 215\}$

by the mapping: $x \mapsto x + j \pmod{184}$ for $x < 184$, $x \mapsto (x - 184 + 4j \pmod{32}) + 184$ for $x \geq 184$, $0 \leq j < 184$.

8²⁴28¹ With the point set $\{0, 1, \dots, 219\}$ partitioned into residue classes modulo 24 for $\{0, 1, \dots, 191\}$, and $\{192, 193, \dots, 219\}$, the design is generated from

$\{187, 133, 147, 68, 180\}$, $\{56, 62, 106, 44, 87\}$, $\{119, 111, 25, 91, 182\}$,
 $\{186, 3, 118, 134, 206\}$, $\{71, 75, 174, 92, 175\}$, $\{0, 2, 15, 57, 216\}$,
 $\{0, 29, 74, 143, 198\}$, $\{0, 5, 107, 158, 200\}$, $\{0, 32, 70, 116, 205\}$,
 $\{0, 3, 26, 56, 67\}$, $\{0, 22, 58, 133, 204\}$, $\{0, 10, 105, 165, 211\}$

by the mapping: $x \mapsto x + j \pmod{192}$ for $x < 192$, $x \mapsto (x + j \pmod{24}) + 192$ for $192 \leq x < 216$, $x \mapsto (x + j \pmod{4}) + 216$ for $x \geq 216$, $0 \leq j < 192$.

8²⁵4¹ With the point set $\{0, 1, \dots, 203\}$ partitioned into residue classes modulo 25 for $\{0, 1, \dots, 199\}$, and $\{200, 201, 202, 203\}$, the design is generated from

$\{61, 123, 191, 58, 177\}$, $\{126, 154, 132, 152, 9\}$, $\{127, 42, 131, 95, 173\}$,
 $\{0, 1, 30, 35, 200\}$, $\{0, 9, 27, 91, 107\}$, $\{0, 13, 58, 79, 153\}$,
 $\{0, 8, 19, 52, 160\}$, $\{0, 15, 38, 101, 144\}$, $\{0, 7, 17, 104, 176\}$,
 $\{0, 12, 49, 88, 139\}$

by the mapping: $x \mapsto x + j \pmod{200}$ for $x < 200$, $x \mapsto (x + j \pmod{4}) + 200$ for $x \geq 200$, $0 \leq j < 200$.

8²⁵24¹ With the point set $\{0, 1, \dots, 223\}$ partitioned into residue classes modulo 25 for $\{0, 1, \dots, 199\}$, and $\{200, 201, \dots, 223\}$, the design is generated from

$\{67, 86, 68, 183, 121\}$, $\{178, 59, 217, 68, 12\}$, $\{168, 154, 37, 26, 63\}$,
 $\{77, 163, 14, 183, 50\}$, $\{159, 205, 181, 24, 183\}$, $\{0, 3, 10, 161, 220\}$,
 $\{0, 5, 21, 129, 141\}$, $\{0, 6, 46, 79, 107\}$, $\{0, 8, 23, 52, 112\}$,

$\{0, 4, 74, 122, 217\}$, $\{0, 13, 30, 68, 200\}$, $\{0, 32, 77, 134, 208\}$

by the mapping: $x \mapsto x+j \pmod{200}$ for $x < 200$, $x \mapsto (x+j \pmod{200})+200$ for $200 \leq x < 220$, $x \mapsto (x+j \pmod{4}) + 220$ for $x \geq 220$, $0 \leq j < 200$.

8²⁶20¹ With the point set $\{0, 1, \dots, 227\}$ partitioned into residue classes modulo 26 for $\{0, 1, \dots, 207\}$, and $\{208, 209, \dots, 227\}$, the design is generated from

$\{216, 58, 130, 112, 1\}$, $\{222, 17, 139, 34, 5\}$, $\{164, 68, 27, 115, 70\}$,
 $\{201, 173, 31, 176, 195\}$, $\{55, 203, 199, 78, 71\}$, $\{0, 9, 30, 115, 224\}$,
 $\{0, 5, 51, 82, 152\}$, $\{0, 1, 40, 195, 210\}$, $\{0, 10, 65, 181, 213\}$,
 $\{0, 8, 67, 99, 135\}$, $\{0, 11, 35, 69, 119\}$, $\{0, 15, 48, 90, 110\}$

by the mapping: $x \mapsto x+j \pmod{208}$ for $x < 208$, $x \mapsto (x+j \pmod{16})+208$ for $208 \leq x < 224$, $x \mapsto (x+j \pmod{4}) + 224$ for $x \geq 224$, $0 \leq j < 208$.

8²⁷16¹ With the point set $\{0, 1, \dots, 231\}$ partitioned into residue classes modulo 27 for $\{0, 1, \dots, 215\}$, and $\{216, 217, \dots, 231\}$, the design is generated from

$\{133, 29, 73, 120, 195\}$, $\{49, 198, 23, 126, 6\}$, $\{127, 75, 109, 38, 43\}$,
 $\{206, 212, 198, 177, 70\}$, $\{136, 26, 187, 111, 220\}$, $\{0, 1, 39, 138, 228\}$,
 $\{0, 2, 48, 59, 63\}$, $\{0, 16, 36, 118, 183\}$, $\{0, 12, 40, 70, 123\}$,
 $\{0, 3, 119, 209, 226\}$, $\{0, 19, 42, 87, 143\}$, $\{0, 9, 31, 95, 219\}$

by the mapping: $x \mapsto x+j \pmod{216}$ for $x < 216$, $x \mapsto (x+j \pmod{12})+216$ for $216 \leq x < 228$, $x \mapsto (x+j \pmod{4}) + 228$ for $x \geq 228$, $0 \leq j < 216$.

8²⁸12¹ With the point set $\{0, 1, \dots, 235\}$ partitioned into residue classes modulo 28 for $\{0, 1, \dots, 223\}$, and $\{224, 225, \dots, 235\}$, the design is generated from

$\{136, 105, 86, 206, 54\}$, $\{235, 68, 221, 2, 115\}$, $\{228, 146, 220, 144, 143\}$,
 $\{48, 75, 36, 207, 153\}$, $\{200, 86, 222, 11, 5\}$, $\{0, 4, 126, 137, 231\}$,
 $\{0, 10, 48, 103, 144\}$, $\{0, 18, 42, 86, 181\}$, $\{0, 8, 33, 67, 97\}$,
 $\{0, 15, 52, 73, 109\}$, $\{0, 16, 79, 124, 141\}$, $\{0, 9, 23, 49, 69\}$

by the mapping: $x \mapsto x+j \pmod{224}$ for $x < 224$, $x \mapsto (x+j \pmod{8})+224$ for $224 \leq x < 232$, $x \mapsto (x+j \pmod{4}) + 232$ for $x \geq 232$, $0 \leq j < 224$.

9⁸1¹ With the point set $\{0, 1, \dots, 72\}$ partitioned into residue classes modulo 8 for $\{0, 1, \dots, 71\}$, and $\{72\}$, the design is generated from

$\{0, 1, 5, 28, 35\}$, $\{0, 2, 13, 19, 22\}$, $\{0, 10, 25, 39, 51\}$,
 $\{0, 18, 36, 54, 72\}$

by the mapping: $x \mapsto x+j \pmod{72}$ for $x < 72$, $72 \mapsto 72$, $0 \leq j < 72$ for the first three blocks, $0 \leq j < 18$ for the last block.

9¹²13¹ With the point set $\{0, 1, \dots, 120\}$ partitioned into residue classes modulo 12 for $\{0, 1, \dots, 107\}$, and $\{108, 109, \dots, 120\}$, the design is generated from

$\{0, 1, 4, 6, 94\}$, $\{0, 7, 37, 45, 68\}$, $\{0, 13, 57, 79, 109\}$,
 $\{0, 10, 62, 97, 117\}$, $\{0, 9, 28, 67, 83\}$, $\{0, 17, 49, 82, 111\}$,
 $\{0, 27, 54, 81, 120\}$

by the mapping: $x \mapsto x+j \pmod{108}$ for $x < 108$, $x \mapsto (x+j \pmod{12})+108$ for $108 \leq x < 120$, $120 \mapsto 120$, $0 \leq j < 108$ for the first six blocks, $0 \leq j < 27$ for the last block.

9¹⁶5¹ With the point set $\{0, 1, \dots, 148\}$ partitioned into residue classes modulo 16 for $\{0, 1, \dots, 143\}$, and $\{144, 145, 146, 147, 148\}$, the design is generated from

$$\begin{aligned} &\{77, 25, 52, 19, 82\}, \{20, 43, 30, 34, 22\}, \{0, 1, 50, 91, 144\}, \\ &\{0, 17, 45, 83, 105\}, \{0, 3, 43, 62, 77\}, \{0, 18, 47, 73, 93\}, \\ &\{0, 7, 31, 42, 107\}, \{0, 36, 72, 108, 148\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{144}$ for $x < 144$, $x \mapsto (x+j \pmod{4})+144$ for $144 \leq x < 148$, $148 \mapsto 148$, $0 \leq j < 144$ for the first seven blocks, $0 \leq j < 36$ for the last block.

9¹⁶25¹ With the point set $\{0, 1, \dots, 168\}$ partitioned into residue classes modulo 16 for $\{0, 1, \dots, 143\}$, and $\{144, 145, \dots, 168\}$, the design is generated from

$$\begin{aligned} &\{162, 118, 115, 88, 28\}, \{86, 159, 75, 12, 131\}, \{99, 26, 57, 79, 112\}, \\ &\{0, 4, 9, 50, 129\}, \{0, 7, 75, 85, 162\}, \{0, 2, 14, 97, 118\}, \\ &\{0, 6, 35, 43, 163\}, \{0, 1, 18, 52, 154\}, \{0, 23, 62, 100, 165\}, \\ &\{0, 36, 72, 108, 168\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{144}$ for $x < 144$, $x \mapsto (x+j \pmod{24})+144$ for $144 \leq x < 168$, $168 \mapsto 168$, $0 \leq j < 144$ for the first nine blocks, $0 \leq j < 36$ for the last block.

9²⁰17¹ With the point set $\{0, 1, \dots, 196\}$ partitioned into residue classes modulo 20 for $\{0, 1, \dots, 179\}$, and $\{180, 181, \dots, 196\}$, the design is generated from

$$\begin{aligned} &\{51, 81, 35, 37, 166\}, \{104, 187, 125, 15, 42\}, \{27, 20, 88, 136, 62\}, \\ &\{0, 1, 79, 82, 181\}, \{0, 5, 15, 38, 180\}, \{0, 6, 19, 37, 182\}, \\ &\{0, 4, 43, 54, 127\}, \{0, 8, 36, 113, 122\}, \{0, 17, 69, 93, 125\}, \\ &\{0, 12, 34, 59, 151\}, \{0, 45, 90, 135, 196\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{180}$ for $x < 180$, $x \mapsto (x-180+4j \pmod{16})+180$ for $180 \leq x < 196$, $196 \mapsto 196$, $0 \leq j < 180$ for the first ten blocks, $0 \leq j < 45$ for the last block.

9²⁰29¹ With the point set $\{0, 1, \dots, 208\}$ partitioned into residue classes modulo 20 for $\{0, 1, \dots, 179\}$, and $\{180, 181, \dots, 208\}$, the design is generated from

$$\begin{aligned} &\{180, 33, 46, 103, 152\}, \{25, 150, 204, 8, 111\}, \{114, 10, 22, 146, 64\}, \\ &\{82, 68, 109, 205, 47\}, \{0, 3, 25, 34, 186\}, \{0, 10, 47, 73, 182\}, \\ &\{0, 15, 33, 102, 181\}, \{0, 4, 11, 79, 95\}, \{0, 1, 59, 65, 67\}, \\ &\{0, 30, 81, 127, 185\}, \{0, 5, 28, 137, 156\}, \{0, 45, 90, 135, 208\}, \\ &\{0, 36, 72, 108, 144\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{180}$ for $x < 180$, $x \mapsto (x-180+7j \pmod{28})+180$ for $180 \leq x < 208$, $208 \mapsto 208$, $0 \leq j < 180$ for the first 11 blocks, $0 \leq j < 45$ for the next block, $0 \leq j < 36$ for the last block.

9²⁰37¹ With the point set $\{0, 1, \dots, 216\}$ partitioned into residue classes modulo 20 for $\{0, 1, \dots, 179\}$, and $\{180, 181, \dots, 216\}$, the design is generated from

$$\begin{aligned} &\{0, 174, 37, 52, 189\}, \{53, 17, 114, 121, 168\}, \{46, 113, 94, 2, 180\}, \\ &\{0, 134, 193, 24, 101\}, \{94, 85, 169, 83, 156\}, \{0, 8, 57, 95, 129\}, \\ &\{0, 1, 99, 177, 187\}, \{0, 5, 130, 158, 213\}, \{0, 12, 150, 166, 204\}, \\ &\{0, 10, 31, 63, 207\}, \{0, 23, 64, 89, 202\}, \{0, 17, 56, 162, 201\}, \\ &\{0, 45, 90, 135, 216\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{180}$ for $x < 180$, $x \mapsto (x+j \pmod{36})+180$ for $180 \leq x < 216$, $216 \mapsto 216$, $0 \leq j < 180$ for the first 12 blocks, $0 \leq j < 45$ for the last block.

9²⁰49¹ With the point set $\{0, 1, \dots, 228\}$ partitioned into residue classes modulo 20 for $\{0, 1, \dots, 179\}$, and $\{180, 181, \dots, 228\}$, the design is generated from

$$\begin{aligned} &\{66, 60, 114, 64, 165\}, \{59, 219, 26, 82, 75\}, \{118, 115, 215, 87, 21\}, \\ &\{74, 193, 95, 28, 10\}, \{69, 86, 190, 160, 108\}, \{0, 5, 13, 76, 223\}, \\ &\{0, 1, 27, 62, 227\}, \{0, 10, 133, 148, 192\}, \{0, 12, 41, 65, 209\}, \\ &\{0, 14, 84, 121, 199\}, \{0, 11, 69, 161, 195\}, \{0, 38, 93, 136, 181\}, \\ &\{0, 9, 34, 112, 211\}, \{0, 45, 90, 135, 228\}, \{0, 36, 72, 108, 144\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{180}$ for $x < 180$, $x \mapsto (x+j \pmod{36})+180$ for $180 \leq x < 216$, $x \mapsto (x+j \pmod{12})+216$ for $216 \leq x < 228$, $228 \mapsto 228$, $0 \leq j < 180$ for the first 13 blocks, $0 \leq j < 45$ for the next block, $0 \leq j < 36$ for the last block.

9²⁸1¹ With the point set $\{0, 1, \dots, 252\}$ partitioned into residue classes modulo 28 for $\{0, 1, \dots, 251\}$, and $\{252\}$, the design is generated from

$$\begin{aligned} &\{126, 140, 248, 179, 153\}, \{81, 244, 212, 152, 234\}, \{204, 146, 58, 65, 100\}, \\ &\{6, 234, 73, 37, 22\}, \{168, 220, 135, 215, 211\}, \{0, 1, 18, 151, 174\}, \\ &\{0, 6, 54, 103, 186\}, \{0, 8, 20, 118, 143\}, \{0, 2, 61, 64, 138\}, \\ &\{0, 11, 41, 111, 218\}, \{0, 21, 50, 94, 187\}, \{0, 19, 57, 147, 184\}, \\ &\{0, 63, 126, 189, 252\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{252}$ for $x < 252$, $252 \mapsto 252$, $0 \leq j < 252$ for the first 12 blocks, $0 \leq j < 63$ for the last block.

10¹⁰18¹ With the point set $\{0, 1, \dots, 117\}$ partitioned into residue classes modulo 9 for $\{0, 1, \dots, 89\}$, $\{90, 91, \dots, 99\}$, and $\{100, 101, \dots, 117\}$, the design is generated from

$$\begin{aligned} &\{23, 19, 29, 81, 16\}, \{24, 20, 30, 82, 17\}, \{53, 101, 36, 48, 99\}, \\ &\{54, 102, 37, 49, 90\}, \{109, 48, 4, 64, 15\}, \{0, 8, 43, 90, 111\}, \\ &\{0, 26, 59, 75, 94\}, \{1, 15, 35, 61, 115\}, \{0, 21, 22, 61, 113\}, \\ &\{0, 1, 20, 76, 114\}, \{0, 2, 50, 69, 100\}, \{0, 23, 31, 66, 95\}, \\ &\{0, 37, 79, 97, 106\}, \{0, 29, 51, 53, 108\} \end{aligned}$$

by the mapping: $x \mapsto x+2j \pmod{90}$ for $x < 90$, $x \mapsto (x+2j \pmod{10})+90$ for $90 \leq x < 100$, $x \mapsto (x-100+2j \pmod{18})+100$ for $x \geq 100$, $0 \leq j < 45$.

10²⁰38¹ With the point set $\{0, 1, \dots, 237\}$ partitioned into residue classes modulo 19 for $\{0, 1, \dots, 189\}$, $\{190, 191, \dots, 199\}$, and $\{200, 201, \dots, 237\}$, the design is generated from

$$\begin{aligned} &\{150, 141, 128, 72, 168\}, \{108, 150, 9, 191, 134\}, \{236, 60, 106, 188, 143\}, \\ &\{71, 174, 206, 36, 8\}, \{82, 155, 154, 187, 232\}, \{118, 200, 149, 63, 74\}, \\ &\{0, 2, 5, 142, 178\}, \{0, 23, 77, 120, 205\}, \{0, 8, 74, 198, 225\}, \\ &\{0, 6, 21, 132, 201\}, \{0, 7, 68, 156, 216\}, \{0, 25, 92, 131, 210\}, \\ &\{0, 4, 143, 199, 219\}, \{0, 10, 30, 90, 119\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{190}$ for $x < 190$, $x \mapsto (x+j \pmod{10})+190$ for $190 \leq x < 200$, $x \mapsto (x-200+j \pmod{38})+200$ for $x \geq 200$, $0 \leq j < 190$.

11²⁰19¹ With the point set $\{0, 1, \dots, 238\}$ partitioned into residue classes modulo 19 for $\{0, 1, \dots, 208\}$, $\{209, 210, \dots, 219\}$, and $\{220, 221, \dots, 238\}$, the design is generated from

$$\begin{aligned} &\{200, 139, 116, 210, 225\}, \{237, 31, 127, 141, 191\}, \{94, 164, 203, 0, 35\}, \\ &\{97, 113, 215, 101, 10\}, \{111, 131, 162, 140, 167\}, \{220, 89, 135, 122, 37\}, \\ &\{0, 10, 25, 166, 210\}, \{0, 7, 67, 104, 130\}, \{0, 8, 40, 128, 222\}, \\ &\{0, 21, 92, 175, 232\}, \{0, 1, 18, 66, 108\}, \{0, 11, 69, 93, 147\}, \\ &\{0, 2, 30, 74, 77\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{209}$ for $x < 209$, $x \mapsto (x+j \pmod{11})+209$ for $209 \leq x < 220$, $x \mapsto (x-220+j \pmod{19})+220$ for $x \geq 220$, $0 \leq j < 209$.

12⁵8¹ With the point set $\{0, 1, \dots, 67\}$ partitioned into residue classes modulo 5 for $\{0, 1, \dots, 59\}$, and $\{60, 61, \dots, 67\}$, the design is generated from

$$\begin{aligned} &\{0, 2, 49, 51, 64\}, \{0, 1, 7, 33, 59\}, \{0, 4, 38, 41, 57\}, \\ &\{0, 18, 19, 26, 32\}, \{0, 9, 13, 31, 62\}, \{0, 3, 6, 17, 65\}, \\ &\{0, 8, 22, 29, 60\}, \{0, 11, 42, 58, 61\}, \{1, 18, 22, 39, 55\}, \\ &\{1, 2, 30, 53, 66\}, \{0, 16, 39, 43, 67\}, \{1, 15, 34, 43, 61\}, \\ &\{0, 12, 24, 36, 48\} \end{aligned}$$

by the mapping: $x \mapsto x+4j \pmod{60}$ for $x < 60$, $x \mapsto (x+j \pmod{5})+60$ for $60 \leq x < 65$, $x \mapsto (x-65+j \pmod{3})+65$ for $x \geq 65$, $0 \leq j < 15$ for the first 12 blocks; $x \mapsto x+j \pmod{60}$ for $x < 60$, $x \mapsto (x+j \pmod{5})+60$ for $60 \leq x < 65$, $x \mapsto (x-65+j \pmod{3})+65$ for $x \geq 65$, $0 \leq j < 12$ for the last block.

12¹⁰28¹ With the point set $\{0, 1, \dots, 147\}$ partitioned into residue classes modulo 10 for $\{0, 1, \dots, 119\}$, and $\{120, 121, \dots, 147\}$, the design is generated from

$$\begin{aligned} &\{119, 25, 77, 78, 84\}, \{109, 138, 92, 90, 34\}, \{0, 3, 25, 34, 144\}, \\ &\{0, 5, 18, 92, 139\}, \{0, 12, 69, 83, 138\}, \{0, 8, 23, 99, 132\}, \\ &\{0, 4, 36, 47, 135\}, \{0, 16, 54, 81, 122\}, \{0, 24, 48, 72, 96\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{120}$ for $x < 120$, $x \mapsto (x+j \pmod{24})+120$ for $120 \leq x < 144$, $x \mapsto (x+j \pmod{4})+144$ for $x \geq 144$, $0 \leq j < 120$ for the first eight blocks, $0 \leq j < 24$ for the last block.

12¹¹20¹ With the point set $\{0, 1, \dots, 151\}$ partitioned into residue classes modulo 11 for $\{0, 1, \dots, 131\}$, and $\{132, 133, \dots, 151\}$, the design is generated from

$$\begin{aligned} &\{17, 144, 63, 128, 86\}, \{34, 151, 0, 113, 107\}, \{0, 1, 51, 58, 132\}, \\ &\{0, 5, 14, 119, 135\}, \{0, 15, 45, 62, 133\}, \{0, 3, 38, 64, 92\}, \\ &\{0, 2, 12, 95, 103\}, \{0, 4, 24, 84, 100\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{132}$ for $x < 132$, $x \mapsto (x - 132 + 5j \pmod{20}) + 132$ for $x \geq 132$, $0 \leq j < 132$.

12¹²24¹ With the point set $\{0, 1, \dots, 167\}$ partitioned into residue classes modulo 12 for $\{0, 1, \dots, 143\}$, and $\{144, 145, \dots, 167\}$, the design is generated from

$$\begin{aligned} &\{89, 110, 157, 118, 87\}, \{154, 46, 61, 122, 66\}, \{113, 33, 47, 162, 79\}, \\ &\{0, 1, 101, 134, 151\}, \{0, 19, 71, 109, 157\}, \{0, 17, 70, 119, 147\}, \\ &\{0, 6, 13, 22, 63\}, \{0, 4, 30, 69, 97\}, \{0, 3, 40, 58, 85\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{144}$ for $x < 144$, $x \mapsto (x + j \pmod{24}) + 144$ for $x \geq 144$, $0 \leq j < 144$.

12¹³28¹ With the point set $\{0, 1, \dots, 183\}$ partitioned into residue classes modulo 13 for $\{0, 1, \dots, 155\}$, and $\{156, 157, \dots, 183\}$, the design is generated from

$$\begin{aligned} &\{56, 119, 9, 42, 110\}, \{16, 152, 65, 60, 166\}, \{73, 164, 30, 104, 62\}, \\ &\{0, 1, 128, 135, 170\}, \{0, 6, 25, 111, 180\}, \{0, 2, 12, 96, 120\}, \\ &\{0, 4, 27, 61, 165\}, \{0, 17, 35, 76, 106\}, \{0, 3, 103, 119, 175\}, \\ &\{0, 8, 83, 98, 171\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{156}$ for $x < 156$, $x \mapsto (x - 156 + 2j \pmod{24}) + 156$ for $156 \leq x < 180$, $x \mapsto (x + j \pmod{4}) + 180$ for $x \geq 180$, $0 \leq j < 156$.

12¹⁴32¹ With the point set $\{0, 1, \dots, 199\}$ partitioned into residue classes modulo 14 for $\{0, 1, \dots, 167\}$, and $\{168, 169, \dots, 199\}$, the design is generated from

$$\begin{aligned} &\{189, 166, 52, 157, 107\}, \{148, 4, 140, 115, 100\}, \{84, 95, 189, 111, 20\}, \\ &\{115, 117, 41, 138, 80\}, \{0, 1, 31, 117, 180\}, \{0, 5, 41, 67, 189\}, \\ &\{0, 12, 34, 80, 99\}, \{0, 6, 44, 89, 188\}, \{0, 18, 61, 108, 175\}, \\ &\{0, 20, 49, 115, 196\}, \{0, 3, 7, 158, 197\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{168}$ for $x < 168$, $x \mapsto (x + j \pmod{24}) + 168$ for $168 \leq x < 192$, $x \mapsto (x + j \pmod{8}) + 192$ for $x \geq 192$, $0 \leq j < 168$.

12¹⁵8¹ With the point set $\{0, 1, \dots, 187\}$ partitioned into residue classes modulo 15 for $\{0, 1, \dots, 179\}$, and $\{180, 181, \dots, 187\}$, the design is generated from

$$\begin{aligned} &\{175, 18, 106, 11, 128\}, \{67, 66, 149, 153, 94\}, \{0, 2, 5, 11, 181\}, \\ &\{0, 13, 62, 127, 180\}, \{0, 19, 44, 100, 151\}, \{0, 8, 18, 39, 148\}, \\ &\{0, 12, 26, 64, 138\}, \{0, 24, 57, 103, 146\}, \{0, 17, 37, 78, 113\}, \\ &\{0, 36, 72, 108, 144\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{180}$ for $x < 180$, $x \mapsto (x - 180 + 2j \pmod{8}) + 180$ for $x \geq 180$, $0 \leq j < 180$ for the first nine blocks, $0 \leq j < 36$ for the last block.

12¹⁵16¹ With the point set $\{0, 1, \dots, 195\}$ partitioned into residue classes modulo 15 for $\{0, 1, \dots, 179\}$, and $\{180, 181, \dots, 195\}$, the design is generated from

$\{59, 19, 60, 172, 189\}$, $\{193, 133, 171, 140, 54\}$, $\{9, 133, 18, 15, 141\}$,
 $\{72, 150, 179, 91, 187\}$, $\{0, 10, 109, 137, 184\}$, $\{0, 5, 47, 111, 134\}$,
 $\{0, 11, 33, 77, 91\}$, $\{0, 4, 20, 145, 163\}$, $\{0, 2, 26, 98, 130\}$,
 $\{0, 12, 25, 61, 95\}$

by the mapping: $x \mapsto x + j \pmod{180}$ for $x < 180$, $x \mapsto (x + j \pmod{12}) + 180$ for $180 \leq x < 192$, $x \mapsto (x + j \pmod{4}) + 192$ for $x \geq 192$, $0 \leq j < 180$.

12¹⁵28¹ With the point set $\{0, 1, \dots, 207\}$ partitioned into residue classes modulo 15 for $\{0, 1, \dots, 179\}$, and $\{180, 181, \dots, 207\}$, the design is generated from

$\{203, 2, 113, 132, 103\}$, $\{8, 15, 188, 122, 161\}$, $\{170, 161, 200, 43, 48\}$,
 $\{29, 205, 116, 67, 46\}$, $\{0, 1, 3, 98, 183\}$, $\{0, 13, 54, 115, 185\}$,
 $\{0, 23, 74, 117, 180\}$, $\{0, 6, 31, 140, 154\}$, $\{0, 4, 22, 125, 160\}$,
 $\{0, 8, 64, 76, 92\}$, $\{0, 11, 44, 91, 143\}$, $\{0, 36, 72, 108, 144\}$

by the mapping: $x \mapsto x + j \pmod{180}$ for $x < 180$, $x \mapsto (x - 180 + 7j \pmod{28}) + 180$ for $x \geq 180$, $0 \leq j < 180$ for the first 11 blocks, $0 \leq j < 36$ for the last block.

12¹⁵36¹ With the point set $\{0, 1, \dots, 215\}$ partitioned into residue classes modulo 15 for $\{0, 1, \dots, 179\}$, and $\{180, 181, \dots, 215\}$, the design is generated from

$\{197, 72, 69, 70, 47\}$, $\{160, 173, 78, 127, 71\}$, $\{210, 65, 105, 129, 36\}$,
 $\{141, 68, 200, 60, 136\}$, $\{8, 174, 181, 42, 73\}$, $\{0, 11, 62, 83, 125\}$,
 $\{0, 17, 36, 54, 74\}$, $\{0, 6, 58, 67, 188\}$, $\{0, 10, 80, 164, 215\}$,
 $\{0, 4, 43, 152, 198\}$, $\{0, 27, 77, 121, 183\}$, $\{0, 12, 47, 139, 196\}$

by the mapping: $x \mapsto x + j \pmod{180}$ for $x < 180$, $x \mapsto (x + j \pmod{36}) + 180$ for $x \geq 180$, $0 \leq j < 180$.

12¹⁵48¹ With the point set $\{0, 1, \dots, 227\}$ partitioned into residue classes modulo 15 for $\{0, 1, \dots, 179\}$, and $\{180, 181, \dots, 227\}$, the design is generated from

$\{86, 149, 8, 196, 54\}$, $\{164, 96, 77, 148, 221\}$, $\{79, 123, 56, 190, 39\}$,
 $\{157, 219, 132, 153, 160\}$, $\{124, 137, 115, 5, 202\}$, $\{11, 38, 92, 222, 58\}$,
 $\{0, 1, 104, 122, 185\}$, $\{0, 29, 64, 143, 192\}$, $\{0, 11, 49, 73, 138\}$,
 $\{0, 5, 55, 129, 181\}$, $\{0, 6, 86, 98, 180\}$, $\{0, 14, 57, 83, 215\}$,
 $\{0, 2, 33, 172, 205\}$, $\{0, 36, 72, 108, 144\}$

by the mapping: $x \mapsto x + j \pmod{180}$ for $x < 180$, $x \mapsto (x + j \pmod{36}) + 180$ for $180 \leq x < 216$, $x \mapsto (x + j \pmod{12}) + 216$ for $x \geq 216$, $0 \leq j < 180$ for the first 13 blocks, $0 \leq j < 36$ for the last block.

12¹⁶20¹ With the point set $\{0, 1, \dots, 211\}$ partitioned into residue classes modulo 16 for $\{0, 1, \dots, 191\}$, and $\{192, 193, \dots, 211\}$, the design is generated from

$$\begin{aligned} &\{193, 106, 109, 79, 37\}, \{7, 209, 109, 96, 134\}, \{45, 34, 171, 163, 88\}, \\ &\{204, 35, 87, 182, 66\}, \{0, 1, 34, 36, 207\}, \{0, 37, 87, 136, 200\}, \\ &\{0, 12, 40, 59, 151\}, \{0, 7, 17, 77, 148\}, \{0, 5, 67, 106, 124\}, \\ &\{0, 4, 24, 82, 170\}, \{0, 6, 15, 29, 113\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{192}$ for $x < 192$, $x \mapsto (x+j \pmod{16})+192$ for $192 \leq x < 208$, $x \mapsto (x+j \pmod{4})+208$ for $x \geq 208$, $0 \leq j < 192$.

12¹⁶40¹ With the point set $\{0, 1, \dots, 231\}$ partitioned into residue classes modulo 16 for $\{0, 1, \dots, 191\}$, and $\{192, 193, \dots, 231\}$, the design is generated from

$$\begin{aligned} &\{11, 53, 203, 121, 42\}, \{2, 228, 36, 150, 131\}, \{95, 103, 90, 164, 83\}, \\ &\{63, 206, 101, 3, 91\}, \{153, 96, 215, 180, 139\}, \{152, 87, 153, 223, 15\}, \\ &\{0, 6, 153, 162, 229\}, \{0, 17, 109, 134, 202\}, \{0, 15, 37, 77, 136\}, \\ &\{0, 2, 103, 107, 220\}, \{0, 18, 53, 159, 205\}, \{0, 3, 49, 70, 197\}, \\ &\{0, 23, 47, 73, 163\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{192}$ for $x < 192$, $x \mapsto (x+j \pmod{32})+192$ for $192 \leq x < 224$, $x \mapsto (x+j \pmod{8})+224$ for $x \geq 224$, $0 \leq j < 192$.

12¹⁷4¹ With the point set $\{0, 1, \dots, 207\}$ partitioned into residue classes modulo 17 for $\{0, 1, \dots, 203\}$, and $\{204, 205, 206, 207\}$, the design is generated from

$$\begin{aligned} &\{136, 64, 203, 52, 12\}, \{81, 42, 4, 11, 167\}, \{152, 107, 106, 103, 133\}, \\ &\{200, 59, 204, 150, 5\}, \{0, 15, 35, 71, 161\}, \{0, 11, 25, 98, 160\}, \\ &\{0, 16, 37, 112, 144\}, \{0, 2, 10, 111, 140\}, \{0, 6, 28, 89, 122\}, \\ &\{0, 5, 23, 47, 104\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{204}$ for $x < 204$, $x \mapsto (x+j \pmod{4})+204$ for $x \geq 204$, $0 \leq j < 204$.

12¹⁷24¹ With the point set $\{0, 1, \dots, 227\}$ partitioned into residue classes modulo 17 for $\{0, 1, \dots, 203\}$, and $\{204, 205, \dots, 227\}$, the design is generated from

$$\begin{aligned} &\{188, 218, 134, 75, 37\}, \{58, 221, 176, 62, 192\}, \{93, 13, 133, 165, 102\}, \\ &\{149, 66, 113, 188, 87\}, \{91, 179, 62, 18, 67\}, \{0, 13, 48, 94, 108\}, \\ &\{0, 2, 12, 79, 140\}, \{0, 1, 19, 56, 210\}, \{0, 3, 23, 182, 204\}, \\ &\{0, 11, 146, 174, 211\}, \{0, 8, 50, 65, 219\}, \{0, 6, 33, 104, 111\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{204}$ for $x < 204$, $x \mapsto (x-204+2j \pmod{24})+204$ for $x \geq 204$, $0 \leq j < 204$.

12¹⁷44¹ With the point set $\{0, 1, \dots, 247\}$ partitioned into residue classes modulo 17 for $\{0, 1, \dots, 203\}$, and $\{204, 205, \dots, 247\}$, the design is generated from

$$\begin{aligned} &\{119, 149, 226, 160, 141\}, \{208, 52, 201, 121, 163\}, \{137, 237, 133, 162, 84\}, \\ &\{187, 133, 229, 69, 75\}, \{82, 98, 19, 1, 203\}, \{148, 225, 19, 180, 89\}, \\ &\{0, 5, 45, 76, 207\}, \{0, 9, 66, 139, 240\}, \{0, 13, 27, 50, 241\}, \end{aligned}$$

$\{0, 3, 15, 39, 87\}$, $\{0, 1, 61, 89, 96\}$, $\{0, 44, 90, 142, 206\}$,
 $\{0, 21, 47, 103, 230\}$, $\{0, 10, 104, 137, 215\}$

by the mapping: $x \mapsto x + j \pmod{204}$ for $x < 204$, $x \mapsto (x - 204 + 3j \pmod{36}) + 204$ for $204 \leq x < 240$, $x \mapsto (x + 2j \pmod{8}) + 240$ for $x \geq 240$, $0 \leq j < 204$.

12¹⁸8¹ With the point set $\{0, 1, \dots, 223\}$ partitioned into residue classes modulo 18 for $\{0, 1, \dots, 215\}$, and $\{216, 217, \dots, 223\}$, the design is generated from

$\{46, 40, 182, 140, 125\}$, $\{222, 76, 37, 62, 74\}$, $\{73, 76, 175, 131, 84\}$,
 $\{62, 89, 58, 63, 108\}$, $\{0, 7, 66, 206, 221\}$, $\{0, 13, 81, 119, 141\}$,
 $\{0, 23, 51, 118, 183\}$, $\{0, 9, 61, 96, 139\}$, $\{0, 21, 53, 124, 154\}$,
 $\{0, 29, 63, 111, 175\}$, $\{0, 16, 40, 89, 109\}$

by the mapping: $x \mapsto x + j \pmod{216}$ for $x < 216$, $x \mapsto (x + j \pmod{8}) + 216$ for $x \geq 216$, $0 \leq j < 216$.

12¹⁸28¹ With the point set $\{0, 1, \dots, 243\}$ partitioned into residue classes modulo 18 for $\{0, 1, \dots, 215\}$, and $\{216, 217, \dots, 243\}$, the design is generated from

$\{243, 11, 196, 81, 2\}$, $\{57, 72, 83, 208, 206\}$, $\{98, 140, 133, 117, 186\}$,
 $\{64, 171, 39, 181, 26\}$, $\{177, 115, 55, 82, 219\}$, $\{0, 1, 4, 188, 196\}$,
 $\{0, 17, 66, 114, 158\}$, $\{0, 37, 76, 133, 176\}$, $\{0, 5, 78, 165, 226\}$,
 $\{0, 6, 47, 110, 222\}$, $\{0, 30, 85, 135, 219\}$, $\{0, 14, 59, 127, 225\}$,
 $\{0, 12, 130, 164, 227\}$

by the mapping: $x \mapsto x + j \pmod{216}$ for $x < 216$, $x \mapsto (x + j \pmod{24}) + 216$ for $216 \leq x < 240$, $x \mapsto (x + j \pmod{4}) + 240$ for $x \geq 240$, $0 \leq j < 216$.

12¹⁸48¹ With the point set $\{0, 1, \dots, 263\}$ partitioned into residue classes modulo 18 for $\{0, 1, \dots, 215\}$, and $\{216, 217, \dots, 263\}$, the design is generated from

$\{139, 181, 20, 168, 116\}$, $\{165, 247, 43, 44, 83\}$, $\{115, 257, 202, 17, 31\}$,
 $\{67, 158, 216, 75, 72\}$, $\{109, 229, 28, 102, 143\}$, $\{246, 137, 86, 165, 118\}$,
 $\{0, 30, 63, 143, 245\}$, $\{0, 12, 100, 117, 235\}$, $\{0, 6, 112, 179, 261\}$,
 $\{0, 10, 21, 71, 178\}$, $\{0, 2, 22, 78, 192\}$, $\{0, 27, 85, 154, 220\}$,
 $\{0, 15, 64, 139, 228\}$, $\{0, 4, 70, 163, 230\}$, $\{0, 9, 44, 200, 224\}$

by the mapping: $x \mapsto x + j \pmod{216}$ for $x < 216$, $x \mapsto (x - 216 + 2j \pmod{48}) + 216$ for $x \geq 216$, $0 \leq j < 216$.

12¹⁹32¹ With the point set $\{0, 1, \dots, 259\}$ partitioned into residue classes modulo 19 for $\{0, 1, \dots, 227\}$, and $\{228, 229, \dots, 259\}$, the design is generated from

$\{185, 139, 30, 231, 216\}$, $\{245, 50, 213, 48, 35\}$, $\{198, 115, 190, 54, 151\}$,
 $\{259, 99, 25, 70, 204\}$, $\{184, 241, 99, 113, 122\}$, $\{83, 32, 162, 161, 172\}$,
 $\{0, 5, 27, 142, 232\}$, $\{0, 17, 58, 175, 234\}$, $\{0, 21, 55, 162, 230\}$,
 $\{0, 26, 59, 185, 228\}$, $\{0, 20, 64, 101, 168\}$, $\{0, 6, 24, 54, 106\}$,
 $\{0, 3, 28, 35, 138\}$, $\{0, 4, 16, 72, 112\}$

by the mapping: $x \mapsto x + j \pmod{228}$ for $x < 228$, $x \mapsto (x - 228 + 8j \pmod{32}) + 228$ for $x \geq 228$, $0 \leq j < 228$.

12¹⁹52¹ With the point set $\{0, 1, \dots, 279\}$ partitioned into residue classes modulo 19 for $\{0, 1, \dots, 227\}$, and $\{228, 229, \dots, 279\}$, the design is generated from

$\{250, 205, 227, 108, 200\}$, $\{273, 92, 45, 175, 2\}$, $\{220, 21, 239, 115, 12\}$,
 $\{261, 7, 144, 207, 118\}$, $\{82, 5, 3, 132, 240\}$, $\{111, 272, 98, 31, 77\}$,
 $\{0, 1, 7, 212, 257\}$, $\{0, 3, 187, 217, 236\}$, $\{0, 10, 61, 163, 276\}$,
 $\{0, 12, 36, 71, 156\}$, $\{0, 15, 60, 93, 147\}$, $\{0, 4, 66, 179, 258\}$,
 $\{0, 37, 106, 158, 230\}$, $\{0, 8, 39, 64, 112\}$, $\{0, 32, 74, 142, 275\}$,
 $\{0, 18, 58, 146, 255\}$

by the mapping: $x \mapsto x + j \pmod{228}$ for $x < 228$, $x \mapsto (x - 228 + 4j \pmod{48}) + 228$ for $228 \leq x < 276$, $x \mapsto (x + j \pmod{4}) + 276$ for $x \geq 276$, $0 \leq j < 228$.

12²⁰8¹ With the point set $\{0, 1, \dots, 247\}$ partitioned into residue classes modulo 20 for $\{0, 1, \dots, 239\}$, and $\{240, 241, \dots, 247\}$, the design is generated from

$\{33, 245, 148, 94, 64\}$, $\{7, 223, 176, 191, 134\}$, $\{160, 219, 15, 56, 6\}$,
 $\{16, 140, 28, 26, 3\}$, $\{81, 145, 92, 7, 213\}$, $\{0, 45, 110, 162, 240\}$,
 $\{0, 16, 33, 91, 174\}$, $\{0, 38, 87, 131, 177\}$, $\{0, 7, 35, 129, 168\}$,
 $\{0, 1, 4, 171, 222\}$, $\{0, 6, 14, 43, 148\}$, $\{0, 5, 26, 81, 178\}$,
 $\{0, 48, 96, 144, 192\}$

by the mapping: $x \mapsto x + j \pmod{240}$ for $x < 240$, $x \mapsto (x + j \pmod{8}) + 240$ for $x \geq 240$, $0 \leq j < 240$ for the first 12 blocks, $0 \leq j < 48$ for the last block.

12²¹20¹ With the point set $\{0, 1, \dots, 271\}$ partitioned into residue classes modulo 21 for $\{0, 1, \dots, 251\}$, and $\{252, 253, \dots, 271\}$, the design is generated from

$\{113, 94, 74, 217, 245\}$, $\{215, 76, 108, 242, 143\}$, $\{61, 249, 149, 258, 203\}$,
 $\{61, 53, 240, 197, 38\}$, $\{247, 241, 217, 47, 250\}$, $\{100, 153, 23, 151, 83\}$,
 $\{0, 1, 79, 90, 265\}$, $\{0, 34, 71, 169, 264\}$, $\{0, 7, 55, 102, 193\}$,
 $\{0, 16, 38, 112, 141\}$, $\{0, 5, 31, 41, 196\}$, $\{0, 12, 25, 69, 131\}$,
 $\{0, 40, 85, 177, 252\}$, $\{0, 4, 18, 176, 262\}$

by the mapping: $x \mapsto x + j \pmod{252}$ for $x < 252$, $x \mapsto (x + j \pmod{12}) + 252$ for $252 \leq x < 264$, $x \mapsto (x + 2j \pmod{8}) + 264$ for $x \geq 264$, $0 \leq j < 252$.

12²¹40¹ With the point set $\{0, 1, \dots, 291\}$ partitioned into residue classes modulo 21 for $\{0, 1, \dots, 251\}$, and $\{252, 253, \dots, 291\}$, the design is generated from

$\{142, 36, 282, 31, 124\}$, $\{251, 168, 59, 58, 102\}$, $\{3, 257, 163, 74, 214\}$,
 $\{7, 177, 4, 56, 40\}$, $\{22, 16, 161, 9, 200\}$, $\{193, 283, 18, 94, 63\}$,
 $\{156, 183, 280, 247, 191\}$, $\{0, 2, 11, 25, 288\}$, $\{0, 10, 34, 158, 190\}$,
 $\{0, 19, 57, 127, 174\}$, $\{0, 12, 67, 224, 283\}$, $\{0, 30, 120, 166, 272\}$,
 $\{0, 22, 75, 226, 267\}$, $\{0, 15, 73, 102, 187\}$, $\{0, 4, 133, 202, 262\}$,

$\{0, 17, 37, 171, 280\}$

by the mapping: $x \mapsto x+j \pmod{252}$ for $x < 252$, $x \mapsto (x+j \pmod{36})+252$ for $252 \leq x < 288$, $x \mapsto (x+j \pmod{4})+288$ for $x \geq 288$, $0 \leq j < 252$.

12²¹60¹ With the point set $\{0, 1, \dots, 311\}$ partitioned into residue classes modulo 21 for $\{0, 1, \dots, 251\}$, and $\{252, 253, \dots, 311\}$, the design is generated from

$\{91, 300, 131, 149, 61\}$, $\{135, 174, 260, 231, 203\}$, $\{134, 291, 180, 213, 89\}$,
 $\{84, 239, 52, 293, 101\}$, $\{0, 119, 7, 120, 108\}$, $\{53, 253, 30, 140, 178\}$,
 $\{95, 154, 230, 262, 45\}$, $\{269, 243, 94, 107, 189\}$, $\{0, 2, 37, 43, 303\}$,
 $\{0, 3, 51, 55, 75\}$, $\{0, 9, 36, 83, 190\}$, $\{0, 25, 85, 208, 271\}$,
 $\{0, 16, 93, 146, 265\}$, $\{0, 10, 90, 121, 274\}$, $\{0, 19, 153, 179, 286\}$,
 $\{0, 8, 22, 86, 276\}$, $\{0, 5, 61, 163, 306\}$, $\{0, 15, 152, 186, 300\}$

by the mapping: $x \mapsto x+j \pmod{252}$ for $x < 252$, $x \mapsto (x+j \pmod{36})+252$ for $252 \leq x < 288$, $x \mapsto (x+2j \pmod{24})+288$ for $x \geq 288$, $0 \leq j < 252$.

12²²4¹ With the point set $\{0, 1, \dots, 267\}$ partitioned into residue classes modulo 22 for $\{0, 1, \dots, 263\}$, and $\{264, 265, 266, 267\}$, the design is generated from

$\{210, 229, 3, 186, 158\}$, $\{8, 3, 149, 242, 134\}$, $\{122, 200, 20, 223, 164\}$,
 $\{187, 235, 101, 95, 238\}$, $\{108, 76, 155, 126, 50\}$, $\{0, 1, 63, 70, 264\}$,
 $\{0, 2, 11, 106, 254\}$, $\{0, 8, 49, 83, 174\}$, $\{0, 4, 35, 100, 117\}$,
 $\{0, 27, 72, 112, 149\}$, $\{0, 13, 33, 107, 210\}$, $\{0, 14, 53, 150, 218\}$,
 $\{0, 16, 80, 135, 191\}$

by the mapping: $x \mapsto x+j \pmod{264}$ for $x < 264$, $x \mapsto (x+j \pmod{4})+264$ for $x \geq 264$, $0 \leq j < 264$.

12²²24¹ With the point set $\{0, 1, \dots, 287\}$ partitioned into residue classes modulo 22 for $\{0, 1, \dots, 263\}$, and $\{264, 265, \dots, 287\}$, the design is generated from

$\{55, 200, 198, 170, 123\}$, $\{189, 100, 151, 214, 260\}$, $\{14, 257, 196, 181, 185\}$,
 $\{173, 258, 39, 282, 95\}$, $\{215, 73, 123, 175, 209\}$, $\{145, 228, 199, 88, 285\}$,
 $\{87, 107, 74, 0, 205\}$, $\{0, 1, 8, 49, 248\}$, $\{0, 31, 84, 127, 200\}$,
 $\{0, 5, 113, 125, 152\}$, $\{0, 14, 173, 209, 280\}$, $\{0, 10, 80, 174, 282\}$,
 $\{0, 18, 37, 99, 222\}$, $\{0, 9, 206, 238, 279\}$, $\{0, 3, 106, 129, 271\}$

by the mapping: $x \mapsto x+j \pmod{264}$ for $x < 264$, $x \mapsto (x+j \pmod{24})+264$ for $x \geq 264$, $0 \leq j < 264$.

12²²44¹ With the point set $\{0, 1, \dots, 307\}$ partitioned into residue classes modulo 22 for $\{0, 1, \dots, 263\}$, and $\{264, 265, \dots, 307\}$, the design is generated from

$\{225, 105, 169, 186, 229\}$, $\{145, 116, 30, 196, 223\}$, $\{297, 250, 252, 1, 173\}$,
 $\{241, 264, 151, 259, 240\}$, $\{238, 231, 76, 137, 205\}$, $\{78, 28, 266, 245, 145\}$,
 $\{70, 269, 123, 11, 39\}$, $\{0, 3, 8, 232, 275\}$, $\{0, 6, 131, 201, 279\}$,
 $\{0, 25, 99, 141, 277\}$, $\{0, 10, 46, 58, 192\}$, $\{0, 9, 96, 145, 169\}$,
 $\{0, 20, 54, 111, 300\}$, $\{0, 16, 37, 159, 294\}$, $\{0, 14, 55, 226, 305\}$,
 $\{0, 30, 75, 181, 289\}$, $\{0, 11, 76, 138, 161\}$

by the mapping: $x \mapsto x+j \pmod{264}$ for $x < 264$, $x \mapsto (x+j \pmod{24})+264$ for $264 \leq x < 288$, $x \mapsto (x+j \pmod{12})+288$ for $288 \leq x < 300$, $x \mapsto (x-300+j \pmod{8})+300$ for $x \geq 300$, $0 \leq j < 264$.

12²²64¹ With the point set $\{0, 1, \dots, 327\}$ partitioned into residue classes modulo 22 for $\{0, 1, \dots, 263\}$, and $\{264, 265, \dots, 327\}$, the design is generated from

$\{216, 50, 184, 145, 131\}$, $\{256, 319, 162, 149, 192\}$, $\{248, 317, 84, 11, 67\}$,
 $\{278, 92, 152, 153, 102\}$, $\{177, 287, 171, 162, 173\}$, $\{155, 202, 324, 85, 184\}$,
 $\{291, 58, 27, 95, 6\}$, $\{70, 37, 1, 185, 269\}$, $\{50, 267, 140, 62, 4\}$,
 $\{0, 3, 155, 259, 323\}$, $\{0, 23, 146, 238, 301\}$, $\{0, 34, 79, 142, 309\}$,
 $\{0, 20, 77, 125, 197\}$, $\{0, 24, 86, 127, 182\}$, $\{0, 35, 111, 224, 280\}$,
 $\{0, 25, 84, 126, 294\}$, $\{0, 7, 131, 150, 290\}$, $\{0, 16, 135, 226, 304\}$,
 $\{0, 28, 93, 190, 296\}$

by the mapping: $x \mapsto x+j \pmod{264}$ for $x < 264$, $x \mapsto (x-264+2j \pmod{48})+264$ for $264 \leq x < 312$, $x \mapsto (x+j \pmod{12})+312$ for $312 \leq x < 324$, $x \mapsto (x+j \pmod{4})+324$ for $x \geq 324$, $0 \leq j < 264$.

12²³28¹ With the point set $\{0, 1, \dots, 303\}$ partitioned into residue classes modulo 23 for $\{0, 1, \dots, 275\}$, and $\{276, 277, \dots, 303\}$, the design is generated from

$\{269, 101, 208, 67, 10\}$, $\{49, 186, 114, 147, 207\}$, $\{124, 51, 282, 214, 205\}$,
 $\{194, 294, 19, 48, 241\}$, $\{8, 274, 277, 85, 151\}$, $\{300, 33, 70, 95, 76\}$,
 $\{0, 1, 3, 14, 278\}$, $\{0, 5, 119, 126, 276\}$, $\{0, 15, 41, 246, 281\}$,
 $\{0, 4, 22, 170, 194\}$, $\{0, 27, 76, 116, 218\}$, $\{0, 20, 48, 151, 245\}$,
 $\{0, 8, 50, 209, 221\}$, $\{0, 32, 70, 129, 181\}$, $\{0, 16, 100, 136, 180\}$,
 $\{0, 35, 88, 144, 212\}$

by the mapping: $x \mapsto x+j \pmod{276}$ for $x < 276$, $x \mapsto (x-276+7j \pmod{28})+276$ for $x \geq 276$, $0 \leq j < 276$.

12²³48¹ With the point set $\{0, 1, \dots, 323\}$ partitioned into residue classes modulo 23 for $\{0, 1, \dots, 275\}$, and $\{276, 277, \dots, 323\}$, the design is generated from

$\{45, 3, 146, 197, 315\}$, $\{73, 78, 276, 29, 255\}$, $\{109, 99, 92, 90, 121\}$,
 $\{268, 64, 19, 192, 102\}$, $\{312, 56, 133, 203, 67\}$, $\{156, 3, 281, 88, 273\}$,
 $\{302, 23, 27, 98, 210\}$, $\{6, 86, 21, 85, 242\}$, $\{0, 3, 154, 263, 288\}$,
 $\{0, 8, 36, 96, 228\}$, $\{0, 35, 98, 141, 203\}$, $\{0, 21, 53, 155, 179\}$,
 $\{0, 20, 127, 222, 315\}$, $\{0, 25, 162, 243, 323\}$, $\{0, 14, 190, 229, 322\}$,
 $\{0, 30, 87, 146, 310\}$, $\{0, 18, 131, 242, 297\}$, $\{0, 26, 198, 235, 285\}$

by the mapping: $x \mapsto x+j \pmod{276}$ for $x < 276$, $x \mapsto (x-276+4j \pmod{48})+276$ for $x \geq 276$, $0 \leq j < 276$.

12²³68¹ With the point set $\{0, 1, \dots, 343\}$ partitioned into residue classes modulo 23 for $\{0, 1, \dots, 275\}$, and $\{276, 277, \dots, 343\}$, the design is generated from

$\{60, 341, 75, 237, 178\}$, $\{17, 239, 64, 15, 307\}$, $\{173, 85, 6, 216, 224\}$,
 $\{87, 55, 116, 52, 282\}$, $\{213, 269, 90, 299, 188\}$, $\{275, 61, 303, 185, 255\}$,

{318, 259, 265, 191, 165}, {233, 342, 147, 106, 252}, {161, 248, 241, 325, 76},
 {306, 43, 197, 119, 64}, {0, 5, 22, 147, 318}, {0, 4, 57, 164, 317},
 {0, 12, 48, 108, 132}, {0, 1, 34, 45, 72}, {0, 14, 135, 248, 290},
 {0, 30, 95, 170, 325}, {0, 10, 193, 209, 289}, {0, 13, 63, 102, 309},
 {0, 18, 166, 203, 296}, {0, 9, 40, 159, 276}

by the mapping: $x \mapsto x + j \pmod{276}$ for $x < 276$, $x \mapsto (x - 276 + 5j \pmod{60}) + 276$ for $276 \leq x < 336$, $x \mapsto (x + 2j \pmod{8}) + 336$ for $x \geq 336$, $0 \leq j < 276$.

12²⁴32¹ With the point set $\{0, 1, \dots, 319\}$ partitioned into residue classes modulo 24 for $\{0, 1, \dots, 287\}$, and $\{288, 289, \dots, 319\}$, the design is generated from

{309, 261, 170, 111, 185}, {188, 317, 11, 222, 221}, {300, 266, 61, 245, 127},
 {107, 127, 135, 240, 296}, {266, 51, 319, 217, 92}, {36, 166, 285, 196, 1},
 {27, 307, 137, 49, 245}, {210, 48, 111, 108, 95}, {120, 146, 65, 151, 134},
 {0, 2, 54, 252, 303}, {0, 9, 94, 176, 308}, {0, 6, 50, 137, 232},
 {0, 10, 42, 67, 223}, {0, 19, 80, 103, 148}, {0, 11, 51, 109, 152},
 {0, 18, 97, 134, 161}, {0, 7, 53, 124, 153}

by the mapping: $x \mapsto x + j \pmod{288}$ for $x < 288$, $x \mapsto (x + j \pmod{24}) + 288$ for $288 \leq x < 312$, $x \mapsto (x + j \pmod{8}) + 312$ for $x \geq 312$, $0 \leq j < 288$.

12²⁴52¹ With the point set $\{0, 1, \dots, 339\}$ partitioned into residue classes modulo 24 for $\{0, 1, \dots, 287\}$, and $\{288, 289, \dots, 339\}$, the design is generated from

{110, 286, 312, 184, 33}, {87, 174, 240, 31, 307}, {76, 299, 67, 61, 174},
 {68, 335, 222, 191, 70}, {96, 5, 165, 135, 51}, {56, 111, 75, 197, 2},
 {331, 173, 120, 190, 172}, {330, 2, 270, 227, 277}, {74, 223, 174, 300, 182},
 {113, 314, 54, 139, 136}, {0, 34, 140, 228, 326}, {0, 22, 47, 193, 336},
 {0, 12, 28, 104, 185}, {0, 4, 44, 163, 227}, {0, 14, 71, 138, 170},
 {0, 29, 162, 220, 309}, {0, 11, 62, 89, 172}, {0, 10, 187, 208, 299},
 {0, 5, 38, 251, 300}

by the mapping: $x \mapsto x + j \pmod{288}$ for $x < 288$, $x \mapsto (x + j \pmod{32}) + 288$ for $288 \leq x < 320$, $x \mapsto (x + j \pmod{16}) + 320$ for $320 \leq x < 336$, $x \mapsto (x + j \pmod{4}) + 336$ for $x \geq 336$, $0 \leq j < 288$.

12²⁷4¹ With the point set $\{0, 1, \dots, 327\}$ partitioned into residue classes modulo 27 for $\{0, 1, \dots, 323\}$, and $\{324, 325, 326, 327\}$, the design is generated from

{210, 26, 110, 200, 214}, {264, 306, 71, 322, 209}, {189, 225, 33, 259, 113},
 {128, 192, 210, 203, 255}, {169, 109, 160, 261, 286}, {138, 36, 19, 158, 13},
 {144, 39, 26, 72, 313}, {0, 3, 94, 137, 161}, {0, 1, 30, 259, 324},
 {0, 15, 86, 215, 246}, {0, 12, 44, 203, 225}, {0, 5, 53, 115, 176},
 {0, 8, 47, 204, 283}, {0, 2, 28, 87, 144}, {0, 35, 103, 141, 210},
 {0, 19, 40, 96, 170}

by the mapping: $x \mapsto x + j \pmod{324}$ for $x < 324$, $x \mapsto (x + j \pmod{4}) + 324$ for $x \geq 324$, $0 \leq j < 324$.

13⁸17¹ With the point set $\{0, 1, \dots, 120\}$ partitioned into residue classes modulo 8 for $\{0, 1, \dots, 103\}$, and $\{104, 105, \dots, 120\}$, the design is generated from

$$\begin{aligned} &\{19, 108, 60, 61, 7\}, \{0, 2, 19, 100, 112\}, \{0, 7, 29, 44, 105\}, \\ &\{0, 3, 28, 33, 46\}, \{0, 10, 31, 45, 65\}, \{0, 9, 36, 47, 117\}, \\ &\{0, 26, 52, 78, 120\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{104}$ for $x < 104$, $x \mapsto (x - 104 + 2j \pmod{16}) + 104$ for $104 \leq x < 120$, $120 \mapsto 120$, $0 \leq j < 104$ for the first six blocks, $0 \leq j < 26$ for the last block.

13¹²1¹ With the point set $\{0, 1, \dots, 156\}$ partitioned into residue classes modulo 12 for $\{0, 1, \dots, 155\}$, and $\{156\}$, the design is generated from

$$\begin{aligned} &\{79, 33, 38, 29, 142\}, \{21, 108, 41, 133, 102\}, \{0, 2, 10, 29, 32\}, \\ &\{0, 1, 14, 54, 71\}, \{0, 11, 37, 88, 111\}, \{0, 7, 28, 66, 101\}, \\ &\{0, 15, 33, 49, 91\}, \{0, 39, 78, 117, 156\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{156}$ for $x < 156$, $156 \mapsto 156$, $0 \leq j < 156$ for the first seven blocks, $0 \leq j < 39$ for the last block.

13¹²21¹ With the point set $\{0, 1, \dots, 176\}$ partitioned into residue classes modulo 12 for $\{0, 1, \dots, 155\}$, and $\{156, 157, \dots, 176\}$, the design is generated from

$$\begin{aligned} &\{124, 152, 156, 101, 21\}, \{47, 85, 147, 28, 21\}, \{0, 1, 3, 146, 169\}, \\ &\{0, 5, 22, 63, 168\}, \{0, 21, 65, 107, 167\}, \{0, 8, 55, 124, 161\}, \\ &\{0, 6, 33, 67, 85\}, \{0, 4, 20, 35, 110\}, \{0, 9, 54, 83, 97\}, \\ &\{0, 39, 78, 117, 176\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{156}$ for $x < 156$, $x \mapsto (x + j \pmod{12}) + 156$ for $156 \leq x < 168$, $x \mapsto (x + 2j \pmod{8}) + 168$ for $168 \leq x < 176$, $176 \mapsto 176$, $0 \leq j < 156$ for the first nine blocks, $0 \leq j < 39$ for the last block.

13¹²41¹ With the point set $\{0, 1, \dots, 196\}$ partitioned into residue classes modulo 12 for $\{0, 1, \dots, 155\}$, and $\{156, 157, \dots, 196\}$, the design is generated from

$$\begin{aligned} &\{166, 115, 111, 47, 93\}, \{76, 185, 66, 75, 47\}, \{107, 27, 163, 0, 65\}, \\ &\{114, 32, 168, 17, 19\}, \{0, 3, 8, 102, 160\}, \{0, 7, 21, 126, 192\}, \\ &\{0, 26, 71, 112, 168\}, \{0, 6, 40, 109, 177\}, \{0, 23, 75, 100, 191\}, \\ &\{0, 16, 33, 83, 161\}, \{0, 11, 31, 66, 124\}, \{0, 39, 78, 117, 196\} \end{aligned}$$

by the mapping: $x \mapsto x + j \pmod{156}$ for $x < 156$, $x \mapsto (x - 156 + 3j \pmod{36}) + 156$ for $156 \leq x < 192$, $x \mapsto (x + j \pmod{4}) + 192$ for $192 \leq x < 196$, $196 \mapsto 196$, $0 \leq j < 156$ for the first 11 blocks, $0 \leq j < 39$ for the last block.

13¹⁶5¹ With the point set $\{0, 1, \dots, 212\}$ partitioned into residue classes modulo 16 for $\{0, 1, \dots, 207\}$, and $\{208, 209, 210, 211, 212\}$, the design is generated from

$$\begin{aligned} &\{92, 58, 2, 45, 89\}, \{188, 103, 115, 104, 85\}, \{82, 72, 0, 107, 14\}, \\ &\{0, 2, 8, 127, 193\}, \{0, 7, 46, 141, 208\}, \{0, 28, 57, 120, 157\}, \\ &\{0, 21, 59, 99, 153\}, \{0, 20, 62, 137, 159\}, \{0, 24, 50, 77, 110\}, \end{aligned}$$

$\{0, 4, 9, 45, 147\}, \{0, 52, 104, 156, 212\}$

by the mapping: $x \mapsto x + j \pmod{208}$ for $x < 208$, $x \mapsto (x + j \pmod{4}) + 208$ for $208 \leq x < 212$, $212 \mapsto 212$, $0 \leq j < 208$ for the first ten blocks, $0 \leq j < 52$ for the last block.

13¹⁶25¹ With the point set $\{0, 1, \dots, 232\}$ partitioned into residue classes modulo 16 for $\{0, 1, \dots, 207\}$, and $\{208, 209, \dots, 232\}$, the design is generated from

$\{207, 123, 149, 124, 212\}, \{138, 91, 115, 28, 120\}, \{217, 62, 31, 204, 53\},$
 $\{6, 39, 88, 178, 193\}, \{0, 2, 67, 73, 217\}, \{0, 3, 122, 132, 218\},$
 $\{0, 4, 12, 127, 170\}, \{0, 13, 53, 130, 147\}, \{0, 7, 34, 62, 106\},$
 $\{0, 19, 39, 107, 152\}, \{0, 14, 51, 162, 219\}, \{0, 11, 41, 149, 231\},$
 $\{0, 52, 104, 156, 232\}$

by the mapping: $x \mapsto x + j \pmod{208}$ for $x < 208$, $x \mapsto (x - 208 + 3j \pmod{24}) + 208$ for $208 \leq x < 232$, $232 \mapsto 232$, $0 \leq j < 208$ for the first 12 blocks, $0 \leq j < 52$ for the last block.

13²⁰1¹ With the point set $\{0, 1, \dots, 260\}$ partitioned into residue classes modulo 20 for $\{0, 1, \dots, 259\}$, and $\{260\}$, the design is generated from

$\{132, 30, 37, 91, 158\}, \{150, 95, 129, 47, 125\}, \{208, 65, 144, 100, 159\},$
 $\{255, 238, 167, 0, 124\}, \{206, 144, 88, 125, 195\}, \{0, 2, 68, 86, 99\},$
 $\{0, 12, 57, 110, 149\}, \{0, 1, 9, 134, 184\}, \{0, 3, 27, 90, 191\},$
 $\{0, 14, 47, 89, 105\}, \{0, 6, 29, 112, 144\}, \{0, 10, 38, 151, 224\},$
 $\{0, 65, 130, 195, 260\}, \{0, 52, 104, 156, 208\}$

by the mapping: $x \mapsto x + j \pmod{260}$ for $x < 260$, $260 \mapsto 260$, $0 \leq j < 260$ for the first 12 blocks, $0 \leq j < 65$ for the next block, $0 \leq j < 52$ for the last block.

14⁸6¹ With the point set $\{0, 1, \dots, 117\}$ partitioned into residue classes modulo 8 for $\{0, 1, \dots, 111\}$, and $\{112, 113, \dots, 117\}$, the design is generated from

$\{55, 82, 62, 73, 114\}, \{30, 64, 83, 1, 109\}, \{106, 65, 53, 75, 76\},$
 $\{0, 1, 47, 108, 112\}, \{0, 2, 65, 100, 109\}, \{0, 7, 58, 76, 91\},$
 $\{0, 21, 35, 55, 97\}, \{0, 3, 22, 28, 74\}, \{0, 13, 50, 67, 73\},$
 $\{0, 25, 42, 68, 99\}, \{0, 10, 37, 39, 116\}$

by the mapping: $x \mapsto x + 2j \pmod{112}$ for $x < 112$, $x \mapsto (x + j \pmod{4}) + 112$ for $112 \leq x < 116$, $x \mapsto (x + j \pmod{2}) + 116$ for $x \geq 116$, $0 \leq j < 56$.

16⁶20¹ With the point set $\{0, 1, \dots, 115\}$ partitioned into residue classes modulo 6 for $\{0, 1, \dots, 95\}$, and $\{96, 97, \dots, 115\}$, the design is generated from

$\{0, 1, 3, 10, 112\}, \{0, 4, 32, 47, 63\}, \{0, 20, 46, 75, 96\},$
 $\{0, 11, 34, 51, 106\}, \{0, 14, 39, 58, 107\}, \{0, 5, 13, 74, 99\}$

by the mapping: $x \mapsto x + j \pmod{96}$ for $x < 96$, $x \mapsto (x + j \pmod{16}) + 96$ for $96 \leq x < 112$, $x \mapsto (x + j \pmod{4}) + 112$ for $x \geq 112$, $0 \leq j < 96$.

16⁹36¹ With the point set $\{0, 1, \dots, 179\}$ partitioned into residue classes modulo 9 for $\{0, 1, \dots, 143\}$, and $\{144, 145, \dots, 179\}$, the design is generated from

$$\begin{aligned} &\{99, 111, 164, 13, 125\}, \{159, 109, 47, 96, 30\}, \{106, 135, 2, 102, 151\}, \\ &\{0, 1, 3, 123, 169\}, \{0, 5, 39, 64, 74\}, \{0, 6, 48, 103, 150\}, \\ &\{0, 8, 28, 101, 170\}, \{0, 19, 57, 113, 164\}, \{0, 15, 67, 83, 167\}, \\ &\{0, 7, 91, 114, 146\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{144}$ for $x < 144$, $x \mapsto (x+j \pmod{36})+144$ for $x \geq 144$, $0 \leq j < 144$.

16¹⁰8¹ With the point set $\{0, 1, \dots, 167\}$ partitioned into residue classes modulo 10 for $\{0, 1, \dots, 159\}$, and $\{160, 161, \dots, 167\}$, the design is generated from

$$\begin{aligned} &\{27, 82, 164, 94, 28\}, \{49, 117, 21, 150, 32\}, \{0, 2, 38, 41, 165\}, \\ &\{0, 7, 63, 72, 86\}, \{0, 15, 34, 61, 77\}, \{0, 4, 25, 51, 73\}, \\ &\{0, 6, 24, 82, 131\}, \{0, 5, 13, 57, 128\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{160}$ for $x < 160$, $x \mapsto (x+j \pmod{8})+160$ for $x \geq 160$, $0 \leq j < 160$.

16¹⁰20¹ With the point set $\{0, 1, \dots, 179\}$ partitioned into residue classes modulo 10 for $\{0, 1, \dots, 159\}$, and $\{160, 161, \dots, 179\}$, the design is generated from

$$\begin{aligned} &\{142, 16, 95, 88, 124\}, \{139, 154, 174, 22, 81\}, \{0, 1, 3, 26, 155\}, \\ &\{0, 4, 16, 93, 107\}, \{0, 21, 45, 82, 168\}, \{0, 17, 56, 122, 161\}, \\ &\{0, 9, 51, 84, 95\}, \{0, 13, 48, 111, 162\}, \{0, 19, 46, 138, 176\}, \\ &\{0, 32, 64, 96, 128\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{160}$ for $x < 160$, $x \mapsto (x+j \pmod{20})+160$ for $x \geq 160$, $0 \leq j < 160$ for the first nine blocks, $0 \leq j < 32$ for the last block.

16¹⁰28¹ With the point set $\{0, 1, \dots, 187\}$ partitioned into residue classes modulo 10 for $\{0, 1, \dots, 159\}$, and $\{160, 161, \dots, 187\}$, the design is generated from

$$\begin{aligned} &\{37, 32, 74, 73, 177\}, \{17, 10, 118, 165, 91\}, \{153, 182, 100, 155, 88\}, \\ &\{0, 3, 9, 22, 184\}, \{0, 4, 29, 116, 132\}, \{0, 11, 26, 88, 122\}, \\ &\{0, 8, 54, 117, 168\}, \{0, 18, 94, 139, 167\}, \{0, 14, 31, 89, 113\}, \\ &\{0, 23, 92, 127, 173\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{160}$ for $x < 160$, $x \mapsto (x+j \pmod{16})+160$ for $160 \leq x < 176$, $x \mapsto (x+j \pmod{8})+176$ for $176 \leq x < 184$, $x \mapsto (x+j \pmod{4})+184$ for $x \geq 184$, $0 \leq j < 160$.

16¹⁰36¹ With the point set $\{0, 1, \dots, 195\}$ partitioned into residue classes modulo 9 for $\{0, 1, \dots, 143\}$, $\{144, 145, \dots, 159\}$, and $\{160, 161, \dots, 195\}$, the design is generated from

$$\begin{aligned} &\{157, 125, 56, 57, 160\}, \{133, 110, 172, 40, 99\}, \{6, 128, 46, 192, 14\}, \\ &\{5, 129, 11, 151, 63\}, \{0, 2, 5, 147, 164\}, \{0, 12, 106, 153, 185\}, \\ &\{0, 13, 28, 151, 161\}, \{0, 24, 65, 107, 189\}, \{0, 14, 109, 125, 194\}, \end{aligned}$$

$\{0, 10, 31, 98, 115\}, \{0, 7, 55, 80, 174\}, \{0, 4, 57, 101, 192\}$

by the mapping: $x \mapsto x+j \pmod{144}$ for $x < 144$, $x \mapsto (x+j \pmod{16})+144$ for $144 \leq x < 160$, $x \mapsto (x-160+j \pmod{36})+160$ for $x \geq 160$, $0 \leq j < 144$.

16¹⁰40¹ With the point set $\{0, 1, \dots, 199\}$ partitioned into residue classes modulo 10 for $\{0, 1, \dots, 159\}$, and $\{160, 161, \dots, 199\}$, the design is generated from

$\{181, 39, 90, 12, 27\}, \{116, 85, 83, 121, 37\}, \{111, 140, 83, 36, 194\},$
 $\{27, 101, 76, 197, 10\}, \{0, 1, 4, 138, 196\}, \{0, 14, 67, 139, 164\},$
 $\{0, 6, 45, 89, 189\}, \{0, 13, 37, 55, 172\}, \{0, 9, 101, 117, 162\},$
 $\{0, 8, 62, 149, 168\}, \{0, 7, 65, 126, 173\}, \{0, 32, 64, 96, 128\}$

by the mapping: $x \mapsto x+j \pmod{160}$ for $x < 160$, $x \mapsto (x+j \pmod{40})+160$ for $x \geq 160$, $0 \leq j < 160$ for the first 11 blocks, $0 \leq j < 32$ for the last block.

16¹¹20¹ With the point set $\{0, 1, \dots, 195\}$ partitioned into residue classes modulo 11 for $\{0, 1, \dots, 175\}$, and $\{176, 177, \dots, 195\}$, the design is generated from

$\{71, 100, 165, 128, 142\}, \{100, 51, 70, 193, 49\}, \{63, 3, 155, 117, 76\},$
 $\{180, 22, 148, 112, 53\}, \{0, 1, 7, 17, 113\}, \{0, 26, 53, 98, 144\},$
 $\{0, 9, 56, 76, 124\}, \{0, 4, 12, 87, 189\}, \{0, 3, 136, 161, 187\},$
 $\{0, 5, 39, 74, 188\}$

by the mapping: $x \mapsto x+j \pmod{176}$ for $x < 176$, $x \mapsto (x+j \pmod{16})+176$ for $176 \leq x < 192$, $x \mapsto (x+j \pmod{4})+192$ for $x \geq 192$, $0 \leq j < 176$.

16¹¹40¹ With the point set $\{0, 1, \dots, 215\}$ partitioned into residue classes modulo 11 for $\{0, 1, \dots, 175\}$, and $\{176, 177, \dots, 215\}$, the design is generated from

$\{23, 35, 188, 26, 129\}, \{92, 212, 129, 155, 90\}, \{51, 200, 140, 69, 31\},$
 $\{10, 2, 193, 124, 171\}, \{0, 1, 14, 31, 213\}, \{0, 4, 46, 124, 188\},$
 $\{0, 29, 74, 115, 204\}, \{0, 5, 53, 80, 112\}, \{0, 6, 16, 97, 157\},$
 $\{0, 36, 93, 136, 193\}, \{0, 21, 49, 72, 197\}, \{0, 24, 92, 142, 207\}$

by the mapping: $x \mapsto x+j \pmod{176}$ for $x < 176$, $x \mapsto (x-176+2j \pmod{32})+176$ for $176 \leq x < 208$, $x \mapsto (x+j \pmod{8})+208$ for $x \geq 208$, $0 \leq j < 176$.

16¹²12¹ With the point set $\{0, 1, \dots, 203\}$ partitioned into residue classes modulo 12 for $\{0, 1, \dots, 191\}$, and $\{192, 193, \dots, 203\}$, the design is generated from

$\{166, 110, 88, 203, 139\}, \{137, 136, 128, 134, 162\}, \{137, 44, 83, 157, 93\},$
 $\{0, 4, 41, 46, 59\}, \{0, 11, 32, 103, 117\}, \{0, 7, 40, 105, 122\},$
 $\{0, 16, 63, 125, 195\}, \{0, 38, 90, 135, 200\}, \{0, 19, 50, 80, 123\},$
 $\{0, 15, 68, 91, 126\}$

by the mapping: $x \mapsto x+j \pmod{192}$ for $x < 192$, $x \mapsto (x+j \pmod{12})+192$ for $x \geq 192$, $0 \leq j < 192$.

16¹²52¹ With the point set $\{0, 1, \dots, 243\}$ partitioned into residue classes modulo 12 for $\{0, 1, \dots, 191\}$, and $\{192, 193, \dots, 243\}$, the design is generated from

$\{243, 24, 37, 143, 114\}$, $\{217, 169, 90, 168, 15\}$, $\{162, 92, 96, 234, 65\}$,
 $\{139, 80, 160, 98, 205\}$, $\{131, 236, 7, 89, 123\}$, $\{141, 138, 166, 173, 205\}$,
 $\{0, 14, 44, 173, 194\}$, $\{0, 22, 45, 149, 196\}$, $\{0, 2, 123, 139, 227\}$,
 $\{0, 5, 57, 182, 235\}$, $\{0, 17, 64, 118, 236\}$, $\{0, 20, 46, 131, 205\}$,
 $\{0, 9, 58, 98, 109\}$, $\{0, 6, 56, 93, 212\}$

by the mapping: $x \mapsto x+j \pmod{192}$ for $x < 192$, $x \mapsto (x+j \pmod{48})+192$ for $192 \leq x < 240$, $x \mapsto (x+j \pmod{4})+240$ for $x \geq 240$, $0 \leq j < 192$.

16¹³4¹ With the point set $\{0, 1, \dots, 211\}$ partitioned into residue classes modulo 13 for $\{0, 1, \dots, 207\}$, and $\{208, 209, 210, 211\}$, the design is generated from

$\{208, 56, 62, 141, 175\}$, $\{151, 67, 149, 49, 98\}$, $\{25, 173, 72, 205, 136\}$,
 $\{17, 50, 127, 195, 60\}$, $\{0, 4, 29, 48, 166\}$, $\{0, 9, 20, 112, 167\}$,
 $\{0, 3, 27, 152, 173\}$, $\{0, 5, 17, 132, 168\}$, $\{0, 14, 72, 88, 142\}$,
 $\{0, 1, 8, 23, 122\}$

by the mapping: $x \mapsto x+j \pmod{208}$ for $x < 208$, $x \mapsto (x+j \pmod{4})+208$ for $x \geq 208$, $0 \leq j < 208$.

16¹³24¹ With the point set $\{0, 1, \dots, 231\}$ partitioned into residue classes modulo 13 for $\{0, 1, \dots, 207\}$, and $\{208, 209, \dots, 231\}$, the design is generated from

$\{210, 141, 104, 51, 138\}$, $\{154, 18, 99, 66, 7\}$, $\{217, 32, 121, 63, 142\}$,
 $\{215, 41, 108, 42, 112\}$, $\{77, 68, 199, 87, 41\}$, $\{0, 2, 85, 99, 222\}$,
 $\{0, 7, 22, 69, 226\}$, $\{0, 17, 165, 183, 221\}$, $\{0, 20, 49, 113, 154\}$,
 $\{0, 5, 45, 68, 80\}$, $\{0, 16, 44, 100, 151\}$, $\{0, 6, 30, 38, 132\}$

by the mapping: $x \mapsto x+j \pmod{208}$ for $x < 208$, $x \mapsto (x-208+3j \pmod{24})+208$ for $x \geq 208$, $0 \leq j < 208$.

16¹³44¹ With the point set $\{0, 1, \dots, 251\}$ partitioned into residue classes modulo 13 for $\{0, 1, \dots, 207\}$, and $\{208, 209, \dots, 251\}$, the design is generated from

$\{230, 128, 170, 56, 195\}$, $\{234, 86, 20, 173, 110\}$, $\{162, 202, 208, 203, 54\}$,
 $\{207, 78, 243, 32, 60\}$, $\{247, 77, 70, 153, 183\}$, $\{234, 32, 1, 89, 139\}$,
 $\{149, 229, 105, 198, 76\}$, $\{0, 5, 22, 103, 248\}$, $\{0, 16, 36, 128, 160\}$,
 $\{0, 4, 14, 51, 89\}$, $\{0, 12, 27, 109, 225\}$, $\{0, 8, 19, 53, 62\}$,
 $\{0, 3, 134, 140, 221\}$, $\{0, 2, 23, 58, 227\}$

by the mapping: $x \mapsto x+j \pmod{208}$ for $x < 208$, $x \mapsto (x-208+2j \pmod{32})+208$ for $208 \leq x < 240$, $x \mapsto (x+j \pmod{8})+240$ for $240 \leq x < 248$, $x \mapsto (x+j \pmod{4})+248$ for $x \geq 248$, $0 \leq j < 208$.

16¹⁴36¹ With the point set $\{0, 1, \dots, 259\}$ partitioned into residue classes modulo 14 for $\{0, 1, \dots, 223\}$, and $\{224, 225, \dots, 259\}$, the design is generated from

$\{92, 132, 226, 88, 80\}$, $\{163, 78, 58, 233, 81\}$, $\{99, 180, 229, 20, 80\}$,

$\{103, 246, 189, 55, 20\}$, $\{47, 57, 122, 4, 26\}$, $\{27, 60, 78, 149, 255\}$,
 $\{0, 26, 76, 177, 241\}$, $\{0, 7, 41, 162, 255\}$, $\{0, 1, 108, 157, 224\}$,
 $\{0, 9, 129, 209, 229\}$, $\{0, 2, 13, 29, 59\}$, $\{0, 17, 54, 131, 163\}$,
 $\{0, 6, 45, 133, 158\}$, $\{0, 5, 63, 99, 137\}$

by the mapping: $x \mapsto x+j \pmod{224}$ for $x < 224$, $x \mapsto (x+j \pmod{28})+224$
for $224 \leq x < 252$, $x \mapsto (x-252+j \pmod{8})+252$ for $x \geq 252$, $0 \leq j < 224$.

16¹⁵8¹ With the point set $\{0, 1, \dots, 247\}$ partitioned into residue classes modulo 15 for $\{0, 1, \dots, 239\}$, and $\{240, 241, \dots, 247\}$, the design is generated from

$\{98, 145, 213, 161, 7\}$, $\{240, 239, 6, 229, 2\}$, $\{89, 158, 201, 137, 91\}$,
 $\{225, 41, 70, 121, 192\}$, $\{209, 177, 53, 227, 221\}$, $\{0, 1, 54, 77, 245\}$,
 $\{0, 25, 61, 119, 159\}$, $\{0, 8, 49, 108, 145\}$, $\{0, 26, 57, 99, 127\}$,
 $\{0, 11, 35, 158, 213\}$, $\{0, 19, 39, 126, 148\}$, $\{0, 5, 14, 79, 157\}$

by the mapping: $x \mapsto x+j \pmod{240}$ for $x < 240$, $x \mapsto (x+j \pmod{8})+240$
for $x \geq 240$, $0 \leq j < 240$.

16¹⁵28¹ With the point set $\{0, 1, \dots, 267\}$ partitioned into residue classes modulo 15 for $\{0, 1, \dots, 239\}$, and $\{240, 241, \dots, 267\}$, the design is generated from

$\{140, 0, 67, 63, 149\}$, $\{61, 132, 163, 216, 80\}$, $\{151, 219, 124, 130, 254\}$,
 $\{28, 76, 154, 228, 192\}$, $\{47, 222, 217, 266, 180\}$, $\{81, 257, 103, 48, 147\}$,
 $\{0, 1, 109, 111, 260\}$, $\{0, 8, 64, 80, 123\}$, $\{0, 10, 34, 128, 153\}$,
 $\{0, 14, 32, 49, 193\}$, $\{0, 7, 134, 227, 240\}$, $\{0, 12, 171, 194, 241\}$,
 $\{0, 3, 186, 214, 254\}$, $\{0, 11, 50, 148, 189\}$

by the mapping: $x \mapsto x+j \pmod{240}$ for $x < 240$, $x \mapsto (x+j \pmod{16})+240$
for $240 \leq x < 256$, $x \mapsto (x+j \pmod{8})+256$ for $256 \leq x < 264$, $x \mapsto$
 $(x+j \pmod{4})+264$ for $x \geq 264$, $0 \leq j < 240$.

16¹⁶20¹ With the point set $\{0, 1, \dots, 275\}$ partitioned into residue classes modulo 16 for $\{0, 1, \dots, 255\}$, and $\{256, 257, \dots, 275\}$, the design is generated from

$\{274, 87, 248, 194, 233\}$, $\{269, 45, 57, 1, 190\}$, $\{264, 231, 113, 210, 160\}$,
 $\{264, 107, 67, 149, 94\}$, $\{260, 18, 137, 214, 139\}$, $\{41, 197, 216, 127, 65\}$,
 $\{110, 136, 133, 144, 201\}$, $\{0, 1, 38, 141, 158\}$, $\{0, 14, 66, 88, 197\}$,
 $\{0, 5, 41, 84, 171\}$, $\{0, 4, 29, 35, 143\}$, $\{0, 9, 72, 92, 102\}$,
 $\{0, 28, 61, 106, 155\}$, $\{0, 7, 53, 187, 205\}$

by the mapping: $x \mapsto x+j \pmod{256}$ for $x < 256$, $x \mapsto (x+j \pmod{16})+256$
for $256 \leq x < 272$, $x \mapsto (x+j \pmod{4})+272$ for $x \geq 272$, $0 \leq j < 256$.

16¹⁶40¹ With the point set $\{0, 1, \dots, 295\}$ partitioned into residue classes modulo 16 for $\{0, 1, \dots, 255\}$, and $\{256, 257, \dots, 295\}$, the design is generated from

$\{294, 249, 2, 55, 84\}$, $\{288, 186, 232, 127, 149\}$, $\{272, 199, 90, 238, 125\}$,
 $\{282, 211, 48, 207, 73\}$, $\{277, 168, 102, 231, 145\}$, $\{287, 227, 121, 95, 40\}$,
 $\{263, 40, 6, 147, 226\}$, $\{275, 185, 54, 152, 193\}$, $\{0, 5, 47, 243, 264\}$,
 $\{0, 6, 78, 146, 286\}$, $\{0, 1, 20, 120, 205\}$, $\{0, 15, 73, 103, 157\}$,

$\{0, 11, 49, 76, 211\}$, $\{0, 10, 50, 67, 111\}$, $\{0, 2, 14, 89, 166\}$,
 $\{0, 3, 24, 31, 126\}$

by the mapping: $x \mapsto x+j \pmod{256}$ for $x < 256$, $x \mapsto (x+j \pmod{32})+256$
for $256 \leq x < 288$, $x \mapsto (x+j \pmod{8}) + 288$ for $x \geq 288$, $0 \leq j < 256$.

16¹⁷12¹ With the point set $\{0, 1, \dots, 283\}$ partitioned into residue classes
modulo 17 for $\{0, 1, \dots, 271\}$, and $\{272, 273, \dots, 283\}$, the design is gener-
ated from

$\{280, 124, 185, 215, 250\}$, $\{278, 121, 82, 39, 75\}$, $\{276, 51, 236, 82, 166\}$,
 $\{132, 78, 5, 174, 215\}$, $\{193, 243, 26, 49, 191\}$, $\{90, 117, 180, 268, 109\}$,
 $\{0, 1, 4, 15, 156\}$, $\{0, 6, 16, 53, 164\}$, $\{0, 21, 59, 81, 160\}$,
 $\{0, 9, 67, 95, 143\}$, $\{0, 25, 97, 123, 172\}$, $\{0, 5, 29, 109, 208\}$,
 $\{0, 18, 74, 140, 180\}$, $\{0, 12, 32, 45, 89\}$

by the mapping: $x \mapsto x+j \pmod{272}$ for $x < 272$, $x \mapsto (x+j \pmod{8})+272$
for $272 \leq x < 280$, $x \mapsto (x+j \pmod{4}) + 280$ for $x \geq 280$, $0 \leq j < 272$.

17⁸13¹ With the point set $\{0, 1, \dots, 148\}$ partitioned into residue classes
modulo 8 for $\{0, 1, \dots, 135\}$, and $\{136, 137, \dots, 148\}$, the design is generated
from

$\{16, 60, 71, 83, 34\}$, $\{29, 36, 94, 136, 122\}$, $\{0, 1, 84, 98, 137\}$,
 $\{0, 2, 31, 35, 77\}$, $\{0, 5, 20, 41, 111\}$, $\{0, 10, 27, 89, 144\}$,
 $\{0, 3, 9, 22, 85\}$, $\{0, 34, 68, 102, 148\}$

by the mapping: $x \mapsto x+j \pmod{136}$ for $x < 136$, $x \mapsto (x+j \pmod{8})+136$
for $136 \leq x < 144$, $x \mapsto (x+j \pmod{4})+144$ for $144 \leq x < 148$, $148 \mapsto 148$,
 $0 \leq j < 136$ for the first seven blocks, $0 \leq j < 34$ for the last block.

17⁸33¹ With the point set $\{0, 1, \dots, 168\}$ partitioned into residue classes
modulo 8 for $\{0, 1, \dots, 135\}$, and $\{136, 137, \dots, 168\}$, the design is generated
from

$\{160, 126, 98, 97, 123\}$, $\{80, 75, 58, 45, 151\}$, $\{93, 27, 132, 111, 141\}$,
 $\{0, 2, 51, 61, 167\}$, $\{0, 12, 45, 95, 160\}$, $\{0, 4, 11, 82, 149\}$,
 $\{0, 15, 89, 109, 142\}$, $\{0, 6, 43, 79, 98\}$, $\{0, 9, 76, 122, 166\}$,
 $\{0, 34, 68, 102, 168\}$

by the mapping: $x \mapsto x+j \pmod{136}$ for $x < 136$, $x \mapsto (x-136 +$
 $4j \pmod{32}) + 136$ for $136 \leq x < 168$, $168 \mapsto 168$, $0 \leq j < 136$ for the first
nine blocks, $0 \leq j < 34$ for the last block.

17¹²9¹ With the point set $\{0, 1, \dots, 212\}$ partitioned into residue classes
modulo 12 for $\{0, 1, \dots, 203\}$, and $\{204, 205, \dots, 212\}$, the design is gener-
ated from

$\{1, 60, 100, 21, 56\}$, $\{135, 193, 4, 58, 198\}$, $\{27, 28, 164, 25, 139\}$,
 $\{0, 6, 13, 187, 204\}$, $\{0, 21, 47, 154, 205\}$, $\{0, 14, 45, 130, 148\}$,
 $\{0, 16, 38, 138, 167\}$, $\{0, 9, 41, 87, 98\}$, $\{0, 19, 52, 80, 161\}$,
 $\{0, 8, 42, 91, 118\}$, $\{0, 51, 102, 153, 212\}$

by the mapping: $x \mapsto x+j \pmod{204}$ for $x < 204$, $x \mapsto (x-204 +$
 $2j \pmod{8}) + 204$ for $204 \leq x < 212$, $212 \mapsto 212$, $0 \leq j < 204$ for the first
ten blocks, $0 \leq j < 51$ for the last block.

17¹²29¹ With the point set $\{0, 1, \dots, 232\}$ partitioned into residue classes modulo 12 for $\{0, 1, \dots, 203\}$, and $\{204, 205, \dots, 232\}$, the design is generated from

$\{42, 170, 151, 184, 222\}$, $\{110, 120, 30, 148, 33\}$, $\{205, 105, 187, 40, 128\}$,
 $\{66, 159, 132, 19, 58\}$, $\{230, 193, 20, 83, 118\}$, $\{0, 1, 6, 79, 164\}$,
 $\{0, 15, 49, 107, 149\}$, $\{0, 7, 44, 61, 219\}$, $\{0, 13, 56, 81, 225\}$,
 $\{0, 4, 26, 71, 224\}$, $\{0, 2, 11, 32, 186\}$, $\{0, 16, 69, 121, 206\}$,
 $\{0, 51, 102, 153, 232\}$

by the mapping: $x \mapsto x + j \pmod{204}$ for $x < 204$, $x \mapsto (x - 204 + 2j \pmod{24}) + 204$ for $204 \leq x < 228$, $x \mapsto (x + j \pmod{4}) + 228$ for $228 \leq x < 232$, $232 \mapsto 232$, $0 \leq j < 204$ for the first 12 blocks, $0 \leq j < 51$ for the last block.

17¹²49¹ With the point set $\{0, 1, \dots, 252\}$ partitioned into residue classes modulo 12 for $\{0, 1, \dots, 203\}$, and $\{204, 205, \dots, 252\}$, the design is generated from

$\{217, 113, 190, 93, 162\}$, $\{114, 152, 243, 178, 147\}$, $\{195, 95, 168, 89, 216\}$,
 $\{92, 180, 237, 79, 18\}$, $\{223, 122, 35, 192, 32\}$, $\{36, 1, 164, 18, 40\}$,
 $\{0, 7, 37, 119, 230\}$, $\{0, 1, 53, 189, 221\}$, $\{0, 9, 19, 142, 235\}$,
 $\{0, 25, 75, 164, 222\}$, $\{0, 14, 113, 172, 214\}$, $\{0, 8, 29, 63, 86\}$,
 $\{0, 2, 45, 111, 248\}$, $\{0, 11, 94, 148, 224\}$, $\{0, 51, 102, 153, 252\}$

by the mapping: $x \mapsto x + j \pmod{204}$ for $x < 204$, $x \mapsto (x - 204 + 4j \pmod{48}) + 204$ for $204 \leq x < 252$, $252 \mapsto 252$, $0 \leq j < 204$ for the first 14 blocks, $0 \leq j < 51$ for the last block.

17¹⁶5¹ With the point set $\{0, 1, \dots, 276\}$ partitioned into residue classes modulo 16 for $\{0, 1, \dots, 271\}$, and $\{272, 273, 274, 275, 276\}$, the design is generated from

$\{205, 145, 41, 174, 122\}$, $\{242, 172, 52, 144, 6\}$, $\{91, 167, 30, 12, 65\}$,
 $\{74, 40, 87, 205, 117\}$, $\{145, 160, 187, 201, 138\}$, $\{0, 9, 20, 110, 181\}$,
 $\{0, 2, 87, 145, 272\}$, $\{0, 6, 39, 51, 105\}$, $\{0, 4, 44, 113, 130\}$,
 $\{0, 10, 65, 84, 179\}$, $\{0, 1, 25, 150, 200\}$, $\{0, 3, 8, 124, 213\}$,
 $\{0, 21, 78, 115, 153\}$, $\{0, 68, 136, 204, 276\}$

by the mapping: $x \mapsto x + j \pmod{272}$ for $x < 272$, $x \mapsto (x + j \pmod{4}) + 272$ for $272 \leq x < 276$, $276 \mapsto 276$, $0 \leq j < 272$ for the first 13 blocks, $0 \leq j < 68$ for the last block.

20⁸40¹ With the point set $\{0, 1, \dots, 199\}$ partitioned into residue classes modulo 8 for $\{0, 1, \dots, 159\}$, and $\{160, 161, \dots, 199\}$, the design is generated from

$\{103, 29, 18, 52, 78\}$, $\{27, 46, 189, 128, 13\}$, $\{109, 26, 168, 20, 11\}$,
 $\{71, 147, 66, 8, 161\}$, $\{0, 1, 44, 143, 196\}$, $\{0, 12, 105, 125, 189\}$,
 $\{0, 4, 91, 133, 198\}$, $\{0, 2, 30, 52, 180\}$, $\{0, 7, 36, 46, 167\}$,
 $\{0, 3, 41, 95, 166\}$, $\{0, 13, 70, 107, 199\}$

by the mapping: $x \mapsto x + j \pmod{160}$ for $x < 160$, $x \mapsto (x + j \pmod{40}) + 160$ for $x \geq 160$, $0 \leq j < 160$.

20⁹40¹ With the point set $\{0, 1, \dots, 219\}$ partitioned into residue classes modulo 9 for $\{0, 1, \dots, 179\}$, and $\{180, 181, \dots, 219\}$, the design is generated from

$\{208, 7, 2, 168, 111\}$, $\{64, 16, 207, 114, 107\}$, $\{191, 57, 140, 115, 91\}$,
 $\{74, 209, 82, 7, 76\}$, $\{157, 170, 105, 183, 128\}$, $\{0, 22, 68, 141, 187\}$,
 $\{0, 20, 53, 84, 140\}$, $\{0, 15, 70, 100, 121\}$, $\{0, 10, 26, 88, 200\}$,
 $\{0, 1, 4, 143, 218\}$, $\{0, 11, 77, 163, 196\}$, $\{0, 12, 47, 148, 182\}$

by the mapping: $x \mapsto x + j \pmod{180}$ for $x < 180$, $x \mapsto (x - 180 + 2j \pmod{40}) + 180$ for $x \geq 180$, $0 \leq j < 180$.

20¹⁰36¹ With the point set $\{0, 1, \dots, 235\}$ partitioned into residue classes modulo 9 for $\{0, 1, \dots, 179\}$, $\{180, 181, \dots, 199\}$, and $\{200, 201, \dots, 235\}$, the design is generated from

$\{30, 181, 74, 177, 99\}$, $\{85, 54, 70, 158, 119\}$, $\{135, 134, 235, 40, 64\}$,
 $\{197, 34, 32, 233, 87\}$, $\{199, 70, 225, 59, 13\}$, $\{0, 3, 7, 13, 181\}$,
 $\{0, 5, 22, 197, 220\}$, $\{0, 23, 137, 196, 233\}$, $\{0, 14, 35, 93, 119\}$,
 $\{0, 19, 60, 116, 213\}$, $\{0, 8, 121, 151, 229\}$, $\{0, 40, 91, 138, 200\}$,
 $\{0, 20, 48, 148, 223\}$, $\{0, 12, 74, 142, 226\}$

by the mapping: $x \mapsto x + j \pmod{180}$ for $x < 180$, $x \mapsto (x + j \pmod{20}) + 180$ for $180 \leq x < 200$, $x \mapsto (x - 200 + j \pmod{36}) + 200$ for $x \geq 200$, $0 \leq j < 180$.

20¹⁰40¹ With the point set $\{0, 1, \dots, 239\}$ partitioned into residue classes modulo 10 for $\{0, 1, \dots, 199\}$, and $\{200, 201, \dots, 239\}$, the design is generated from

$\{156, 194, 172, 208, 11\}$, $\{103, 104, 137, 168, 89\}$, $\{186, 202, 130, 52, 89\}$,
 $\{47, 173, 212, 122, 54\}$, $\{175, 3, 90, 151, 102\}$, $\{0, 2, 45, 108, 114\}$,
 $\{0, 19, 42, 147, 228\}$, $\{0, 18, 116, 141, 221\}$, $\{0, 3, 47, 171, 218\}$,
 $\{0, 11, 118, 154, 217\}$, $\{0, 8, 62, 173, 202\}$, $\{0, 5, 26, 109, 213\}$,
 $\{0, 4, 13, 71, 235\}$

by the mapping: $x \mapsto x + j \pmod{200}$ for $x < 200$, $x \mapsto (x + j \pmod{40}) + 200$ for $x \geq 200$, $0 \leq j < 200$.

20¹¹40¹ With the point set $\{0, 1, \dots, 259\}$ partitioned into residue classes modulo 11 for $\{0, 1, \dots, 219\}$, and $\{220, 221, \dots, 259\}$, the design is generated from

$\{64, 183, 200, 118, 225\}$, $\{138, 69, 180, 89, 76\}$, $\{121, 242, 27, 78, 113\}$,
 $\{166, 141, 18, 226, 48\}$, $\{162, 91, 199, 31, 109\}$, $\{136, 133, 228, 137, 105\}$,
 $\{0, 2, 47, 164, 252\}$, $\{0, 23, 57, 182, 226\}$, $\{0, 6, 46, 70, 146\}$,
 $\{0, 10, 26, 85, 243\}$, $\{0, 15, 96, 137, 239\}$, $\{0, 21, 128, 191, 237\}$,
 $\{0, 5, 19, 152, 251\}$, $\{0, 9, 36, 48, 115\}$

by the mapping: $x \mapsto x + j \pmod{220}$ for $x < 220$, $x \mapsto (x - 220 + 2j \pmod{40}) + 220$ for $x \geq 220$, $0 \leq j < 220$.

21⁸9¹ With the point set $\{0, 1, \dots, 176\}$ partitioned into residue classes modulo 8 for $\{0, 1, \dots, 167\}$, and $\{168, 169, \dots, 176\}$, the design is generated from

$\{51, 90, 4, 158, 141\}$, $\{150, 51, 56, 171, 106\}$, $\{0, 1, 3, 21, 175\}$,
 $\{0, 9, 22, 37, 71\}$, $\{0, 6, 29, 65, 108\}$, $\{0, 7, 19, 52, 77\}$,
 $\{0, 11, 38, 92, 133\}$, $\{0, 4, 30, 105, 115\}$, $\{0, 42, 84, 126, 176\}$

by the mapping: $x \mapsto x+j \pmod{168}$ for $x < 168$, $x \mapsto (x+j \pmod{8})+168$
for $168 \leq x < 176$, $176 \mapsto 176$, $0 \leq j < 168$ for the first eight blocks,
 $0 \leq j < 42$ for the last block.

21⁸29¹ With the point set $\{0, 1, \dots, 196\}$ partitioned into residue classes
modulo 8 for $\{0, 1, \dots, 167\}$, and $\{168, 169, \dots, 196\}$, the design is generated
from

$\{103, 33, 76, 91, 0\}$, $\{94, 129, 155, 56, 77\}$, $\{43, 93, 100, 56, 186\}$,
 $\{0, 1, 3, 140, 149\}$, $\{0, 4, 55, 66, 172\}$, $\{0, 10, 46, 85, 185\}$,
 $\{0, 18, 81, 115, 179\}$, $\{0, 6, 47, 114, 193\}$, $\{0, 14, 100, 123, 180\}$,
 $\{0, 5, 30, 79, 183\}$, $\{0, 42, 84, 126, 196\}$

by the mapping: $x \mapsto x+j \pmod{168}$ for $x < 168$, $x \mapsto (x+j \pmod{28})+168$
for $168 \leq x < 196$, $196 \mapsto 196$, $0 \leq j < 168$ for the first ten blocks,
 $0 \leq j < 42$ for the last block.

21¹²17¹ With the point set $\{0, 1, \dots, 268\}$ partitioned into residue classes
modulo 12 for $\{0, 1, \dots, 251\}$, and $\{252, 253, \dots, 268\}$, the design is gener-
ated from

$\{263, 44, 4, 183, 189\}$, $\{245, 24, 242, 85, 124\}$, $\{219, 212, 184, 17, 31\}$,
 $\{214, 64, 102, 189, 219\}$, $\{35, 31, 101, 234, 205\}$, $\{0, 43, 94, 141, 264\}$,
 $\{0, 11, 26, 177, 236\}$, $\{0, 17, 54, 190, 262\}$, $\{0, 8, 88, 146, 169\}$,
 $\{0, 1, 19, 21, 124\}$, $\{0, 13, 45, 89, 122\}$, $\{0, 9, 55, 65, 258\}$,
 $\{0, 22, 74, 115, 184\}$, $\{0, 63, 126, 189, 268\}$

by the mapping: $x \mapsto x+j \pmod{252}$ for $x < 252$, $x \mapsto (x+j \pmod{12})+252$
for $252 \leq x < 264$, $x \mapsto (x+j \pmod{4})+264$ for $264 \leq x < 268$, $268 \mapsto 268$,
 $0 \leq j < 252$ for the first 13 blocks, $0 \leq j < 63$ for the last block.

23⁸7¹ With the point set $\{0, 1, \dots, 190\}$ partitioned into residue classes
modulo 7 for $\{0, 1, \dots, 160\}$, $\{161, 162, \dots, 183\}$, and $\{184, 185, \dots, 190\}$,
the design is generated from

$\{26, 114, 126, 6, 185\}$, $\{185, 85, 88, 165, 10\}$, $\{56, 34, 19, 73, 74\}$,
 $\{0, 2, 6, 11, 115\}$, $\{0, 10, 33, 69, 95\}$, $\{0, 19, 44, 116, 180\}$,
 $\{0, 13, 93, 123, 166\}$, $\{0, 29, 96, 130, 177\}$, $\{0, 16, 87, 134, 163\}$,
 $\{0, 8, 32, 111, 183\}$

by the mapping: $x \mapsto x+j \pmod{161}$ for $x < 161$, $x \mapsto (x+j \pmod{23})+161$
for $161 \leq x < 184$, $x \mapsto (x-184+j \pmod{7})+184$ for $x \geq 184$, $0 \leq j < 161$.

24⁶20¹ With the point set $\{0, 1, \dots, 163\}$ partitioned into residue classes
modulo 6 for $\{0, 1, \dots, 143\}$, and $\{144, 145, \dots, 163\}$, the design is generated
from

$\{26, 82, 11, 156, 78\}$, $\{112, 163, 105, 7, 50\}$, $\{0, 1, 3, 38, 118\}$,
 $\{0, 9, 25, 112, 122\}$, $\{0, 5, 13, 63, 74\}$, $\{0, 21, 49, 100, 148\}$,
 $\{0, 14, 33, 124, 151\}$, $\{0, 17, 40, 85, 157\}$

by the mapping: $x \mapsto x+j \pmod{144}$ for $x < 144$, $x \mapsto (x+j \pmod{16})+144$ for $144 \leq x < 160$, $x \mapsto (x+j \pmod{4})+160$ for $x \geq 160$, $0 \leq j < 144$.

24⁷8¹ With the point set $\{0, 1, \dots, 175\}$ partitioned into residue classes modulo 7 for $\{0, 1, \dots, 167\}$, and $\{168, 169, \dots, 175\}$, the design is generated from

$$\begin{aligned} &\{135, 1, 159, 70, 81\}, \{13, 63, 15, 54, 32\}, \{159, 28, 29, 3, 114\}, \\ &\{107, 162, 91, 87, 55\}, \{127, 17, 12, 173, 104\}, \{115, 161, 55, 88, 155\}, \\ &\{90, 16, 24, 120, 133\}, \{0, 3, 18, 47, 170\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{168}$ for $x < 168$, $x \mapsto (x+j \pmod{8})+168$ for $x \geq 168$, $0 \leq j < 168$.

24⁷28¹ With the point set $\{0, 1, \dots, 195\}$ partitioned into residue classes modulo 7 for $\{0, 1, \dots, 167\}$, and $\{168, 169, \dots, 195\}$, the design is generated from

$$\begin{aligned} &\{25, 23, 54, 80, 140\}, \{114, 132, 181, 136, 18\}, \{48, 133, 93, 136, 127\}, \\ &\{0, 1, 62, 67, 75\}, \{0, 15, 39, 59, 171\}, \{0, 10, 58, 131, 192\}, \\ &\{0, 25, 90, 122, 180\}, \{0, 12, 76, 99, 187\}, \{0, 11, 38, 138, 176\}, \\ &\{0, 16, 132, 151, 169\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{168}$ for $x < 168$, $x \mapsto (x+j \pmod{28})+168$ for $x \geq 168$, $0 \leq j < 168$.

24⁸16¹ With the point set $\{0, 1, \dots, 207\}$ partitioned into residue classes modulo 8 for $\{0, 1, \dots, 191\}$, and $\{192, 193, \dots, 207\}$, the design is generated from

$$\begin{aligned} &\{148, 196, 26, 35, 23\}, \{17, 163, 10, 108, 167\}, \{32, 73, 53, 54, 163\}, \\ &\{0, 2, 60, 65, 75\}, \{0, 13, 43, 121, 158\}, \{0, 28, 85, 154, 195\}, \\ &\{0, 23, 52, 139, 207\}, \{0, 25, 51, 143, 197\}, \{0, 6, 17, 103, 165\}, \\ &\{0, 14, 45, 138, 156\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{192}$ for $x < 192$, $x \mapsto (x+j \pmod{16})+192$ for $x \geq 192$, $0 \leq j < 192$.

24⁸36¹ With the point set $\{0, 1, \dots, 227\}$ partitioned into residue classes modulo 8 for $\{0, 1, \dots, 191\}$, and $\{192, 193, \dots, 227\}$, the design is generated from

$$\begin{aligned} &\{132, 183, 69, 206, 14\}, \{52, 205, 106, 112, 102\}, \{82, 64, 131, 166, 93\}, \\ &\{3, 169, 88, 30, 206\}, \{187, 143, 37, 84, 184\}, \{0, 5, 62, 71, 224\}, \\ &\{0, 2, 95, 164, 222\}, \{0, 1, 14, 172, 212\}, \{0, 25, 77, 156, 206\}, \\ &\{0, 15, 46, 83, 116\}, \{0, 17, 127, 170, 204\}, \{0, 7, 105, 180, 216\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{192}$ for $x < 192$, $x \mapsto (x+j \pmod{32})+192$ for $192 \leq x < 224$, $x \mapsto (x+j \pmod{4})+224$ for $x \geq 224$, $0 \leq j < 192$.

24⁹4¹ With the point set $\{0, 1, \dots, 219\}$ partitioned into residue classes modulo 9 for $\{0, 1, \dots, 215\}$, and $\{216, 217, 218, 219\}$, the design is generated from

$$\begin{aligned} &\{216, 87, 44, 46, 61\}, \{186, 30, 167, 179, 99\}, \{96, 19, 83, 144, 138\}, \\ &\{0, 1, 4, 146, 186\}, \{0, 8, 86, 110, 124\}, \{0, 10, 56, 115, 150\}, \end{aligned}$$

$\{0, 21, 50, 103, 154\}$, $\{0, 11, 33, 58, 131\}$, $\{0, 5, 28, 44, 93\}$,
 $\{0, 20, 57, 109, 141\}$

by the mapping: $x \mapsto x+j \pmod{216}$ for $x < 216$, $x \mapsto (x+j \pmod{4})+216$
for $x \geq 216$, $0 \leq j < 216$.

24⁹44¹ With the point set $\{0, 1, \dots, 259\}$ partitioned into residue classes
modulo 9 for $\{0, 1, \dots, 215\}$, and $\{216, 217, \dots, 259\}$, the design is generated
from

$\{71, 158, 242, 129, 109\}$, $\{171, 218, 194, 28, 62\}$, $\{231, 54, 47, 148, 158\}$,
 $\{18, 58, 192, 124, 136\}$, $\{136, 33, 184, 57, 182\}$, $\{91, 168, 221, 97, 152\}$,
 $\{0, 3, 11, 131, 157\}$, $\{0, 1, 15, 52, 253\}$, $\{0, 19, 41, 188, 259\}$,
 $\{0, 30, 83, 116, 218\}$, $\{0, 5, 44, 119, 229\}$, $\{0, 25, 60, 184, 235\}$,
 $\{0, 21, 64, 95, 248\}$, $\{0, 4, 80, 203, 246\}$

by the mapping: $x \mapsto x+j \pmod{216}$ for $x < 216$, $x \mapsto (x+j \pmod{24})+216$
for $216 \leq x < 240$, $x \mapsto (x+j \pmod{12})+240$ for $240 \leq x < 252$,
 $x \mapsto (x-252+j \pmod{8})+252$ for $x \geq 252$, $0 \leq j < 216$.

24¹⁰4¹ With the point set $\{0, 1, \dots, 243\}$ partitioned into residue classes
modulo 10 for $\{0, 1, \dots, 239\}$, and $\{240, 241, 242, 243\}$, the design is gener-
ated from

$\{147, 152, 199, 120, 58\}$, $\{162, 215, 231, 143, 158\}$, $\{94, 223, 230, 7, 81\}$,
 $\{70, 64, 179, 241, 61\}$, $\{0, 1, 42, 174, 185\}$, $\{0, 14, 39, 117, 203\}$,
 $\{0, 21, 59, 82, 127\}$, $\{0, 8, 36, 54, 155\}$, $\{0, 2, 31, 126, 207\}$,
 $\{0, 26, 75, 138, 182\}$, $\{0, 12, 34, 77, 169\}$, $\{0, 48, 96, 144, 192\}$

by the mapping: $x \mapsto x+j \pmod{240}$ for $x < 240$, $x \mapsto (x+j \pmod{4})+240$
for $x \geq 240$, $0 \leq j < 240$ for the first 11 blocks, $0 \leq j < 48$ for the last
block.

24¹⁰12¹ With the point set $\{0, 1, \dots, 251\}$ partitioned into residue classes
modulo 10 for $\{0, 1, \dots, 239\}$, and $\{240, 241, \dots, 251\}$, the design is gener-
ated from

$\{200, 73, 167, 56, 141\}$, $\{182, 127, 64, 145, 229\}$, $\{216, 227, 174, 175, 129\}$,
 $\{126, 180, 246, 55, 209\}$, $\{233, 208, 229, 201, 210\}$, $\{0, 5, 44, 108, 121\}$,
 $\{0, 12, 43, 79, 178\}$, $\{0, 3, 61, 95, 109\}$, $\{0, 22, 91, 184, 242\}$,
 $\{0, 27, 65, 191, 248\}$, $\{0, 8, 24, 97, 112\}$, $\{0, 6, 57, 139, 174\}$

by the mapping: $x \mapsto x+j \pmod{240}$ for $x < 240$, $x \mapsto (x+j \pmod{12})+240$
for $x \geq 240$, $0 \leq j < 240$.

24¹⁰32¹ With the point set $\{0, 1, \dots, 271\}$ partitioned into residue classes
modulo 10 for $\{0, 1, \dots, 239\}$, and $\{240, 241, \dots, 271\}$, the design is gener-
ated from

$\{50, 26, 152, 17, 24\}$, $\{249, 210, 183, 195, 161\}$, $\{43, 252, 64, 82, 218\}$,
 $\{252, 57, 100, 89, 223\}$, $\{188, 106, 191, 90, 125\}$, $\{26, 224, 77, 264, 238\}$,
 $\{0, 6, 75, 194, 271\}$, $\{0, 5, 59, 88, 146\}$, $\{0, 38, 127, 183, 254\}$,
 $\{0, 25, 62, 143, 252\}$, $\{0, 8, 53, 84, 249\}$, $\{0, 23, 64, 131, 167\}$,
 $\{0, 1, 48, 92, 163\}$, $\{0, 4, 17, 72, 133\}$

by the mapping: $x \mapsto x+j \pmod{240}$ for $x < 240$, $x \mapsto (x+j \pmod{24})+240$ for $240 \leq x < 264$, $x \mapsto (x+j \pmod{8})+264$ for $x \geq 264$, $0 \leq j < 240$.

24¹¹20¹ With the point set $\{0, 1, \dots, 283\}$ partitioned into residue classes modulo 11 for $\{0, 1, \dots, 263\}$, and $\{264, 265, \dots, 283\}$, the design is generated from

$\{268, 176, 101, 175, 85\}$, $\{158, 9, 282, 250, 167\}$, $\{188, 121, 95, 85, 229\}$,
 $\{13, 1, 30, 213, 263\}$, $\{23, 189, 140, 227, 224\}$, $\{5, 78, 136, 83, 262\}$,
 $\{0, 4, 19, 221, 282\}$, $\{0, 20, 48, 109, 160\}$, $\{0, 24, 56, 96, 218\}$,
 $\{0, 8, 105, 135, 274\}$, $\{0, 13, 114, 182, 270\}$, $\{0, 6, 27, 45, 145\}$,
 $\{0, 34, 71, 157, 222\}$, $\{0, 25, 79, 136, 195\}$

by the mapping: $x \mapsto x+j \pmod{264}$ for $x < 264$, $x \mapsto (x+j \pmod{12})+264$ for $264 \leq x < 276$, $x \mapsto (x-276+j \pmod{8})+276$ for $x \geq 276$, $0 \leq j < 264$.

25⁸5¹ With the point set $\{0, 1, \dots, 204\}$ partitioned into residue classes modulo 8 for $\{0, 1, \dots, 199\}$, and $\{200, 201, 202, 203, 204\}$, the design is generated from

$\{112, 76, 6, 185, 50\}$, $\{4, 15, 42, 97, 46\}$, $\{0, 1, 3, 194, 200\}$,
 $\{0, 13, 43, 66, 103\}$, $\{0, 14, 33, 68, 85\}$, $\{0, 20, 61, 83, 142\}$,
 $\{0, 10, 25, 111, 123\}$, $\{0, 18, 46, 75, 151\}$, $\{0, 5, 39, 84, 131\}$,
 $\{0, 50, 100, 150, 204\}$

by the mapping: $x \mapsto x+j \pmod{200}$ for $x < 200$, $x \mapsto (x+j \pmod{4})+200$ for $200 \leq x < 204$, $204 \mapsto 204$, $0 \leq j < 200$ for the first nine blocks, $0 \leq j < 50$ for the last block.

25⁸45¹ With the point set $\{0, 1, \dots, 244\}$ partitioned into residue classes modulo 8 for $\{0, 1, \dots, 199\}$, and $\{200, 201, \dots, 244\}$, the design is generated from

$\{30, 202, 57, 120, 188\}$, $\{43, 78, 232, 37, 199\}$, $\{189, 212, 28, 81, 174\}$,
 $\{104, 79, 180, 161, 74\}$, $\{21, 31, 207, 19, 86\}$, $\{0, 9, 22, 83, 230\}$,
 $\{0, 17, 51, 98, 240\}$, $\{0, 4, 33, 142, 200\}$, $\{0, 20, 97, 125, 237\}$,
 $\{0, 1, 37, 60, 86\}$, $\{0, 7, 18, 129, 222\}$, $\{0, 3, 46, 130, 209\}$,
 $\{0, 14, 148, 169, 219\}$, $\{0, 50, 100, 150, 244\}$

by the mapping: $x \mapsto x+j \pmod{200}$ for $x < 200$, $x \mapsto (x+j \pmod{40})+200$ for $200 \leq x < 240$, $x \mapsto (x+j \pmod{4})+240$ for $240 \leq x < 244$, $244 \mapsto 244$, $0 \leq j < 200$ for the first 13 blocks, $0 \leq j < 50$ for the last block.

28⁶20¹ With the point set $\{0, 1, \dots, 187\}$ partitioned into residue classes modulo 6 for $\{0, 1, \dots, 167\}$, and $\{168, 169, \dots, 187\}$, the design is generated from

$\{64, 77, 36, 146, 67\}$, $\{165, 100, 56, 17, 178\}$, $\{0, 1, 33, 35, 52\}$,
 $\{0, 9, 23, 49, 130\}$, $\{0, 8, 37, 53, 64\}$, $\{0, 5, 62, 105, 168\}$,
 $\{0, 7, 80, 101, 172\}$, $\{0, 15, 70, 92, 180\}$, $\{0, 4, 97, 122, 187\}$

by the mapping: $x \mapsto x+j \pmod{168}$ for $x < 168$, $x \mapsto (x+j \pmod{12})+168$ for $168 \leq x < 180$, $x \mapsto (x-180+j \pmod{8})+180$ for $x \geq 180$, $0 \leq j < 168$.

28⁶40¹ With the point set $\{0, 1, \dots, 207\}$ partitioned into residue classes modulo 6 for $\{0, 1, \dots, 167\}$, and $\{168, 169, \dots, 207\}$, the design is generated from

$$\begin{aligned} &\{207, 30, 39, 17, 1\}, \{24, 91, 63, 110, 58\}, \{193, 164, 22, 57, 133\}, \\ &\{132, 58, 61, 188, 81\}, \{0, 7, 75, 131, 198\}, \{0, 1, 64, 81, 197\}, \\ &\{0, 2, 10, 55, 175\}, \{0, 14, 79, 141, 180\}, \{0, 15, 40, 125, 174\}, \\ &\{0, 4, 50, 99, 182\}, \{0, 11, 32, 109, 181\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{168}$ for $x < 168$, $x \mapsto (x+j \pmod{28})+168$ for $168 \leq x < 196$, $x \mapsto (x-196+j \pmod{12})+196$ for $x \geq 196$, $0 \leq j < 168$.

28⁷16¹ With the point set $\{0, 1, \dots, 211\}$ partitioned into residue classes modulo 7 for $\{0, 1, \dots, 195\}$, and $\{196, 197, \dots, 211\}$, the design is generated from

$$\begin{aligned} &\{206, 16, 82, 189, 183\}, \{201, 68, 130, 27, 177\}, \{204, 27, 133, 12, 94\}, \\ &\{0, 1, 3, 186, 199\}, \{0, 5, 27, 79, 165\}, \{0, 4, 37, 54, 162\}, \\ &\{0, 8, 20, 65, 143\}, \{0, 9, 68, 92, 111\}, \{0, 18, 44, 69, 99\}, \\ &\{0, 16, 64, 96, 136\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{196}$ for $x < 196$, $x \mapsto (x-196+4j \pmod{16})+196$ for $x \geq 196$, $0 \leq j < 196$.

28⁷36¹ With the point set $\{0, 1, \dots, 231\}$ partitioned into residue classes modulo 7 for $\{0, 1, \dots, 195\}$, and $\{196, 197, \dots, 231\}$, the design is generated from

$$\begin{aligned} &\{216, 39, 5, 72, 108\}, \{96, 16, 160, 17, 116\}, \{113, 167, 63, 94, 197\}, \\ &\{215, 176, 42, 27, 164\}, \{0, 2, 5, 27, 224\}, \{0, 11, 29, 150, 225\}, \\ &\{0, 16, 87, 110, 197\}, \{0, 17, 43, 83, 131\}, \{0, 4, 13, 89, 128\}, \\ &\{0, 10, 55, 145, 213\}, \{0, 6, 30, 38, 212\}, \{0, 37, 95, 155, 204\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{196}$ for $x < 196$, $x \mapsto (x+j \pmod{28})+196$ for $196 \leq x < 224$, $x \mapsto (x+2j \pmod{8})+224$ for $x \geq 224$, $0 \leq j < 196$.

28⁸12¹ With the point set $\{0, 1, \dots, 235\}$ partitioned into residue classes modulo 8 for $\{0, 1, \dots, 223\}$, and $\{224, 225, \dots, 235\}$, the design is generated from

$$\begin{aligned} &\{174, 16, 169, 138, 181\}, \{10, 129, 189, 231, 99\}, \{91, 92, 6, 113, 45\}, \\ &\{100, 193, 152, 114, 142\}, \{0, 2, 27, 189, 232\}, \{0, 6, 19, 116, 149\}, \\ &\{0, 15, 76, 99, 133\}, \{0, 3, 73, 77, 126\}, \{0, 17, 109, 159, 224\}, \\ &\{0, 9, 63, 146, 166\}, \{0, 11, 29, 55, 124\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{224}$ for $x < 224$, $x \mapsto (x+j \pmod{8})+224$ for $224 \leq x < 232$, $x \mapsto (x+j \pmod{4})+232$ for $x \geq 232$, $0 \leq j < 224$.

28⁸32¹ With the point set $\{0, 1, \dots, 255\}$ partitioned into residue classes modulo 8 for $\{0, 1, \dots, 223\}$, and $\{224, 225, \dots, 255\}$, the design is generated from

$$\begin{aligned} &\{254, 6, 196, 24, 199\}, \{230, 180, 197, 30, 58\}, \{222, 209, 168, 167, 130\}, \\ &\{156, 237, 206, 176, 75\}, \{104, 214, 15, 203, 228\}, \{0, 27, 60, 130, 165\}, \\ &\{0, 5, 12, 83, 129\}, \{0, 10, 161, 205, 244\}, \{0, 21, 82, 108, 147\}, \end{aligned}$$

$\{0, 14, 67, 90, 254\}, \{0, 6, 15, 133, 155\}, \{0, 2, 45, 158, 237\},$
 $\{0, 4, 51, 166, 233\}$

by the mapping: $x \mapsto x+j \pmod{224}$ for $x < 224$, $x \mapsto (x+j \pmod{32})+224$
for $x \geq 224$, $0 \leq j < 224$.

28⁸52¹ With the point set $\{0, 1, \dots, 275\}$ partitioned into residue classes modulo 8 for $\{0, 1, \dots, 223\}$, and $\{224, 225, \dots, 275\}$, the design is generated from

$\{238, 47, 96, 11, 9\}, \{152, 99, 7, 89, 230\}, \{35, 213, 44, 267, 49\},$
 $\{153, 227, 131, 48, 77\}, \{111, 44, 115, 41, 141\}, \{11, 22, 133, 243, 145\},$
 $\{40, 228, 131, 165, 166\}, \{0, 7, 27, 68, 240\}, \{0, 31, 108, 177, 248\},$
 $\{0, 17, 42, 131, 271\}, \{0, 13, 86, 143, 272\}, \{0, 15, 43, 66, 118\},$
 $\{0, 18, 39, 205, 258\}, \{0, 6, 50, 165, 265\}, \{0, 33, 95, 140, 253\}$

by the mapping: $x \mapsto x+j \pmod{224}$ for $x < 224$, $x \mapsto (x+j \pmod{28})+224$
for $224 \leq x < 252$, $x \mapsto (x-252+j \pmod{16})+252$ for $252 \leq x < 268$,
 $x \mapsto (x-268+j \pmod{8})+268$ for $x \geq 268$, $0 \leq j < 224$.

28⁹8¹ With the point set $\{0, 1, \dots, 259\}$ partitioned into residue classes modulo 9 for $\{0, 1, \dots, 251\}$, and $\{252, 253, \dots, 259\}$, the design is generated from

$\{253, 165, 162, 131, 24\}, \{258, 190, 153, 112, 155\}, \{147, 29, 118, 103, 53\},$
 $\{165, 83, 213, 226, 97\}, \{139, 244, 188, 39, 51\}, \{0, 4, 25, 30, 83\},$
 $\{0, 1, 20, 132, 230\}, \{0, 6, 46, 110, 201\}, \{0, 8, 60, 92, 185\},$
 $\{0, 16, 33, 71, 166\}, \{0, 11, 39, 124, 190\}, \{0, 7, 76, 172, 182\}$

by the mapping: $x \mapsto x+j \pmod{252}$ for $x < 252$, $x \mapsto (x-252+2j \pmod{8})+252$ for $x \geq 252$, $0 \leq j < 252$.

28⁹48¹ With the point set $\{0, 1, \dots, 299\}$ partitioned into residue classes modulo 9 for $\{0, 1, \dots, 251\}$, and $\{252, 253, \dots, 299\}$, the design is generated from

$\{295, 196, 78, 81, 103\}, \{290, 45, 84, 22, 151\}, \{289, 5, 76, 110, 187\},$
 $\{225, 46, 76, 128, 177\}, \{208, 272, 70, 15, 134\}, \{11, 282, 165, 243, 226\},$
 $\{17, 10, 85, 2, 258\}, \{54, 82, 240, 38, 140\}, \{0, 10, 43, 130, 286\},$
 $\{0, 2, 214, 228, 285\}, \{0, 13, 60, 89, 173\}, \{0, 12, 31, 140, 265\},$
 $\{0, 1, 5, 211, 263\}, \{0, 6, 116, 201, 260\}, \{0, 11, 91, 156, 278\},$
 $\{0, 21, 53, 148, 217\}$

by the mapping: $x \mapsto x+j \pmod{252}$ for $x < 252$, $x \mapsto (x+j \pmod{36})+252$
for $252 \leq x < 288$, $x \mapsto (x+j \pmod{12})+288$ for $x \geq 288$, $0 \leq j < 252$.

28¹⁰4¹ With the point set $\{0, 1, \dots, 283\}$ partitioned into residue classes modulo 10 for $\{0, 1, \dots, 279\}$, and $\{280, 281, 282, 283\}$, the design is generated from

$\{216, 62, 138, 251, 5\}, \{30, 107, 144, 168, 23\}, \{6, 181, 152, 269, 184\},$
 $\{158, 163, 31, 47, 202\}, \{87, 75, 22, 266, 194\}, \{0, 43, 106, 165, 280\},$
 $\{0, 11, 26, 188, 239\}, \{0, 8, 74, 112, 205\}, \{0, 1, 22, 28, 47\},$
 $\{0, 9, 23, 71, 207\}, \{0, 13, 55, 194, 212\}, \{0, 2, 33, 97, 226\},$
 $\{0, 4, 49, 128, 186\}$

by the mapping: $x \mapsto x+j \pmod{280}$ for $x < 280$, $x \mapsto (x+j \pmod{4})+280$ for $x \geq 280$, $0 \leq j < 280$.

28¹⁰24¹ With the point set $\{0, 1, \dots, 303\}$ partitioned into residue classes modulo 10 for $\{0, 1, \dots, 279\}$, and $\{280, 281, \dots, 303\}$, the design is generated from

$\{97, 188, 273, 146, 145\}$, $\{164, 160, 78, 66, 125\}$, $\{203, 240, 18, 95, 34\}$,
 $\{174, 243, 293, 81, 95\}$, $\{184, 241, 246, 157, 208\}$, $\{205, 26, 91, 183, 250\}$,
 $\{222, 276, 298, 253, 170\}$, $\{0, 15, 117, 158, 300\}$, $\{0, 18, 64, 96, 183\}$,
 $\{0, 6, 17, 72, 181\}$, $\{0, 9, 28, 53, 177\}$, $\{0, 2, 73, 246, 293\}$,
 $\{0, 7, 75, 88, 151\}$, $\{0, 3, 29, 142, 286\}$, $\{0, 8, 134, 155, 289\}$

by the mapping: $x \mapsto x+j \pmod{280}$ for $x < 280$, $x \mapsto (x+j \pmod{20})+280$ for $280 \leq x < 300$, $x \mapsto (x+j \pmod{4})+300$ for $x \geq 300$, $0 \leq j < 280$.

29⁸1¹ With the point set $\{0, 1, \dots, 232\}$ partitioned into residue classes modulo 8 for $\{0, 1, \dots, 231\}$, and $\{232\}$, the design is generated from

$\{8, 230, 117, 135, 146\}$, $\{43, 17, 13, 168, 174\}$, $\{207, 108, 169, 2, 0\}$,
 $\{0, 3, 22, 39, 76\}$, $\{0, 9, 21, 52, 66\}$, $\{0, 7, 53, 122, 150\}$,
 $\{0, 1, 42, 93, 183\}$, $\{0, 5, 20, 79, 134\}$, $\{0, 33, 67, 111, 197\}$,
 $\{0, 13, 60, 83, 145\}$, $\{0, 58, 116, 174, 232\}$

by the mapping: $x \mapsto x+j \pmod{232}$ for $x < 232$, $232 \mapsto 232$, $0 \leq j < 232$ for the first ten blocks, $0 \leq j < 58$ for the last block.

29⁸21¹ With the point set $\{0, 1, \dots, 252\}$ partitioned into residue classes modulo 8 for $\{0, 1, \dots, 231\}$, and $\{232, 233, \dots, 252\}$, the design is generated from

$\{231, 3, 233, 82, 220\}$, $\{238, 46, 74, 188, 123\}$, $\{20, 14, 89, 66, 71\}$,
 $\{212, 138, 141, 121, 182\}$, $\{0, 1, 36, 43, 239\}$, $\{0, 2, 31, 137, 248\}$,
 $\{0, 9, 63, 133, 238\}$, $\{0, 13, 34, 145, 164\}$, $\{0, 12, 26, 85, 110\}$,
 $\{0, 22, 60, 115, 165\}$, $\{0, 33, 78, 140, 179\}$, $\{0, 10, 37, 119, 166\}$,
 $\{0, 58, 116, 174, 252\}$

by the mapping: $x \mapsto x+j \pmod{232}$ for $x < 232$, $x \mapsto (x-232+2j \pmod{16})+232$ for $232 \leq x < 248$, $x \mapsto (x+j \pmod{4})+248$ for $248 \leq x < 252$, $252 \mapsto 252$, $0 \leq j < 232$ for the first 12 blocks, $0 \leq j < 58$ for the last block.

32⁶20¹ With the point set $\{0, 1, \dots, 211\}$ partitioned into residue classes modulo 6 for $\{0, 1, \dots, 191\}$, and $\{192, 193, \dots, 211\}$, the design is generated from

$\{47, 32, 21, 127, 156\}$, $\{128, 72, 187, 160, 3\}$, $\{40, 156, 119, 201, 85\}$,
 $\{0, 1, 14, 119, 208\}$, $\{0, 17, 50, 81, 139\}$, $\{0, 7, 16, 62, 101\}$,
 $\{0, 10, 92, 141, 195\}$, $\{0, 28, 75, 127, 202\}$, $\{0, 2, 5, 43, 172\}$,
 $\{0, 4, 23, 44, 204\}$

by the mapping: $x \mapsto x+j \pmod{192}$ for $x < 192$, $x \mapsto (x+j \pmod{16})+192$ for $192 \leq x < 208$, $x \mapsto (x+j \pmod{4})+208$ for $x \geq 208$, $0 \leq j < 192$.

32⁶40¹ With the point set $\{0, 1, \dots, 231\}$ partitioned into residue classes modulo 6 for $\{0, 1, \dots, 191\}$, and $\{192, 193, \dots, 231\}$, the design is generated from

$$\begin{aligned} &\{158, 106, 42, 121, 15\}, \{115, 222, 106, 107, 141\}, \{226, 137, 116, 43, 63\}, \\ &\{133, 64, 229, 129, 179\}, \{150, 164, 198, 1, 148\}, \{0, 19, 75, 107, 130\}, \\ &\{0, 5, 87, 134, 219\}, \{0, 13, 38, 135, 206\}, \{0, 11, 33, 100, 202\}, \\ &\{0, 7, 17, 68, 222\}, \{0, 3, 44, 83, 207\}, \{0, 28, 121, 161, 217\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{192}$ for $x < 192$, $x \mapsto (x+j \pmod{32})+192$ for $192 \leq x < 224$, $x \mapsto (x+j \pmod{8})+224$ for $x \geq 224$, $0 \leq j < 192$.

32⁷4¹ With the point set $\{0, 1, \dots, 227\}$ partitioned into residue classes modulo 7 for $\{0, 1, \dots, 223\}$, and $\{224, 225, 226, 227\}$, the design is generated from

$$\begin{aligned} &\{151, 127, 189, 5, 142\}, \{198, 40, 209, 161, 1\}, \{6, 101, 142, 113, 19\}, \\ &\{0, 1, 6, 199, 224\}, \{0, 22, 45, 89, 188\}, \{0, 4, 34, 120, 152\}, \\ &\{0, 2, 59, 92, 111\}, \{0, 8, 18, 83, 163\}, \{0, 3, 54, 74, 127\}, \\ &\{0, 17, 60, 110, 156\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{224}$ for $x < 224$, $x \mapsto (x+j \pmod{4})+224$ for $x \geq 224$, $0 \leq j < 224$.

32⁷24¹ With the point set $\{0, 1, \dots, 247\}$ partitioned into residue classes modulo 7 for $\{0, 1, \dots, 223\}$, and $\{224, 225, \dots, 247\}$, the design is generated from

$$\begin{aligned} &\{39, 203, 6, 242, 5\}, \{225, 166, 223, 116, 184\}, \{246, 216, 173, 108, 78\}, \\ &\{42, 219, 157, 67, 134\}, \{57, 102, 44, 38, 54\}, \{0, 9, 20, 103, 144\}, \\ &\{0, 8, 40, 171, 186\}, \{0, 2, 54, 71, 150\}, \{0, 4, 101, 106, 234\}, \\ &\{0, 22, 73, 104, 231\}, \{0, 29, 66, 110, 165\}, \{0, 12, 36, 149, 232\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{224}$ for $x < 224$, $x \mapsto (x+j \pmod{16})+224$ for $224 \leq x < 240$, $x \mapsto (x+j \pmod{8})+240$ for $x \geq 240$, $0 \leq j < 224$.

32⁷44¹ With the point set $\{0, 1, \dots, 267\}$ partitioned into residue classes modulo 7 for $\{0, 1, \dots, 223\}$, and $\{224, 225, \dots, 267\}$, the design is generated from

$$\begin{aligned} &\{140, 71, 230, 121, 136\}, \{147, 117, 94, 179, 155\}, \{187, 196, 262, 104, 198\}, \\ &\{220, 98, 266, 97, 123\}, \{66, 14, 259, 132, 183\}, \{41, 145, 186, 36, 233\}, \\ &\{0, 3, 13, 99, 180\}, \{0, 17, 46, 110, 170\}, \{0, 12, 87, 146, 244\}, \\ &\{0, 16, 88, 204, 243\}, \{0, 34, 73, 176, 249\}, \{0, 6, 37, 95, 241\}, \\ &\{0, 33, 76, 144, 246\}, \{0, 18, 45, 202, 238\} \end{aligned}$$

by the mapping: $x \mapsto x+j \pmod{224}$ for $x < 224$, $x \mapsto (x+j \pmod{32})+224$ for $224 \leq x < 256$, $x \mapsto (x+j \pmod{8})+256$ for $256 \leq x < 264$, $x \mapsto (x+j \pmod{4})+264$ for $x \geq 264$, $0 \leq j < 224$.

32⁸8¹ With the point set $\{0, 1, \dots, 263\}$ partitioned into residue classes modulo 8 for $\{0, 1, \dots, 255\}$, and $\{256, 257, \dots, 263\}$, the design is generated from

$$\begin{aligned} &\{16, 150, 20, 119, 97\}, \{250, 41, 188, 5, 231\}, \{28, 80, 86, 77, 177\}, \\ &\{93, 55, 161, 122, 256\}, \{154, 262, 140, 161, 166\}, \{0, 1, 35, 124, 178\}, \end{aligned}$$

$\{0, 17, 63, 148, 181\}$, $\{0, 23, 94, 121, 163\}$, $\{0, 2, 20, 57, 174\}$,
 $\{0, 15, 60, 110, 197\}$, $\{0, 10, 61, 86, 151\}$, $\{0, 13, 41, 142, 186\}$

by the mapping: $x \mapsto x+j \pmod{256}$ for $x < 256$, $x \mapsto (x+j \pmod{8})+256$
for $x \geq 256$, $0 \leq j < 256$.

32⁸28¹ With the point set $\{0, 1, \dots, 283\}$ partitioned into residue classes modulo 8 for $\{0, 1, \dots, 255\}$, and $\{256, 257, \dots, 283\}$, the design is generated from

$\{218, 6, 145, 120, 244\}$, $\{162, 275, 49, 119, 99\}$, $\{23, 100, 141, 283, 222\}$,
 $\{223, 186, 216, 140, 137\}$, $\{256, 99, 120, 154, 255\}$, $\{68, 80, 221, 134, 49\}$,
 $\{0, 1, 90, 92, 279\}$, $\{0, 6, 28, 39, 187\}$, $\{0, 5, 131, 145, 259\}$,
 $\{0, 15, 62, 211, 266\}$, $\{0, 36, 74, 197, 265\}$, $\{0, 23, 52, 105, 214\}$,
 $\{0, 4, 13, 71, 106\}$, $\{0, 10, 27, 137, 205\}$

by the mapping: $x \mapsto x+j \pmod{256}$ for $x < 256$, $x \mapsto (x+j \pmod{16})+256$
for $256 \leq x < 272$, $x \mapsto (x+j \pmod{8})+272$ for $272 \leq x < 280$, $x \mapsto$
 $(x+j \pmod{4})+280$ for $x \geq 280$, $0 \leq j < 256$.

32⁹12¹ With the point set $\{0, 1, \dots, 299\}$ partitioned into residue classes modulo 9 for $\{0, 1, \dots, 287\}$, and $\{288, 289, \dots, 299\}$, the design is generated from

$\{62, 286, 91, 191, 297\}$, $\{232, 46, 255, 254, 194\}$, $\{149, 182, 138, 99, 123\}$,
 $\{45, 10, 143, 40, 111\}$, $\{3, 194, 141, 16, 13\}$, $\{288, 273, 216, 160, 167\}$,
 $\{0, 31, 82, 119, 292\}$, $\{0, 6, 14, 91, 218\}$, $\{0, 28, 74, 114, 179\}$,
 $\{0, 19, 67, 92, 213\}$, $\{0, 16, 58, 192, 226\}$, $\{0, 4, 47, 115, 170\}$,
 $\{0, 12, 116, 136, 157\}$, $\{0, 2, 89, 141, 158\}$

by the mapping: $x \mapsto x+j \pmod{288}$ for $x < 288$, $x \mapsto (x+j \pmod{12})+288$
for $x \geq 288$, $0 \leq j < 288$.

36⁶20¹ With the point set $\{0, 1, \dots, 235\}$ partitioned into residue classes modulo 6 for $\{0, 1, \dots, 215\}$, and $\{216, 217, \dots, 235\}$, the design is generated from

$\{153, 113, 187, 198, 14\}$, $\{83, 195, 18, 223, 205\}$, $\{62, 27, 229, 77, 138\}$,
 $\{95, 150, 16, 175, 176\}$, $\{0, 2, 69, 73, 230\}$, $\{0, 3, 8, 49, 101\}$,
 $\{0, 7, 23, 195, 218\}$, $\{0, 31, 89, 152, 221\}$, $\{0, 9, 22, 125, 163\}$,
 $\{0, 17, 37, 146, 165\}$, $\{0, 14, 47, 106, 133\}$

by the mapping: $x \mapsto x+j \pmod{216}$ for $x < 216$, $x \mapsto (x+j \pmod{12})+216$
for $216 \leq x < 228$, $x \mapsto (x-228+j \pmod{8})+228$ for $x \geq 228$, $0 \leq j < 216$.

36⁶40¹ With the point set $\{0, 1, \dots, 255\}$ partitioned into residue classes modulo 6 for $\{0, 1, \dots, 215\}$, and $\{216, 217, \dots, 255\}$, the design is generated from

$\{141, 222, 44, 70, 42\}$, $\{74, 70, 24, 231, 29\}$, $\{80, 242, 165, 168, 133\}$,
 $\{179, 195, 116, 221, 10\}$, $\{92, 141, 130, 37, 210\}$, $\{0, 1, 15, 22, 252\}$,
 $\{0, 33, 94, 146, 232\}$, $\{0, 23, 62, 130, 231\}$, $\{0, 13, 40, 140, 165\}$,
 $\{0, 8, 67, 141, 223\}$, $\{0, 20, 135, 179, 239\}$, $\{0, 9, 143, 160, 236\}$,
 $\{0, 10, 29, 87, 121\}$

by the mapping: $x \mapsto x+j \pmod{216}$ for $x < 216$, $x \mapsto (x+j \pmod{36})+216$ for $216 \leq x < 252$, $x \mapsto (x+j \pmod{4})+252$ for $x \geq 252$, $0 \leq j < 216$.

36⁷12¹ With the point set $\{0, 1, \dots, 263\}$ partitioned into residue classes modulo 7 for $\{0, 1, \dots, 251\}$, and $\{252, 253, \dots, 263\}$, the design is generated from

$\{261, 210, 176, 149, 243\}$, $\{262, 161, 176, 242, 205\}$, $\{263, 148, 97, 59, 180\}$,
 $\{147, 30, 50, 125, 33\}$, $\{12, 7, 219, 132, 85\}$, $\{0, 2, 41, 144, 194\}$,
 $\{0, 4, 68, 150, 156\}$, $\{0, 9, 57, 122, 181\}$, $\{0, 1, 24, 55, 200\}$,
 $\{0, 10, 46, 72, 183\}$, $\{0, 8, 19, 93, 109\}$, $\{0, 12, 25, 148, 234\}$

by the mapping: $x \mapsto x+j \pmod{252}$ for $x < 252$, $x \mapsto (x+j \pmod{12})+252$ for $x \geq 252$, $0 \leq j < 252$.

36⁷32¹ With the point set $\{0, 1, \dots, 283\}$ partitioned into residue classes modulo 7 for $\{0, 1, \dots, 251\}$, and $\{252, 253, \dots, 283\}$, the design is generated from

$\{281, 11, 248, 237, 134\}$, $\{280, 226, 111, 176, 193\}$, $\{267, 129, 36, 109, 28\}$,
 $\{16, 92, 48, 150, 189\}$, $\{174, 176, 2, 147, 258\}$, $\{256, 123, 248, 154, 191\}$,
 $\{0, 3, 22, 186, 268\}$, $\{0, 34, 87, 162, 275\}$, $\{0, 5, 45, 211, 271\}$,
 $\{0, 6, 16, 152, 204\}$, $\{0, 4, 59, 71, 89\}$, $\{0, 1, 24, 96, 132\}$,
 $\{0, 13, 38, 148, 191\}$, $\{0, 9, 60, 122, 169\}$

by the mapping: $x \mapsto x+j \pmod{252}$ for $x < 252$, $x \mapsto (x-252+2j \pmod{24})+252$ for $252 \leq x < 276$, $x \mapsto (x-276+2j \pmod{8})+276$ for $x \geq 276$, $0 \leq j < 252$.

36⁸24¹ With the point set $\{0, 1, \dots, 311\}$ partitioned into residue classes modulo 8 for $\{0, 1, \dots, 287\}$, and $\{288, 289, \dots, 311\}$, the design is generated from

$\{237, 80, 107, 274, 302\}$, $\{180, 282, 214, 265, 149\}$, $\{151, 221, 82, 225, 4\}$,
 $\{168, 293, 126, 124, 42\}$, $\{127, 254, 77, 240, 153\}$, $\{14, 131, 106, 240, 25\}$,
 $\{0, 1, 7, 10, 22\}$, $\{0, 5, 35, 54, 183\}$, $\{0, 38, 93, 146, 191\}$,
 $\{0, 18, 188, 265, 304\}$, $\{0, 57, 123, 181, 309\}$, $\{0, 13, 59, 268, 301\}$,
 $\{0, 29, 89, 132, 227\}$, $\{0, 36, 173, 225, 307\}$, $\{0, 28, 75, 114, 197\}$

by the mapping: $x \mapsto x+j \pmod{288}$ for $x < 288$, $x \mapsto (x+j \pmod{24})+288$ for $x \geq 288$, $0 \leq j < 288$.

40⁶20¹ With the point set $\{0, 1, \dots, 259\}$ partitioned into residue classes modulo 6 for $\{0, 1, \dots, 239\}$, and $\{240, 241, \dots, 259\}$, the design is generated from

$\{93, 62, 47, 114, 245\}$, $\{229, 143, 202, 152, 153\}$, $\{233, 130, 74, 57, 254\}$,
 $\{238, 96, 21, 246, 104\}$, $\{0, 2, 109, 237, 256\}$, $\{0, 7, 104, 178, 253\}$,
 $\{0, 33, 68, 115, 155\}$, $\{0, 11, 37, 116, 160\}$, $\{0, 13, 38, 58, 101\}$,
 $\{0, 19, 89, 111, 140\}$, $\{0, 14, 53, 183, 199\}$, $\{0, 4, 32, 145, 179\}$

by the mapping: $x \mapsto x+j \pmod{240}$ for $x < 240$, $x \mapsto (x+j \pmod{20})+240$ for $x \geq 240$, $0 \leq j < 240$.

44⁶20¹ With the point set $\{0, 1, \dots, 283\}$ partitioned into residue classes modulo 6 for $\{0, 1, \dots, 263\}$, and $\{264, 265, \dots, 283\}$, the design is generated from

$\{278, 238, 169, 215, 26\}$, $\{283, 105, 109, 176, 186\}$, $\{127, 122, 23, 213, 96\}$,
 $\{129, 118, 13, 271, 74\}$, $\{197, 163, 214, 195, 270\}$, $\{0, 3, 65, 79, 271\}$,
 $\{0, 16, 45, 103, 227\}$, $\{0, 15, 83, 130, 194\}$, $\{0, 8, 41, 141, 166\}$,
 $\{0, 20, 63, 113, 172\}$, $\{0, 7, 28, 135, 170\}$, $\{0, 1, 39, 119, 208\}$,
 $\{0, 9, 22, 49, 176\}$

by the mapping: $x \mapsto x+j \pmod{264}$ for $x < 264$, $x \mapsto (x+j \pmod{12})+264$ for $264 \leq x < 276$, $x \mapsto (x-276+j \pmod{8})+276$ for $x \geq 276$, $0 \leq j < 264$.

44⁶40¹ With the point set $\{0, 1, \dots, 303\}$ partitioned into residue classes modulo 6 for $\{0, 1, \dots, 263\}$, and $\{264, 265, \dots, 303\}$, the design is generated from

$\{270, 83, 205, 54, 249\}$, $\{285, 170, 21, 179, 175\}$, $\{266, 199, 261, 154, 30\}$,
 $\{264, 177, 78, 131, 31\}$, $\{6, 73, 89, 194, 166\}$, $\{108, 110, 125, 145, 28\}$,
 $\{0, 7, 75, 245, 279\}$, $\{0, 10, 71, 163, 301\}$, $\{0, 8, 31, 87, 232\}$,
 $\{0, 1, 58, 128, 131\}$, $\{0, 13, 34, 125, 213\}$, $\{0, 39, 89, 148, 272\}$,
 $\{0, 11, 25, 52, 302\}$, $\{0, 22, 65, 103, 298\}$, $\{0, 49, 123, 178, 288\}$

by the mapping: $x \mapsto x+j \pmod{264}$ for $x < 264$, $x \mapsto (x-264+5j \pmod{40})+264$ for $x \geq 264$, $0 \leq j < 264$.

44⁷8¹ With the point set $\{0, 1, \dots, 315\}$ partitioned into residue classes modulo 7 for $\{0, 1, \dots, 307\}$, and $\{308, 309, \dots, 315\}$, the design is generated from

$\{73, 46, 126, 6, 131\}$, $\{310, 73, 86, 148, 103\}$, $\{107, 55, 214, 220, 173\}$,
 $\{223, 207, 121, 113, 131\}$, $\{44, 291, 313, 21, 190\}$, $\{185, 253, 289, 0, 257\}$,
 $\{0, 11, 48, 135, 192\}$, $\{0, 9, 97, 179, 208\}$, $\{0, 12, 90, 163, 227\}$,
 $\{0, 20, 74, 134, 229\}$, $\{0, 1, 3, 25, 131\}$, $\{0, 15, 46, 187, 258\}$,
 $\{0, 34, 103, 142, 186\}$, $\{0, 26, 59, 176, 219\}$

by the mapping: $x \mapsto x+j \pmod{308}$ for $x < 308$, $x \mapsto (x-308+2j \pmod{8})+308$ for $x \geq 308$, $0 \leq j < 308$.

48⁶20¹ With the point set $\{0, 1, \dots, 307\}$ partitioned into residue classes modulo 6 for $\{0, 1, \dots, 287\}$, and $\{288, 289, \dots, 307\}$, the design is generated from

$\{304, 76, 167, 165, 210\}$, $\{140, 289, 245, 237, 226\}$, $\{224, 84, 149, 172, 301\}$,
 $\{272, 299, 125, 120, 33\}$, $\{76, 269, 110, 123, 79\}$, $\{221, 171, 301, 55, 54\}$,
 $\{0, 7, 16, 219, 278\}$, $\{0, 14, 77, 123, 178\}$, $\{0, 27, 83, 157, 208\}$,
 $\{0, 22, 93, 133, 206\}$, $\{0, 29, 64, 182, 249\}$, $\{0, 15, 115, 143, 176\}$,
 $\{0, 4, 25, 57, 251\}$, $\{0, 20, 58, 139, 209\}$

by the mapping: $x \mapsto x+j \pmod{288}$ for $x < 288$, $x \mapsto (x+j \pmod{16})+288$ for $288 \leq x < 304$, $x \mapsto (x+j \pmod{4})+304$ for $x \geq 304$, $0 \leq j < 288$.

1¹⁶9⁵ With the point set $\{0, 1, \dots, 60\}$ partitioned into residue classes modulo 5 for $\{0, 1, \dots, 44\}$, and residue classes modulo 16 for $\{45, 46, \dots, 60\}$, the design is generated from

$\{0, 14, 16, 17, 58\}$, $\{0, 1, 8, 46, 60\}$, $\{0, 11, 32, 50, 52\}$,
 $\{0, 29, 38, 45, 55\}$, $\{1, 5, 17, 23, 57\}$, $\{0, 13, 31, 44, 59\}$,
 $\{0, 26, 34, 37, 43\}$, $\{0, 2, 6, 24, 28\}$, $\{0, 3, 36, 48, 54\}$,
 $\{0, 7, 19, 49, 56\}$, $\{1, 22, 48, 51, 52\}$

by the mapping: $x \mapsto x + 3j \pmod{45}$ for $x < 45$, $x \mapsto (x + j \pmod{15}) + 45$
for $45 \leq x < 60$, $60 \mapsto 60$, $0 \leq j < 15$.

1⁴⁶5³ With the point set $\{0, 1, \dots, 60\}$ partitioned into residue classes modulo 46 for $\{0, 1, \dots, 45\}$, and residue classes modulo 3 for $\{46, 47, \dots, 60\}$, the design is generated from

$\{16, 42, 32, 13, 18\}$, $\{27, 9, 11, 24, 32\}$, $\{0, 1, 33, 37, 46\}$,
 $\{0, 9, 31, 51, 55\}$, $\{0, 6, 44, 49, 59\}$, $\{0, 17, 20, 58, 60\}$,
 $\{0, 25, 26, 45, 56\}$, $\{0, 10, 28, 34, 53\}$, $\{0, 7, 11, 41, 54\}$,
 $\{1, 13, 41, 47, 55\}$, $\{1, 8, 14, 16, 26\}$, $\{1, 23, 32, 53, 54\}$

by the mapping: $x \mapsto x + 3j \pmod{45}$ for $x < 45$, $45 \mapsto 45$, $x \mapsto (x - 46 + j \pmod{15}) + 46$ for $x \geq 46$, $0 \leq j < 15$.

4⁵8⁵ With the point set $\{0, 1, \dots, 59\}$ partitioned into residue classes modulo 5 for $\{0, 1, \dots, 39\}$, and residue classes modulo 5 for $\{40, 41, \dots, 59\}$, the design is generated from

$\{0, 2, 21, 33, 51\}$, $\{0, 1, 7, 9, 54\}$, $\{1, 5, 27, 45, 49\}$,
 $\{0, 13, 37, 44, 46\}$, $\{0, 29, 47, 53, 56\}$, $\{0, 4, 27, 28, 57\}$,
 $\{0, 3, 26, 32, 58\}$, $\{0, 18, 41, 48, 49\}$

by the mapping: $x \mapsto x + 2j \pmod{40}$ for $x < 40$, $x \mapsto (x + j \pmod{20}) + 40$
for $x \geq 40$, $0 \leq j < 20$. \square

ORCID

A. D. Forbes <https://orcid.org/0000-0003-3805-7056>

REFERENCES

- [1] A. D. Forbes, Group divisible designs with block size five, submitted.

LSBU BUSINESS SCHOOL, LONDON SOUTH BANK UNIVERSITY, 103 BOROUGH ROAD,
LONDON SE1 0AA, UK.

Email address: anthony.d.forbes@gmail.com