

Niimpy: a toolbox for behavioral data analysis

A. Ikäheimonen, A.M. Triana, N. Luong, A. Ziaei, J. Rantaharju, R. Darst,
T. Aledavood

*Department of Computer Science, Aalto university, Tietotekniikan laitos, P.O.Box
15400, FI-00076 AALTO*

Abstract

Behavioral studies using personal digital devices typically produce rich longitudinal datasets of mixed data types. These data provide information about the behavior of users of these devices in real-time and in the users' natural environments. Analyzing the data requires multidisciplinary expertise and dedicated software. Currently, no generalizable, device-agnostic, freely available software exists within Python scientific computing ecosystem to preprocess and analyze such data. This paper introduces a Python package, Niimpy, for analyzing digital behavioral data. The Niimpy toolbox is a user-friendly open-source package that can quickly be expanded and adapted to specific research requirements. The toolbox facilitates the analysis phase by offering tools for preprocessing, extracting features, and exploring the data. It also aims to educate the user on behavioral data analysis and promotes open science practices. Over time, Niimpy will expand with extra data analysis features developed by the core group, new users, and developers. Niimpy can help the fast-growing number of researchers with diverse backgrounds who collect data from personal and consumer digital devices to systematically and efficiently analyze the data and extract useful information. This novel information is vital for answering research questions in various fields, from medicine to psychology, sociology, and others.

Keywords: Digital behavioral studies, Data analysis, Analysis toolbox

1. Motivation and significance

Digital behavioral studies aim to quantify human behavior continuously in natural living environments using data from personal digital devices (e.g., smartphones and fitness trackers) and online social media platforms the user interacts with [1, 2, 3]. Recently, there has been an increasing scientific interest in digital behavioral studies for unobtrusive human behavior monitoring [4, 5, 6, 7].

Typically, digital behavioral studies produce large, heterogeneous, rich data sets of mixed data types. Multiple stages are required to go from the data produced within such studies to meaningful and useful information. A typical digital behavioral study analysis workflow consists of data collection, storage, and analysis phases. Figure 1 expands on the details. Data preprocessing and feature extraction are crucial tasks for analyzing the data, yet they often have to be re-implemented for each study. Recycling the implemented tools is challenging due to differences in data types and structures across projects. The lack of established data analysis methods and reusable open-source software form significant barriers for new research [8, 9, 10]. Additionally, the lack of reusable methods leads to study results that are not necessarily reproducible and comparable.




Figure 1: Schematic of a typical digital behavioral study workflow. Generally, individuals or groups volunteer to gather data. The data streams are collected via devices that use different sensors. The data streams are then stored locally or in the cloud. Next, the data is ready to be analyzed. Niimpy provides tools for this analysis phase via four layers (highlighted in dark gray). Users can (i) read the data and then opt to (ii) preprocess or (iii) explore them. While in these layers, users can switch from preprocessing to exploration as needed and once they are ready, start the (iv) analysis via Niimpy to obtain the requested results.

The existing software solutions for digital behavioral studies can be categorized by the functionality into three categories: 1) data collection platforms (such as AWARE [11] and BEIWE [12]), 2) data analysis frameworks (e.g., Forest [13] and Rapids [8]), and 3) platforms dedicated for study participants and clinicians (e.g., The Digital Biomarker Discovery Pipeline (DBDP) [9], HOPES [14]). Some solutions focus on certain functionality, while some encompass all three. Among the data analysis frameworks, existing software comes with various limitations; the software may not contain a complete suite for data analysis, may be outdated, not actively developed or maintained, tied to some specific data collection platform or device, or is not openly available for researchers.

To address these problems, we propose Niimpy: a toolbox for behavioral data analysis. Niimpy is a user-friendly, open-source Python package. It can quickly expand and adapt to specific research questions and workflows and integrates seamlessly into the existing Python scientific computing ecosystem. Niimpy is accompanied by comprehensive documentation and examples using real data, facilitating the implementation of the toolbox. The toolbox is not an out-of-the-box software solution but offers a base framework requiring some programming knowledge to use it.

2. Software description

The Niimpy toolbox is a Python package dedicated to rich multi-sensor longitudinal behavioral data analysis. Niimpy can preprocess raw sensor (e.g., GPS coordinates) data or work on predefined data summaries (e.g., daily step count). It is designed for small to moderate-sized (order of thousands of participants) studies. Niimpy is built around Pandas [15] and other Scientific Python stack [16] libraries. The toolbox requires basic Python programming knowledge. Niimpy comes with comprehensive example notebooks which serve as boilerplate templates for users.

2.1. Design philosophy

Niimpy provides basic behavioral data analysis operations and is a starting point for implementing new analyses. As a single software tool cannot provide everything required for every type of analysis, Niimpy makes it easy to customize analyses while building on existing work.

Niimpy can serve as a framework for other tools, and many new straightforward analysis functions are implemented directly in Niimpy. If these add-on analysis functions are generalizable and reusable, we encourage the user to incorporate those into Niimpy. A standard data schema facilitates generalizability, guides data structures, and promotes overall reusability. As part of Niimpy, these are Pandas dataframes and specific standard column names and data types.

Finally, Niimpy uses existing tools as much as possible. The SciPy ecosystem [16] provides a wide variety of data processing tools, which are used directly. For example, a significant part of data preprocessing can be done using standard Pandas operations, and shortcut functions are not created for this. Instead, shortcuts are created when they can significantly reduce the user's cognitive load or increase the code's readability. Reusing these standard components allows others to begin using Niimpy more quickly and apply the skills learned in Niimpy to other projects.

2.2. Software architecture

The Niimpy software architecture is divided into distinct functional layers; 1) reading, 2) preprocessing, 3) exploration, and 4) analysis. Table 3 expands on these details.

2.2.1. Data reading

The reading layer imports the data from files or other sources, converting the input data to Pandas dataframes with a standard format and doing some minimal data type standardization. Niimpy provides importer functions for CSV and sqlite3 databases; however, in many cases, the user will load and convert data to dataframe format themselves. Niimpy requires data to follow a predefined schema. The schema expects data to be in a tabular (relational) format where a row represents an observation, and columns are properties of observations. This layer is not concerned with the type of sensor or sensor-specific data schemas.

2.2.2. Data preprocessing

The preprocessing layer is for data cleaning, filtering, transformation, encoding, and feature extraction. The main focus is on feature extraction functions, while we recommend using existing Python functions for preprocessing when possible. Some preprocessing functions are sensor or device-specific (e.g., Polar tracker feature extraction functions), while some apply generally (e.g., location data feature extraction). Preprocessing functions take in Pandas dataframes and return dataframes and may also require specified column names. Niimpy provides a set of ready-made features for each sensor. Users can extract all the features by default or select the desired ones. Furthermore, users may implement their preprocessing functions.

Currently supported sensors and data streams include the Polar fitness tracker, Android and iOS mobile phone sensors (application data, audio, battery, communication, screen), and device agnostic location and survey streams. For details, refer to appendix table 4.

2.2.3. Data exploration

The exploration layer produces visual summaries of data and assesses the data quality (e.g., missing data, outliers). The module includes functions for plotting categorical data counts and distributions, individual and group-wise observation counts, time series line plots for visualizing trends, cyclicity and anomalies, punchcard charts for comprehensive surveys, and visualizing missing data. All the functions are implemented using Plotly Python Open Source Library [17]. Plotly enables interactive inspection of different aspects

of the data (e.g., specific time range). For more details about exploration module functions, refer to appendix table 5.

2.2.4. Data analysis

The analysis layer has functions for modeling data and statistical inference. The models and inference are applied to the data to identify relationships (e.g., correlation and association) among the features. This layer will be continuously expanded in the future.

2.3. Unit tests

A set of unit tests accompanies each Niimpy module to ensure it works as intended. The general guideline is to have unit tests for each function with which the toolbox users interact. The toolbox comes with synthetically created and openly available sample data sets for unit tests. More details about the sample data are found on the GitHub repository [18]. Currently, the code test coverage is above 85%.

2.4. Expanding the toolbox

Niimpy can serve as a base to develop new analysis methods by leveraging the lower functional layers. The toolbox is intended to be expanded according to different research needs. We encourage users to contribute reusable and well-generalizable functions, which are accompanied by test functions to the toolbox. The toolbox structure is fully modular; therefore, adding a new feature is straightforward. New features should be added via GitHub pull requests, following the instructions provided in the project code repository. The instructions include required data schema, basic design guidelines, unit test requirements, instructions for documentation and demonstrative notebooks, and instructions for adding example datasets.

3. Illustrative Examples

This section provides an illustrative example of extracting location features from GPS data. The features carry useful information for analyzing people’s behavioral patterns and changes in their behavior. The example uses a subset of the StudentLife dataset [19], containing GPS coordinates for one study participant. Figure 2 represents a set of extracted location features from the above example. For more examples, refer to Niimpy’s documentation [18].

```

import niimpy
import niimpy.preprocessing.location as nilo
data = niimpy.read_csv(niimpy.sampledata.LOCATION_
FILE,tz='et')
binned_data = niimpy.util.aggregate(data,freq='5T',
method_numerical='median')
binned_data = binned_data.reset_index(0).dropna()
all_features = nilo.extract_features_location(
binned_data)

```

» import the modules
 » load the data
 » resample data in 5-min intervals using the median
 » reset the dataframe index and remove NaNs
 » extract all features related to distance movement and significant visited places




Figure 2: Niimpy usage example: a code example is given to illustrate a Niimpy use case. Here, each line serves to import the modules, prepare the data, and extract the desired features from a GPS data example. Different Niimpy layers are used in this example. First, the data is loaded (reading layer), and then the data is preprocessed (preprocessing layer) and visualized (exploration layer) to understand the movement patterns of a study participant. The figure implies that during weeks 6 and 7, the person has traveled more than during the other weeks.

4. Impact

Quantifying digital behavioral data yields information about the study participants' behavioral patterns, changes in patterns, and differences between groups. This information is beneficial for predicting future changes in a person's well-being or clinical conditions. It may also yield new insights into theoretical models of human behavior. However, the key to producing reliable and validated results is to be able to run similar studies in different places and different populations. The studies need to be reproducible, both in terms of study protocols as well as data analysis. Niimpy can facilitate this by making the data analysis workflow consistent from one study to another and making the data analysis more accessible for a wider group of researchers. The resulting information can be used for well-being applications encouraging improved health behavior or may help develop novel, efficient healthcare solutions.

The Niimpy toolbox helps researchers to analyze digital behavioral data. For this data, preprocessing and feature extraction are critical tasks and have the highest barrier to entry in the analysis. Thus, preprocessing functionalities are the most prominent feature of the toolbox, setting it apart from other data analysis software tools. Niimpy provides tools and comprehensive examples of how to conduct the analysis.

Niimpy's development was motivated by the needs of the Mobile Monitoring of Mood (MoMo-Mood) pilot [20] and the main study, which collected various types of data from different devices and different groups of patients with mental disorders as well as a control group. The toolbox is actively used for these and other similar studies and is consciously extended. In the future, we will continue to develop actively and add new features to the toolbox. While analyzing data sets acquired from existing and new digital behavior studies, we will incorporate a layer for analysis functions into the toolbox. Further, the toolbox is planned to be used for educational purposes in courses and workshops covering the topic of *digital health and human behavior* at Aalto University, Finland, and possibly internationally in the future.

5. Conclusion

We have released a Python package, Niimpy toolbox, for digital behavioral data analysis. The toolbox is intended for data scientists and provides data loading, preprocessing, feature extraction, and visualization tools. Niimpy includes comprehensive documentation and examples covering toolbox functionality and educating the user about digital behavioral studies. The toolbox contributes to the scientific community by facilitating digital behavioral data preprocessing and analysis. Niimpy offers an adaptable data analysis framework enabling replicable and transparent results. As the toolbox is still under development, more advanced analysis features will be incorporated into it in the future. Our work aims to promote open science; thus, we encourage researchers to adopt the toolbox and contribute to it with new analysis features.

Acknowledgements

We thank professor Jari Saramäki for providing valuable feedback. We also thank Aalto Science-IT for providing computational resources and Aalto Research Software Engineers for their support. We thank Anna Hakala for their help with the project in its early stages. TA acknowledges the support of professor Erkki Isometsä and her other collaborators in the MoMo-Mood project, which has motivated the creation of the Niimpy toolbox.

References

- [1] L. A. Marsch, Digital health data-driven approaches to understand human behavior, *Neuropsychopharmacology* 46 (1) (2021) 191–196, number: 1 Publisher: Nature Publishing Group. doi:10.1038/s41386-020-0761-5.
URL <https://www.nature.com/articles/s41386-020-0761-5>
- [2] J.-P. Onnela, Opportunities and challenges in the collection and analysis of digital phenotyping data, *Neuropsychopharmacology* 46 (1) (2021) 45–54, number: 1 Publisher: Nature Publishing Group. doi:10.1038/s41386-020-0771-3.
URL <https://www.nature.com/articles/s41386-020-0771-3>
- [3] T. R. Insel, Digital Phenotyping: Technology for a New Science of Behavior, *JAMA* 318 (13) (2017) 1215–1216. doi:10.1001/jama.2017.11295.
URL <https://doi.org/10.1001/jama.2017.11295>
- [4] I. Barnett, J. Torous, P. Staples, L. Sandoval, M. Keshavan, J.-P. Onnela, Relapse prediction in schizophrenia through digital phenotyping: a pilot study, *Neuropsychopharmacology* 43 (8) (2018) 1660–1666, number: 8 Publisher: Nature Publishing Group. doi:10.1038/s41386-018-0030-z.
URL <https://www.nature.com/articles/s41386-018-0030-z>
- [5] J. F. Huckins, A. W. daSilva, W. Wang, E. Hedlund, C. Rogers, S. K. Nepal, J. Wu, M. Obuchi, E. I. Murphy, M. L. Meyer, D. D. Wagner, P. E. Holtzheimer, A. T. Campbell, Mental Health and Behavior of College Students During the Early Phases of the COVID-19 Pandemic: Longitudinal Smartphone and Ecological Momentary Assessment Study, *Journal of Medical Internet Research* 22 (6) (2020) e20185, company: Journal of Medical Internet Research Distributor: Journal of Medical Internet Research Institution: Journal of Medical Internet Research Label: Journal of Medical Internet Research Publisher: JMIR Publications Inc., Toronto, Canada. doi:10.2196/20185.
URL <https://www.jmir.org/2020/6/e20185>
- [6] S. Berrouiguet, D. Ramírez, M. L. Barrigón, P. Moreno-Muñoz, R. Carmona Camacho, E. Baca-García, A. Artés-Rodríguez, Combining continuous smartphone native sensors data capture and unsupervised data mining techniques for behavioral changes detection: A case series of the evidence-based behavior (eb2) study, *JMIR Mhealth Uhealth* 6 (12)

- (2018) e197. doi:10.2196/mhealth.9472.
URL <https://doi.org/10.2196/mhealth.9472>
- [7] T. Aledavood, A. M. T. Hoyos, T. Alakörkkö, K. Kaski, J. Saramäki, E. Isometsä, R. K. Darst, Data collection for mental health studies through digital platforms: requirements and design of a prototype, *JMIR research protocols* 6 (6) (2017) e110, publisher: JMIR Publications Inc., Toronto, Canada.
- [8] J. Vega, M. Li, K. Aguilera, N. Goel, E. Joshi, K. Khandekar, K. C. Durica, A. R. Kunta, C. A. Low, Reproducible Analysis Pipeline for Data Streams: Open-Source Software to Process Data Collected With Mobile Devices, *Frontiers in Digital Health* 3 (2021).
URL <https://www.frontiersin.org/article/10.3389/fdgth.2021.769823>
- [9] B. Bent, K. Wang, E. Grzesiak, C. Jiang, Y. Qi, Y. Jiang, P. Cho, K. Zingler, F. I. Ogbeide, A. Zhao, R. Runge, I. Sim, J. Dunn, The digital biomarker discovery pipeline: An open-source software platform for the development of digital biomarkers using mHealth and wearables data, *Journal of Clinical and Translational Science* 5 (1), publisher: Cambridge University Press (2021). doi:10.1017/cts.2020.511.
URL <https://www.cambridge.org/core/journals/journal-of-clinical-and-translational-science/article/digital-biomarker-discovery-pipeline-an-opensource-software-platform-for-the-development-of-digital-biomarkers-using-mhealth-and-wearables-data/A6696CEF138247077B470F4800090E63>
- [10] J.-P. Onnela, C. Dixon, K. Griffin, T. Jaenicke, L. Minowada, S. Esterkin, A. Siu, J. Zagorsky, E. Jones, Beiwe: A data collection platform for high-throughput digital phenotyping, *Journal of Open Source Software* 6 (68) (2021) 3417. doi:10.21105/joss.03417.
URL <https://joss.theoj.org/papers/10.21105/joss.03417>
- [11] D. Ferreira, V. Kostakos, A. K. Dey, AWARE: Mobile Context Instrumentation Framework, *Frontiers in ICT* 2 (2015).
URL <https://www.frontiersin.org/article/10.3389/fict.2015.00006>
- [12] J. Torous, M. V. Kiang, J. Lorme, J.-P. Onnela, New tools for new research in psychiatry: a scalable and customizable platform to empower data driven smartphone research, *JMIR mental health* 3 (2) (2016) e16, publisher: JMIR Publications Inc., Toronto, Canada.

- [13] Forest 0.1.1 documentation, accessed: 2022-06-09 (2022).
URL <https://forest.beiwe.org/en/latest/>
- [14] X. Wang, N. Vouk, C. Heaukulani, T. Buddhika, W. Martanto, J. Lee, R. J. Morris, HOPES: An Integrative Digital Phenotyping Platform for Data Collection, Monitoring, and Machine Learning, *Journal of Medical Internet Research* 23 (3) (2021) e23984, company: Journal of Medical Internet Research Distributor: Journal of Medical Internet Research Institution: Journal of Medical Internet Research Label: Journal of Medical Internet Research Publisher: JMIR Publications Inc., Toronto, Canada. doi:10.2196/23984.
URL <https://www.jmir.org/2021/3/e23984>
- [15] T. p. d. team, pandas-dev/pandas: Pandas (Feb. 2020). doi:10.5281/zenodo.3509134.
URL <https://doi.org/10.5281/zenodo.3509134>
- [16] P. Virtanen, R. Gommers, T. E. Oliphant, M. Haberland, T. Reddy, D. Cournapeau, E. Burovski, P. Peterson, W. Weckesser, J. Bright, S. J. van der Walt, M. Brett, J. Wilson, K. J. Millman, N. Mayorov, A. R. J. Nelson, E. Jones, R. Kern, E. Larson, C. J. Carey, Í. Polat, Y. Feng, E. W. Moore, J. VanderPlas, D. Laxalde, J. Perktold, R. Cimrman, I. Henriksen, E. A. Quintero, C. R. Harris, A. M. Archibald, A. H. Ribeiro, F. Pedregosa, P. van Mulbregt, SciPy 1.0 Contributors, SciPy 1.0: Fundamental Algorithms for Scientific Computing in Python, *Nature Methods* 17 (2020) 261–272. doi:10.1038/s41592-019-0686-2.
- [17] P. T. Inc, Collaborative data science, place: Montreal, QC Publisher: Plotly Technologies Inc. (2015).
URL <https://plot.ly>
- [18] Niimpy: behavioral data analysis — Niimpy dev documentation, accessed: 2022-06-21 (2022).
URL <https://niimpy.readthedocs.io/en/latest/>
- [19] StudentLife Dataset, publication Title: StudentLife Dataset (2021).
URL <https://studentlife.cs.dartmouth.edu/dataset.html>
- [20] A. M. Triana, A. Martikkala, I. Baryshnikov, R. Heikkilä, T. Alakörkkö, R. K. Darst, J. Ekelund, E. Isometsä, T. Aledavood, Mobile Monitoring of Mood (MoMo-Mood) Pilot: A Longitudinal, Multi-Sensor Digital Phenotyping Study of Patients with Major Depressive Disorder and Healthy Controls, preprint, *Health Informatics* (Nov. 2020).

doi:10.1101/2020.11.02.20222919.

URL <http://medrxiv.org/lookup/doi/10.1101/2020.11.02.20222919>

Required Metadata

Current code version

Nr.	Code metadata description	Please fill in this column
C1	Current code version	1.0
C2	Permanent link to code/repository used for this code version	https://github.com/digitrace-slab/niimp
C3	Permanent link to Reproducible Capsule	–
C4	Legal Code License	MIT licence
C5	Code versioning system used	Git
C6	Software code languages, tools, and services used	Python
C7	Compilation requirements, operating environments & dependencies	https://github.com/digitrace-slab/niimp/blob/master/requirements-dev.txt
C8	If available Link to developer documentation/manual	https://niimp.readthedocs.io/en/latest/
C9	Support email for questions	talayeh.aledavood@aalto.fi

Table 1: Code metadata(mandatory)

Current executable software version

Nr.	(Executable) software meta-data description	Please fill in this column
S1	Current software version	1.0
S2	Permanent link to executables of this version	https://pypi.org/project/niimp/
S3	Permanent link to Reproducible Capsule	–
S4	Legal Software License	MIT License
S5	Computing platforms/Operating Systems	Any capable of running Python
S6	Installation requirements & dependencies	Python and SciPy stack packages
S7	If available, link to user manual - if formally published include a reference to the publication in the reference list	https://niimp.readthedocs.io/
S8	Support email for questions	talayeh.aledavood@aalto.fi

Table 2: Software metadata (optional)

6. Appendix

6.1. Toolbox layers by functionality

Layer Name	Functionality
Reading	Read data from stream or database into a dataframe
Preprocessing	Cleaning, encoding, feature extraction, integration, normalization, reduction, transformation
Exploration	Summary statistics, data visualization, data quality assessment
Analysis	Data modeling, statistical inference

Table 3: Layer functionality summary. For detailed reference, see Niimpy documentation [18].

6.2. Toolbox preprocessing features

Sub-module	Device	Features
Fitness tracker	Polar device / Polar API v3	Daily step count: mean, mean standard deviation, min, max, distribution per hour
Audio	Aware	<i>Time window based features:</i> count silent, count speech, count loud, min freq, max freq, mean freq, median freq, std freq, min db, max db, mean db, median db, std db
Application	Aware / Device Agnostics	Count, duration
Battery	Aware	shutdown event timestamp, datapoint occurrence, datapoint gaps, battery charge difference
Communication	Aware / Device Agnostics	total call duration, mean call duration, median call duration, call duration std, call count, outgoing incoming call ratio, sms count
Location	Device Agnostic	<i>Distance based features:</i> total distance, variance, log variance, average speed, speed variance, max speed, location bin count. <i>Significant place related features:</i> static point count, moving point count, static bin count, max distance from home, number of significant places, number of rarely visited places, number of transitios between significant places, bin count in the top1, top2, top3, top4, and top5 cluster, normalized entropy.
Screen	Aware	screen off timestamp, screen event count, screen event duration, min screen event duration, max screen event duration, median screen event duration, mean screen event duration, screen event duration std, screen first unlock timestamp
Survey	Device Agnostic	Survey score summation: min, max, mean*, std* (*: for applicable data)

Table 4: Preprocessing sub-module feature summary table. For detailed reference, see Niimpy documentation [18].

6.3. Exploration module description

Sub-module	Data Type	Visualization type	Usage
Categorical plot	Categorical	Barplot	Observation counts and distributions
Count plot	Categorical* / Numerical	Barplot / Boxplot	Observation counts and distributions
Lineplot	Numerical	Lineplot	Trend, cyclicity, patterns
Punchcard	Categorical* / Numerical	Heatmap	Temporal patterns of counts or values
Missingness	Categorical* / Numerical	Barplot / Heatmap	Missing data patterns

Table 5: Exploration module function summary. For detailed reference, see Niimpy documentation [18].