

Magnetic isotope effects: a potential testing ground for quantum biology

Hadi Zadeh-Haghighi^{1,2,3,*} and Christoph Simon^{1,2,3,*}

¹Department of Physics and Astronomy, University of Calgary, Calgary, AB, T2N 1N4, Canada

²Institute for Quantum Science and Technology, University of Calgary, Calgary, AB, T2N 1N4, Canada

³Hotchkiss Brain Institute, University of Calgary, Calgary, AB, T2N 1N4, Canada

*hadi.zadehhaghighi@ucalgary.ca & csimo@ucalgary.ca

ABSTRACT

One possible explanation for magnetosensing in biology, such as avian magnetoreception, is based on the spin dynamics of certain chemical reactions that involve radical pairs. Radical pairs have been suggested to also play a role in anesthesia, hyperactivity, neurogenesis, circadian clock rhythm, microtubule assembly, etc. It thus seems critical to probe the credibility of such models. One way to do so is through isotope effects with different nuclear spins. Here we briefly review the papers involving spin-related isotope effects in biology. We suggest studying isotope effects can be an interesting avenue for quantum biology.

Keywords: *magnetic isotope effects in biology, radical pair mechanism, quantum spin, spin chemistry*

In atoms, the number of protons determines the element (e.g. carbon, oxygen, etc.), and the number of neutrons determines the isotope of the desired element. It has been observed that different isotopes of the element in certain chemical reactions can influence the outcomes differently. This has been shown in many chemical reactions^{1–8} including biological systems^{9–14}. Not only do different isotopes of an element have different masses, but they can also possess different spin angular momentum, which has a magnetic property. Thus, one can consider isotope effects in (bio)chemical reactions from two distinct points of view: mass- and spin-dependency.

Isotope effects have been reported for numerous (bio)chemical reactions^{13–22}. Sechzer and et al. observed that administering different lithium isotopes resulted in different parenting behaviors and potentially delayed offspring development in rats²³. In 2020, Ettenberg co-workers²⁴ reported that lithium isotope effect on rat's hyperactivity, where ⁶Li produced a longer suppression of hyperactivity in an animal model of mania compared to ⁷Li. Buchachenko et al. reported that ATP production was more than twofold in the presence of ²⁵Mg compared to ²⁴Mg. They suggested that the different nuclear spin of these isotopes was the key to these observations. The same group, in multiple studies, also observed that ²⁵Mg reduced enzymatic activity in DNA synthesis compared to ²⁴Mg, where the rate of DNA synthesis was suggested to be magnetic field-dependent^{25–27}. They also observed isotope effects by replacing magnesium with calcium and zinc ions^{28,29}. Li et al. observed that different xenon isotopes induced anesthesia in mice differently. In that experiment, four different xenon isotopes were used, ¹²⁹Xe, ¹³¹Xe, ¹³²Xe, and ¹³⁴Xe with nuclear spins of 1/2, 3/2, 0, and 0, respectively³⁰. They reported that isotopes of xenon with non-zero nuclear spin had lower anesthetic potency than isotopes without nuclear spin.

The first mass-independent isotope effect was detected by Buchachenko and co-workers in 1976³¹, in which applied magnetic fields discriminated isotope effects by their nuclear spins and nuclear magnetic moments. Since then, the term "magnetic isotope effect" was introduced for such phenomena as they are

controlled by electron-nuclear hyperfine coupling in the paramagnetic species.

The sensitivity of biological systems to weak magnetic fields is an intriguing phenomenon³², yet incompletely understood. It is challenging to understand because the corresponding energies for such low fields are far smaller than the energies for thermal fluctuations and motions. So from a classical point of view, these effects should be washed out. But that is not the case.

One possible explanation for such effects is based on the spin dynamics of naturally occurring radical pairs, namely the radical pair mechanism³³. Spin has a magnetic property, and thus for every spin, any surrounding magnetic field from either other spins or applied magnetic field influences its state. On the other hand, spin states can determine which chemical reactions are possible, providing a mechanism for magnetic fields to influence chemical reaction products. A considerable amount of studies suggest that isotope effects in biology can be due to the spin dynamics of radical pairs in biochemical reactions.

In the context of avian magnetoreception³⁴, it was suggested that substituting $^{17}\text{O}_2$ for $^{16}\text{O}_2$ would strongly attenuate magnetosensing and also accelerate the generation of the fully oxidized state of flavin adenine dinucleotide (FAD^{ox})³⁵. Recent studies have proposed that radical pair models help explain isotope effects in xenon anesthesia³⁶ and lithium treatment for hyperactivity³⁷. In these models, it is proposed that anesthesia and hyperactivity involve spin-selective electron transfer, and different isotopes of xenon and lithium influence the electron transfer process differently due to the hyperfine interaction between the xenon or lithium nuclear spin and the electron spin of the radicals, and hence possess different potency. Based on similar models, it has also been suggested that isotope effects can be tested in the role of superoxide in neurogenesis³⁸, the effect of lithium on the circadian clock³⁹, and the effect of zinc on microtubule assembly⁴⁰.

It is also worth mentioning that non-mass-dependent effects or mass-independent fractionation in isotope effects have been observed with oxygen, sulfur, mercury, lead, and thallium^{41–46}, which are based on non-magnetic mechanisms. However, it is reported that biomolecules susceptible to oxidation by reactive oxygen species (ROS) can be protected using heavier isotopes such as ^2H (D, deuterium) and ^{13}C (carbon-13)⁴⁷. Moreover, in numerous studies, magnetic field effects in biology are accompanied by modulation in the ROS levels³². This suggests radical pairs might be involved in such ROS-related effects.

Exploring isotope effects may thus be a potential avenue to probe the radical pair mechanism hypothesis and ultimately to see whether Nature harnesses quantum physics in biology. We hope that this short article will encourage experimental experts in the field of quantum biology to test isotope effects. Furthermore, this could pave new paths for discovering new medicine and treatments.

Acknowledgment

The authors would like to thank Michael Wieser for his valuable input. This work was supported by NSERC Discovery Grant RGPIN-2020-03945 and National Research Council CSTIP Grant QSP 022.

References

1. Bigeleisen, J. Chemistry of isotopes. *Science* **147**, 463–471, DOI: [10.1126/science.147.3657.463](https://doi.org/10.1126/science.147.3657.463) (1965).
2. Zel'dovich, Y. B., Buchachenko, A. L. & Frankevich, E. L. Magnetic-spin effects in chemistry and molecular physics. *Sov. Phys. Uspekhi* **31**, 385–408, DOI: [10.1070/pu1988v031n05abeh003544](https://doi.org/10.1070/pu1988v031n05abeh003544) (1988).

3. Wolfsberg, M., Hook, W. A., Paneth, P. & Rebelo, L. P. N. *Isotope Effects* (Springer Netherlands, 2009).
4. Faure, G. *Principles of isotope geology* (John Wiley and Sons, Inc., New York, NY, 1977).
5. Hoefs, J. & Hoefs, J. *Stable isotope geochemistry*, vol. 285 (Springer, 2009).
6. Fry, B. *Stable isotope ecology*, vol. 521 (Springer, 2006).
7. Van Hook, W. A. Isotope effects in chemistry. *Nukleonika* **56**, 217–240 (2011).
8. Buchachenko, A. L. Magnetic isotope effect: nuclear spin control of chemical reactions. *The J. Phys. Chem. A* **105**, 9995–10011, DOI: [10.1021/jp011261d](https://doi.org/10.1021/jp011261d) (2001).
9. Cook, P. F. *Enzyme mechanism from isotope effects* (Crc Press, 1991).
10. Grissom, C. B. Magnetic field effects in biology: A survey of possible mechanisms with emphasis on radical-pair recombination. *Chem. Rev.* **95**, 3–24, DOI: [10.1021/cr00033a001](https://doi.org/10.1021/cr00033a001) (1995).
11. Kohen, A. & Limbach, H.-H. *Isotope effects in chemistry and biology* (cRc Press, 2005).
12. Buchachenko, A. *Magnetic isotope effect in chemistry and biochemistry* (Nova Science Publishers New York, 2009).
13. Buchachenko, A. L., Kuznetsov, D. A. & Breslavskaya, N. N. Chemistry of enzymatic ATP synthesis: An insight through the isotope window. *Chem. Rev.* **112**, 2042–2058, DOI: [10.1021/cr200142a](https://doi.org/10.1021/cr200142a) (2012).
14. Koltover, V. K. Nuclear spin catalysis in biochemical physics. *Russ. Chem. Bull.* **70**, 1633–1639, DOI: [10.1007/s11172-021-3264-6](https://doi.org/10.1007/s11172-021-3264-6) (2021).
15. Buchachenko, A. L. Mass-independent isotope effects. *The J. Phys. Chem. B* **117**, 2231–2238, DOI: [10.1021/jp308727w](https://doi.org/10.1021/jp308727w) (2013).
16. Buchachenko, A. L. Magnetic field-dependent molecular and chemical processes in biochemistry, genetics and medicine. *Russ. Chem. Rev.* **83**, 1–12, DOI: [10.1070/rc2014v083n01abeh004335](https://doi.org/10.1070/rc2014v083n01abeh004335) (2014).
17. Buchachenko, A. L. Magnetic control of enzymatic phosphorylation. *J. Phys. Chem. & Biophys.* **2**, DOI: [10.4172/2161-0398.1000142](https://doi.org/10.4172/2161-0398.1000142) (2014).
18. Bukhvostov, A., Napolov, J., Buchachenko, A. & Kuznetsov, D. A new platform for anti-cancer experimental pharmacology: the dna repair enzyme affected. *Brit J Pharmacol Toxicol* **5**, 35–41 (2014).
19. Buchachenko, A., Bukhvostov, A., Ermakov, K. & Kuznetsov, D. Nuclear spin selectivity in enzymatic catalysis: A caution for applied biophysics. *Arch. Biochem. Biophys.* **667**, 30–35, DOI: [10.1016/j.abb.2019.04.005](https://doi.org/10.1016/j.abb.2019.04.005) (2019).
20. Arkhangelskaya, E. Y., Vorobyeva, N. Y., Leonov, S. V., Osipov, A. N. & Buchachenko, A. L. Magnetic isotope effect on the repair of radiation-induced DNA damage. *Russ. J. Phys. Chem. B* **14**, 314–317, DOI: [10.1134/s1990793120020177](https://doi.org/10.1134/s1990793120020177) (2020).
21. Buchachenko, A. L., Bukhvostov, A. A., Ermakov, K. V. & Kuznetsov, D. A. A specific role of magnetic isotopes in biological and ecological systems. physics and biophysics beyond. *Prog. Biophys. Mol. Biol.* **155**, 1–19, DOI: [10.1016/j.pbiomolbio.2020.02.007](https://doi.org/10.1016/j.pbiomolbio.2020.02.007) (2020).
22. Letuta, U. G. Magnesium magnetic isotope effects in microbiology. *Arch. Microbiol.* **203**, 1853–1861, DOI: [10.1007/s00203-021-02219-4](https://doi.org/10.1007/s00203-021-02219-4) (2021).

23. Sechzer, J. A., Lieberman, K. W., Alexander, G. J., Weidman, D. & Stokes, P. E. Aberrant parenting and delayed offspring development in rats exposed to lithium. *Biol. Psychiatry* **21**, 1258–1266, DOI: [10.1016/0006-3223\(86\)90308-2](https://doi.org/10.1016/0006-3223(86)90308-2) (1986).
24. Ettenberg, A. *et al.* Differential effects of lithium isotopes in a ketamine-induced hyperactivity model of mania. *Pharmacol. Biochem. Behav.* **190**, 172875, DOI: [10.1016/j.pbb.2020.172875](https://doi.org/10.1016/j.pbb.2020.172875) (2020).
25. Buchachenko, A. L., Orlov, A. P., Kuznetsov, D. A. & Breslavskaya, N. N. Magnetic control of the DNA synthesis. *Chem. Phys. Lett.* **586**, 138–142, DOI: [10.1016/j.cplett.2013.07.056](https://doi.org/10.1016/j.cplett.2013.07.056) (2013).
26. Buchachenko, A. L., Orlov, A. P., Kuznetsov, D. A. & Breslavskaya, N. N. Magnetic isotope and magnetic field effects on the DNA synthesis. *Nucleic Acids Res.* **41**, 8300–8307, DOI: [10.1093/nar/gkt537](https://doi.org/10.1093/nar/gkt537) (2013).
27. Stovbun, S. V. *et al.* Magnetic field and nuclear spin influence on the DNA synthesis rate. *Sci. Reports* **13**, DOI: [10.1038/s41598-022-26744-4](https://doi.org/10.1038/s41598-022-26744-4) (2023).
28. Bukhvostov, A. A., Shatalov, O. A., Buchachenko, A. L. & Kuznetsov, D. A. $^{43}\text{Ca}^{2+}$ -paramagnetic impact on dna polymerase beta function as it relates to a molecular pharmacology of leukemias. *Der Pharm. Lettre* **5**, 18–26 (2013).
29. Buchachenko, A. L., Chekhonin, V. P., Orlov, A. P. & Kuznetsov, D. A. Zinc-related magnetic isotope effect in the enzymatic ATP synthesis: A medicinal potential of the nuclear spin selectivity phenomena. *Int. J. Mol. Medicine Adv. Sci.* **6**, 34–37, DOI: [10.3923/ijmmas.2010.34.37](https://doi.org/10.3923/ijmmas.2010.34.37) (2010).
30. Li, N. *et al.* Nuclear spin attenuates the anesthetic potency of xenon isotopes in mice. *Anesthesiology* **129**, 271–277, DOI: [10.1097/aln.0000000000002226](https://doi.org/10.1097/aln.0000000000002226) (2018).
31. Buchachenko, A., Galimov, E., Ershov, V., Nikiforov, G. & Pershin, A. Isotopic enrichment induced by magnetic-interactions in chemical-reactions. *Doklady Akademii Nauk Sssr* **228**, 379–381 (1976).
32. Zadeh-Haghighi, H. & Simon, C. Magnetic field effects in biology from the perspective of the radical pair mechanism. *J. The Royal Soc. Interface* **19**, DOI: [10.1098/rsif.2022.0325](https://doi.org/10.1098/rsif.2022.0325) (2022).
33. Hore, P. J. & Mouritsen, H. The radical-pair mechanism of magnetoreception. *Annu. Rev. Biophys.* **45**, 299–344, DOI: [10.1146/annurev-biophys-032116-094545](https://doi.org/10.1146/annurev-biophys-032116-094545) (2016).
34. Xu, J. *et al.* Magnetic sensitivity of cryptochrome 4 from a migratory songbird. *Nature* **594**, 535–540, DOI: [10.1038/s41586-021-03618-9](https://doi.org/10.1038/s41586-021-03618-9) (2021).
35. Player, T. C. & Hore, P. J. Viability of superoxide-containing radical pairs as magnetoreceptors. *The J. Chem. Phys.* **151**, 225101, DOI: [10.1063/1.5129608](https://doi.org/10.1063/1.5129608) (2019).
36. Smith, J., Zadeh-Haghighi, H., Salahub, D. & Simon, C. *Radical pairs may play a role in xenon-induced general anesthesia.* *Sci. Reports* **11**, DOI: [10.1038/s41598-021-85673-w](https://doi.org/10.1038/s41598-021-85673-w) (2021).
37. Zadeh-Haghighi, H. & Simon, C. Entangled radicals may explain lithium effects on hyperactivity. *Sci. Reports* **11**, DOI: [10.1038/s41598-021-91388-9](https://doi.org/10.1038/s41598-021-91388-9) (2021).
38. Rishabh, R., Zadeh-Haghighi, H., Salahub, D. & Simon, C. Radical pairs may explain reactive oxygen species-mediated effects of hypomagnetic field on neurogenesis. *PLOS Comput. Biol.* **18**, e1010198, DOI: [10.1371/journal.pcbi.1010198](https://doi.org/10.1371/journal.pcbi.1010198) (2022).
39. Zadeh-Haghighi, H. & Simon, C. Radical pairs can explain magnetic field and lithium effects on the circadian clock. *Sci. Reports* **12**, 269, DOI: [10.1038/s41598-021-04334-0](https://doi.org/10.1038/s41598-021-04334-0) (2022).
40. Zadeh-Haghighi, H. & Simon, C. Radical pairs may play a role in microtubule reorganization. *Sci. Reports* **12**, DOI: [10.1038/s41598-022-10068-4](https://doi.org/10.1038/s41598-022-10068-4) (2022).

41. Thiemens, M. H. & Heidenreich, J. E. The mass-independent fractionation of oxygen: A novel isotope effect and its possible cosmochemical implications. *Science* **219**, 1073–1075, DOI: [10.1126/science.219.4588.1073](https://doi.org/10.1126/science.219.4588.1073) (1983).
42. Thiemens, M. H. Mass-independent isotope effects in planetary atmospheres and the early solar system. *Science* **283**, 341–345, DOI: [10.1126/science.283.5400.341](https://doi.org/10.1126/science.283.5400.341) (1999).
43. Thiemens, M. H., Savarino, J., Farquhar, J. & Bao, H. Mass-independent isotopic compositions in terrestrial and extraterrestrial solids and their applications. *Accounts Chem. Res.* **34**, 645–652, DOI: [10.1021/ar960224f](https://doi.org/10.1021/ar960224f) (2001).
44. Thiemens, M. H. History and applications of mass-independent isotope effects. *Annu. Rev. Earth Planet. Sci.* **34**, 217–262, DOI: [10.1146/annurev.earth.34.031405.125026](https://doi.org/10.1146/annurev.earth.34.031405.125026) (2006).
45. Thiemens, M. H., Chakraborty, S. & Dominguez, G. The physical chemistry of mass-independent isotope effects and their observation in nature. *Annu. Rev. Phys. Chem.* **63**, 155–177, DOI: [10.1146/annurev-physchem-032511-143657](https://doi.org/10.1146/annurev-physchem-032511-143657) (2012).
46. Schauble, E. A. Role of nuclear volume in driving equilibrium stable isotope fractionation of mercury, thallium, and other very heavy elements. *Geochimica et Cosmochimica Acta* **71**, 2170–2189, DOI: [10.1016/j.gca.2007.02.004](https://doi.org/10.1016/j.gca.2007.02.004) (2007).
47. Shchepinov, M. S. Reactive oxygen species, isotope effect, essential nutrients, and enhanced longevity. *Rejuvenation Res.* **10**, 47–60, DOI: [10.1089/rej.2006.0506](https://doi.org/10.1089/rej.2006.0506) (2007).