

Growth and superconducting anisotropies of F-substituted LaOBiSe₂ single crystals

Masanori NAGAO^{1,2*}, Masashi TANAKA², Satoshi WATAUCHI¹, Isao TANAKA¹ and
Yoshihiko TAKANO²

¹*University of Yamanashi, 7-32 Miyamae, Kofu, 400-8511*

²*National Institute for Materials Science, 1-2-1 Sengen, Tsukuba, 305-0047*

(Received)

Abstract

F-substituted LaOBiSe₂ single crystals were grown using CsCl flux. The obtained single crystals showed a plate-like shape with a size of about 1.0 mm square. The *c*-axis lattice constant of the grown crystals was determined to be 14.114(3) Å. The superconducting critical temperature of the single crystal was approximately 3.5 K. The superconducting anisotropies were determined to be 49 and 24 using the upper critical field and the effective mass model, respectively.

KEYWORDS: BiSe₂-based selenide superconductor, single crystals growth, cesium chloride

flux

*E-mail address: mnagao@yamanashi.ac.jp

*Corresponding Author

Masanori Nagao

E-mail address: mnagao@yamanashi.ac.jp

Postal address: University of Yamanashi, Center for Crystal Science and Technology

Miyamae 7-32, Kofu 400-8511, Japan

Telephone number: (+81)55-220-8610

Fax number: (+81)55-254-3035

Main Text

BiS₂-layered sulfide superconductors, such as Bi₄O₄S₃¹⁾, RO_{1-x}F_xBiS₂ (R=La, Ce, Pr, Nd, Yb)²⁻⁶⁾ and Sr_{1-y}La_yFBiS₂⁷⁾, have been extensively studied. However, there are fewer papers about BiSe₂-layered selenide. Recently, A. Krzton-Maziopa *et al.* reported superconductivity in LaO_{0.5}F_{0.5}BiSe₂ polycrystalline sample with a superconducting transition temperature (T_c) of around 2.5 K⁸⁾. LaO_{0.5}F_{0.5}BiSe₂ is a bismuth oxyselenide layered superconductor. Its crystal structure is similar to that of BiS₂-layered superconductor LaO_{1-x}F_xBiS₂ in which the site of S is completely substituted by Se. LaO_{0.5}F_{0.5}BiSe₂ has a tetragonal structure with the space group $P4/nmm$ ⁸⁾. We expect that investigation of the BiSe₂-layered superconductors clarify the mechanism of not only BiSe₂- but also BiS₂-layered superconductors. Thus, single crystals of BiSe₂ layered superconductors attract much attention because it enables us to analyze the intrinsic physical properties. RO_{1-x}F_xBiS₂ (R=La, Ce, Nd) single crystals were grown using an alkali metal chloride flux in vacuum⁹⁻¹¹⁾. Therefore, various RO_{1-x}F_xBiSe₂ single crystals could reveal the further investigation of superconducting properties. Very recently, the structural analysis of single crystal has been reported¹²⁾.

In this paper, we report the successful growth of F-substituted LaOBiSe₂ single crystals using CsCl flux with the melting temperature about 645 °C in a quartz tube sealed in a vacuum. The composition and superconducting anisotropies were investigated to characterize the properties of the single crystals. The *c*-axis lattice constant of the grown crystals was

determined by X-ray diffraction.

Single crystals of F-substituted LaOBiSe₂ were grown in a quartz tube sealed in vacuum by a high-temperature flux method. The following raw materials were used: La, Bi, Se, Bi₂Se₃, Bi₂O₃ and BiF₃. The raw materials were weighed with a nominal composition of LaO_{0.5}F_{0.5}BiSe₂. The raw materials of 0.8 g were mixed with CsCl flux of 5.0 g, and the mixture was sealed into a quartz tube under vacuum. The mixture was heated at 900 °C for 10 h, cooled down slowly at 1.0°C/h to 650 °C, and then was furnace-cooled to room temperature. After that, the quartz tube was opened under air atmosphere, and distilled water was added into the quartz tube. The product was filtered and washed with distilled water.

The crystal structure and morphology of the single crystals were evaluated by X-ray diffraction (XRD) analysis using CuK α radiation and scanning electron microscopy (SEM), respectively. The transport properties of the single crystals were measured by the standard four-probe method with constant current density (J) using a Quantum Design Physical Property Measurement System (PPMS). The onset of the superconducting transition temperature (T_c^{onset}) was defined as the inflection point in resistivity–temperature (ρ - T) curve. The zero resistivity (T_c^{zero}) was determined considering the criterion of a resistivity of 0.1 $\mu\Omega\text{cm}$ in ρ - T characteristics. We measured the angular (θ) dependence of resistivity (ρ) in the flux liquid state under various magnetic fields (H) and calculated superconducting anisotropy (γ_s) using the effective mass model¹³⁻¹⁵.

Figure 1 shows a typical SEM image of F-substituted LaOBiSe₂ single crystal. The obtained single crystals showed plate-like shape of 1.0 mm square and 20–50 μm thickness. Figure 2 shows an XRD pattern of the well-developed plane of F-substituted LaOBiSe₂ single crystal. The presence of only 00*l* diffraction peaks of the LaOBiSe₂ structure indicates that *ab*-plane is well-developed. The *c*-axis lattice constant is 14.114(3) Å. As the results of electron probe microanalysis (EPMA), Cs and Cl of the flux components were not detected with a minimum sensitivity limit of 0.1 wt% in the grown single crystals whereas it was confirmed that the grown crystals contain La, Bi, Se, O and F.

Figure 3 shows the ρ -*T* characteristics along the *ab*-plane of F-substituted LaOBiSe₂ single crystal. Superconducting transition was observed at around 3.5 K. The T_c^{onset} is 3.75 K and the T_c^{zero} is observed at 3.05 K. The resistivity drops at 3.4-3.7 K. Then, the resistivity is tailing to above 3.05 K and showing zero resistivity with the criterion (0.1 μΩcm) at 3.05 K. The resistivity shows a metallic behavior above 12 K, whereas the resistivity reveals a semiconducting-like behavior below 12 K. That is similar to the behavior of polycrystalline samples⁸⁾. Figure 4 shows the temperature dependence of the resistivity below 5 K under 0-9.0 T of magnetic field (*H*) parallel to the (a) *ab*-plane and (b) *c*-axis. The suppression of the critical temperature under the magnetic field applied parallel to the *c*-axis is more significant than that of *ab*-plane. The field dependence of the T_c^{onset} under the magnetic field (*H*) parallel to the *ab*-plane (*H*//*ab*-plane) and *c*-axis (*H*//*c*-axis) is plotted in Fig. 5. The linear

extrapolation of T_c^{onset} with $H//ab$ -plane and $H//c$ -axis approach the value of 28 T and 0.57 T, respectively. The upper critical field $H_{c2}^{//ab}$ and $H_{c2}^{//c}$ are predicted less than 28 T and 0.57 T, respectively. We evaluated the superconducting anisotropy (γ_s) from ratio of the upper critical field using the following equation:

$$\gamma_s = H_{c2}^{//ab}/H_{c2}^{//c} = \xi_{ab}/\xi_c \quad (\xi: \text{coherence length}), \quad (1)$$

was around 49. This result indicates that F-substituted LaOBiSe₂ superconductor has high anisotropy.

We performed that the superconducting anisotropy of F-substituted LaOBiSe₂ was estimated from another approach, which was using effective mass model¹³⁾. The angular (θ) dependence of resistivity (ρ) was measured at various magnetic fields (H) in the flux liquid state to estimate the superconducting anisotropy (γ_s) of the grown F-substituted LaOBiSe₂ single crystal, as introduced in Refs. 14) and 15). Reduced field (H_{red}) is evaluated using the following equation for the effective mass model:

$$H_{\text{red}} = H(\sin^2\theta + \gamma_s^{-2}\cos^2\theta)^{1/2}, \quad (2)$$

where θ is the angle between the ab -plane and the magnetic field¹³⁾. H_{red} is calculated from H and θ . Superconducting anisotropy (γ_s) was estimated by the best scaling for ρ - H_{red} relations.

Figure 6 shows the angular (θ) dependence of resistivity (ρ) at various magnetic fields ($H = 0.05$ - 9.0 T) in the flux liquid state for F-substituted LaOBiSe₂ single crystal. The ρ - θ curve was represented by a two-fold symmetry. The ρ - H_{red} scaling obtained from the ρ - θ curves in

Fig. 6 using Eq. (2) is shown in Fig. 7. The scaling is obtained by taking $\gamma_s = 24$, shown in Fig. 7.

These results suggested that the superconducting anisotropy of F-substituted LaOBiSe₂ single crystal was estimated to be 24-49. The values of γ_s are different between Eq. (1) and Eq. (2). That reason is unclear at this moment. Further investigation is required for the origin of this differential. The value of superconducting anisotropy of F-substituted LaOBiSe₂ single crystal is similar to that of F-substituted LaOBiS₂ single crystal¹¹⁾.

We have successfully grown the F-substituted LaOBiSe₂ single crystals using CsCl flux. The F-substituted LaOBiSe₂ single crystals of about 1.0 mm square were obtained. The *c*-axis lattice constant of the grown crystals was determined to be 14.114(3) Å. The T_c^{onset} and T_c^{zero} of the single crystal were 3.75 and 3.05 K, respectively. The values of γ_s were determined to be 49 and 24 using the upper critical field (Eq. (1)) and the effective mass model (Eq. (2)), respectively.

Acknowledgment

The authors would like to thank Dr. A. Miura of University of Yamanashi for useful discussions.

Reference

- 1) Y. Mizuguchi, H. Fujihisa, Y. Gotoh, K. Suzuki, H. Usui, K. Kuroki, S. Demura, Y. Takano, H. Izawa and O. Miura: Phys. Rev. B **86** (2012) 220510(R).
- 2) Y. Mizuguchi, S. Demura, K. Deguchi, Y. Takano, H. Fujihisa, Y. Gotoh, H. Izawa and O. Miura: J. Phys. Soc. Jpn. **81** (2012) 114725.
- 3) J. Xing, S. Li, X. Ding, H. Yang and H.-H. Wen: Phys. Rev. B **86** (2012) 214518.
- 4) R. Jha, A. Kumar, S. K. Singh, V. P. S. Awana: J. Superconductivity and Novel Magnetism **26** (2013) 499.
- 5) S. Demura, Y. Mizuguchi, K. Deguchi, H. Okazaki, H. Hara, T. Watanabe, S. J. Denholme, M. Fujioka, T. Ozaki, H. Fujihisa, Y. Gotoh, O. Miura, T. Yamaguchi, H. Takeya and Y. Takano: J. Phys. Soc. Jpn. **82** (2012) 033708.
- 6) D. Yazici, K. Huang, B.D. White, A.H. Chang, A.J. Friedman and M.B. Maple: Philosophical Magazine **93** (2013) 673.
- 7) X. Lin, X. Ni, B. Chen, X. Xu, X. Yang, J. Dai, Y. Li, X. Yang, Y. Luo, Q. Tao, G. Cao and Z. Xu: Physical Review B **87** (2013) 020504.
- 8) A. Krzton-Maziopa, Z. Guguchia, E. Pomjakushina, V. Pomjakushin, R. Khasanov, H. Luetkens, P. Biswas, A. Amato, H. Keller and K. Conder: J. Phys. Condens. Matter **26** (2014) 215702.

- 9) M. Nagao, S. Demura, K. Deguchi, A. Miura, S. Watauchi, T. Takei, Y. Takano, N. Kumada, I. Tanaka: *J. Phys. Soc. Jpn.* **82** (2013) 113701.
- 10) J. Liu, D. Fang, Z. Wang, J. Xing, Z. Du, X. Zhu, H. Yang, H.-H. Wen: arXiv:1310.0377.
- 11) M. Nagao, A. Miura, S. Demura, K. Deguchi, S. Watauchi, T. Takei, Y. Takano, N. Kumada, I. Tanaka: *Solid State Commun.* **178** (2014) 33-36.
- 12) M. Tanaka, M. Nagao, Y. Matsushita, M. Fujioka, S. J. Denholme, T. Yamaguchi, H. Takeya and Y. Takano: arXiv:1406.0734.
- 13) G. Blatter, V. B. Geshkenbein, and A. I. Larkin: *Phys. Rev. Lett.* **68** (1992) 875.
- 14) Y. Iye, I. Oguro, T. Tamegai, W. R. Datars, N. Motohira, and K. Kitazawa: *Physica C* **199** (1992) 154.
- 15) H. Iwasaki, O. Taniguchi, S. Kenmochi, and N. Kobayashi: *Physica C* **244** (1995) 71.

Figure captions

FIG. 1. SEM image of F-substituted LaOBiSe₂ single crystal.

FIG. 2. XRD pattern in well-developed plane of F-substituted LaOBiSe₂ single crystal.

FIG. 3. Resistivity–temperature (ρ - T) characteristics along the ab -plane of F-substituted LaOBiSe₂ single crystal. The inset is an enlargement of the superconducting transition.

FIG. 4. (Color online) Temperature dependence of resistivity for F-substituted LaOBiSe₂ single crystal under 0-9.0 T of magnetic fields parallel to the (a) ab -plane and (b) c -axis.

FIG. 5. The field dependence of the T_c^{onset} under the magnetic field (H) parallel to the ab -plane ($H//ab$ -plane) and c -axis ($H//c$ -axis). The lines are liner fits to the data.

FIG. 6. (Color online) Angular θ dependence of resistivity ρ in flux liquid state at various magnetic fields for F-substituted LaOBiSe₂ single crystal.

FIG. 7. (Color online) The same set of data as Fig. 6, scaling of angular θ dependence of resistivity ρ at a reduced magnetic field $H_{\text{red}} = H(\sin^2\theta + \gamma_s^{-2}\cos^2\theta)^{1/2}$.




Figure 1




Figure 2




Figure 3




Figure 4 (Color online)




Figure 5




Figure 6 (Color online)




Figure 7 (Color online)