Nonlinear redistribution of wealth from a stochastic approach

Hugo Lima¹, Allan R. Vieira¹, Celia Anteneodo^{1,2}

¹Department of Physics, PUC-Rio, Rua Marquês de São Vicente, 225, 22451-900, Rio de Janeiro, Brazil

²National Institute of Science and Technology for Complex Systems (INCT-SC), Rio de Janeiro, Brazil

We investigate the effect of applying nonlinear redistributive taxes to the yard-sale dynamics of assets. An amount of money is collected from each individual (tax) and distributed back equally. We consider (i) a piecewise linear tax, exempting those with wealth below a threshold w_0 , and taxing the excess wealth otherwise, and (ii) a power-law tax with exponent $\alpha > 0$, which allows embracing regressive, proportional and progressive rules. The distribution of wealth obtained from numerical simulations of the agent-based dynamics is compared with the solution of its associated Fokker-Planck equation for the probability density function P(w, t) of wealth w at time t, in good agreement. Based on these solutions, we analyze how the different rules modify the distribution of wealth across the population, quantifying the level of inequality through the Gini coefficient. We note that the introduction of an exemption threshold does not always diminish inequality, depending on the implementation details. Moreover, nonlinearity brings new stylized facts in the distribution of wealth compared to the linear case, e.g., negative skewness, bimodality, indicating stratification, or a flat shape meaning equality populated wealth layers.

I. INTRODUCTION

The tools of out-of-equilibrium statistical mechanics can be used to investigate the dynamics of money [1– 4]. The so-called random asset exchange models [2, 3], assuming wealth transfers through pairwise interactions between agents, have successfully shown the endogenous emergence of stylized facts of real wealth distributions such as the concentration of wealth in heavy tails and the formation of a condensed layer of the poorest people [5, 6]. In fact, rich-get-richer mechanisms can lead to the continuous accumulation of wealth, accentuating inequality, a trend observed in most countries over time [7– 9]. Therefore, it is worth investigating possible mechanisms capable of counteracting or mitigating the different forms of wealth inequality.

By means of asset exchange models, diverse ways to reduce inequality have been analyzed [10–17]. A direct way is to regulate the transactions, introducing asymmetries that favor the poorest people [10]. Savings, that is, when agents do not trade all their money on transactions but save a fraction, can also promote the reduction of inequality, under certain conditions [11–13]. The impact of proportional taxes has also been studied [18, 19, 21–23]. In this work, we will analyze the effect of nonlinear redistributive taxes, such that people pay taxes and receive subsidies, while performing random exchanges, without saving propensity. The random exchanges are the socalled yard-sale random transfers [20], where individuals in an artificial society possess a certain wealth and participate in transactions by pairs, transferring a fraction of the wealth from one to another agent. The applied taxes can be regressive, progressive, or exempting the poorest population.

Besides the agent-based dynamics, we consider the Fokker-Planck description of the evolution of the probability density function (PDF) of wealth P(w), an approach successfully applied before (see for instance, [14, 18, 19]) to extensions of the yard-sale dynamics.

The paper is organized as follows. The agent-based model and its Fokker-Planck counterpart are described in Secs. II and III, respectively. In Sec. V, we present results for the evolution of wealth distribution, and stationary states, using the Gini index to compare how different tax protocols contribute to reduce wealth inequality. Final remarks are presented in Sec. VI.

II. AGENT-BASED DESCRIPTION

We start in a scenario without taxation, where N individuals (or agents) are able to exchange money, in a fully connected network, according to the yard-sale rule [24]. That is, two randomly chosen agents exchange a fraction ϵ of the smallest of their wealths, which are updated according to the rule

$$w_i = w_i + \epsilon \eta \min(w_i, w_j),$$

$$w_j = w_j - \epsilon \eta \min(w_i, w_j),$$
(1)

where min(x, y) is the minimum between x and y and η takes the values ± 1 with equal probability (giving equal probability for a trader to win or lose at each transaction) [18]. As we will see below, ϵ can be related to the time scale of the dynamics. Although Eq. (1) describes an unbiased trading, it is well known that this dynamics leads the system to concentrations of wealth in the hands of few agents (oligarchy) and also the condensation of most agents below an extremely low level of wealth.

While the yard-sale exchanges proceed, we apply a redistributive mechanism, in which agents pay a tax and the collected money is redistributed equally among all the N agents.

For an agent taxed at rate R, its wealth is updated as

$$w_k = w_k - R g(w_k). \tag{2}$$

Since, the collected amount is equally distributed among

all agents, then,

$$w_i = w_i + R g(w_k)/N, \quad \text{for all } i. \tag{3}$$

The unit of time is the Monte Carlo step (MCS), corresponding to N/2 pairs of transactions given by Eq. (1). The redistribution is applied at each period of time τ . That is, at each $\tau N/2$ iterations of Eq. (1), all the Nagents are taxed at the same time and the full collected revenue is equally distributed among all agents. Therefore, the net losses and gains of individual *i*, due to this redistributive step, is

$$\Delta w_i = R\left[\sum_{j=1}^N g(w_j)/N - g(w_i)\right] \equiv Rf(\{w_j\}).$$
(4)

Note that, the total wealth W is conserved in this model representing a closed economy. Although this assumption may be unrealistic depending on the time window considered, it allows a first approach to the problem.

Taxing kernels

We analyze the effects of two different kernels that generalize the proportional case g(w) = w. One of them is the piecewise-linear function

$$g(w) = (w - w_0)\Theta(w - w_0),$$
 (5)

where Θ is the Heaviside step function and $w_0 \ge 0$. The proportional case is recovered by setting $w_0 = 0$. Figure 1(a) depicts the kernel (5), for different values of w_0 , and Fig. 1(b) shows the corresponding tax rate g(w)/w, which is an increasing function of w for $w_0 > 0$, hence, progressive.

We also consider the power-law taxation

$$g(w) = w^{\alpha},\tag{6}$$

with $\alpha > 0$. This kernel shape is depicted in Fig. 1(c), and the corresponding tax rate g(w)/w in Fig. 1(d), where we note that the taxation can be progressive (increasing tax rate, for $\alpha > 1$), constant (if $\alpha = 1$), or regressive (decreasing tax rate, for $\alpha < 1$).

The nonlinear form of g(w) implies different possible taxing schemes, which do not emerge in the linear case. We will consider the following two scenarios:

- If R is fixed, then the total collected money to be redistributed changes at each application of the redistribution scheme. Then, the subsidy, or gain per capita, $R\sum_{j=1}^{N} g(w_j)/N$ received by each individual varies with time. This scenario is called setting "V".

- We also contemplate the scenario "F" in which the subsidy is fixed, kept constant at each application. Hence, the collected money needs to be adjusted. To accomplish this, the rate R changes adaptively such that $R\sum_{j=1}^{N} g(w_j)/N$ remains constant.

III. FOKKER-PLANCK DESCRIPTION

In the continuous-time limit, assuming small transactions, and uncorrelated Gaussian fluctuations, the probability density function (PDF) of the wealth w at time t, P(w, t), can be described by means of a Fokker-Planck equation (FPE). For linear taxation, the FPE has been derived before by Boghosian [18, 19]. The same FPE still holds in the current nonlinear case, except that the form of the drift term is generalized. For selfcontainedness, let us sketch the steps. The FPE is given by [25]

$$\frac{\partial P}{\partial t} = \frac{1}{2} \frac{\partial^2}{\partial w^2} \left[D_2 P \right] - \frac{\partial}{\partial w} \left[D_1 P \right], \tag{7}$$

where D_1 and D_2 are the Kramers-Moyal coefficients $D_j = \lim_{\Delta t \to 0} \langle (\Delta w)^j \rangle / \Delta t$, where the brackets average over the distribution of increments. Then,

$$D_1 = \lim_{\Delta t \to 0} \frac{\langle (\Delta w) \rangle}{\Delta t} \simeq \frac{R}{\tau_0} f(w)$$

where, from Eq. (4) in the continuous limit,

$$f(w) = \int_0^\infty g(w) P(w, t) \, dw - g(w) \,, \tag{8}$$

and $\tau_0 = 2/N$ MCS is the minimal possible interval in simulations but $\tau_0 \to 0$ when $N \to \infty$. D_1 is the deterministic drift associated to the redistributive action defined in Eq. (4). Notice that, in the linear case g(w) = w, then $f(w) = \bar{w} - w$, where $\bar{w} = \int_0^\infty w P(w, t) \, dw = W/N$.



FIG. 1: Taxing function g(w) and tax rate g(w)/w, for different values of the exemption threshold w_0 (a)-(b), and of the power-law exponent α (c)-(d), indicated in the legends. The linear case, recovered for $w_0 = 0$ and $\alpha = 1$, is also shown.

The second Kramers-Moyal coefficient is [18]

$$D_{2} = \lim_{\Delta t \to 0} \frac{\langle (\Delta w)^{2} \rangle}{\Delta t}$$

$$\simeq \frac{\epsilon^{2}}{\tau_{0}} \int_{0}^{\infty} dw' P(w') [w\Theta(w'-w) + w'\Theta(w-w')]^{2}$$

$$= \frac{\epsilon^{2}}{\tau_{0}} \underbrace{\int_{w}^{\infty} dw' P(w')}_{A(w)} w^{2} + \frac{\epsilon^{2}}{\tau_{0}} \underbrace{\int_{0}^{w} dw' P(w') w'^{2}}_{B(w)}$$

$$= \frac{\epsilon^{2}}{\tau_{0}} [w^{2}A(w) + B(w)], \qquad (9)$$

emerging from the stochastic contribution of the yardsale transaction at each iteration (in a time interval τ_0), $\Delta(w, w', \eta) = \epsilon \eta [w \Theta(w' - w) + w' \Theta(w - w')]$. Notice that A(w) is the complementary cumulative distribution and B(w) is the incomplete second moment, with the normalization condition $\int_0^\infty dw' P(w') = 1$.

Finally, scaling time as $t\epsilon^2/\tau_0 \to t$, defining $\chi = R/\epsilon^2$, in the limit of large N, we can finally write

$$\frac{\partial P}{\partial t} = \frac{1}{2} \frac{\partial^2}{\partial w^2} \left(\left[w^2 A + B \right] P \right) - \chi \frac{\partial}{\partial w} (fP) \,. \tag{10}$$

The first term in the right-hand side of Eq. (10) can be interpreted as a state-dependent diffusive spreading of wealth, which has its origin in the microscopic random exchanges between agents. In the second term, the drift $\chi f(w)$ represents the net gain (loss) suffered by agents with wealth w, due to the redistributive tax. If $\chi = 0$, the PDF evolves accentuating the condensation at w = 0and the heavy Pareto power-law tail at large w [18], respectively meaning increase of the population at extreme poverty and concentration of wealth among a small number of people (oligarchy). This endless process that accentuates inequality can be broken when $\chi > 0$ by the flow of wealth from the richest to the poorest people.

Let us finally formulate explicitly the form of the drift $\chi f(w)$ in each setting presented at the end of Sec. II.

In setting V, the gain due to redistribution is variable. Using Eq. (8), the drift can be written as

$$\chi f_V(w) = \chi[\beta(t)\bar{w} - g(w)], \qquad (11)$$

where

$$\beta(t) = \int_0^\infty g(w) P(w,t) \, dw/\bar{w}.$$
 (12)

In setting F, the subsidy (gain per capita) is fixed, then we can write

$$\chi f_F(w) = \chi [\bar{w} - \gamma(t)g(w)], \qquad (13)$$

where, from Eq. (8), γ must be adjusted according to

$$\gamma(t) = \bar{w} / \int_0^\infty g(w) P(w, t) \, dw \,. \tag{14}$$

In the linear version, where g(w) = w [18, 21], we have $\beta = \gamma = 1$, meaning time-independent taxes, hence, a unique setting.

We characterize the PDFs of wealth in terms of a widely used inequality indicator, the Gini coefficient, which can be estimated as [21],

$$G(t) = 1 - \frac{2}{\bar{w}} \int_0^\infty x P(x, t) A(x, t) dx \,. \tag{15}$$

In order to follow the time evolution of the wealth PDF, we numerically solved Eq. (10) though a standard forward-time centered-space scheme (details are shown in Appendix A). Typically, we used as initial condition, one resulting from the driftless evolution, at a time where the Gini index is $G \simeq 0.59$.

Alternatively, to obtain the steady state solution, we directly solved the stationary FPE, that is, setting the time derivative in Eq. (10) equal to zero, as described in Appendix B. Indeed, this solution coincides with the long-time solution of the FPE. In all numerical examples, we set $\bar{w} = 1$.

IV. COMPARISON BETWEEN AGENT-BASED AND FPE DESCRIPTIONS

In Fig. 2, we provide a comparison between the distributions obtained form numerical simulations of the agent-based model and from the numerical integration of the FPE. The cumulative PDF is considered, instead



FIG. 2: Comparison between the cumulative PDFs obtained from agent-based simulations (colored dashed lines) and Fokker-Planck solutions (solid gray line), for different values of the redistribution period τ , at the instant t = 40MCS. We chose the piece-wise linear kernel in Eq. (5) with $w_0 = 1.0$, and $\chi/\tau = 1.0$, within scenario F (fixed subsidies). In simulations, we considered $N = 10^4$ agents and $\epsilon = 0.1$ in Eq. (1). In the inset we depict the KS distance D as a function of τ for two different values of N. The distances immediately before and after redistribution are measured in each case. Symbols and error bars correspond to the average and standard deviation over 100 samples.

of the PDF, in order to smooth the fluctuations of numerical histrograms. The parameter τ , which gives the time elapsed between successive taxations, is varied. The agreement is very good for the minimal period $\tau = 2/N$, even when $N = 10^4$, and becomes better for increasing N as expected. To quantify discrepancies, we measured the Kolmogorov-Smirnov (KS) statistic D between cumulative distributions. In the inset of Fig. 2, we compare the distributions obtained from agent-based simulations and from the solutions of the FPE, plotting D as a function of the period τ of redistribution. First, notice that the distance between simulations and theory for $\tau = 2/N$ (first point in the figure), decreases with N, as expected since the KM coefficients of the FPE are defined for $\Delta t \rightarrow 0$ (and $\tau \to 0$). We observe that the distance D increases with τ , however, the solutions of the FPE still provide a good prediction for larger τ , at least for the unequal initial condition considered.

In Fig. 3, we compare with the case $\tau = 2/N$, the cumulative PDFs obtained for $\tau = 1$ (circles) and $\tau = 8$ (squares), through the KS statistics vs. time t. During the period between taxes, only the diffusive spreading acts and the distance increases, when the redistribution is performed, the distance decays to the lowest level. Therefore, if τ is larger than the typical scale of diffusion, then a steady is not reached but rather an oscillatory regimes settles.

Let us note that, for comparisons, we used constant χ/τ (= 1), since the taxation rate must increase if the period increases, to maintain the effective taxing rate invariant. In order to compare time scales, and to convert the scale t of the FPE into the simulation time, we had to revert the transformation done in Sec. III, setting $t \to t\tau_0/\epsilon^2$. Let us also note that, excessively large χ could lead to negative wealth (see Appendix C), but this was not observed in the studied cases.



FIG. 3: KS distance vs. time t. At each instant, we compute the distance between the PDF for a given value of τ (indicated in the legend) and the PDF for the smallest period $\tau = 2/N$. For each τ , two different samples are shown. The remaining parameters are the same in Fig. 2. For $\tau = 1$ the distance is within noise level. For larger τ , oscillations become noticeable, when only diffusive spreading occurs Dincreases, but the application of the distributive step makes the distance minimal.

Given that the FPE provides a good prediction of agent-based results, even for not too small τ , and since the solutions of the FPE provide smoother curves than histograms from simulations, then we will show in what follows results based on FPE solutions only.

V. PDF EVOLUTION AND STEADY STATE SOLUTION

As shown in previous literature [18], in the absence of regulation ($\chi = 0$), Eq. (10) leads to progressive condensation towards w = 0, and a heavy tail for large w develops, without actually reaching a normalizable steady state. The inclusion of the drift with $\chi > 0$ allows attaining a steady solution, in all the cases considered.

For each family of kernels g(w), we develop in Secs. V A and V B, the setting F (fixed returns): adjusting γ selfconsistently to produce the same quantity returned (or subsidy) to all. Setting V will be discussed later in Sec. V C.

A. Piecewise-linear tax with exemption limit w_0

The evolution of P(w,t), under the taxation ruled by the piecewise linear kernel defined in Eq. (5), is shown in Fig. 4 for different values of χ and w_0 , starting from an initial condition that results from the driftless evolution, at a time where the Gini index is $G \simeq 0.59$. In all cases, increasing χ makes the final state less spread. The condensation at w = 0 is suppressed, meaning the absence of a majority at extreme poverty, and the heavy tail for large w becomes restricted by a cutoff, reducing large fortunes and oligarchy. In Fig. 4a, for $w_0 = 0.5$, we find a picture qualitatively similar to that of the linear case [18], where the PDF has a positive skewness. Raising the threshold w_0 , the PDF can become almost flat (see Fig. 4b), meaning uniformly populated wealth layers. For even larger w_0 , the skewness is inverted at long times, with a mode larger than the average value $\bar{w} = 1$ (e.g., Fig. 4c). These are new features introduced by the piecewise function. The evolution of the Gini index and further details are shown in Appendix A.

The stationary PDFs for fixed χ and a large set of values of w_0 are shown in Fig. 5. Increasing the rate χ narrows the PDF around the mean, particularly, the cut-off at low w is shifted such that wider ranges of poverty are eliminated. This behavior is also observed in the linear case and is not noticeably affected by w_0 [21]. The exemption threshold w_0 affects more strongly the intermediate and large-w layers. The PDF can become bimodal (e.g, Fig. 5b), indicating classes with defined asset level, but scales are not well separated. The change of skeweness can be observed in these plots for not too small χ (Figs. 5b-c). Moreover, in general, raising the threshold w_0 leads to a more effective cut-off such that assets that surpass that level tend to be suppressed. This is due to

the flow of wealth above w_0 towards the population with lower assets, depopulating the large-*w* tail.

The long-time value G_s of the Gini index is shown for different values of χ in Fig. 6a. It decreases by raising w_0 , as expected, however, a finite minimal level is attained at a limiting value of w_0 . The larger is χ , the more sensitive is G_s to w_0 . We have considered the full range of values for completeness, although some intervals of the parameters may be unrealistic. For instance, at the limiting value of w_0 , the slope γ_s becomes divergent, to keep the average \bar{w} fixed (see Appendix A), and the PDF becomes truncated as can be observed in Fig. 5.

In Fig. 6b, we plot the mode, w_{max} (filled symbols), as well as the second maximum (hollow symbols) whenever it exists. For low values of χ , the mode is weakly sensitive to w_0 and remains below \bar{w} (e.g., case $\chi = 0.2$), producing positively skewed distributions. For larger χ , the mode is shifted towards the line $w_{max} = w_0$, and can exceed the mean value \bar{w} (unity, in our examples). When a second peak at larger w develops (which occurs for not too large χ), it can become the mode as w_0 increases (e.g., for $\chi = 0.5$ in Fig. 6b, and also see Fig. 5b).

B. Power-law taxation

Stationary PDFs for different values of α and χ are exhibited in Fig. 7. As in the piecewise-linear case, there is a narrowing of the PDF with increasing χ . It is note-worthy that similar effect is observed when the saving propensity increases [11]. When $\alpha > 1$, flat, bimodal, and negatively skewed PDFs can also emerge as for the piecewise-linear kernel, but the PDF shapes are smoother for the power-law kernel and the cutoffs less sharp.

The stationary values of index G vs. α , for fixed values of χ , are presented in Fig. 8a. When comparing these curves with the respective ones of the piecewise-linear case in Fig. 6a, we notice a matching for $\alpha \simeq 4w_0 \gtrsim$ 1. While the progressive taxation with $\alpha > 1$ emulates better the tax with exemption threshold w_0 , we find the





FIG. 4: Evolution of the wealth PDF with piecewiselinear drift, for values of χ and w_0 indicated in the legends, at times increasing (from lighter to darker) from t = 0 to t = 2 at each $\Delta t = 0.1$, and from t = 2 to t = 5 at each $\Delta t = 0.5$. The solution of the stationary FPE is also plotted (green dashed line).

FIG. 5: Stationary wealth PDF, with piecewise-linear drift, for fixed χ according to the legend, and different values of w_0 varying (from light to dark lines) at each $\Delta w_0 = 0.1$ from 0.0 up to the limiting value $w_0 \simeq 2.5$ (a), 1.7 (b) and 1.1 (c). Inset: same data in log-log scale to exhibit the cut-offs.



 $\chi=0.52$ = 0.200.6 (a) = 0.40 $\gamma = 0.60$ = 0.50 = 4.000.4 G 0.20.0 5 10 15 $\dot{20}$ α (b) 1.50. 0.0 5 10 15 20 α

FIG. 6: (a) **Stationary Gini index** for different values of χ as a function of w_0 . (b) **Mode of the wealth PDF** (filled symbols) vs. w_0 . The second maximum, when it exists, is also plotted (hollow symbols). Lines are a guide to the eye.



FIG. 7: Stationary wealth PDF, for power-law drift, $P_s(w)$, for different values of α at each $\Delta \alpha = 0.1$ for $\alpha \in [0.5, 0.9]$, and $\Delta \alpha = 1$ for $\alpha \in [1, 10]$, with values of χ according to the legend. Inset: same data in log-log scale to show the cutoff.

main differences for $\alpha < 1$, due to its regressive character. In the limit $\alpha \rightarrow 0$, from Eq. (14), we have constant $\gamma = \bar{w}$. Then

$$f(w) = (\bar{w} - \gamma) = 0,$$
 (16)

FIG. 8: (a) **Stationary Gini index** for different values of χ as a function of α . (b) **Mode of the stationary wealth PDF** (filled symbols) vs. α . The second maximum, when it exists, is also plotted (hollow symbols). Full lines are a guide to the eye.

implying that the FPE drift term goes to zero in that limit. Therefore, the dynamics evolves towards condensation and long tails. Even though, the sublinear kernel produces relatively low values of the Gini index for large enough χ . In fact, G_s rapidly decreases with α in the regressive case. With regard to the maxima shown in Fig. 8, the mode overcomes the average \bar{w} and a second maximum can appear only for very large values of the exponent α .

C. Setting V (variable returns)

Up to now, we worked out setting F, fixing the amount of wealth shared and adapting the coefficient $\gamma(t)$, consistently to conserve the average wealth. Now, we analyze setting V, where $\beta(t)$ is adjusted. The stationary solutions can be related by identifying each term of the drift in Eqs. (11) and (13), yielding

$$\beta_s = 1/\gamma_s$$

$$\chi_V = \chi_F \gamma_s.$$
(17)

As an illustration, we followed the evolution of a case in scenario F, with parameters that verify the above relations with respect to setting V in Fig. 4b. In fact, the steady states coincide (compare Figs. 4b and 9a), however, the temporal evolution differs, as can be also observed by following the Gini indexes over time, in Fig. 9b. The steady state is reached faster within setting V.



FIG. 9: Setting V (variable subsidies): evolution for piece-wise linear drift. (a) Wealth PDF (a), P(w,t) vs. w, with variable β , for the same times used in Fig. 4. (b) Gini index vs. time for fixed (black) and variable (light green) subsidies, with parameters verifying Eqs. (17) leading to the same steady state).



FIG. 10: Setting V: stationary wealth PDF with piecewise-linear drift, for fixed χ according to the legend, and different values of w_0 varying (from light to dark lines) at each $\Delta w_0 = 0.1$ from 0.0 up to 1.0 in (a) and from 0.0 up to 0.9 in (b). Inset: same data in log-log scale to exhibit the cut-offs.

In contrast to setting F, where increasing the threshold w_0 reduces the inequality measured by G_s , in V, a different dependence on w_0 emerges for fixed χ , as shown in Fig. 9b. The stationary value of the Gini index is rather insensitive to w_0 and even increases with w_0 . A high threshold exempts people with lower level of wealth but the collected wealth is smaller. Then it is better to reduce the exemption. The corresponding steady PDFs are presented in Fig. 10. For the power-law taxation, the Gini index decreases with α (not shown).

Of course, in the limit $w_0 \to 0$ or $\alpha \to 1$, yielding the linear case, both setting coincide.



FIG. 11: Stationary Gini index for setting V as a function of w_0 . Lines are a guide to the eye.

VI. FINAL REMARKS

We studied nonlinear redistributive mechanisms that allow to reduce inequality. Two families of taxation kernels were studied: piecewise linear, with an exempting threshold, and a power-law. We compared the results of numerical simulations of the agent-based model with the solutions of the FPE, in very good agreement. We performed numerical integration of the FPE to follow the time evolution of P(w,t), starting from a given initial unequal distribution and also the stationary PDF $P_s(w)$ was directly obtained.

The studied tax protocols produce economic mobility against the natural trend towards the condensation at w = 0 that occurs in the regulation-free case. The nonlinearity brings new features with respect to the linear case, allowing to achieve greater social equality. Moreover, distributions with peculiar stylized facts can emerge. For moderate values of the control parameters, distributions can be bimodal, which indicates the stratification and coexistence of the population in economic classes with distinct characteristic asset levels. A flat profile can also emerge, and, for strong regulation, the skewness of the wealth PDF changes sign.

Furthermore, we discussed the similarities and differences between two settings, where either the collected money or the subsidies are fixed. Depending on the adjustment made, a high exemption threshold w_0 can be detrimental for equality. Let us also remark that the results can be translated to those of arbitrary \bar{w} by a simple scaling. In fact, from Eq. (10), we have $P(w,t;\bar{w}) = P(w/\bar{w},t;1)/\bar{w}$, together with the identifications: $w_0(1) = w_0(\bar{w})/\bar{w}$ (and γ unchanged) in the piecewise-linear case, and $\gamma(1) =$ $\gamma(\bar{w})\bar{w}^{\alpha-1}$ in the power-law case.

As a perspective for future work, it would be interesting to include other features such as saving propensity, the possibility of an open economy, as well as spatial structure [26] going beyond the mean-field approxima-

- A. Dragulescu, V.M. Yakovenko, Statistical mechanics of money, Eur. Phys. J. B 17, 723 (2000).
- [2] Econophysics of Wealth Distributions: Econophys-Kolkata I ed. by A. Chatterjee, S. Yarlagadda, B.K. Chakrabarti. Springer Science & Business Media (2005).
- [3] M. Patriarca, E. Heinsalu, A. Chakraborti, Basic kinetic wealth-exchange models: common features and open problems, Eur. Phys. J. B 73, 145 (2010).
- [4] We mean individual wealth, in the sense of amount of money, assets or goods that can be eventually transformed into money, owned by each person in a population (independently of being a large amount or not).
- [5] C.F. Moukarzel, S. Goncalves, J.R. Iglesias, M. Rodriguez-Achach, and R. Huerta-Quintanilla, Wealth condensation in a multiplicative random asset exchange model, EPJ Special Topics 143, 75 (2007).
- [6] J. Li, B. Boghosian, C. Li, The Affine Wealth Model: An agent-based model of asset exchange that allows for negative-wealth agents and its empirical validation, Physica A 516, 423 (2019).
- [7] https://en.wikipedia.org/wiki/List_of_countries_ by_wealth_equality
- [8] B.M. Boghosian, Is Inequality Inevitable?, Scientific American, Nov. 1 (2019).
- [9] T. Piketty, Le Capital Au Xxie Siècle (Éditions du Seuil, 2013).
- [10] J. R. Iglesias and R. M. C. de Almeida, *Entropy and equilibrium state of free market models*, Eur. Phys. J. B 85, 85 (2012).
- [11] A. Chakraborti and B.K. Chakrabarti, Statistical mechanics of money: how saving propensity affects its distribution, Eur. Phys. J. B 17, 167 (2000).
- [12] Arnab Chatterjee, Bikas K. Chakrabarti and S.S. Manna, Pareto law in a kinetic model of market with random saving propensity, Physica A 335, 155 (2004).
- [13] P. K. Mohanty, Generic features of the wealth distribution in ideal-gas-like markets, Phys. Rev. E 74, 011117 (2006).
- [14] Z. Burda, P. Wojcieszak, K. Zuchniak, Dynamics of wealth inequality, Comptes Rendues Physique 20, 349–363 (2019).
- [15] B.-H. F. Cardoso, S. Goncalves, and J. R. Iglesias, Wealth distribution models with regulations: dynamics and equilibria, Physica A 124201 (2020).
- [16] J. R. Iglesias, B.-H. F. Cardoso, and S. Goncalves, Inequality, a scourge of the XXI century, arXiv:2005.06106
- [17] C. Chorro, A simple probabilistic approach of the Yard-Sale model, Statistics and Probability Letters 112, 35 (2016).

tion.

We acknowledge partial financial support by the Coordenação de Aperfeiçoamento de Pessoal de Nível Superior - Brazil (CAPES) - Finance Code 001. C.A. also acknowledges partial support by Conselho Nacional de Desenvolvimento Científico e Tecnológico (CNPq), and Fundação de Amparo à Pesquisa do Estado do Rio de Janeiro (FAPERJ). We thank Bruce Boghosian for elucidating methods used in his previous works.

- [18] B. Boghosian, Kinetics of wealth and the Pareto law, Phys. Rev. E 89, 042804 (2014).
- [19] B. Boghosian, Fokker-Planck description of wealth dynamics and the origin of Pareto's law, IJMP C 25, 1441008 (2014).
- [20] B. Hayes, Follow the money, Am. Sci. 90, 400 (2002).
- [21] B. Boghosian, A. Devitt-Lee, M. Johnson, J. Li, J.A. Marcq, H. Wang, Oligarchy as a phase transition: The effect of wealth-attained advantage in a Fokker-Planck description of asset exchange, Physica A 476, 15 (2017).
- [22] J. Lie, B. Boghosian, Duality in an asset exchange model for wealth distribution describes a very interesting duality symmetry of this Fokker-Planck equation, Physica A 497, 154 (2018).
- [23] B. M. Boghosian, A. Devitt-Lee, H. Wang, Describing realistic wealth distributions with the extended Yard-Sale model of asset exchange, arXiv:1604.02370v1 (2016).
- [24] John Angle, The Surplus Theory of Social Stratification and the Size Distribution of Personal Wealth Social Forces 65, 293 (1986).
- [25] H. Risken, The Fokker Planck Equation: Methods of Solution and Applications. Springer series in synergetics, Vol. 16 (1996).
- [26] J. Novotný, On the measurement of regional inequality: does spatial dimension of income inequality matter?, Ann. Reg. Sci. 41, 563–580 (2007).

Appendix A: Numerical integration of the FPE

In order to obtain the solution of Eq. (10) numerically, we performed the change of variables

$$w = -\ln(1-y),\tag{A1}$$

that univocally maps the interval $[0, +\infty)$ into the interval [0, 1] [21]. With this change, the quantities defined in Eq. (9) become

$$A(y,t) = \int_{y}^{\infty} \frac{P(w(x),t)}{1-x} dx, \qquad (A2)$$

$$B(y,t) = \int_0^y \frac{\ln^2(1-x)}{1-x} P(w(x),t) dx, \quad (A3)$$

$$f(y,t) = \left(\beta \bar{w} - \gamma g(w(y))\right), \qquad (A4)$$

$$\bar{w} = -\int_0^1 \frac{\ln(1-y)}{(1-y)} P(w(y),t) dy.$$
 (A5)

In Eq. (A4), we must consider $\gamma = 1$ for setting V, and $\beta = 1$ for setting F. Additionally, the normalization condition, meaning conservation of the population size, becomes

$$\int_{0}^{1} \frac{P(w(y), t)}{1 - y} dy = 1.$$
 (A6)

Then, Eq. (10) can be rewritten as

$$\frac{\partial P}{\partial t} + (1-y)\frac{\partial C}{\partial y} = (1-y)\left\{(1-y)\frac{\partial^2 D}{\partial y^2} - \frac{\partial D}{\partial y}\right\},$$
(A7)

where C and D are

$$C \equiv C(y,t) = \chi f(y,t)P, \qquad (A8)$$

$$D \equiv D(y,t) = \frac{1}{2} \left(\ln^2 (1-y) A + B \right) P.$$
 (A9)

Equation (A7) was integrated using a standard forward-time centered-space algorithm.

For the piecewise-linear case, the time evolution of γ within setting V is shown in Fig. 12a, and that of the Gini index in Fig. 12b. In the absence of regulation



FIG. 12: (a) Time evolution of γ , from the numerical integration of FPE (10), for the values of χ and w_0 indicated in the legend. The long-time value of γ is in good agreement with that obtained by direct integration of the stationary FPE. (b) Evolution of the Gini index G(t). Dotted lines indicate the steady state values. The computational cost increases when approching the drift-less limit $\chi = 0$.

 $(\chi = 0)$, condensation would proceed, leading to dramatic inequality, with the Gini index monotonically increasing. Differently, for $\chi > 0$, the Gini index stabilizes. Depending on the initial condition, this stabilization can occur from below (e.g., for $\chi = 0.05$), or moving far from the condensed state towards a more fair distribution of wealth for large enough χ . While the initial rate of decrease depends on χ , the final stabilization value is ruled by w_0 too. Of course, for an initial PDF with sharp cutoff below w_0 , the drift with be ineffective.

Appendix B: Direct integration of the steady FPE

In the particular case of the linear rule g(w) = w, recovered for $w_0 = 0$ or $\alpha = 1$, we have $\beta = \gamma = 1$, independently of the value that $\chi > 0$ assumes, and also independently of time, hence the stationary value is $\gamma_s =$ 1 (or $\beta_s = 1$).

Otherwise, the stationary value γ_s was obtained selfconsistently from the integration of the stationary form of the FPE (10), which for no flux boundary conditions reads

$$\frac{1}{2}\mu' - \chi f P = 0, \qquad (B1)$$

where $\mu \equiv \mu(w) = (w^2 A + B)P(w)$ and " \prime " mean differentiation with respect to w.

In order to solve this equation, we generalized the numerical procedure described in Ref. [21]. It consists in splitting Eq. (B1) into the following coupled linear differential equations, namely,

$$A' = -P = -\mu/(w^2 A + B), \tag{B2}$$

$$B' = w^2 P = w^2 \mu / (w^2 A + B), \tag{B3}$$

$$\mu' = 2\chi f P = 2\chi f \mu / (w^2 A + B), \tag{B4}$$

with the initial conditions A(0) = 1, $B(0) = \mu(0) = 0$, together with the normalization condition, namely, $A_0 = \lim_{w \to \infty} A(w) = 0$. This integration however is not straightforward due to the singular behavior of P(w) near the origin, that behaves as

$$P(w) \simeq \frac{C}{w^2} \exp\left(2\chi \int^w \frac{f(x)}{x^2} dx\right), \tag{B5}$$

where C is a constant. Then, we use the final value in the interval $(0, \delta w)$, with $\delta w \ll 1$ as initial condition for the set of differential equations (B2)-(B4). But still, this initial condition depends on C, which must be determined from the normalization constraint $A_0 = \lim_{w\to\infty} A(w) = 0$. From the plot of $A_0(C)$ vs. C, using a Newton-Raphson (NR) procedure, C can be determined by solving A(C) = 0, which has a single root. This is, essentially, the procedure described before for the linear case [21]. In the nonlinear case, we must still determine the value of γ_s (in setting V) or β_s (in setting F) that defines f(w), under the constraint of conservation of the average wealth \bar{w} . Then, a second NR procedure is required to find the correct value of γ_s or β_s for each value of C that enters in the first NR scheme. (Actually in numerical integration, we also use the change of variables given by Eq. (A1).) The steady solutions $P_s(w)$ found through this procedure are in accurate agreement with the long-time solutions obtained by numerical integration of the time-dependent FPE, as illustrated in the insets of Figs. 4 and 10.



FIG. 13: Stationary value of γ as a function of w_0 (a) and α (b), for different values of χ indicated in the legend. In (a), the vertical dotted lines indicate the asymptotes. In (b), the inset is a zoom of the vicinity of the origin. Full lines are a guide to the eye.

For setting F, the stationary value of γ_s is plotted in Fig. 13, for given values of χ , as a function of w_0 (a) and α (b). In case (a), γ_s increases from unity at $w_0 = 0$ (pure linear case) diverging at a finite value w_{0c} (indicated by dotted vertical lines), following the scaling $\gamma_s \sim (w_{0c} - w_0)^{-2}$. This is the limit value of w_0 observed in Fig. 6. More importantly, it means that although a steady state can be attained, an enormous increase of γ would be needed. However, even for intermediate times, at which γ assumes moderate values, inequality is reduced. In agentbased simulations (of finite size), a finite upper bound of γ is attained.

Still in setting F, for the power-law rule, the coefficient γ plays a different role. In Fig. 13(b), the curves γ vs. α first increase from $\gamma_s = 1$, up to a maximal value, and then decay exponentially towards zero. Notice that when, $\alpha = 1$ (pure linear case), $\gamma_s = 1$. When $\alpha = 0$, from Eq. (16), we have $\gamma = \bar{w}$ (= 1 in our examples). As a consequence the drift term with redistributive mechanism vanishes, then we recover the dynamics without tax regulation when the system becomes at long time an oligarchy of wealthy people concomitantly with a condensed phase of the very poor ones (see inset of Fig. 13b). The computational cost increases when reaching the drift-less limit.

Appendix C: Upper and lower bounds

The limit values of w can be understood as follows. In the worst case where the subsidy is null, the payment cannot exceed the total wealth, since indebtedness is not permitted in the model. Namely, in simulations it must be

$$R \gamma g(w) < w. \tag{C1}$$

In the linear case (in which g(w) = w and $\gamma = 1$), this implies R < 1.

For the piecewise-linear kernel, Eq. (C1) implies the condition

$$w < \frac{w_0}{1 - 1/(\gamma R)} = w_M.$$
 (C2)

if $w > w_0$ and $\gamma R > 1$, with no restrictions arise otherwise. The upper bound w_{max} represents a cut-off, that approaches w_0 as γR increases, as can be observed for instance in the PDFs of Fig. 5. This is in accord with the bounds observed in Figs. 6 and 13(a).

For the power-law kernel, $g(w) = w^{\alpha}$, Eq. (C1) implies the following bounds.

$$w \le (\gamma R)^{\frac{1}{1-\alpha}} = w_M \quad \alpha > 1, \tag{C3}$$

$$w \ge (\gamma R)^{\frac{1}{1-\alpha}} = w_m \quad \alpha < 1.$$
 (C4)

Actually these limits are in excess, since we assumed that the received subsidy is null while it contributes to avoid negative wealth. These bounds naturally emerge in simulations, at least for not too large values of R and of the application period τ .