

SoMin.ai: Personality-Driven Content Generation Platform

Aleksandr Farseev
farseev@itmo.ru
ITMO University
St.Petersburg, Russia

Qi Yang
yangqi@itmo.ru
ITMO University
St.Petersburg, Russia

Andrey Filchenkov
afilchenkov@itmo.ru
ITMO University
St.Petersburg, Russia

Kirill Lepikhin
kirill@somin.ai
SoMin.ai Research
Russia

Yu-Yi Chu-Farseeva
joy@somin.ai
SoMin.ai Research
Singapore

Daron-Benjamin Loo
elcdbl@nus.edu.sg
National University of Singapore
Singapore

ABSTRACT

In this technical demonstration, we showcase the World's first personality-driven marketing content generation platform, called SoMin.ai [6]. The platform combines deep multi-view personality profiling framework and style generative adversarial networks facilitating the automatic creation of content that appeals to different human personality types. The platform can be used for enhancement of the social networking user experience as well as for content marketing routines. Guided by the MBTI personality type, automatically derived from a user social network content, SoMin.ai generates new social media content based on the preferences of other users with a similar personality type aiming at enhancing the user experience on social networking venues as well diversifying the efforts of marketers when crafting new content for digital marketing campaigns. The real-time user feedback to the platform via the platform's GUI fine-tunes the content generation model and the evaluation results demonstrate the promising performance of the proposed multi-view personality profiling framework when being applied in the content generation scenario. By leveraging content generation at a large scale, marketers will be able to execute more effective digital marketing campaigns at a lower cost.

CCS CONCEPTS

• Computing methodologies → Machine learning.

ACM Reference Format:

Aleksandr Farseev, Qi Yang, Andrey Filchenkov, Kirill Lepikhin, Yu-Yi Chu-Farseeva, and Daron-Benjamin Loo. 2021. SoMin.ai: Personality-Driven Content Generation Platform. In *Proceedings of the Fourteenth ACM International Conference on Web Search and Data Mining (WSDM '21)*, March 8–12, 2021, Virtual Event, Israel. ACM, New York, NY, USA, 4 pages. <https://doi.org/10.1145/3437963.3441714>

1 INTRODUCTION

Driven by the rapid growth of Social Media in the past decade and, at the same time, by the drastic **decrease** of branded content organic reach, brands and digital media agencies are constantly boosting

media budgets spent on digital advertising via programmatic platforms like Facebook Ads and Google Ads. Such an increasing scale of media buying activities raises the rapid demand on content validation and production technologies [10, 11] that are capable of easing the burden laying on the marketing teams when it comes to large-scale content creation and A/B testing.

Aiming to bridge such a technology gap, multiple multi-view data modelling [5, 7, 23] approaches have been proposed to solve the tasks of Content Popularity [9–11] and Engagement [20, 21] Inference. Additional effort has been made to tackle the challenge of visual content generation, which has achieved significant success in Text Generation [3], Visual Arts Generation [19], and Face Generation [15] domains. Unfortunately, the research efforts on the important space of Marketing Content Generation are relatively sparse, and there are not many AI models or industrial systems proposed to tackle this challenge. Even worse, the existing generative models are not tailored to fit the personal style of the target content viewer, reducing the impact of content personalization and, therefore, drastically diminishing the effectiveness of the content marketing as a whole. The possible reason for the latter is the difficulty of adjusting image generation models to consider the marketing guidelines imposed by the brands as well as the overall diversity of marketing content styles and application scenarios across different industries. Simply put, modern content generation technology seems to be not yet capable in handling the complex business requirement of generating content at large scale, considering the behavioural preferences of the viewer, but also with no human intervention and presuming the compliance with brand marketing guidelines.

To take a further step towards achieving robust and reliable results of Marketing Content Generation, in this technical demonstration, we propose the World's first personality-driven content generation platform, called SoMin.ai [6]. The platform combines deep multi-view personality profiling framework and style generative adversarial networks for instant generation of branded marketing content that appeals to different human personality types. Guided by the MBTI personality type [2], automatically derived from a user's social network content, SoMin.ai generates new social media content based on the preferences of other users with similar personality types aiming at enhancing the viewer experience when being exposed to digital Ads. Via the platform GUI, the demo user is also allowed to rate the generated content examples against the

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

WSDM '21, March 8–12, 2021, Virtual Event, Israel

© 2021 Copyright held by the owner/author(s).

ACM ISBN 978-1-4503-8297-7/21/03.

<https://doi.org/10.1145/3437963.3441714>





Figure 2: Multi-View Personality Profiling Framework



original branded marketing content and the feedback is used to guide the model in consequent content generation attempts.

2 PLATFORM DESCRIPTION

We now briefly describe the SoMin.ai platform. The structure of the platform is also displayed on Figure 1. From the figure, it can be seen that in the back-end, the branded marketing content gets collected via native interactions with brand Content Libraries and incorporated into the system every 12 hours. The rest of the steps below are performed with different time intervals, ranging from 24 hours to 30 days:

1. Branded Content Collection: (A) Industry and Geographical Market-based brand content filtering via keyword search and visual content mining as search criteria. The step is necessary to narrow down model training data scope. (B) Implicit content response feedback collection from Brand Advertising accounts (e.g. clicks, likes, engagements).

2. User Content and Feedback Collection: (A) Individual public social media content collection from Instagram and Twitter accounts of demo platform users for personality inference¹. (B) Demonstration user response collection via platform GUI.

¹The fixed-size multi-view dataset for training personality profiling model was previously collected and described by Yang et al. [22]

3. Generation and Profiling Models Training: (A) Filtered Past Marketing Content from Brands is used to train Industry-Specific style-based generator models [15]: one model for each selected industry (i.e. "Automobile", "Fast Food", and "Fashion"). (B) Multi-View Public Social Media content is used to train Multi-View Fusion Personality profiling framework "BiGRU + VGG". The structure of the framework is outlined in Figure 2. From the figure, it can be seen that the social media post texts are first projected into a latent space via pre-trained embedding matrix and then fed into the bi-directional gated recurrent unit (BiGRU). The two output layers of the BiGRU then got concatenated and fed into a fully-connected layer (FC) to obtain the final textual data representation. Concurrently, fine-tuned VGG16 [25] is used to extract visual features from the 10 recent visual content and the average pooling layer is used to obtain the final image data representation. Finally, to obtain the latent multi-view representation and perform personality inference, the direct-product operation is applied and fed into the FC layer followed by the output prediction layer in the end.


4. Personality-Driven Content Generation: (A) Personality type gets inferred by applying the prediction framework on recent individual public social media content from the demo user's timeline on Instagram or Twitter. (B) By applying cross-domain recommendation [8], the best-performing content among users with similar MBTI personality types is retrieved from recent branded content for the chosen industry. (C) The content from the previous step gets fed into the industry-specific pre-trained style-based generator model for the generation of the new branded content versions.

5. Feedback Loop: Feedback from the Demo user was collected via the platform's GUI and incorporated into next platform runs. For example, if the platform has generated 5 content variants ($Gen_1...Gen_5$) and the user has left feedback about Images Gen_1 , Gen_3 , Gen_4 and the original image Org as her preference, then the source style images caused generations that led to unsuccessful results (Gen_2 , Gen_5) will be "penalized" by excluding them from the next re-training cycle, and, at the same time, the successful source images, will be prioritized and diversified by Invariant Augmentation [24] during the next model re-training.

3 THE DEMONSTRATION

Using our web GUI displayed on Figure 3, SoMin.ai users can specify their social media handle on Twitter or Instagram to instantly receive generated content examples according to their-predicted personality traits and preferences. The visual content generation response will be given in a form of marketing post previews, where each preview will be listed together with contextual information outlining the basis behind each particular generation: audiences, predicted popularity and viewer personality, emotional response, etc. The original Brand-crafted source content examples will be also organized in random positions on the dashboard for evaluation purposes. By clicking the content previews in the dashboard, the demo platform users will be routed to the "online feedback" form, where they will be able to indicate their preferences regarding the four key content marketing evaluation factors reflecting the content generation performance: a) content visual attractiveness (score 0 – 100%); b) content personal preference (score 1 – 5); c) industry and brand marketing compliance ("Yes", "No", "Do Not Know"); d) whether they would click the content if they see it as a

Figure 3: SoMin.ai Online GUI Snapshot



banner Advertisement on Facebook ("Yes", "No"). Finally, the Demo users will be able to re-post the generated content that received the highest overall score on their Twitter timelines with a reference to the 14th ACM International WSDM Conference and this technical demonstration track.

4 PERFORMANCE EVALUATION

Except for the content generation performance evaluation that will be conducted based on the live user feedback and reflected in the platform GUI during the conference, we have additionally assessed the power of our personality prediction framework, called 'BiGRU+VGG' [22] over the 4 key MBTI personality traits: Introversion/Extroversion (EI), Sensing/iNtuition (SN), Thinking/Feeling (TF), and Judging/Perceiving (JP). The evaluation results are presented in the Table 1. From the table, it can be seen that the fusion model effectively solves the problem of personality prediction based on users' public multi-view data from social media as compared to the case when being trained on either textual or visual data independently. Moreover, it can be noticed that the best prediction performance was achieved for EI personality label, uncovering the strong bond between social media content and human personality traits. The latter observation also allows us to hypothesise that the above two human personality aspects might be of greater influence on the marketing content user preferences when it comes to viewing digital Ads on Social Media. Last but not least, we would like to highlight the overall promising performance achieved by the "BiGRU+VGG" framework, encouraging future research attempts along the personality profiling and marketing content generation directions.

5 TARGET USERS & COMMERCIAL IMPACT

It has been long known that Creative Content is one of the key crucial aspects defining the performance of Digital Ads along with both Organic [27] and Paid Media [16] digital marketing directions. High-quality content serves the basis of the modern Content Marketing [1] paradigm, and often dictates advertisement campaign relevance score [26], which, in turn, is directly related to the success of the Advertisement Campaigns in terms of both scale and cost-efficiency.

Modern programmatic advertisement delivery engines no longer require advertisers to rely just on targeting categories and a limited number of creative assets to run the Ads successfully, but rather are capable at handling thousands of content variations for learning which content needs to be shown to different kinds of audiences to maximize user engagement and conversion rates. The technology is called Dynamic Content/Creative Optimization (DCO) and widely considered to be the future of digital advertising [12, 14, 17].

Unfortunately, the two key digital advertiser groups (Brands and Digital Marketing Agencies) still have to rely on their intuition, tremendous amounts of manual work, and the "gut feeling" when approaching the task of creative content production. The amount of content that human teams are able to produce is almost never sufficient for holistic A/B testing [4] and DCO [12] campaigns. At the same time, these technologies are considered to be prominent future development directions of the state-of-the-art Digital Advertisement platforms [12, 14]. Such a mismatch of human abilities and advertisement technology creates a huge Research and Industry gap resulting in a tremendous waste of digital advertisement budgets on inefficient and limited advertisement campaigns over a small number of likely ineffective creative content assets while under-utilizing the power of DCO capabilities.

This Technical Demonstration aims at addressing the above gap by introducing the world's first personality-driven content generation platform that is able to leverage on automatically-detected personality traits to generate marketing content for DCO campaigns and large-scale content A/B testing. The systems of this kind open an opportunity for brands and agencies to produce thousands of content variations based on one or a small number of input content examples to use such generated content in DCO campaigns for letting programmatic engines to leverage on their massive scale of accumulated user behaviour data and find the right audiences for the right creative assets.

During the past few years, several commercial AI systems have been proposed in an attempt to address the marketing content generation problem and, not surprisingly, immediately were surrounded with considerable attention from the key research and industrial players in the Digital Advertisement space. For example, an intelligent AI-Driven banner-generation technology was proposed by Alibaba in their product Alibaba Luban [18], while PUMA Asia Pacific has recently introduced the World's First AI-Generated Social Media Influencer, called Maya [13]. The former technology is definitely a breakthrough in the industry, but currently only adopted to Alibaba's own e-commerce infrastructure in China and yet to be generalized to be applied outside Alibaba; the latter project was developed more along with appearance/face content generation direction and, therefore, might need to undergo a significant

Table 1: Personality Prediction Performance (Macro F1)

Model	Text				Image				Text+Image			
	EI	SN	TF	JP	EI	SN	TF	JP	EI	SN	TF	JP
Logistic Regression	0.76	0.46	0.54	0.61	0.61	0.52	0.54	0.61	0.77	0.5	0.54	0.63
Support Vector Machine	0.77	0.46	0.55	0.61	0.6	0.52	0.55	0.61	0.79	0.5	0.55	0.61
Light Gradient Boosting Machine	0.79	0.49	0.58	0.61	0.63	0.54	0.55	0.61	0.79	0.54	0.58	0.62
Our Approach (BiGRU+VGG) [22]	0.81	0.56	0.62	0.59	0.66	0.52	0.58	0.59	0.83	0.57	0.64	0.6

restructuring to be capable at solving the our-defined problem. Furthermore, several emerging tech startups have been aiming at solving content generation problems in other domains. For example, Persado.com and Datasine.com are aiming at improving Digital Advertisement performance via the automatic textual content generation and visual content recommendation, respectively. At the same time, SocialBakers.com offers a content recommendation tool, which helps to choose likely-performing content, but does not generate new creative assets to use in DCO campaigns. Again, as it can be seen, the above projects either solve the problems in their respective narrow domains or, alternatively, only help in choosing content from the existing assets but not in new content generation. Therefore, they are not yet capable to bridge the aforementioned scalability gap, and therefore new-generation technological platforms are highly-demanded.

We believe that our-proposed platform is one of the first attempts towards implementing such new-generation content marketing platforms, and we are foreseeing an impact of our technology on the future of digital advertisement industry once being deployed in a real-world scenario. We, therefore, see the online environment of the WSDM conference to be a perfect opportunity for such deployment which will serve as the first step towards global platform roll-out in its future development iterations.

6 CONCLUSION

In this technical demonstration, we have presented the World's first personality-driven marketing content generation platform, called SoMin.ai [6]. The platform makes a further step towards helping digital marketers in producing quality digital marketing content at a large scale and lower cost. The experimental results demonstrate that SoMin.ai is able to achieve good personality profiling performance when being applied in the large-scale marketing content generation scenario. The generated personalized marketing content will allow marketers to boost their digital efforts by conducting efficient digital advertising campaigns easier, driven by large-scale personality data, and with no guesswork involved. Additionally, the proposed technology could be also adopted for use in various programmatic media buying platforms, such as Facebook, for achieving higher content personalization levels and better user experience.

REFERENCES

- [1] Loredana Patrutiu Baltes. 2015. Content marketing-the fundamental tool of digital marketing. *Bulletin of the Transilvania University of Brasov. Economic Sciences. Series V* 8, 2 (2015), 111.
- [2] Kseniya Buraya, Aleksandr Farseev, and Andrey Filchenkov. 2018. Multi-view personality profiling based on longitudinal data. In *International Conference of the Cross-Language Evaluation Forum for European Languages*. Springer, 15–27.
- [3] Liqun Chen, Shuyang Dai, Chenyang Tao, Haichao Zhang, Zhe Gan, Dinghan Shen, Yizhe Zhang, Guoyin Wang, Ruiyi Zhang, and Lawrence Carin. 2018. Adversarial text generation via feature-mover's distance. In *Advances in Neural Information Processing Systems*. 4666–4677.
- [4] Eleri Dixon, Emily Enos, and Scott Brodmerkle. 2011. A/b testing of a webpage. US Patent 7,975,000.
- [5] Aleksandr Farseev and Tat-Seng Chua. 2017. Tweetfit: Fusing multiple social media and sensor data for wellness profile learning. In *Proceedings of the AAAI Conference on Artificial Intelligence*, Vol. 31.
- [6] Aleksandr Farseev, Kirill Lepikhin, Hendrik Schwartz, Eu Khoon Ang, and Kenny Powar. 2018. SoMin. ai: Social multimedia influencer discovery marketplace. In *Proceedings of the 26th ACM international conference on Multimedia*. 1234–1236.
- [7] Aleksandr Farseev, Liqiang Nie, Mohammad Akbari, and Tat-Seng Chua. 2015. Harvesting multiple sources for user profile learning: a big data study. In *Proceedings of the 5th ACM on International Conference on Multimedia Retrieval*. 235–242.
- [8] Aleksandr Farseev, Ivan Samborskii, Andrey Filchenkov, and Tat-Seng Chua. 2017. Cross-domain recommendation via clustering on multi-layer graphs. In *Proceedings of the 40th International ACM SIGIR Conference on Research and Development in Information Retrieval*. 195–204.
- [9] Francesco Gelli, Xiangnan He, Tao Chen, and Tat-Seng Chua. 2017. How Personality Affects Our Likes: Towards a Better Understanding of Actionable Images. In *Proceedings of the 2017 ACM on Multimedia Conference* (Mountain View, California, USA) (MM '17). ACM, 10.
- [10] Francesco Gelli, Tiberio Uricchio, Xiangnan He, Alberto Del Bimbo, and Tat-Seng Chua. 2018. Beyond the Product: Discovering Image Posts for Brands in Social Media. In *Proceedings of the 2018 ACM on Multimedia Conference* (MM '18). ACM.
- [11] Francesco Gelli, Tiberio Uricchio, Xiangnan He, Alberto Del Bimbo, and Tat-Seng Chua. 2019. Learning subjective attributes of images from auxiliary sources. In *Proceedings of the 27th ACM International Conference on Multimedia*. 2263–2271.
- [12] Seth Haberman, Robert Bress, and Claudio Marcus. 2016. Dynamic content allocation and optimization. US Patent 9,369,777.
- [13] Tech in Asia. 2020 (accessed October 4, 2020). *Will virtual humans replace 'real' influencers, models, and more?* <https://www.techinasia.com/virtual-humans-replace-influencers-models>
- [14] Facebook Inc. 2020 (accessed October 4, 2020). *Dynamic Creative: Building high-performing ads that deliver results*. <https://www.facebook.com/business/m/facebook-dynamic-creative-ads>
- [15] Tero Karras, Samuli Laine, and Timo Aila. 2019. A style-based generator architecture for generative adversarial networks. In *Proceedings of the IEEE conference on computer vision and pattern recognition*. 4401–4410.
- [16] Ed Keller and Brad Fay. 2009. The role of advertising in word of mouth. *Journal of Advertising Research* 49, 2 (2009), 154–158.
- [17] Aditya Pradip Kulkarni, Avi Samuel Gavloski, Zhurun Zhang, and George Xiangwen Zeng. 2018. Dynamic creative optimization for effectively delivering content. US Patent App. 15/199,386.
- [18] Kui-long Liu, Wei Li, Chang-yuan Yang, and Guang Yang. 2019. Intelligent design of multimedia content in Alibaba. *Frontiers of Information Technology & Electronic Engineering* 20, 12 (2019), 1657–1664.
- [19] Yongyi Lu, Shangzhe Wu, Yu-Wing Tai, and Chi-Keung Tang. 2018. Image generation from sketch constraint using contextual gan. In *Proceedings of the European Conference on Computer Vision (ECCV)*. 205–220.
- [20] Masoud Mazloom, Robert Rietveld, Stevan Rudinac, Marcel Worring, and Willemijn Van Dolen. 2016. Multimodal popularity prediction of brand-related social media posts. In *Proceedings of the 24th ACM international conference on Multimedia*. 197–201.
- [21] Shohei Ohsawa and Yutaka Matsuo. 2013. Like prediction: modeling like counts by bridging facebook pages with linked data. In *Proceedings of the 22nd International Conference on World Wide Web*. 541–548.
- [22] Yang Qi, Farseev Aleksandr, and Filchenkov Andrey. 2020. I Know Where You Are Coming From: On the Impact of Social Media Sources on AI Model Performance. In *Proceedings of the AAAI Conference on Artificial Intelligence*, Vol. 34. 13971–13972.
- [23] Ivan Samborskii, Aleksandr Farseev, Andrey Filchenkov, and Tat-Seng Chua. 2019. A Whole New Ball Game: Harvesting Game Data for Player Profiling. In *Proceedings of the AAAI Conference on Artificial Intelligence*, Vol. 33. 10025–10026.
- [24] Connor Shorten and Taghi M Khoshgoftaar. 2019. A survey on image data augmentation for deep learning. *Journal of Big Data* 6, 1 (2019), 60.
- [25] K. Simonyan and A. Zisserman. 2015. Very Deep Convolutional Networks for Large-Scale Image Recognition. In *International Conference on Learning Representations*.
- [26] Mingyu Wang, Weibin Zhu, Ying Li, and Qiaolin Mao. 2011. Relevance score in a paid search advertisement system. US Patent 8,065,311.
- [27] Dan Zarrella. 2009. *The social media marketing book*. "O'Reilly Media, Inc."