

# Fermiology of two-dimensional titanium carbide and nitride MXenes

Mohammad Bagheri<sup>1</sup>, Rina Ibragimova<sup>2</sup>, and Hannu-Pekka Komsa<sup>1,2</sup>

<sup>1</sup>*Microelectronics Research Unit, University of Oulu, Oulu, Finland*

<sup>2</sup>*Department of Applied Physics, Aalto University, Aalto, Finland.*

(Dated: December 1, 2021)

MXenes are a family two-dimensional transition metal carbide and nitride materials, which often exhibit very good metallic conductivity and are thus of great interest for applications in, e.g., flexible electronics, electrocatalysis, and electromagnetic interference shielding. However, surprisingly little is known about the fermiology of MXenes, i.e., the shape and size of their Fermi-surfaces, and its effect on the material properties. One reason for this may be that MXene surfaces are almost always covered by a mixture of functional groups, and studying Fermi-surfaces of disordered systems is cumbersome. Here, we study fermiology of four common Ti-based MXenes as a function of the surface functional group composition. We first calculate the effective band structures of systems with explicit mixed surfaces and observe gradual evolution in the filling of the Ti-d band and resulting shift of Fermi-level. We then demonstrate that these band structures can be closely approximated by using pseudohydrogenated surfaces, and also compare favorably to the experimental angle-resolved photoemission spectroscopy results. By modifying the pseudohydrogen charge we then proceed to plot Fermi-surfaces for all systems and extract their properties, such as the Fermi-surface area and average Fermi-velocity. These are in turn used to evaluate the electrical conductivity with the relaxation time fitted to experimentally measured conductivities.

## I. INTRODUCTION

MXenes are a large class of two-dimensional (2D) materials of transition metal (M) carbides and nitrides (X) [1, 2]. Distinct from other 2D materials, MXenes are synthesized by etching out layers of atoms from a layered bulk precursor phase. As a result of the etching process, the dangling bonds on the surface are passivated by a mixture of organic groups from the etching solution, such as -O, -OH, and -F [3]. MXenes are metallic and exhibit very high conductivity in addition to good mechanical properties and easy solution processing. As a result, they have shown great promise for applications in conductive inks, battery electrodes, electromagnetic interference shielding, and various types of sensors [4–6, 31].

Given the large interest on these materials, surprisingly little effort has been devoted to understanding the fundamental properties of their Fermi-surfaces, i.e., fermiology, and its effect on the material properties [7]. Experimentally, Fermi-surfaces are commonly investigated using angle-resolved photoemission spectroscopy (ARPES) [7, 8]. ARPES results for delaminated  $\text{Ti}_3\text{C}_2$ , the prototypical MXene, were reported by Schultz et al. [9], but since the measured film consists of randomly oriented flakes, the ARPES data was azimuthally averaged, which prevented the extraction of the Fermi-surface shape. Quasiparticle interference within scanning tunneling microscope (STM-QPI) is also often used to gain insight on the Fermi-surface, but requires high quality surface with small density of scattering centers [10] — a luxury not afforded in the case of MXenes, where the surfaces are covered by a random mixture of organic groups and other residues from the synthesis. In fact, to the best of our knowledge, clean STM images of MXene surfaces have not been reported in the literature. Finally, Fermi-surfaces could be probed via de Haas van Alphen effect [11], but again no reports exist for MXenes.

Also computational studies of Fermi-surfaces are very rare, even when the band structures have been reported in numerous papers and are relatively well understood [12–14]. Hu

et al. calculated the Fermi-surface of monolayer and bulk  $\text{Ti}_2\text{C}_2(\text{OH})_2$  for two different layer stackings [15]. In addition, some insight can be gained from the Fermi-surfaces of the precursor MAX phases, which were presented in Ref. 11. While the Fermi-surfaces for pure O or OH terminated structures are straightforward to evaluate, since the surfaces are passivated by a mixture of groups (stabilized by strong nearest neighbor interactions between the groups [16, 17]) and the electronic structure of O and OH-terminated surfaces differ markedly, it is not clear how the Fermi-surface evolves with changing functional group composition. Calculations for the mixed group surfaces are cumbersome due to requiring the use of supercells and the resulting band folding. The band structures can be unfolded with the effective band structure method, where each state from the supercell Brillouin zone is projected to each of the folded planewaves from the primitive cell Brillouin zone [18, 19], but smearing of the bands still complicates the analysis.

In this paper, we show how to overcome these problems and report results for the Fermi-surfaces of  $\text{Ti}_3\text{C}_2$ ,  $\text{Ti}_2\text{C}$ ,  $\text{Ti}_4\text{N}_3$ , and  $\text{Ti}_2\text{N}$  monolayers with varying O/OH composition. We calculate the effective band structures for mixed group surfaces and show that they can be well approximated by pseudohydrogenated surfaces. We analyze the Fermi-surface properties as a function of the surface group composition and compare the evaluated electrical conductivities to the experiments. We also compare the  $\text{Ti}_3\text{C}_2$  band structure to those obtained from recent ARPES experiments.

## II. METHODS

All density-functional theory calculations are carried out using VASP software [20, 21], together with projector augmented plane wave method [22]. We adopt the Perdew-Burke-Ernzerhof exchange-correlation functional for solids (PBEsol)[23]. The plane wave cutoff is 550 eV and the Brill-

lounin zone of the primitive cell is sampled with a  $16 \times 16$  k-point mesh.

The effective band structures (EBS) are calculated using BandUP software [24]. The atomic structures for the mixed surfaces were determined via combination of cluster expansion and Monte Carlo simulations in our previous publication [17], and we use the same  $4 \times 4$  supercell special quasi-ordered structures as constructed therein.

Electronic band structures are interpolated using Boltz-Trap2 software, which is also used for the integration of the transport properties [25]. We use k-point mesh interpolation factor 200 and temperature 300 K. Fermi-surfaces are analyzed and plotted using the ifermi software [26], with interpolation factor 20.

### III. RESULTS

#### A. Band structures of mixed surface MXenes

More realistic structural models for the distribution of functional groups were developed by us in Refs. 16, 17. As an example, the structure of  $\text{Ti}_3\text{C}_2$  with  $\text{O}_{0.5}\text{OH}_{0.5}$  surface composition is shown in Fig. 1(a). In the left panels of Fig. 1(b-e) we show the effective band structures for the four Ti-based MXenes with  $\text{O}_{0.5}\text{OH}_{0.5}$  surface composition. From these results, and from comparison to the band structure of pure surfaces (see Figs. 2–3 below), it is clear that the band structures undergo a gradual evolution and there are no extraneous bands arising from the surface groups. The band(s) at the Fermi-level arise from the non-bonding  $t_{2g}$  states of Ti-d character [27]. Consequently, to a very good approximation, the surface groups only control the electron concentration and consequently the Fermi-level position in the metal d-bands, as has been previously assumed [13, 14]. This also suggests that other charge acceptor or donor species could be used just as well for controlling the Fermi-level position.

Given that effective band structures are unwieldy for detailed studies of these materials' fermiology, we propose to use pseudohydrogenated surfaces to control the Fermi-level position. In practice, we use the primitive cell of a fully OH-terminated structures, but with the H atom replaced by a pseudohydrogen atom with atomic number  $Z = 0.25, 0.50$ , or  $0.75$  (i.e., proton charge is  $Ze$  and total electron charge  $-Ze$ ). The pseudohydrogen band structures for  $Z = 0.5$  are shown on the right panels of Fig. 1(b-e), overlaid on top of the effective band structures. In all cases, the band structures of pseudohydrogenated MXenes agree extremely well with the EBS, thereby further corroborating the physical picture described above.

It is worth noting that we also calculated the band structures for systems with one side fully terminated by O and the other by OH, but the resulting band structures did not agree favorably with the EBS due to broken symmetry. Moreover, such approach would obviously be limited to a  $\text{O}_{0.5}\text{OH}_{0.5}$  composition.

The band structure evolution with O/OH composition, for all materials and five different O/OH compositions, are col-

lected in Fig. 2 and 3. From these plots, the gradual change in the band energies is easily resolved.

Based on the analysis by Hu et al. [27], the states below Fermi-level (red colored band and below in Figs. 2 and 3) arise from bonding state between Ti-d and C-p/N-p ( $e_g$ ), and similar to bulk carbides and nitrides [28]. The states at and above Fermi-level (orange colored band and above) arise from non-bonding  $t_{2g}$  states of Ti-d. In most cases there is a gap between these two band manifolds, but the Fermi-level resides in the Ti-d manifold in all cases except for the fully O-terminated  $\text{Ti}_2\text{C}$ . Due to the larger electronegativity of N, as compared to C, the Ti-N bonding states are clearly lower in energy and lead to a larger gap below the nonbonding states. The Ti-C bands cross the Fermi-level around  $\Gamma$ -point only for O-rich  $\text{Ti}_3\text{C}_2$ , but thereby prevent it from becoming semiconductor as happens with  $\text{Ti}_2\text{CO}_2$ .

Due to the additional electron(s) in N, as compared to C, there is one additional electron per X atom to fill the M-d bands and consequently Fermi-level resides higher within this band. For instance, the lowest energy band (orange) is exactly half-filled by the one additional electron in the case of  $\text{Ti}_2\text{N}$ , whereas the band is empty in the case of  $\text{Ti}_2\text{C}$ . Similar half-filling of the band can be obtained in the case of  $\text{O}_{0.5}\text{OH}_{0.5}$  surface composition of  $\text{Ti}_3\text{C}_2$  or  $\text{Ti}_2\text{C}$ .

The band fillings can also be readily obtained via electron counting. In the case of  $\text{Ti}_3\text{C}_2\text{O}_2$  and  $\text{Ti}_2\text{CO}_2$ , Ti, C, and O are in the oxidation states +4, -4, and -2, respectively, as in TiC and  $\text{TiO}_2$ . Upon addition of H atoms (oxidation state +1) and the subsequent occupation of the non-bonding Ti-d band, the charge balance is achieved by decreasing the oxidation state of Ti. The nitrogen atoms (oxidation state -3) have a similar effect.

O/OH composition controls the occupation of the  $t_{2g}$  band, but since it is nonbonding, it should have relatively minor effect on the energetics. Among the purely terminated surfaces, O-terminated surfaces have been predicted to be the most stable, but the mixed surfaces arise in practice due to the strong attractive interactions between the opposite type surface groups [16, 17]. Consequently, since the surface composition is dominated by the interactions between surface groups, it is rather independent on the M and X species, as we observed in Ref. 17 (we also note, that the energy gain upon mixing is not captured in the pseudohydrogen models). Even if the O/OH mixing cannot be easily avoided, we expect that the Fermi-level position can still be tuned by introducing alloying in the M and X sublattices.

#### B. Fermi-surface properties

The Fermi-surfaces are plotted below the band structures in Figs. 2 and 3, and colored by the Fermi-velocity. When Fermi-level crosses the lowest energy Ti-d band, it leads to hexagonally symmetric ellipsoids around the M-points. These have fairly large Fermi-velocities, reaching values above  $0.5 \cdot 10^6$  m/s, which is only about factor of two lower than in the highly conducting elemental metals. At large OH concentrations (or any concentration in the case of  $\text{Ti}_4\text{N}_3$ ) when the Fermi-level




FIG. 1: (a) Atomic structure for  $\text{Ti}_3\text{C}_2$  with a surface functionalized by a mixture of O and OH groups (top) and the corresponding pseudohydrogenated structure (bottom). (b-e) Effective band structures for all materials (left panel) and band structures of pseudohydrogenated surfaces overlaid on the EBS (right panel). Fermi-level is set to zero.




FIG. 2: Evolution of the band structures of  $\text{Ti}_3\text{C}_2$  and  $\text{Ti}_2\text{C}$  with surface group composition. The Fermi-surfaces are plotted under each panel, with the color denoting Fermi-velocity.

risers to cross the set of states around  $\Gamma$ -point, the Fermi-surfaces develop more complex features.




FIG. 3: Evolution of the band structures of  $\text{Ti}_4\text{N}_3$  and  $\text{Ti}_2\text{N}$  with surface group composition. The Fermi-surfaces are plotted under each panel, with the color denoting Fermi-velocity.




FIG. 4: Fermi-surface properties: (a) sheet conductivity, (b) conductivity, (c) Fermi-surface length, (d) Fermi-velocity, and (e) density of states.

With access to Fermi-surfaces of (effectively) mixed surface MXenes, we can next estimate their properties. Since MXenes are known to exhibit excellent electrical conductivity, we evaluated the sheet conductivity within the constant

relaxation time approximation (in x-direction) as

$$\sigma_{2D} = \frac{e^2}{2\pi^2\hbar}\tau_0 \int_{E=E_F} \frac{v_x^2(k)}{|v(k)|} dk_F \quad (1a)$$

$$= \frac{e^2}{2\pi^2\hbar}\tau_0 \frac{\langle v_F \rangle}{2} \cdot l_F \quad (1b)$$

see Supplemental Material for more detailed description.

The sheet conductivities are shown in Fig. 4(a). The solid lines show the results from the full integral (Eq. 1a) and the dashed lines from average Fermi-velocity approximation (Eq. 1b). All four considered MXenes show similar  $\sigma_{2D}/\tau_0$ , mostly falling within 2–4  $1/\Omega\Box$ s. The approximation (Eq. 1b) works very well and thus by inspecting the  $\langle v_F \rangle$  and  $l_F$  shown in Fig. 4(c,d), we can study their roles in governing the conductivity. Fermi-surface lengths and average Fermi-velocity are similar in  $\text{Ti}_3\text{C}_2$ ,  $\text{Ti}_2\text{C}$ , and  $\text{Ti}_2\text{N}$ .  $\text{Ti}_4\text{N}_3$  shows larger total length due to large number of states crossing the Fermi-level, but the average Fermi-velocities in these states are low. Overall, our results indicate that by simply tuning the surface composition the sheet conductivity cannot be changed by more than about a factor of two.

Trends in electrical conductivity are often evaluated from the density of states (DOS) at Fermi-level, since  $l_F \sim D_{2D}(E_F)\langle v_F \rangle$  (cf. Supplemental Material). The DOS at Fermi-level are presented in 4(e) and shows that the trends in the conductivity changes with composition or between different materials cannot be extracted solely from the DOS due to missing the effect of  $\langle v_F \rangle$ .

Experimentally measuring the sheet conductivity of MXene monolayers is challenging, but the conductivity of MXene films has been reported in several publications. In the case of  $\text{Ti}_3\text{C}_2$  films, conductivities above  $10^5$  S/m have been reported often [29–32]. Recently a value as high as  $1.1 \cdot 10^6$  S/m was achieved for a high crystalline quality  $\text{Ti}_3\text{C}_2$  monolayer [33]. For other considered materials, the reports are more scarce, but nevertheless fairly similar values can be found:  $5 \cdot 10^5$  S/m for  $\text{Ti}_2\text{N}$  [34], and  $2.3 \cdot 10^5$  S/m for  $\text{Ti}_2\text{C}$  [35]. It is worth noting, that the conductivity may be governed by interflake contacts and thus also sensitive to the presence of any intercalated species [36].

In order to estimate the film conductivity, we calculate  $\sigma = (\sigma_{2D}/\tau_0) \cdot \tau_0/t$ , where  $\tau_0$  is the relaxation time and  $t$  is the interlayer separation taken from experiments: 10.3, 7.5, [1] 14, [37] and 8.7 Å [34] for  $\text{Ti}_3\text{C}_2$ ,  $\text{Ti}_2\text{C}$ ,  $\text{Ti}_4\text{N}_3$ , and  $\text{Ti}_2\text{N}$ , respectively. Note, that the interlayer separation depends on the preparation method, as, e.g., intercalation of Li can increase the spacing by a few Å. Here we do not attempt to evaluate  $\tau_0$  from first-principles calculations, but instead from the comparison to experimentally measured conductivities. In Fig. 4(b) we show the results for  $\tau_0 = 1$  fs, which yields  $\sigma$  values comparable to majority of the experimental reports. The result of Ref. 33 can be reproduced by taking slightly larger  $\tau \approx 2\text{--}3$  fs, depending on the surface composition. The lower  $\tau_0$  in earlier reports may then be ascribed to larger number of defects caused by the strong etching, although the interflake contacts may also contribute.

### C. Angle-resolved photoemission spectrum (ARPES)

To verify that our calculations properly capture the main features in the electronic structures of MXenes, we compare them to the only available experimental piece of information: the ARPES results for  $\text{Ti}_3\text{C}_2$  reported in Ref. 9. The exper-

imental data is reproduced in Fig. ??(d) and shows: (i) flat band at the Fermi-level, (ii) band with negative dispersion starting at -1.5 eV, (iii) band with negative dispersion starting at -2 eV, (iv) flat band at -3 eV, (v) flat band segment at -4 eV, (vi) broad flat band between -5 and -6 eV, and (vii) broad flat band between -8 and -9 eV. The composition was determined to be  $\text{Ti}_3\text{C}_2\text{F}_{0.8}\text{O}_{0.8}$ .

In Fig. 5(a) we replot the effective band structure of  $\text{Ti}_3\text{C}_2(\text{O}_{0.5}\text{OH}_{0.5})_2$  overlaid with the pseudohydrogenated band structure from Fig. 1(a), but in a wider energy range. As discussed, the non-bonding Ti bands at and above 0 eV and the Ti-C bonding bands between -4 and 0 eV are well reproduced in the pseudohydrogenated systems. The Ti-O bands between -7 and -4 eV are not reproduced very well, and the O-H states at -9 eV are understandably poorly described by pseudohydrogens. Also some parts of the effective band structure are more strongly smeared by the surface group disorder than others, whereas the pseudohydrogen band structures contain no disorder. These factors limit the use of the pseudohydrogenated structures for reproducing ARPES results of deeper states.

Since the features close to Fermi-level [features (i)–(iii) above] are properly described by pseudohydrogen models, we can start by comparing them to the band structures in Fig. ??. Feature (i) indicates that the non-bonding band at  $\Gamma$ -point must be occupied, and therefore O content must be less than about 0.25. The gap of about 1.5 eV between features (i) and (ii) would match to the pure OH-terminated surface. We then calculated effective band structures for few different mixtures with small O content and found overall best agreement with  $\text{Ti}_3\text{C}_2(\text{O}_{0.25}\text{OH}_{0.25}\text{F}_{0.5})_2$ , as shown in Fig. 5(b) and processed such that it is more comparable to the experimental spectrum in Fig. 5(c). In this case, features (i)–(iv) are all reproduced very well. The EBS also shows flat band away from the  $\Gamma$ -point at about -4 eV, matching well with feature (v) in the experimental spectrum. We also reproduce fairly well the broad band between -5 and -6 eV, feature (vi). The lowest energy feature (vii) is not reproduced in our calculations. The band at -7 eV in EBS originates from Ti-F bonds and the band at below -9 eV from O-H bonds. Since semilocal functionals, such as PBEsol one used here, are known to underestimate band widths and experimentally measured sample should contain significant amount of F, we ascribe feature (vii) to Ti-F bonds, in agreement with the discussion in Ref. 9.

### D. Conclusions

In conclusion, we presented a study of the fermiology of titanium carbide and nitride MXenes via density-functional theory calculations. We first calculated the effective band structures for surfaces with mixtures of O and OH groups. The electronic structure near the Fermi-level was found to evolve gradually with the composition, and we further showed they are very well reproduced by surfaces fully terminated with pseudohydrogenated OH groups. With the pseudohydrogenated surfaces we could readily access Fermi-surface properties, such as Fermi-surface area (or length in the case of 2D materials) and Fermi-velocity. We calculated the electrical




FIG. 5: (a) Calculated effective band structure of  $\text{Ti}_3\text{C}_2(\text{O}_{0.5}\text{OH}_{0.5})_2$  overlaid with the band structure from pseudohydrogenated system. (b) Effective band structure of  $\text{Ti}_3\text{C}_2(\text{O}_{0.25}\text{OH}_{0.25}\text{F}_{0.5})_2$ . (c) The same as panel (b), but showing only the  $\Gamma$ -K line, broadened, and colormap chosen to match that in the experiments. (d) Experimentally measured ARPES spectrum of  $\text{Ti}_3\text{C}_2\text{T}_x$ , adapted from Ref. 9.

conductivity within the constant relaxation time approximation and by comparing to the experimentally determined conductivities we obtained relaxation time of about 1 fs. For the same relaxation time, the conductivities for all studied MXenes were rather similar and also fairly independent of the surface composition, changing at most by a factor of two. Finally, we compared our effective band structures to those obtained from recent ARPES experiments [9] for  $\text{Ti}_3\text{C}_2$ , where the best agreement was obtained using  $\text{Ti}_3\text{C}_2(\text{O}_{0.25}\text{OH}_{0.25}\text{F}_{0.5})_2$  model.

The approaches demonstrated here can be used also for other MXenes, including double MXenes [38] and even solid solutions in the M or X sublattice if their positions and those of the surface functional groups are uncorrelated. With the pseudohydrogenation approach it should be possible to calculate many other material properties of MXenes with an effective

mixed surface composition, such as optical properties and electron-electron and electron-phonon scattering rates. It will also allow investigating how instabilities in electronic structure, leading to e.g. magnetism or charge density waves, depend on the surface composition.

### Acknowledgments

We thank Prof. Norbert Koch and Dr. Thorsten Schultz for providing us the original ARPES data, previously published in Ref. 9. We are grateful to the Academy of Finland for support under Academy Research Fellow funding No. 311058. We also thank CSC-IT Center for Science Ltd. for generous grants of computer time.

- 
- [1] M. Naguib, O. Mashtalir, J. Carle, V. Presser, J. Lu, L. Hultman, Y. Gogotsi, and M. W. Barsoum, *ACS Nano* **6**, 1322 (2012), <http://dx.doi.org/10.1021/nn204153h>, URL <http://dx.doi.org/10.1021/nn204153h>.
- [2] Y. Gogotsi and B. Anasori, *ACS Nano* **13**, 8491 (2019), pMID: 31454866, <https://doi.org/10.1021/acsnano.9b06394>, URL <https://doi.org/10.1021/acsnano.9b06394>.
- [3] M. Naguib, M. Kurtoglu, V. Presser, J. Lu, J. Niu, M. Heon, L. Hultman, Y. Gogotsi, and M. W. Barsoum, *Advanced Materials* **23**, 4248 (2011), ISSN 1521-4095, URL <http://dx.doi.org/10.1002/adma.201102306>.
- [4] B. Anasori, M. R. Lukatskaya, and Y. Gogotsi, *Nature Reviews Materials* **2**, 16098 (2017), URL <https://www.nature.com/articles/natrevmats201698>.
- [5] Z. Fu, N. Wang, D. Legut, C. Si, Q. Zhang, S. Du, T. C. Germann, J. S. Francisco, and R. Zhang, *Chemical Reviews* **119**, 11980 (2019), pMID: 31710485, <https://doi.org/10.1021/acs.chemrev.9b00348>, URL <https://doi.org/10.1021/acs.chemrev.9b00348>.
- [6] E. Lee and D.-J. Kim, *Journal of The Electrochemical Society* **167**, 037515 (2020), URL <https://doi.org/10.1149/2F2.0152003jes>.
- [7] I. Matsuda and S. Hasegawa, *Journal of Physics: Condensed Matter* **19**, 355007 (2007), URL <https://doi.org/10.1088/0953-8984/19/35/355007>.
- [8] K. Lasek, J. Li, S. Kolekar, P. M. Coelho, L. Guo, M. Zhang, Z. Wang, and M. Batzill, *Surface Science Reports* p. 100523 (2021), ISSN 0167-5729, URL <https://www.sciencedirect.com/science/article/pii/S016757292100008X>.
- [9] T. Schultz, N. C. Frey, K. Hantanasirisakul, S. Park, S. J. May, V. B. Shenoy, Y. Gogotsi, and N. Koch, *Chemistry of Materials* **31**, 6590 (2019), <https://doi.org/10.1021/acs.chemmater.9b00414>, URL <https://doi.org/10.1021/acs.chemmater.9b00414>.
- [10] L. Chen, P. Cheng, and K. Wu, *Journal of Physics: Condensed Matter* **29**, 103001 (2017), URL <https://doi.org/10.1088/1361-648x/aa54da>.
- [11] T. Ouisse and M. W. Barsoum, *Materials Research Letters* **5**,

- 365 (2017), <https://doi.org/10.1080/21663831.2017.1333537>, URL <https://doi.org/10.1080/21663831.2017.1333537>.
- [12] Y. Xie and P. R. C. Kent, *Phys. Rev. B* **87**, 235441 (2013), URL <http://link.aps.org/doi/10.1103/PhysRevB.87.235441>.
- [13] M. Khazaei, M. Arai, T. Sasaki, C.-Y. Chung, N. S. Venkataramanan, M. Estili, Y. Sakka, and Y. Kawazoe, *Advanced Functional Materials* **23**, 2185 (2013), ISSN 1616-3028, URL <http://dx.doi.org/10.1002/adfm.201202502>.
- [14] M. Khazaei, A. Ranjbar, M. Arai, T. Sasaki, and S. Yunoki, *J. Mater. Chem. C* **5**, 2488 (2017), URL <http://dx.doi.org/10.1039/C7TC00140A>.
- [15] T. Hu, H. Zhang, J. Wang, Z. Li, M. Hu, J. Tan, P. Hou, F. Li, and X. Wang, *Scientific Reports* **5**, 16329 (2015).
- [16] R. Ibragimova, M. J. Puska, and H.-P. Komsa, *ACS Nano* **13**, 9171 (2019), <https://doi.org/10.1021/acsnano.9b03511>, URL <https://doi.org/10.1021/acsnano.9b03511>.
- [17] R. Ibragimova, P. Erhart, P. Rinke, and H.-P. Komsa, *The Journal of Physical Chemistry Letters* **12**, 2377 (2021), <https://doi.org/10.1021/acs.jpclett.0c03710>, URL <https://doi.org/10.1021/acs.jpclett.0c03710>.
- [18] W. Ku, T. Berlijn, and C.-C. Lee, *Phys. Rev. Lett.* **104**, 216401 (2010), URL <https://link.aps.org/doi/10.1103/PhysRevLett.104.216401>.
- [19] V. Popescu and A. Zunger, *Phys. Rev. Lett.* **104**, 236403 (2010), URL <https://link.aps.org/doi/10.1103/PhysRevLett.104.236403>.
- [20] G. Kresse and J. Furthmüller, *Comput. Mater. Sci.* **6**, 15 (1996).
- [21] G. Kresse and J. Furthmüller, *Phys. Rev. B* **54**, 11169 (1996).
- [22] P. E. Blöchl, *Phys. Rev. B* **50**, 17953 (1994), URL <https://link.aps.org/doi/10.1103/PhysRevB.50.17953>.
- [23] J. P. Perdew, A. Ruzsinszky, G. I. Csonka, O. A. Vydrov, G. E. Scuseria, L. A. Constantin, X. Zhou, and K. Burke, *Phys. Rev. Lett.* **100**, 136406 (2008), URL <https://link.aps.org/doi/10.1103/PhysRevLett.100.136406>.
- [24] P. V. C. Medeiros, S. Stafström, and J. Björk, *Phys. Rev. B* **89**, 041407 (2014), URL <https://link.aps.org/doi/10.1103/PhysRevB.89.041407>.
- [25] G. K. Madsen, J. Carrete, and M. J. Verstraete, *Computer Physics Communications* **231**, 140 (2018), ISSN 0010-4655, URL <https://www.sciencedirect.com/science/article/pii/S0010465518301632>.
- [26] A. M. Ganose, A. Searle, A. Jain, and S. M. Griffin, *Journal of Open Source Software* **6**, 3089 (2021), URL <https://doi.org/10.21105/joss.03089>.
- [27] T. Hu, Z. Li, M. Hu, J. Wang, Q. Hu, Q. Li, and X. Wang, *The Journal of Physical Chemistry C* **121**, 19254 (2017), <https://doi.org/10.1021/acs.jpcc.7b05675>, URL <https://doi.org/10.1021/acs.jpcc.7b05675>.
- [28] J. Häglund, A. Fernández Guillermet, G. Grimvall, and M. Körling, *Phys. Rev. B* **48**, 11685 (1993), URL <https://link.aps.org/doi/10.1103/PhysRevB.48.11685>.
- [29] J. Halim, M. R. Lukatskaya, K. M. Cook, J. Lu, C. R. Smith, L.-Å. Näslund, S. J. May, L. Hultman, Y. Gogotsi, P. Eklund, et al., *Chemistry of Materials* **26**, 2374 (2014), pMID: 24741204, <https://doi.org/10.1021/cm500641a>, URL <https://doi.org/10.1021/cm500641a>.
- [30] Z. Ling, C. E. Ren, M.-Q. Zhao, J. Yang, J. M. Giammarco, J. Qiu, M. W. Barsoum, and Y. Gogotsi, *Proceedings of the National Academy of Sciences* **111**, 16676 (2014), ISSN 0027-8424, <https://www.pnas.org/content/111/47/16676.full.pdf>, URL <https://www.pnas.org/content/111/47/16676>.
- [31] F. Shahzad, M. Alhabeib, C. B. Hatter, B. Anasori, S. Man Hong, C. M. Koo, and Y. Gogotsi, *Science* **353**, 1137 (2016), ISSN 0036-8075, <https://science.sciencemag.org/content/353/6304/1137.full.pdf>, URL <https://science.sciencemag.org/content/353/6304/1137>.
- [32] J. Liu, Z. Liu, H.-B. Zhang, W. Chen, Z. Zhao, Q.-W. Wang, and Z.-Z. Yu, *Advanced Electronic Materials* **6**, 1901094 (2020), <https://onlinelibrary.wiley.com/doi/pdf/10.1002/aelm.201901094>, URL <https://onlinelibrary.wiley.com/doi/abs/10.1002/aelm.201901094>.
- [33] A. Lipatov, A. Goad, M. J. Loes, N. S. Vorobeve, J. Abourahma, Y. Gogotsi, and A. Sinitskii, *Matter* **4**, 1413 (2021), ISSN 2590-2385, URL <https://www.sciencedirect.com/science/article/pii/S2590238521000540>.
- [34] B. Soundiraraju and B. K. George, *ACS Nano* **11**, 8892 (2017), pMID: 28846394, <http://dx.doi.org/10.1021/acsnano.7b03129>, URL <http://dx.doi.org/10.1021/acsnano.7b03129>.
- [35] J. Halim, I. Persson, E. J. Moon, P. Kühne, V. Darakchieva, P. O. Å. Persson, P. Eklund, J. Rosen, and M. W. Barsoum, *Journal of Physics: Condensed Matter* **31**, 165301 (2019), URL <https://doi.org/10.1088%2F1361-648x%2F31165301>.
- [36] J. L. Hart, K. Hantanasirisakul, A. C. Lang, B. Anasori, D. Pinto, Y. Pivak, J. T. van Ommen, S. J. May, Y. Gogotsi, and M. L. Taheri, *Nature Communications* **10**, 522 (2019).
- [37] P. Urbankowski, B. Anasori, T. Makaryan, D. Er, S. Kota, P. L. Walsh, M. Zhao, V. B. Shenoy, M. W. Barsoum, and Y. Gogotsi, *Nanoscale* **8**, 11385 (2016), URL <http://dx.doi.org/10.1039/C6NR02253G>.
- [38] B. Anasori, Y. Xie, M. Beidaghi, J. Lu, B. C. Hosler, L. Hultman, P. R. C. Kent, Y. Gogotsi, and M. W. Barsoum, *ACS Nano* **9**, 9507 (2015), pMID: 26208121, <https://doi.org/10.1021/acsnano.5b03591>, URL <https://doi.org/10.1021/acsnano.5b03591>.



# Supplemental Material to “Fermiology of two-dimensional titanium carbide and nitride MXenes”

Mohammad Bagheri<sup>1</sup>, Rina Ibragimova<sup>2</sup>, and Hannu-Pekka Komsa<sup>1,2</sup>

<sup>1</sup>*Microelectronics Research Unit, University of Oulu, Oulu, Finland*

<sup>2</sup>*Department of Applied Physics, Aalto University, Aalto, Finland.*

(Dated: December 1, 2021)

3D DOS at the Fermi-level is shown in Fig. S1(b) in the units of 1/eV/unitcell and including a factor of two for spin. Within the free-electron model, it could also be calculated from

$$D(E_F) = \frac{2}{(2\pi)^3\hbar} \cdot \frac{a_F}{\langle v_F \rangle} \cdot V_{u.c.} \quad (S1)$$

where  $a_F$  is the Fermi-surface area,  $\langle v_F \rangle$  the average Fermi-velocity, and  $V_{u.c.}$  the unit cell volume in real space. This approximation is shown by dashed lines in Fig. S1(b) and shows that it holds fairly well when the Fermi-surface consists of only one set of ellipsoids from a single band. Note, that 3D DOS is equal to 2D DOS (given here for the free-electron model)

$$D_{2D}(E_F) = \frac{2}{(2\pi)^2\hbar} \cdot \frac{l_F}{\langle v_F \rangle} \cdot A_{u.c.} \quad (S2)$$

where  $l_F$  is the Fermi-surface length and  $A_{u.c.}$  the unit cell area. This can be immediately verified by plugging in  $l_F = a_F/b_z$  and  $A_{u.c.} = V_{u.c.}/L_z$ , where  $L_z$  the unit cell length in z-direction and  $b_z = 2\pi/L_z$  is the reciprocal space basis vector in the out-of-plane direction.

The electrical conductivity is calculated from

$$\sigma_{ij} = \frac{e^2}{4\pi^3\hbar} \int_{E=E_F} \frac{v_i(k)v_j(k)}{|v(k)|} \tau(k) dk_F \quad (S3a)$$

$$\approx \frac{e^2}{4\pi^3\hbar} \tau_0 \int_{E=E_F} \frac{v_i(k)v_j(k)}{|v(k)|} dk_F \quad (S3b)$$

$$\approx \frac{e^2}{4\pi^3\hbar} \tau_0 \frac{\langle v_F \rangle}{2} \cdot a_F \quad (S3c)$$

We have assumed  $\tau(k)$  is constant  $\tau_0$  and  $\langle v_F \rangle a_F = \int |v| = \int v_x^2/|v| + \int v_y^2/|v| \approx 2 \int v_x^2/|v|$ .

The sheet conductivity is written similarly:

$$\sigma_{2D} = \frac{e^2}{2\pi^2\hbar} \tau_0 \int_{E=E_F} \frac{v_i(k)v_j(k)}{|v(k)|} dk_F \quad (S4a)$$

$$= \frac{e^2}{2\pi^2\hbar} \tau_0 \frac{\langle v_F \rangle}{2} \cdot l_F \quad (S4b)$$

$$= \sigma \cdot \frac{2\pi}{b_z} = \sigma \cdot L_z \quad (S4c)$$

We first use Boltztrap2 to calculate  $\sigma$  and then use Eq. S4c to get  $\sigma_{2D}$ , where  $L_z$  is the length of the lattice constant  $c$  of the computational cell. In order to evaluate  $\sigma$  of MXene films, we again use Eq. S4c, but this time  $L_z$  is the layer separation.

The “3D quantities” obtained for the monolayer are shown in Fig. S1, but depend on the size of the vacuum region. The cell volume and lattice constant  $c$ , which are required to translate the 2D and 3D conductivities, are listed in Table S1.






FIG. S1: Fermi-surface properties as obtained using the bulk (3D) equations: (a) Fermi-surface area, (b) density of states, and (c) electrical conductivity divided by relaxation time  $\sigma/\tau_0$ .

TABLE S1: Unit cell volumes  $V$  (in  $\text{\AA}^3$ ) and the lattice constants in z-direction  $c$  (in  $\text{\AA}$ ) for all considered systems.

system	O		$O_{0.75}OH_{0.25}$		$O_{0.5}OH_{0.5}$		$O_{0.25}OH_{0.75}$		OH	
	V	c	V	c	V	c	V	c	V	c
$Ti_3C_2$	232.41	29.53	242.71	30.97	242.71	30.70	242.71	30.30	242.71	29.98
$Ti_2C$	154.70	19.75	154.70	19.96	154.70	19.78	154.70	19.54	154.70	19.34
$Ti_4N_3$	258.45	33.58	258.45	33.61	258.45	33.46	258.45	33.33	258.45	33.20
$Ti_2N$	154.70	20.20	154.70	20.21	154.70	19.99	154.70	19.71	154.70	19.52