Physics is organized around transformations connecting contextures in a polycontextural world

Johannes Falk $\,\cdot\,$ Edwin Eichler $\,\cdot\,$ Katja Windt $\,\cdot\,$ Marc-Thorsten Hütt

Received: date / Accepted: date

Abstract The rich body of physical theories defines the foundation of our understanding of the world. Its mathematical formulation is based on classical Aristotelian (binary) logic. In the philosophy of science the ambiguities, paradoxes, and the possibility of subjective interpretations of facts have challenged binary logic, leading, among other developments, to Gotthard Günther's theory of polycontexturality (often also termed 'transclassical logic'). Günther's theory explains how observers with subjective perception can become aware of their own subjectivity and provides means to describe contradicting or even paradox observations in a logically sound formalism. Here we summarize the formalism behind Günther's theory and apply it to two well-known examples from physics where different observers operate in distinct and only locally valid logical systems. Using polycontextural logic we show how the emerging awareness of these limitations of logical systems entails the design of mathematical transformations, which then become an integral part of the theory. In our view, this approach offers a novel perspective on the structure of physical theories and, at the same time, emphasizes the relevance of the theory of polycontexturality in modern sciences.

Keywords Polycontexturality \cdot Gotthard Günther \cdot Subjectivity \cdot Transformations

J. Falk

Department of Life Sciences and Chemistry, Jacobs University, Bremen, Germany E-mail: j.falk@jacobs-university.de

E. Eichler EICHLER Consulting AG, Weggis, Switzerland

K. Windt

Global Production Logistics, Jacobs University Bremen, Germany

K. Windt \cdot E. Eichler SMS Group, Düsseldorf, Germany

M.-T. Hütt

Department of Life Sciences and Chemistry, Jacobs University, Bremen, Germany

The concept of Aristotelian logic is based on an objective truth of first principles, an absolute property that is independent of any subjectivity and context (Halper 2009; Irwin and Irwin 1990). Something that is not true is necessarily false and likewise, something that is not false is true, or to say it in Aristotle's words: "To say of what is that it is not, or of what is not that it is, is false, while to say of what is that it is, and of what is not that it is not, is true" (David 2016). Since there are no other possible values than True and False, this logic is called a two-valued (also bivalent or binary) logic (Goble 2001). Providing the historical foundation of mathematical logic (Adamowicz and Zbierski 2011; Łukasiewicz 1938) as well as Boolean Algebra (Font et al 2003), Aristotelian logic has become a cornerstone of western thought and technology. In Aristotelian logic, truth is always inter-subjective. A sentence is only true if it is true for each object covered and for all subjects using the sentence (Günther 1991, p.9). There is hence no subjectivity for truth.; anything described by Aristotelian logic is objective and there is only one, absolute truth (Klagenfurt 2016, p.23). While this assumption was considered virtually incontrovertible for centuries, one of the first philosophers who questioned the concept of objective truth was Immanuel Kant. In his work "Critique of Pure Reason" he states: "The nominal definition of truth, that it is the agreement of knowledge with its object, is [here] assumed as granted; the question asked is as to what is the general and sure criterion of the truth of any and every knowledge." (cited after (Sen 1999)). Kant furthermore writes: "In consequence of this mere nominal definition, my cognition, to count as true, is supposed to agree with its object. Now I can compare the object with my cognition, however, only by cognizing it. Hence my cognition is supposed to confirm itself, which is far short of being sufficient for truth." (Kant 1992, p.557). While accepting a correspondence theory of truth, Kant does not give an objective criterion to test whether a cognition is true or false (Cleve 2003, p.215). He rather states that cognition is personal, hence subjective. Nevertheless, what Kant talks about is an epistemology that still builds upon the classical understanding of Aristotelian logic (Günther 1991, p.22).

In the German Idealism, several philosophers premised on the ideas of Kant and used his theory to discuss self-consciousness or self-awareness. Fichte introduced the self-conscious Self as "absolute subject" that needs to be distinguished from the I as an object of reflection. Some years later, Hegel concluded that subject and object are essentially the same or – at least – cannot be separated as the Aristotelian logic enforces. Both Hegel and Fichte noticed that the "thinking I" often is part of the system it makes statements about, which introduces self-references and contradicts the Aristotelian assumption of an inter-subjective truth.

The ideas and theories developed during the German Idealism are mainly based on philosophical considerations and, similar to Aristotle's logic, were

¹ Original German Title: Critik der reinen Vernunft

mainly focused on human reasoning. A mathematical treatment of logic was initiated by Boole and de Morgan who formulated a symbolic logic. De Morgan also showed that there are deductions that cannot be handled by the traditional Aristotelian logic. During the Logicism, Frege developed first-order predicate logic and tried to base all mathematics on mathematical logic. While mathematical logic was very successful for many years, Russell showed with his set paradox that Frege's logic contained contradictions. During Hilbert's program mathematicians tried to ground mathematics on a finite and complete axiomatic system that is free of such contradictions. However, 1931 Gödel showed that in each rich enough and sound arithmetical theory there is a

canonical and unprovable *Gödel Sentence* which indirectly states that it is unprovable (Smith 2020, p.171). The Gödel Sentence is hence true and con-

tradicts the goal of Hilbert's program. Sentences that cannot be derived consistently as well as infinite regressions especially appear if a sentence contains self-references (Kordig 1983; Bolander 2002). As an example, let us refer to the statement: "I am lying". If the subject (I) is right, then it is lying and the statement is wrong, which would imply that it is not lying, and so on. Since paradoxes like the *liar paradox* create unsolvable contradictions, Russell's student Wittgenstein argued that self-references should be banned from logical statements (Wittgenstein 2001, 3.332). However, this would also disallow circular but valid statements like: This statement has five words.² Other approaches argue that self-referring statements are valid if one accounts for the context-dependence (common knowledge, previous arguments, ...) of the propositions. Hence, during the course of the paradox, the context might shift and thereby change the truth of the propositions (Parsons 1974; Glanzberg 2001; Burge 1982). While the contextualist approaches might be valid explanations for the *liar paradox*, they apply mainly to paradoxes that work on a semantic level and rely on the notion related to truth. However, there are also paradoxes like Russell's Set³ that operates on a syntactic level and demonstrated contradictions in Frege's First-order logic. In order to avoid this type of paradox the standard form of modern set theories, the Zermelo-Fraenkel set theory, axiomatically disallows Russell's set. A more versatile approach to tackle paradoxes was introduced by Tarski with the introduction of a hierarchy of language where truth predicates can only apply to sentences at lower levels which essentially excludes the used language from the domain of possible references (Tarski 1944, p.350)(Günther 1964, p.188). More radical solutions even suggest that statements like the *liar paradox* do not have a truth value at all (Kripke 1975). This often implies the introduction of undefined as a third truth-value and hence the rejection of the Tertium non datur principle.

² A special case are sentences that contain ambiguous self-referring words like 'I' or 'Me'. Following (Quine 1965, p.5f), declarative sentences like 'Ha' ('H' stands for 'is hungry' and 'a' stands for me) only become statements if the 'a' is supplanted by an unambiguous word (see also: (Günther 1991, p25)).

 $^{^3\,}$ Russell's Set denotes the set of all sets that are not members of themselves. The paradox occurs if one asks whether Russell's Set contains itself.

According to Günther, all known approaches to handle antinomies require a global subject (or a meta-language) that observes the world as an isolated object without interaction (referencing) to it (Günther 1976, p. 328). However, and in accordance with the observations of Fichte and Hegel, our world consists of endless self-referencing systems. An example from biology are generegulatory networks, where gene A inhibits its own production. This interaction is not understandable if viewed statically with dimensionless topology diagrams (Isalan 2009).⁴ Also in social sciences self-referencing systems are more a rule than an exception: During a discussion, each member forges the opinion of the group the member itself belongs to (Klagenfurt 2016).

Based on the assumption that truth is a subjective property that cannot be described with a two-valued logic⁵, Günther developed the theory of polycontexturality (Günther 1976). This theory claims that reality has a polycontextural structure, which means that every interacting subject spans an isolated two-valued system, a *contexture*, that has an inherent definition of True and False. In each contexture a binary logic is valid. Hence, Günther gives up the closed and viewpoint independent definition of a two-valued logic and generalises Hegel's and Fichte's viewpoint dependence to a new viewpoint dependent and multi-valued logic (Bierter 2018). One should note that this multi-valued logic is not to be understood as a single multi-valued system as e.g. found in Fuzzy Logic (Bierter 2018, p.100)(Zadeh 1965) or in the three-valued logic of Lukasiewicz and Kleene (Lukasiewicz 1963; Kleene 1952, 1938), but rather as a network of interconnected two-valued systems, a placevalue system (Stellenwert-Logik), where objects and subjects have different place values. Due to this distributed definition of logical values, there is no objectivity but only subjective and contexture dependent interpretations and descriptions of measurements. In this new logic something can be true and false at the same time, depending on the contexture.

While Günther's theories are often utilised in the fields of sociology and cognition theory (Jansen 2016; Jansen et al 2014; Jansen 2017; Vogd 2017; Mölders 2012; Vogd 2013; Berger 2014), only little work was done to demonstrate the impact of Günther's ideas in the natural sciences (Bruni and Giorgi 2015). At the same time, natural sciences like physics have been very successful in describing and explaining our world based on the classical two-valued logic. It is therefore interesting to analyze the potential role of contextures and polycontextural logic in physics. Here we show how Günther's Theory of Polycontexturality provides means to mathematically formalize observer-dependence, a problem that physics has already solved by transformations.

 $^{^4}$ Of course, this creates only a logical paradox, if all interactions are considered to be instantaneously, which is not realistic. However, it is meaningless to search for an absolute answer, whether the gene is active on or inactive.

⁵ One might argue that modern predicate logic allows for the formulation of subjectivity by using predicates that have argument places for subjects, e.g. X thinks, that Y is wrong. However, in this case, 'We' as the one who replaces X and Y with actual values and who evaluates the truth of the statement are the actual subject, leaving X and Y as objects.

Accordingly, it seems possible that our world is in fact polycontextural and our theories compensate for it.

Heisenberg stated: "Natural science does not simply describe and explain nature; it is part of the interplay between nature and ourselves; it describes nature as exposed to our nature of questioning" (Heisenberg and Davies 2000). Here, Heisenberg makes clear that physical observations and the observer are always interwoven (Bierter 2018), a problem that also puzzled physicist like Niels Bohr when they tried to interpret the results of quantum mechanics (Mohanty 1989). Since Einstein's theory of special relativity (Einstein 1905), it became evident that even the perception of time is only relative and hence observer-dependent. As motivated in the previous paragraphs, viewpoint-dependent truth does also imply that properties can apply and not apply at the same time. While this might sound unfamiliar at first, such phenomena exist even in modern physics e.g. the particle-wave duality (Selleri 1992): Depending on the measurement one can come to both the conclusion that photons are waves or particles. This contradicts a classical point of view where (again relying on Aristotelian logic) an object can only be particle or wave but not both at the same time. Using methods borrowed from Günther's theory we describe the observed phenomena in a polycontextural formalism. Subsequently, we discuss the question of why physics is able to describe natural occurrences even so it is not knowingly based on a multi-valued polycontextural logic. We observe that the necessary mapping between a polycontextural world and a two-valued science is only possible due to the utilisation of transformations. These transformations are used to convert an observer-dependent and hence subjective description of nature into the subjective position of another observer (another subject).

The aim of our paper is twofold: On the one hand, we show how Gotthard Günther's concepts are (mostly inherently) already present in the current understanding of physical properties. On the other hand, we demonstrate that, given the assumption that our world is polycontextural, transformations are essentially an expedient that is used to make two-valued sciences compatible with it.

The remainder of this paper is organised as follows: In the next section (Section 2), we introduce Gotthard Günther's concept of a polycontextural logic and briefly explain the so-called proemial relation, which forms the minimal model of a self-referring system that enables the notion of subjectivity. How Günther's theory can be formalised and hence be used to make dialectics operational is then explained in Section 3. In Section 4 we describe a small thought model that illustrates time dilatation and show in Section 5 how the concept of polycontexturality can be applied to subjective and incongruent time measurements. Subsequently, in Sections 7 and 8 we discuss the phenomenon of the particle-wave duality of photons and show how the concepts of the theory of polycontexturality fit into this understanding. In the last section (Section 9), we draw some conclusions and motivate a further and more detailed discussion of the connections between modern physical and polycontextural theories.

2 Theory of polycontexturality

Günther postulated that reality consists of an unlimited number of so-called contextures. Each contexture has its own (and possibly unique) classical twovalued logic. Each of these values is a truth-value and, at the same time, indicates its place within a polycontextural system. Globally, this creates a multi-valued - a place-valued - logic of different subjects in different contextures. All contextures have equal rights and are aligned in a heterarchy (rather than a hierarchy). Hence there is no absolute subject as in Aristotelian logic. Using this concept, Günther noticed that the interaction of three contextures allows for the closed formulation of self-reference: He assumed that each subject and the objects it observes form a contexture, in which subject and object are connected by an *order relation* that subordinates (in a static picture) the object to the subject. The process of a subject that observes an object in one contexture can, in turn, become object in another contexture (as sketched in Fig. 1). This exchange of an observing subject and an observed object is mediated by an exchange relation that connects two contextures. In this way, in the second contexture, the initial object that was observed in the first contexture becomes an object as observed by the subject of the first contexture (Klagenfurt 2016). It is necessary to stress again that contextures form a heterarchical order. Hence, the subject of the second contexture can also become the subject of the first contexture that is observed by some other subject. In contrast to propositional logic, no hierarchy puts one contexture a level above another contexture (Günther 1979, p.228). Finally, a third contexture mediates the relationship between the original object of investigation and the same object in its subjectified form. The fact that the object of the first contexture is also the object of the third contexture, as well as that the subject of the third contexture is the subject of the second contexture is reflected by *coincidence* relations (lines in Fig. 1). The third contexture (that is only created by the intertwining interaction of the first and second contexture) hence provides the means for the individual subjects to reflect their own understandings of the world. Günther termed this structure of three contextures *proemial relation*.

By naming the three different processes, Günther makes the structures and their respective functions more explicit. The internal subject of the first contexture observes an object. If this internal subject becomes an object of another external observer, this is formally equivalent to an I that thinks about a You whereby both the I and the You are placed in the same environment. Obviously, a simple change of the perspective interchanges the I and the You, which highlights the heterarchical character of both contextures. Both the Iand the You are objects with subjective perception and the I is the You's you. In the mind of the I the You exists and likewise, the I exists in the mind of the You. Nevertheless, I and You are completely different from each other. There is no global perspective that subsumes both the I and the You (Botz-Bornstein 2004). Let us now assume that the I and the You are talking about the same topic, the It. For the I this It is now accessible both directly or via the observation of the You that talks about the It (the You objectified




Fig. 1 Sketch of the proemial relation. In each contexture (C1, C2, C3) a subject observes an object as indicated by the arrows (The direction of the arrows indicates the flow of information; Object \rightarrow Subject reads: Subject observes Object). The lines (*coincidence relations*) indicate, that the red object in C1 and C3 and, respectively, the green subject in C2 and C3 are the same. The blue subject in C1 and the blue object in C2 are basically the same but change the role from an observing entity to an observed one (*exchange relation*; indicated by the inverted double-arrow). The blue object in C2 represents the entire observation process of C1. (Figure adapted from: (Klagenfurt 2016, p.49)).

the It). This mediation between two perspectives creates the third contexture and likewise indicates the I how subjectivity manifests in You's observations (based on the I's subjective world view) (Günther 1964, p.80).

In the Aristotelian logic, this construction must fail. If the You is thought of by the I then the You necessarily needs to be a simple "dead object" and cannot be thought of as a thinking subject. Here, the designation "dead object" only refers to the standpoint of the I. It is, of course, possible that the I thinks about a You thinking about dog. But in doing so, the I thinks in its own logical context throughout. The I can't think about what the You is thinking about in the You's context/using the You's logical system. As soon as one agrees that I and You are different and I and You perceive differently, a globally valid logic must fail and one needs to take polycontextural logic into account. Each subject and its perception span a defined contexture and can be described with a two-valued logic. Nevertheless, the totality of all subjects calls for a higher-valued, a polycontextural logic (Günther 1980, p. 87).

Following (Günther 1980, p.88), we illustrate this concept with a small example. In order to explain how two interacting subjects form a mutual I-You system that is unable to generate absolute objectivity, we draw on Fig. 2. Here, E is the environment that is observed by two subjects S1 and S2, where both subjects are assumed to perceive different aspects of E. The information flow from E to the respective subject is indicated with an arrow. From the perspective of each subject the environment contains one other subject that itself observes the environment and interacts with it. The interactions of S1 and S2 with the environment generate additional information about the environment that are denoted E1 and E2, respectively. As a result, S1 not only observes E but also E2 generated by S2 and likewise S2 observes E and E1. Hence, although S1 and S2 are embedded in the same environment their respective observations are different. It is reasonable to assume that the events E1 and




Fig. 2 Sketch of two subjects S1 and S2 observing the same environment E. Both subjects interact with the environment and produce events E1 and E2 that contain their subjective information about the observed environment. A third subject S3 can observe the convergence process of E1 and E2. (Figure adapted from: (Günther 1980, p.88)).




Fig. 3 Two subjects and the environment form a proemial relation. This proemial relation itself is a contexture of another relation which creates a cyclic structure of two connected relations.

E2 are somehow related to E. Therefore, E1 can be considered to contain S1's subjective information about E (the same holds for S2 and E2). As a result, an updated E1 will not only depend on E but also on E2 which itself depends on E1. Over the course of time, both subjects will agree on a common description for the same observed features and the subjective understandings E1 and E2 will converge. Nevertheless, since we can only distinguish between S1 and S2 based on the difference between E1 and E2, they will never become equal and there will never be a common and hence objective understanding of E.

The described mutual observation of the two interacting subjects can also be sketched as two co-existing proemial relations, as shown in Fig. 3. One proemial relation is formed by S2 that observes both E1 and E. This first relation can hence be written as $E + E1 \rightarrow S2$, which itself is part of another relation. This second relation can be condensed to $E+E2 \rightarrow S1$, which is again an integral part of the first contexture. It is important to note the relations do not represent consecutive but coexisting states of the system.

We can now imagine that there is a third subject S3 observing the full structure of the two interacting subjects S1 and S2. For S3 both S1 and S2belong to the objective world. Hence, S3 can observe the convergence process of E1 and E2 as an uninvolved individual. Additionally, S3 is able to understand that S1 and S2 are both right in what they preceive and reveal about E, even so, $E1 \neq E2$. It is, however, important to note that the existence of S3 does not imply that S1 and S2 can be described from an objective viewpoint. Rather is S3 itself a subject of the shown setup and can, e.g., adopt the position of S1, which can then be observed by S2. Likewise S1 or S2 can take up the position of a spectator observing S3 and the respective other subject. Hence, all of the three subjects are equal in what observer position they can take up: they form a heterarchy. Nevertheless, as long as we assume that S3 acts as an external spectator, and being aware that this implies a freezing of the in reality perpetually changing roles, we as readers ourselves can take up the position of the third subject. Hence, in the following examples we will not specifically mention the third subject but always assume that the reader takes up this position.

With the arguments presented so far, Günther justifies why a polycontextural description is suitable for representing real physical relationships that are excluded in binary systems. So far, this theory is in large parts a reiteration of the concepts of modern dialectic mainly developed by Hegel. However, by the introduction of a three-valued logic, Günther was able to make dialectics operational. In the following section we will outline the concept of this three-valued logic and subsequently apply it to two examples taken from physics.

3 Three-valued logic

The Leibniz law, one of the most fundamental laws in logic states, that two entities A and B are equal if A has every property of B and vice versa (Tarski 1995). Hence, every entity is only identical to itself. If the existence of such a self-identical entity is stated by a positive predicate, then – due to the law of noncontradiction – the negation of this predicate can only exist in a reflection. Now, the law of excluded middle asserts that there can not exist a third between the given positive and negative predicates. This indicates that classical logic requires a direct symmetry relation between Being and Thought (Günther 1991, p.127). As a consequence, in classical binary logic everything that is not a subject is an object and everything that is not an object is necessarily a subject.

This contradicts the ideas of the polycontextural concept described above where different observers (different subjects) are able to reflect objects as well as other reflecting observers. Günther acknowledged that binary logic is the correct way for every single subject (working in its personal contexture) to describe its observations. However, he argued that classical logic is only local and intra-subjective.

Let us assume two different subjects S_1 and S_2 , each equipped with its own binary logical values $T_1 \leftrightarrow F_1$ and $T_2 \leftrightarrow F_2$. If both subjects do not interact we arrive at a four-valued logic with two completely isolated contextures (see also Fig. 4A). Since they do not exchange information, both subjects have no means to learn whether their logics can be mapped on each other or not. Contrary, if we assume that there is a direct mapping between $T_1 \leftrightarrow F_1$ and




Fig. 4 Sketch of the three examples presented in the main text. A: Two contextures with isolated logical systems. B: Two subjects in one contexture with a direct mapping between T_1, F_1, T_2, F_2 . C: Three contextures that form a proemial relation (see also Fig. 1).

 $T_2 \leftrightarrow F_2$, e.g. $T_1 = F_2$ and $T_2 = F_1$, both subjects are equal or just the mirror-image of each other (Fig. 4B).

Now, let us assume that there is only a mapping between one of the respective logical values, e.g.: $F_1 = T_2$ but $T_1 \neq F_2$. In a classical understanding this would lead to a contradiction, since

$$\neg T_1 = F_1 = T_2 = \neg F_2 \to \neg T_1 = \neg F_2 \to T_1 = F_2 .$$
 (1)

However, Günther argues that each contexture has its own negation, leading to

The problem of how \neg_1 and \neg_2 are related can then be solved by a third subject S_3 that spans another contexture with the logical values $T_1 \leftrightarrow F_2$. Figure 4C shows how this concept relates to the proemial relation explained in the previous section. Hence, the object of the second contexture is not an irreflexive object but the reflection process of the first contexture and the negation \neg_2 negates the complete alternative situation of C1.

Obviously, this concept renders the global assignment of True and False to specific logical values impossible. Similarly to Günther we will use the integer values $1 \equiv T_1, 2 \equiv F_1/T_2, 3 \equiv F_2$ instead of T and F from now on. To understand Günther's concept, it is important to note that these values are not numbers in the conventional sense, but place-values. Two values each define a logical place in which both assume the function of truth-values. Hence, each of these place-values is a truth-value and, at the same time, indicates its place within a polycontextural system.

In order to operationalize this framework, Günther showed how the standard logical functions like AND and OR can be understood in this polycontextural system. In Tab. 1 we show the truth tables for the case of the standard binary logic, where we relabeled $T \rightarrow 1, F \rightarrow 2$. A mechanistic definition of the two logical functions could hence be that AND (OR) always takes the largest (smallest) value of the two given alternatives. This definition can be used to generalize both logical functions for a polycontextural logic of three contextures as shown in Table 2. We then arrive at a definition of a multi-valued logic that – in its structure – is known from the works of Lukasiewicz (Lukasiewicz 1963) or Kleene (Kleene 1952, 1938).

р	q	$\begin{array}{c c} p \land q \\ \hline 1 \\ 2 \\ 2 \\ 2 \\ \end{array}$	р	q	$\mathbf{p} \lor \mathbf{q}$
1	1	1	1	1	1
1	2	2	1	2	1
2	1	2	2	1	1
2	2	2	2	2	1 1 1 2

Table 1 Logical AND (left) and logical OR (right)in classical binary logic. Here, 1 denotes the classical T and 2 the classical F.

	р	q	$\mathbf{p} \wedge \mathbf{q}$	$p \lor q$		p	q	$p \wedge^D q$		
1	1	1	1	1	1	1	1	1		1
2	1	2	2	1	2	1	2	2		
3	1	3	3	1	3	1	3			3
4	2	1	2	1	4	2	1	2		
5	2	2	2	2	5	2	2	2	2	
6	2	3	3	2	6	2	3		3	
7	3	1	3	1	7	3	1			3
8	3	2	3	2	8	3	2		3	
9	3	3	3	3	9	3	3		3	3
								S1	S2	S3

Table 2 Left: logical AND and logical OR for a polycontextural logic with three connected contextures. Right: rearranged logical AND with a separate column for each contexture (S1,S2,S3). For each contexture only the relevant positions are filled in.

We will now analyze how Günther extends this logic in order to meet the requirements of an operational dialectic. In the following, we will focus on the logical AND, however, the results can analogously be applied to the logical OR.

Given the three contextures, each based on a binary logic, we can arrange the results of Tab. 2 (left) in such a way that each contexture is written in a separate column, as depicted in Tab 2 (right). Due to our initial global definition of the logical function the contextures S1 and S2, both show a logical AND and are framed by an overarching AND of the third contexture (S3). For this reason, Günther calls this function a *total conjunction* (given by the operator \wedge^D) and contrasts it by two *partial conjunctions* (given by the operators \wedge^R and \wedge^I) that are distinguished by a disjunction in either S1 or S2 as depicted in Tab. 3. A more detailed interpretation of the tables will be presented in the following examples.

In the next section, we will introduce a thought experiment that presents an apparent situation of observer dependence in physics. Using the ideas of polycontextural logic we then show how the incompatibility of different measurements can be incorporated into the formalism, consequently becomes an integral part of the formalism, and, thus also of our everyday intuition about this class of physical systems. Subsequently, we analyse how modern physics utilises transformations to address and dissolve polycontexturality in these situations.




Table 3 Complete polycontextural table for the three possible AND functions. Here, $p \wedge^D q$ denotes the *total conjunction*; $p \wedge^R q$ and $p \wedge^I q$ are the two *partial conjunctions*.




Fig. 5 Sketch of the thought model to explain time dilatation. (left) One observer O_1 inside the train observes the laser-beam. (right) The observer O_2 observes the beam from the perspective of another train.

4 Relative moving reference systems as contextures

We refer to an example from the theory of special relativity. This theory, proposed by Albert Einstein in 1905, is one of the cornerstones of theoretical physics. The two basic postulates of this theory are (Stachel et al 1990):

- The laws of physics are invariant in all reference frames.
- The speed of light is the same for all observers.

While these postulates are well known, their implications contradict daily experiences and, furthermore, give rise to an observer dependence of some measured quantities. In what follows we focus on one special implication of the above postulates, namely the relativity of time. Let us assume two observers O_1 and O_2 seated in two similar trains (as depicted in Fig. 5). The trains shall pass each other at a relative speed of v = 0.5c, where c denotes the speed

of light. This might e.g. be due to both trains having an opposite speed of v' = 0.25c or similarly due to one train standing still and the other one passing at a speed of v' = 0.5c. Let us further assume that observer O_1 measures in its train the time a laser beam needs to go perpendicularly from the ceiling down to the floor (Fig. 5 left). Given the speed of light c and the height of the train h we can predict the exact travel time t_1 that observer O_1 obtains:

$$t_1 = \frac{h}{c} \,. \tag{3}$$

If, however, O_2 wants to do the same measurement on the laser beam in O_1 's train, things are different. During the time interval t_1 the first train moves a distance of $s = vt_1$ relative to the second train. Due to this relative movement, O_2 will not observe a perpendicular but a diagonal trajectory of the laser beam that now goes down the height of the train h but at the same time moves forward a distance of s (Fig. 5 right). Hence, from O_2 's point of view, the laser beam travels a distance of:

$$h' = \sqrt{h^2 + s^2} \,. \tag{4}$$

One of Einstein's postulates states that the speed of light is constant. Thus, the observer O_2 obtains a travel-time for the laser beam of:

$$t_2 = \frac{h'}{c} = \frac{\sqrt{h^2 + s^2}}{c} < t_1 \,, \tag{5}$$

Both observers have conducted a measurement that fulfils all requirements of an objective and authoritative experiment that was – in each train – based on the valid laws of physics. However, if the observers meet and compare their measured times, they do not agree. Furthermore, there is no way to tell whose results are correct. Both moving trains constitute a reference frame where the laws of physics are invariant and hold. One can consider each train as a distinct contexture where a classical logical system (represented by the laws of classical physics) is valid.⁶ This brings us back to Gotthard Günther's theory of polycontexturality.

5 Lorentz transformation as a relation among contextures

Using the ideas of Günther's theory of polycontexturality, we are in the position to interpret the phenomenon observed in the previous thought experiment as a result of observer dependence. Each observer performs a local measurement of the time the laser beam needs to pass the train. For O_1 inside the

⁶ Note that the comparison between classical logic and classical physics (no quantum mechanics and no theory of relativity) is more than a play on words. If the speed of the objects under investigation is much smaller than the speed of light, the laws of classical physics are a sufficient approximation. Analogously, as long as the interactions of the objects under investigation do not depend on subject-object relations, the laws of classical logic are sufficient.

train all physical laws are valid and – for O_1 – the measurement seems to be an objective and universal measurement. Hence, O_1 and the observed laser beam form one contexture that exists inside the first moving train. The same holds for the laser beam and O_2 . From the second train O_2 could perform an equally valid and universal measurement that, however, results in a different value for the time. In a mono-contextural interpretation (a global two-valued logic) this would create a contradiction.

Based on the ideas of the theory of polycontexturality, we can now assume that O_2 observes O_1 while O_1 is performing its measurement.⁷ In other words: O_2 observes the former observer O_1 while the latter observes the laser. Hence, O_2 observes now two objects: the laser and the laser as subjectively observed by O_1 . As we already know, both observations will result in different values for the time.⁸ However, from a polycontextural view O_2 and the laser as well as O_2 and the former subject O_1 span two different contextures with different two-valued logics. It is hence up to O_2 to combine the two observations and communicate the resulting time t_2 . In the same way, O_1 can directly measure the time of the laser as well as observe the result t_2 of O_2 's measurement (which itself depends on a previous result of O_1). During several such communication cycles between O_1 and O_2 (in which also the relative speed between the two observers might change), both observers will understand that the time measurement is a relative process and will eventually try to converge to a description of the laser that seems to be general for both observers. Since both observers are directly involved in this circular process, only we as an outside observer are able to objectively describe the convergence process.

While we are able to interpret and accept the validity of both divergent measurements using the theory of polycontexturality, the concept of the relativity of time is also well known and perfectly understood in classical physics. In the previous example, we explained that the two observers will converge on a description that seems to be general for both of them. If our assumption of a polycontextural world is correct this would imply that there is some transformation that enables one observer to map the subjective and polycontextural observation onto the own frame of reference.

Indeed, due to the theory of special relativity we know that the relation that connects the observed subjective time t_1 of O_1 and the observable time is the Lorentz transformation:

$$t' = \gamma t \,, \tag{6}$$

where $\gamma = \frac{1}{\sqrt{1-v^2/c^2}}$. Hence, for two observers with different speed, it is and will never be possible to define an absolute and objective time. The reference frames form a heterarchy.

⁷ Analogously, the same can happen for O_1 , who observes O_2 .

⁸ As a result, O_2 might decide that O_1 's stopwatch is moving too slowly. This is not helpful in our current debate, since O_1 and O_2 still disagree in their results. We hence assume that both observers can be certain that the measurement was done correctly and the watches are perfect.

This is connected to section 1 were we noted that classical logic does only allow for two values, namely *True* and *False*. Here a transformation at the core of the theoretical framework implements the relation among different contextures that allows for constructions like "True in contexture 1 and at the same time False in contexture 2".

6 Logically resolving observer-dependent measurements within a polycontextural framework

We can also explain the described situation by the means of the logic tables presented in Tab. 3. For this, we identify the AND of the first observer O_1 with $p \wedge^I q$ and that of the second observer O_2 with $p \wedge^R q$. The first observer claims that the correct time is t_1 , the second observer O_2 claims that the correct time is t_2 . The two operands p and q can then be interpreted as:

> p = My measurement confirms my claim, q = Your measurement confirms my claim.

With these assignments the logical AND in S1/O1 has the intuitive meaning: I consider my claim t_1 only as correct if my measurement AND your measurement confirm my claim.

As explained in the previous section, S2/O1 discusses the antithesis of the (short: anti-claim): $\neg t_1$. The meaning behind S2/O1 is hence: I consider my anti-claim $\neg t_1$ as correct if my measurement OR your measurement confirm my anti-claim.

In classical logic this would just be a version of De Morgan's law, since: 2 in $S1 \equiv F \rightarrow 2$ in $S2 \equiv T$ and equally 1 in $S1 \equiv T \rightarrow 3$ in $S2 \equiv F$. However, within a polycontextural interpretation the negation \neg_2 in the second contexture does not mirror back to the first contexture, but creates a third value that lies "beyond" the classical binary values. Hence, the third contexture S3/O1 discusses the relation between the claim and the anti-claim: $t_1 \leftrightarrow \neg t_1$.

The same applies to the second observer O_2 that also spans three contextures. However, without loss of generality, we assume that for the second observer the claim t_2 is discussed in S2 and the anti-claim $\neg t_2$ is discussed in S1.

Up to now, both observers performed only a local discussion of their measurement. If, however, O1 wants to compare its claim with O2, this is only possible via a comparison between t_1 and $\neg t_2$, hence a comparison between an AND in S1/O1 and an OR in S1/O2. For O1 the only possible decision is hence, that O2's result is wrong. The same applies in the inverse direction to O2 who might compare his claim t_2 with O1 $\neg t_1$. A graphical representation of these processes is depicted in Fig. 6. The unsolvable contradiction between O1 and O2 illustrates the "unsolvable" situation that we already described in the previous paragraphs. What is missing is a third observer.

As a third and external observer we are in a different contexture, indicated in Tab. 3 by $p \wedge^D q$. We can observe a *difference* between O1 and O2 but, at the




Fig. 6 Sketch of the relation between O1 and O2 based on the local view of O2 with its claim t_2 .

same time, we observe that the structures of their (mutual) observations are equal. If we, therefore, compare S1/O1 and S2/O2 we are comparing two logical AND functions (they are now S1/O3 and S2/O3). As an external observer we can evaluate the correctness of both claims from the same (our) standpoint and need to acknowledge them. We need to conclude: Both are right. Hence, the relation between both of these measurements needs to be a logical AND. A graphical representation of these processes is depicted in Fig. 7.

This ultimately leads to a logically closed description of the result that t_1 AND t_2 are both true, although different: The only logical conclusion for O3 is that O1 an O2 each have their own time system which is different from that of the other.

7 The wave and particle properties of photons as distinct contextures

A prominent but likewise confusing concept in quantum mechanics is the waveparticle duality, which states that particles like photons have the properties of a wave as well as of a particle. In the following, we describe two historical experiments illustrating this duality.




Fig. 7 Sketch of the proemial-relation between O1, O2 and O3 based on the local view of O3 with its claim $t_1 \wedge t_2$.

In 1802, the British physicist Thomas Young presented an experiment, which proved that light displays characteristics of waves. In this double-slit experiment, coherent light is shed on two parallel slits. The light that passes the slits causes a diffraction pattern on a screen. This pattern can only be explained if one assumes that light is a wave originating from the two slits and interfering on the screen. Using the geometry of the experiment as well as the distance of the observed maxima of the diffraction pattern it is possible to obtain the exact wavelength λ of the light.

While the double-slit experiment suggests that light needs to be understood as waves, there are also experiments that seem to postulate an opposite understanding. In 1839 the French physicist Alexandre Edmond Becquerel observed the emission of electrons when light shines on materials. Interestingly, upon an increase of the light intensity the energy of the emitted electrons does not change but their number. This behaviour can only be understood if light is considered as a beam of small particles.

Hence, the photoelectric effect leads to the conclusion that light should be considered as particles instead of waves. Based on experimental observations it is possible to calculate the energy of one of such light particles, the photons:

$$E = hf = h\frac{c}{\lambda} \tag{7}$$

where h is the Planck's constant, f is the frequency of the photon and λ is the wavelength of the light beam (as e.g. measured in the double-slit experiment). Using the mass-energy equivalence $E = mc^2$ one can also derive the momentum of a photon:

$$E = mc^2 = pc = \frac{h}{\lambda}c \Rightarrow p = \frac{h}{\lambda}.$$
(8)

These experiments and their implications are well proven and validated. Nevertheless, they seem to propose two contradicting concepts, namely that light displays characteristics of waves as well as characteristics of particles. Furthermore, none of both characteristics can be used to explain both experimental results. Hence, there is no possibility to decide on one correct interpretation. In fact, the common understanding of modern physics is that light shows a particle-wave duality, which means light is simultaneously a particle and a wave. Or to say it with Einstein's words: "It seems as though we must use sometimes the one theory and sometimes the other, while at times we may use either. We are faced with a new kind of difficulty. We have two contradictory pictures of reality; separately neither of them fully explains the phenomena of light, but together they do" (Brown 1939). This – again – brings us back to Günther's theory of polycontexturality.

8 Wave-particle duality as a polycontextural phenomenon

The two presented experiments – and there are plenty more – give contradicting results, leading to the conclusion that light should be regarded as a wave and as a particle. In classical logic, this would result in an antinomy. If something is a wave, it cannot be a particle and vice versa. However, from a polycontextural position, this antinomy can be resolved (Günther 1955). Both experiments provide a different and measurement-dependent (which here means: dependent on the means of observation or the design of the experiment) view on the object of observation and can hence be considered as a measurement that was done in its own contexture. How can this be formalized in a polycontextural framework? In order to clarify the following analysis, we will utilise an abstraction of the previous experimental setting. Based on the setup of the double-slit experiment, let us stipulate that O_1 uses some measurement device that provides information about the momentum (and hence the wavelength) of light, but does not tell us anything about the spatial position. Likewise, O_2 uses a device that provides exact information about the spatial coordinates, but does not measure any momentum or wavelength. Now - based on the proemial relation – let us assume that O_2 observes O_1 conducting its experiment, as sketched in Fig. 8. For O_1 the important result of the experiment is that the analysed light behaves like interfering waves. However, O_2 observes that O_1 's experiment does not make any statements about the spatial properties of light. Hence, O_2 does not comment on O_1 conclusions but on the process of obtaining it. Additionally, O_2 can perform its own experiment and obtains that light consists of particles that have an exact spatial position. Since O_2 also observed O_1 performing his experiment, O_2 must conclude that light has (if measured) a defined wavelength and at the same time can have




Fig. 8 Sketch of the polycontextural analysis of the particle-wave duality. One observer detects particles, the other observer identifies waves.

(if measured) a defined position. During the course of many measurements, O_1 and O_2 will converge to a common understanding of this fact.⁹ However, the process of convergence is only objectively describable by us as a third and external observer.

In the case of the wave-particle duality the incompatibility of the different contextures can be expressed in the following way: In quantum mechanics each observable A (like position or momentum) is associated with an operator \hat{A} that acts on the wave function, and the values of the observable are the eigenvalues of the respective operator. The German physicist Werner Heisenberg discovered that for any measurement it holds (Werner and Farrelly 2019):

$$\Delta x \Delta p \ge \frac{h}{4\pi} \,, \tag{9}$$

where Δx and Δp are the standard deviations of the expectation values of the position and momentum operators, respectively (acting on the same wavefunction). Formally, this uncertainty relation (or indeterminacy relation) follows from the commutator relation of conjugated operators. More accessible is, however, the wave function based interpretation of the uncertainty principle. Let us start from the relationship between the (time independent) wave function $\psi(x)$ in position space and the corresponding wave function $\phi(p)$ in momentum space:

$$\psi(x) = \frac{1}{\sqrt{2\pi\hbar}} \int_{-\infty}^{\infty} \phi(p) \mathrm{e}^{\frac{ipx}{\hbar}} \mathrm{d}p \,. \tag{10}$$

This equation tells us that the wave function in position space is given by adding up states with a defined momentum, weighted by $\phi(p)$. From the above

⁹ Note that our stylised experimental setting assumes that the observers measure either only the position or only the momentum and hence conclude that light is either only particle or only wave. It has, however, been established, both theoretically and empirically (e.g. with low-intensity double-slit experiments), that the relationship is more gradual, a phenomenon summarized as quantitative wave-particle duality (Qureshi 2016; Jacques et al 2008; Englert 1996; Jaeger et al 1995).

equation follows:

$$\frac{i}{\hbar}\frac{\mathrm{d}}{\mathrm{d}x}\psi(x) = \frac{1}{\sqrt{2\pi\hbar}}\int_{-\infty}^{\infty}p\,\phi(p)\mathrm{e}^{\frac{ipx}{\hbar}}\mathrm{d}p\,,\tag{11}$$

which can be identified as:

$$\frac{i}{\hbar}\frac{\mathrm{d}}{\mathrm{d}x}\psi(x) = \hat{p}\psi(x)\,,\tag{12}$$

where \hat{p} is the momentum operator in position space. The two views (operatorbased, wave function-based) are hence related. The measurement of the momentum projects the wave function into an eigenstate of the momentum operator. As a consequence, the momentum in position space is represented as a sum of multiple eigenstates of the momentum operator.

Heisenberg's uncertainty principle states that any measurement that obtains a particle description and hence a precisely defined position $\Delta x \approx 0$ results in an undefined momentum, i.e. an undefined wavelength. Likewise, any measurement that obtains a defined momentum (a defined wavelength) results in an undefined position and hence an unlocated particle. There is no way to measure exact position and momentum at the same time, or in the words of polycontexturality: there is no way to merge different contextures. They are in a heterarchy. More generally: a physical state can be equally defined in momentum or space coordinates. But once one of these coordinates is chosen, the outcome of the measurement is predetermined and can no longer be in keeping with results obtained in the other coordinates.

While we have shown that the particle-wave duality can be interpreted as a polycontextural phenomenon, it is obvious that modern physics is able to work and to exploit the particle-wave duality even though based on a two-valued logic. As in our previous examples, a transformation can serve as an exchange relation between incompatible logical systems.¹⁰ Starting from the concepts in quantum mechanics it is possible to illustrate the duality described above with the concept of a Fourier transform, which provides an isomorphic mapping between the representation of the wave function in space and momentum coordinates. If the position of a particle is well defined (the uncertainty of the expectation value of the position operator is small), then the probability density of its position is a narrow and localised distribution e.g. a Gaussian function:

$$g(x) = \frac{1}{\sigma\sqrt{2\pi}} e^{\frac{-x^2}{2\sigma^2}},\tag{13}$$

with a small variance σ^2 . The probability density of its momentum – given by the Fourier transform $\mathcal{F}_x[g(x)](p)$ of the probability density of its position – then results in:

$$\mathcal{F}_x\left[g(x)\right](p) = e^{-\frac{-p^2\sigma^2}{2}},\tag{14}$$

¹⁰ Our notion of transformations among contextures in quantum mechanics is similar to – but distinct from – the well-established notion of quantum contextuality, where, given three observables A, B and C, the result for a measurement of A can be different, depending on whether A is measured together with B or with C (Abramsky and Brandenburger 2011; Jaeger 2019; Ghirardi and Wienand 2009; Auffèves and Grangier 2016)

a wide and unlocalised distribution with a large variance of $1/\sigma^2$. It should be noted that, as the Fourier transform is a classical (non-quantum) method, this argument just serves as an illustration of the reciprocal relationship of localisations in position space and momentum space. This hints at an important logical difference between quantum theory and the theory of relativity: the Lorenz transformation eventually allows for a deterministic account of the relative moving observers and could hence – in principle – be formulated within an Aristotelian framework: polycontextural logic provides only a good means of visualising the paradoxical situation. Contrarily, in quantum physics, different experiments can yield measured properties that can not be embedded into a single σ -algebra (Kochen 2015). As a consequence, observations of different observers can generate irresolvable contradictory claims (Frauchiger and Renner 2018), and it is thus not possible to assign truth values jointly to their contrary propositions (Brukner 2018, 2015). In quantum theory, it hence becomes unavoidable to incorporate logically inconsistent observer positions, as put forward by polycontextural logic.

9 Conclusion

The classical two valued logic requires a sharp separation between observer (subject) and objects. However, in physical reality subject and objects are not necessarily independent. The theory of polycontexturality provides a place value system where subject-object interrelationships can be represented with their real properties. By means of two different examples, we have illustrated how polycontextural concepts can be found in common problems of modern physics. Drawing on the setup of the model of fast-moving observers, we used the viewpoint dependent measurement of time to illustrate Gotthard Günther's theory of polycontexturality. As a second example, we showed how the particle-wave duality of light can be described within a polycontextural form. Based on these observations, we argued that a polycontextural understanding of the world is a cornerstone for the correct treatment of context-dependent measurements. However, in both examples, the overarching question is why present-day science – that seems to rely on a two-valued global logic – can deal with the apparent logical incompatibilities. Our analysis suggests that in modern physics key components of the theoretical formalisms, namely transformations, serve the purpose of incorporating situations that are not describable without a polycontextural understanding. These transformations enable an observer in one frame to become aware of its own relativity and likewise to correct for it. Thereby - under the assumption that the world can be described with a polycontextural framework - the polycontextural reality is projected on one contexture (and thereby on a two-valued logic).

The significance of polycontextural logic is often viewed in its contributions to formal logic, where it offers a new approach to address inconsistencies of logical systems related to Gödel's incompleteness theorems (Bense 1960; Kaehr and Ditterich 1979; von Foerster 2003). The distinct logical systems associated with different contextures allow to distribute contradictions and arrive at noncontradictory systems (Günther 1980, p.87) (Mahler 1995).

With our investigation we emphasize that already the existence of intersubjective differences in measurements and observations seem to call for a description in terms of polycontextural logic. This is well known, e.g., in the social sciences (Jansen et al 2014; Blaschke and Schoeneborn 2016). Here we showed that also in physics the development of theoretical descriptions can be elucidated with the help of polycontextural logic (by identifying transformations as connections among contextures). From our perspective, it is interesting to extend this approach further by investigating theory building in other disciplines with the same set of methods. A field, where this is of particular relevance, is artificial intelligence and machine learning, where devices are trained to classify data. This classification often remain in the realm of binary logic (Ben-David et al 2019). One should also note that we restricted ourselves to only one specific interpretation of Günther's polycontextural logic, namely an observational position. This is the interpretation that Günther follows in his work as well as the interpretation that corresponds best with our everyday understanding. Günther based his polycontextural logic on two theories that he called Morphogrammatic and Kenogrammatic (Klagenfurt 2016, p.140) (Günther 1976, p.215) (Günther 1980, p.109). At its core, these theories allow for an interpretation-free mediation of differences. Resorting to these theories, it would hence be possible to apply Günther's formalism without drawing on a specific interpretation. This would e.g. leave open whether contextures are Iand You, or different worlds, or something else. On that basis, our investigation could in principle be extended to other interpretations of (quantum) physics (e.g., the many-worlds interpretation).

Being a natural framework for analyzing the solvability of distributed logical systems, a first implementation of polycontextural algorithms could e.g. be provided for self-organized dynamical processes on graphs (Windt and Hütt 2010; Hütt et al 2014). Additionally, a polycontextural formalism can lead to a formal acceptance and a deeper understanding of undecidable statements as they appear in machine learning (Ben-David et al 2019).

We hope that our attempt to summarize, formalize and apply the basic framework of polycontexturality will help initiate further investigations in this direction.

Acknowledgement

We thank Beatrix C. Hiesmayr (University of Vienna) and Thorsten Kohl (TU Darmstadt) for helpful comments and valuable discussions.

Conflict of Interest

On behalf of all authors, the corresponding author states that there is no conflict of interest.

References

- Abramsky S, Brandenburger A (2011) The sheaf-theoretic structure of non-locality and contextuality. New Journal of Physics 13(11):113036, DOI 10.1088/1367-2630/13/11/ 113036
- Adamowicz Z, Zbierski P (2011) Logic of Mathematics: A Modern Course of Classical Logic. John Wiley & Sons
- Auffèves A, Grangier P (2016) Contexts, Systems and Modalities: A New Ontology for Quantum Mechanics. Foundations of Physics 46(2):121–137, DOI 10.1007/s10701-015-9952-z
- Ben-David S, Hrubeš P, Moran S, Shpilka A, Yehudayoff A (2019) Learnability can be undecidable. Nature Machine Intelligence 1(1):44–48, DOI 10.1038/s42256-018-0002-3
 Bense M (1960) Grundlagen und Existenzbestimmung. MERKUR 14(149):687–690
- Berger W (2014) Beschleunigung, ereignis, entscheidung. In: Gronold D, Gruber B, Guggenheimer J, Rippitsch D (eds) Kausalität der Gewalt: Kulturwissenschaftliche Konflikt-
- forschung an den Grenzen von Ursache und Wirkung, transcript Verlag, pp 55–72 Bierter W (2018) Wege eines Wanderers im Morgengrauen: Auf den Spuren Gotthard Günthers in transklassischen Denk-Landschaften, 1st edn. Books on Demand
- Blaschke S, Schoeneborn D (2016) Organization as Communication: Perspectives in Dialogue. Routledge

Bolander T (2002) Self-reference and logic. Phi News 1:9-44

- Botz-Bornstein T (2004) The I and the Thou: Nishida and Bakhtin. Japan Review 16:259–284
- Brown GB (1939) The Evolution of Physics: The Growth of Ideas from the Early Concepts to Relativity and Quanta. By Albert Einstein and Leopold Infeld . (Cambridge: at the University Press, 1938. Pp. x + 319. Price 8s. 6d.). Philosophy 14(54):242–242, DOI 10.1017/S0031819100011670
- Brukner C (2015) On the quantum measurement problem. arXiv:150705255 [quant-ph]
 1507.05255
- Brukner Č (2018) A No-Go Theorem for Observer-Independent Facts. Entropy 20(5):350, DOI 10.3390/e20050350
- Bruni LE, Giorgi F (2015) Towards a heterarchical approach to biology and cognition. Progress in Biophysics and Molecular Biology 119(3):481–492, DOI 10.1016/j. pbiomolbio.2015.07.005
- Burge T (1982) The Liar paradox: Tangles and chains. Philosophical Studies 41(3):353–366, DOI 10.1007/BF00353885
- Cleve JV (2003) Problems from Kant. Oxford University Press
- David M (2016) The Correspondence Theory of Truth. In: Zalta EN (ed) The Stanford Encyclopedia of Philosophy, fall 2016 edn, Metaphysics Research Lab, Stanford University, URL https://plato.stanford.edu/archives/fall2016/ entriesruth-correspondence/
- Einstein A (1905) Zur Elektrodynamik bewegter Körper. Annalen der Physik 322(10):891–921, DOI 10.1002/andp.19053221004
- Englert BG (1996) Fringe Visibility and Which-Way Information: An Inequality. Physical Review Letters 77(11):2154–2157, DOI 10.1103/PhysRevLett.77.2154
- Font JM, Jansana R, Pigozzi D (2003) A Survey of Abstract Algebraic Logic. Studia Logica 74(1):13–97, DOI 10.1023/A:1024621922509
- Frauchiger D, Renner R (2018) Quantum theory cannot consistently describe the use of itself. Nature Communications 9(1):3711, DOI 10.1038/s41467-018-05739-8
- Ghirardi GC, Wienand K (2009) Contextuality, Nonlocality and Counterfactual Arguments. Foundations of Physics 39(7):776–789, DOI 10.1007/s10701-009-9303-z
- Glanzberg M (2001) The Liar in Context. Philosophical Studies: An International Journal for Philosophy in the Analytic Tradition 103(3):217-251
- Goble L (2001) The Blackwell Guide to Philosophical Logic. Wiley
- Günther G (1955) Dreiwertige Logik und die Heisenbergsche Unbestimmtheitsrelation. Actes du deuxième congrès international de l'union internationale de philoso-phie des sciences 2, Physique, mathématiques.:53–59
- Günther G (1964) Das Bewußtsein der Maschinen. Agis-Verlag

- Günther G (1980) Beiträge zur Grundlegung einer operationsfähigen Dialektik (3). Felix Meiner Verlag
- Günther G (1976) Beiträge zur Grundlegung einer operationsfähigen Dialektik (1). Felix Meiner Verlag
- Günther G (1979) Beiträge zur Grundlegung einer operationsfähigen Dialektik (2). Felix Meiner Verlag
- Günther G (1991) Idee und Grundriss einer nicht-Aristotelischen Logik", 3rd edn. Meiner Halper EC (2009) One and Many in Aristotle's Metaphysics: Alpha to Delta. Parmenides
- Publishing
- Heisenberg W, Davies P (2000) Physics and Philosophy: The Revolution in Modern Science, new ed edn. Penguin Classics, London
- Hütt MT, Kaiser M, Hilgetag CC (2014) Perspective: network-guided pattern formation of neural dynamics. Philosophical Transactions of the Royal Society B: Biological Sciences 369(1653), DOI 10.1098/rstb.2013.0522
- Irwin T, Irwin TH (1990) Aristotle's First Principles. Oxford University Press
- Isalan M (2009) Gene networks and liar paradoxes. Bioessays 31(10):1110–1115, DOI 10. 1002/bies.200900072
- Jacques V, Wu E, Grosshans F, Treussart F, Grangier P, Aspect A, Roch JF (2008) Delayed-Choice Test of Quantum Complementarity with Interfering Single Photons. Physical Review Letters 100(22):220402, DOI 10.1103/PhysRevLett.100.220402
- Jaeger G (2019) Quantum contextuality in the Copenhagen approach. Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences 377(2157):20190025, DOI 10.1098/rsta.2019.0025
- Jaeger G, Shimony A, Vaidman L (1995) Two interferometric complementarities. Physical Review A 51(1):54–67, DOI 10.1103/PhysRevA.51.54
- Jansen T (2016) Who Is Talking? Some Remarks on Nonhuman Agency in Communication. Communication Theory 26(3):255–272, DOI 10.1111/comt.12095
- Jansen T (2017) Beyond ANT: Towards an 'infra-language' of reflexivity. European Journal of Social Theory 20(2):199–215, DOI 10.1177/1368431016646506
- Jansen T, Schlippe Av, Vogd W (2014) Contextural Analysis—A Proposal for Reconstructive Social Research in Organisational Contexts. Forum Qualitative Socialforschung / Forum: Qualitative Social Research 16(1), DOI 10.17169/fqs-16.1.2198
- Kaehr R, Ditterich J (1979) Einübung in Eine Andere Lektüre: Diagramm Einer Rekonstruktion der Güntherschen Theorie der Negativ
sprachen. Philosophisches Jahrbuch $86(2){:}385{-}408$
- Kant I (1992) Lectures on Logic. The Cambridge Edition of the Works of Immanuel Kant, Cambridge University Press, DOI 10.1017/CBO9780511810039, edited by Young, J. MichaelEditor
- Klagenfurt K (2016) Technologische Zivilisation und transklassische Logik: Eine Einführung in die Technikphilosophie Gotthard Günthers. Metropolis
- Kleene SC (1938) On Notation for Ordinal Numbers. The Journal of Symbolic Logic 3(4):150–155, DOI 10.2307/2267778
- Kleene SC (1952) Introduction To Metamathematics. North-Holland Publishing Co./P. Noordhoff N.V.
- Kochen S (2015) A Reconstruction of Quantum Mechanics. Foundations of Physics 45(5):557–590, DOI 10.1007/s10701-015-9886-5
- Kordig CR (1983) Self-Reference and Philosophy. American Philosophical Quarterly 20(2):207-216
- Kripke S (1975) Outline of a Theory of Truth. The Journal of Philosophy 72(19):690–716, DOI 10.2307/2024634
- Łukasiewicz J (1938) Die Logik und das Grundlagenproblem. Institut International de Cooperation Intellectuelle
- Lukasiewicz J (1963) Elements of Mathematical Logic, 2nd edn. Pergamon Press
- Mahler TK (1995) Morphogrammatik / eine Einführung in die Theorie der Form, Klagenfurter Beiträge zur Technikdiskussion ; 65, vol 65. IFF, Arbeitsbereich Technik- und Wissenschaftsforschung, Klagenfurt
- Mohanty J (1989) Idealism and the quantum mechanics. History Of Philosophy Quarterly
 $6(4){:}381{-}391$

- Mölders M (2012) Differenzierung und Integration / Differentiation and Integration. Zeitschrift für Soziologie 41(6), DOI 10.1515/zfsoz-2012-0605
- Parsons C (1974) The Liar Paradox. Journal of Philosophical Logic 3(4):381-412
- Quine WVO (1965) Elementary Logic. Harper., New York
- Qureshi T (2016) Quantitative wave-particle duality. American Journal of Physics 84(7):517– 521, DOI 10.1119/1.4948606
- Selleri F (ed) (1992) Wave-Particle Duality. Springer US, DOI 10.1007/978-1-4615-3332-0
 Sen P (1999) Kant on "Truth". In: Mohanty JN (ed) Logic, Truth and the Modalities: From a Phenomenological Perspective, Synthese Library, Springer Netherlands, pp 198–214

Smith P (2020) An Introduction to Gödel's Theorems. Independently published, s.l.

- Stachel J, Cassidy DC, Einstein A (1990) The Collected Papers of Albert Einstein, Volume 2: The Swiss Years: Writings, 1900-1909, new edn. PRINCETON UNIV PR, Princeton, NJ
- Tarski A (1944) The Semantic Conception of Truth: And the Foundations of Semantics. Philosophy and Phenomenological Research 4(3):341–376, DOI 10.2307/2102968
- Tarski A (1995) Introduction to Logic: And to the Methodology of Deductive Sciences, dover books on mathematics edition edn. Dover Publications, New York
- Vogd W (2013) Polykontexturalität: Die Erforschung komplexer systemischer Zusammenhänge in Theorie und Praxis. Familiendynamik 38(1):32–41
- Vogd W (2017) The Professions in Modernity and the Society of the Future: A Theoretical Approach to Understanding the Polyvalent Logics of Professional Work. Professions and Professionalism 7(1):e1611–e1611, DOI 10.7577/pp.1611
- von Foerster H (2003) Responsibilities of Competence. In: von Foerster H (ed) Understanding Understanding: Essays on Cybernetics and Cognition, Springer, New York, NY, pp 191– 197
- Werner RF, Farrelly T (2019) Uncertainty from Heisenberg to Today. Foundations of Physics 49(6):460–491, DOI 10.1007/s10701-019-00265-z
- Windt K, Hütt MT (2010) Graph coloring dynamics: A simple model scenario for distributed decisions in production logistics. CIRP Annals 59(1):461–464, DOI 10.1016/j.cirp.2010. 03.082
- Wittgenstein L (2001) Tractatus Logico-Philosophicus, 2nd edn. Routledge, London : New York
- Zadeh LA (1965) Fuzzy sets. Information and Control 8(3):338–353, DOI 10.1016/
 $\rm S0019\text{-}9958(65)90241\text{-}X$