

---

# SOCIAL AND ENVIRONMENTAL IMPACT OF RECENT DEVELOPMENTS IN MACHINE LEARNING ON BIOLOGY AND CHEMISTRY RESEARCH

---

A PREPRINT

© Daniel Probst

School of Engineering  
École Polytechnique Fédérale de Lausanne  
Lausanne, Switzerland  
daniel.probst@epfl.ch

October 4, 2022

## ABSTRACT

Potential societal and environmental effects such as the rapidly increasing resource use and the associated environmental impact, reproducibility issues, and exclusivity, the privatization of ML research leading to a public research brain-drain, a narrowing of the research effort caused by a focus on deep learning, and the introduction of biases through a lack of sociodemographic diversity in data and personnel caused by recent developments in machine learning are a current topic of discussion and scientific publications. However, these discussions and publications focus mainly on computer science-adjacent fields, including computer vision and natural language processing or basic ML research. Using bibliometric analysis of the complete and full-text analysis of the open-access literature, we show that the same observations can be made for applied machine learning in chemistry and biology. These developments can potentially affect basic and applied research, such as drug discovery and development, beyond the known issue of biased data sets.

## 1 Introduction

**The hard- and software that catalysed rapid developments in machine learning** In late 2002 and early 2003, the release of the Radeon 9700 and GeForce FX video cards introduced a fully programmable graphics pipeline, extending and later replacing the existing fixed function pipelines. Unlike the fixed function pipeline, which allowed the user to only supply input matrices and parameters to built-in operations, the programmable pipeline introduced the execution of user-written shader programs on the GPU [Contributors, 2015]. This fundamental change allowed programmers and researchers to exploit the intrinsic parallelism of GPUs 2 years before Intel would introduce its first dual-core CPU. Within months of the availability of this new hardware and the accompanying APIs, researchers implemented linear algebra methods on GPUs and introduced programming frameworks to use GPUs for general-purpose computations [Thompson et al., 2002, Krüger and Westermann, 2003]. This rapid development marked the dawn of general-purpose computing on graphics processing units (GPGPU). In a presentation at ICS '08, Harris presented the successes of GPGPU by highlighting a speed-up in molecular docking, N-body simulations, HD video stream transcoding, or image processing—applications in machine learning were not discussed. However, just one year later, the introduction of GPUs as general-purpose processors catalysed the deep learning explosion of the early 2010s by allowing deep learning algorithms pioneered by Alexey Ivakhnenko in 1971 to be run within practical time on widely available consumer hardware when Rajat et al. showed that GPUs outperform CPUs by an order of magnitude in large-scale deep unsupervised learning tasks [Ivakhnenko, 1971, Raina et al., 2009].

**Hardware and energy requirements increase in machine learning research** In 2010, Ciresan et al. [2010] introduced a multi-layer perceptron (MLP) with up to 12.11 million free parameters where forward and backward propagation were implemented on a GPU using NVIDIA's proprietary CUDA API introduced by Harris at ICS '08 two

years before, speeding up the routines by a factor of 40. In their arXiv paper, they also report the computer’s hardware specifications as "Core2 Quad 9450 2.66GHz processor, 3GB of RAM, and a GTX280 graphics card". The GTX 280 graphics card by NVIDIA was, at the time of the paper’s writing, two years old and cost USD 893 when first released (adjusted for inflation). Equipped with this 2-year-old hardware that cost well below USD 1,000, Cireşan et al. were able to improve upon the state-of-the-art performance on the MNIST classification benchmark set four years prior by Ranzato et al. [2006]. As they not only reported the hardware used but also the time it took to train the model, the power usage of the GPU and CPU, with a thermal design power (TDP) of 236 and 95 Watt, respectively, can be calculated as  $114.5\text{h} \times (236 + 95)\text{W} = 37.9\text{kWh}$ . Seven years later, Vaswani et al. [2017] introduced the transformer architecture. The training used 8 NVIDIA Tesla P100 GPUs, whose price was approximately USD 55,100 at the time, and took 84 hours, resulting in overall energy usage of  $84\text{h} \times 8 \times 250\text{W} = 168\text{kWh}$ .

**Hardware and energy requirements explode in applied machine learning** Applying the novel transformer architecture, NVIDIA reportedly trained the 345 million parameter BERT model in 2019, which was previously introduced by Google in the same year, on 4 DGX-2H servers (64 Tesla V100s) in 79.2 hours, with a maximum power usage of 12,000 Watt, resulting in a total power use of 3.8 MWh ( $79.2\text{h} \times 4 \times 12\text{kW}$ ) [Devlin et al., 2018]. The cost of this system at the time of training was USD 1,596,000. Alternatively, the BERT model could be trained on on-demand Google Cloud GPUs for USD 2.48 per GPU hour, resulting in total costs of USD 12,570 ( $2.48 \times 64 \times 79.2$ ). The MT-NLG model presented by NVIDIA and Microsoft in 2021 represents the acceleration of hardware and energy cost in the field [Smith et al., 2022]. The 530 billion parameter model was trained on 560 DGX A100 servers—a total of 4,480 NVIDIA A100 80GB Tensor Core GPUs—for 2,160 hours [Rajbhandari et al., 2022]. The power usage of a cluster of 560 DGX A100 servers during 2,160 hours is 7.862 GWh ( $2,160 \times 560 \times 6.5\text{kW}$ ). Taking the world average electricity price of USD 0.131 per kWh during December 2021, the total electricity bill for training MT-NLG was USD 1,029,922. The total cost of the hardware is hard to estimate as specialised network hardware is required to build such a cluster; however, the DGX A100 was priced at USD 199,000 on release, resulting in a minimum total cost of USD 111,440,000 ( $199,000 \times 560$ ). Training the model on on-demand Google Cloud GPUs for USD 2,141.82 per GPU month results in a total cost of USD 28,786,060.8 ( $3 \times 4,480 \times 2,141.82$ ).




Figure 1: Fraction of applied machine learning publications in biology and chemistry. After an increase in the early 2000s and a plateau lasting for about 10 years, the introduction of general-purpose GPUs and a renewed interest in deep neural networks making use of this capable hardware sparked an unprecedented growth of applied machine learning research in biology and chemistry in the mid-2010s.

**The de-democratization of machine learning** These examples, only a few years apart, represent an increasing hardware and energy cost in conducting basic and applied deep learning-based machine learning research. The resulting diminishing returns and the environmental impact have previously been discussed by Thompson et al. [2021] and Schwartz et al. [2020]. The development of increasing costs following a potential breakthrough stands in contrast to similar or even more disruptive changes in other fields, such as CRISPR-Cas9 lowering costs in molecular biology or the ever-decreasing costs of genome and RNA sequencing [Ledford, 2015, Wetterstrand, 2021, Gierahn et al., 2017]. While CRISPR-Cas9 and affordable sequencing has led to what has been called the democratization of access to sequencing and genome editing [Guernet and Grumoloto, 2017, McPherson, 2014, Srivathsan et al., 2019], cutting-edge machine learning research is becoming potentially increasingly expensive and exclusive [Ahmed and Wahed, 2020]. Indeed, in a 2020 article on the most cited research articles, all mentioned machine learning research was conducted by, or in collaboration with, OpenAI, Microsoft, and Alphabet [Kingma and Ba, 2014, Ren et al., 2015, Mnih et al., 2015,

Vaswani et al., 2017, Silver et al., 2016, Crew, 2020], suggesting a need for resources not available within academia. While the involvement of these companies, whose R&D budgets exceed those of most nations [Bajpai, 2021, Ballard, 2021, Uis, 2022], contributed greatly to the advancement of machine learning, a potential technological dependency of academia on this commercially driven progress combined with a brain-train from academia to industry may result in a narrowing of machine learning research [Jurowetzki et al., 2021, Klinger et al., 2020, Hagendorff and Meding, 2020].

**Machine learning in a divided society** In a wider social context, the concentration of resources and talent needed to develop and operate machine learning systems in high-income countries form the basis of what has been labelled colonialist AI [Birhane, 2020, Mohamed et al., 2020, Adams, 2021]. The effects of this process recently came to light through the discovery of biases in models deployed in healthcare and predictive policing, among others [Obermeyer et al., 2019, Hildebrandt et al., 2020]. Causes of these biases have been shown to go beyond biased data [Schwartz et al., 2022, Mehrabi et al., 2021].

These effects introduced above are of interest for the natural sciences, concretely biology and chemistry, as deep learning-based applied machine learning plays an ever more critical role in both fields and issues being caused by said effects may affect crucial research such as drug development or genetics. The increasing importance of machine learning in biology and chemistry is reflected by an increasing share of machine learning-related publications, which have approximately doubled within the past six years compared to the overall published literature in the respective fields (Figure 1). Here, the potential for the described societal and environmental effects within the scientific fields of biology and chemistry will be explored based on quantitative bibliometric analysis. The utilised data was downloaded from the OpenAlex index of scholarly works [Priem et al., 2022]. The final data set contained 27,861 biology and 16,301 chemistry works filtered for machine learning topics. For a list of filter keywords, see subsection A.1.

## 2 Socioeconomic Considerations

Available research funding differs greatly between countries and institutions. While discussing the reasons and possible solutions to this situation are far beyond the scope of this research, it is important to note that cost of research being driven by ever increasing hardware and electricity requirements has the potential to further drive inequity between nations, institutions, research groups, and individual researchers based on available funding [Gerhards et al., 2018, Nielsen and Andersen, 2021, Wahls, 2018]. In addition to direct funding, collaborations with leading big tech companies, which led to the most cited recent publications [Crew, 2020], are equally unevenly distributed among countries and institutions, further concentrating funding. Furthermore, the availability of necessary hardware to conduct state-of-the-art deep learning research can depend on the current geopolitical situation, possibly disproportionately affecting researchers in low- and middle-income countries negatively [Nellis and Lee, 2022].

**Diminishing returns limit participation** As current and future diminishing returns of deep learning in basic and applied machine learning research threaten to drive costs up, the financial barrier to participating in the respective fields also increases [Thompson et al., 2021, Schwartz et al., 2020]. Given the extreme disparities in R&D funding across countries (Figure 2) and institutions has great potential to also increase the exclusiveness of participating in state-of-the-art research. Indeed, potential downstream effects of such disparities have recently come in the focus in fields such as health care, bioinformatics, and biometrics, where machine learning models are often biased towards persons of European descent [Obermeyer et al., 2019, Gupta et al., 2020, Celi et al., 2022, Dias and Torkamani, 2019, Kiseleva and Quinn, 2021, Drozdowski et al., 2020, Hazirbas et al., 2022]. While these issues are being tackled by increasing participation of students, developers, and researchers of non-European descent and by debiasing data sets, it is being questioned whether these efforts alone can adequately solve the bias-problem and avert a future long-term dependence of the global south on the global north [Birhane, 2020, Bon et al., 2021].

In respect to machine learning in biology and chemistry, we make the assumption that an increase in the correlation between available funding and the share of machine learning literature published in each field would suggest a potential for exclusiveness and a measure for inequity. In order to identify a possible increase in correlation between available R&D funding and applied machine learning in biology and chemistry, as well as the impact of deep learning-based machine learning, 137,506 affiliations from bioinformatics/computational biology and 80,206 affiliations from cheminformatics/computational chemistry publications were analysed for the periods between 2000 to 2016 and 2017 to 2021 (Figure 3). Only countries with at least 100 publications per year during the specified periods were included, and outliers were removed using a z-score cut-off of  $\pm 3$ . Plotting the fraction of machine learning publications amongst the entire published literature for the chosen topics from biology and chemistry for each country against the countries' available funding per researcher shows an increasing, however as of yet insignificant, correlation. While the average fraction of machine learning literature increased by 19.3% (21.7% to 41%) and 9% (20.4% to 29.4%) in biology and chemistry, respectively, the Gini coefficient of the fraction of machine learning publications remained stable in biology




Figure 2: R&D funding of nation states and "big tech" companies. (a) R&D funding per researcher and year correlates well with a countries GDP. (b) The amount of R&D funding per researcher and year differs greatly between countries. Comparing the R&D budgets per employee (includes non-research employees) of "big tech" companies places them among the top funded nations.

(0.287 to 0.287) and decreased in chemistry (0.343 to 0.304). The funding per researcher and year is an average of the available data between 2000 and 2021 for each country—with an average Gini coefficient of 0.479 (0.452–0.497) over all stratifications.

### 3 Scientific Considerations

**The privatization of machine learning** Beyond Universities, technology companies are major contributors to basic and applied deep learning-based machine learning research across multiple fields. Prominent examples are AlphaFold by DeepMind, BERT by Google, 3D human pose estimation by Facebook and Google, or DALL·E by OpenAI [Jumper et al., 2021, Devlin et al., 2018, Ramesh et al., 2021]. In addition, the hardware company NVIDIA, which GPUs and CUDA framework power most basic and applied deep learning research (with the notable exception of research conducted by Google and DeepMind, both using Google's TPUs), is active in both basic research and deep learning applied to computer graphics [Karras et al., 2020, Wang et al., 2019]. The involvement of these corporations in research is significant, as their respective R&D budgets are higher than those of most countries (Figure 2b). For 2020 (2021 for NVIDIA), the R&D spending of Google (now Alphabet) was USD 27.57B, that of Facebook USD 18.45B, and that of NVIDIA USD 3.92B and were higher than that of 120, 116, and 101 countries, respectively [Bajpai, 2021, Ballard, 2021]. For Google and Facebook, this includes countries such as Belgium, Spain, India, or the Russian Federation [Uis, 2022]. The availability of this large amounts of funding for machine learning research in industry can have three significant effects on public university research:

- (i) During the past two decades, there has been an unprecedented brain drain of professors from university to industry, a development that has been termed the "privatization of AI research(-ers)" [Gofman and Jin, 2019, Jurowetzki et al., 2021].
- (ii) Industry collaborations that provide access to significant amounts of compute are often limited to elite institutions in countries where funding is already comparatively high, further increasing the divide in resource availability between institutions within a country and globally [Jurowetzki et al., 2021, Ahmed and Wahed, 2020].
- (iii) A narrowing of research driven by universities aligning with commercial interest through collaborations, a reliance of universities on large models, methods, and hardware developed in industry, and the above mentioned brain-drain. [Klinger et al., 2020, Gofman and Jin, 2019].




Figure 3: Fraction of applied machine learning papers in biology and chemistry as a function of R&D funding per researcher and year. (a) Biology 2000–2016, (b) chemistry 2000–2016, (c) biology 2017–2021, (d) chemistry 2017–2021. While not significantly so, a potential trend is emerging where the fraction of applied machine learning publications (of each fields total) correlates with the funding per researcher and year.

Potential consequences of these developments have been shown to include stagnation of (methodical) diversity in machine learning research with a preference for compute-intensive and data-hungry deep learning methods [Klinger et al., 2020]. In addition, an analysis of research presented at NeurIPS, CVPR, and ICML showed that researchers in the field often fail to report conflicts of interest, that publications from the industry gather significantly higher citations than those from academia, and that industry publishes on trending machine learning topics two years before academia on average [Hagendorff and Meding, 2020].

In order to assess the existence of such effects in biology and chemistry, the available data was labelled by affiliation-type. Industry affiliations were labelled with either *Tech*, *Pharma*, *Chem*, and *Other*. *Tech* includes the large technology companies (Alphabet, Microsoft, Meta, Nvidia, Amazon, IBM, Tencent, Baidu, and Twitter) and their subsidiaries. *Pharma* includes pharmaceutical companies such as Novartis, Pfizer, and Bayer. *Chem* includes chemical and petrochemical companies such as BASF, Exxon, and Lonza. *Other* includes companies not falling into the other categories, such as Schrödinger, General Electrics, or Siemens. All other affiliations were labelled with *None*.

**Academic brain-drain** Following the approach by Jurowetzki et al. [2021], transitions between academia and industry were defined as a year-over-year change in affiliation (if there were industry as well as academic affiliations within the same year, the mode was chosen as the overall affiliation). In the results, based on 92,496 and 54,243 authors of biology and chemistry articles, respectively, trends that are similar to those observed by Jurowetzki et al. [2021] can be noticed (Figure 4). Over the past six years, chemistry saw an unprecedented increase in net transitions of machine learning practitioners from academia to industry (Figure 4b), while overall transitions in biology remain slightly skewed towards industry (Figure 4a). However, biology, and to lesser degree chemistry, saw a significant jump in academia to *Tech* transitions in 2021 (Figure 4c,d). Interestingly, the data shows a lower baseline of academia to




Figure 4: Transitions by researchers between education and industry. (a) In biology, the overall transitions between academia and industry remain largely balanced over the observed period. (b) In chemistry, we observe a recent steady increase of transitions from academia to industry. (c) Starting in 2016, there is a steady net flow from academia to *Tech*, spiking in 2021. (d) A similar but less pronounced spike can be observed in chemistry.

industry transitions compared to the data presented by Jurowetzki et al. [2021], suggesting either fewer transitions from academia to industry overall or, more likely, a tendency in the fields to stop publishing after leaving academia.

**Citation inequality** The observation by Hagendorff and Meding [2020] of significantly higher rates of citations of papers authored by industry-affiliated authors can be replicated for machine learning in chemistry and partially for machine learning in biology. In biology, citation rates by *Pharma*, *Tech*, and *Other* are significantly higher than those in academia (with a mean of 6.31, 21.64, and 4.13 versus 3.03 citations per year, respectively. Figure 5a). In chemistry, the citations per year are significantly higher for *Pharma*, *Chem*, *Tech*, and *Other*, compared to academia (with a mean of 4.46, 4.00, 8.71, and 3.62 versus 2.99, respectively. Figure 5g). Breaking down the industry affiliations by country, it is little surprising that private research generally takes place in countries with high-ranking universities and highly developed industries (Figure 5b–f for biology, h–l for chemistry).

**A narrowing of research** A narrowing of machine learning research would certainly have the potential to lead to negative downstream effects in the natural sciences. In addition, there is also the potential for a narrowing of applied methods independently from developments in machine learning research. Such a narrowing of applied methods can be driven by the same factors as a narrowing in basic machine learning research. These factors include demand-side economies of scale or a bandwagon effect, early fortuitous events that result in lock-in to a certain method, the availability of and previous investments in suitable resources such as hardware or personnel, and social dilemmas [Klinger et al., 2020]. To explore a potential narrowing of machine learning methods utilised in biology and chemistry, articles have been labelled with the following broad categories: *Dimensionality Reduction/Feature Selection*, *Genetic/Evolutionary*, *Neural Networks*, *Other/Unspecified*, *Regression*, *Statistic/Probabilistic*, and *SVM*. Analysing the temporal development, the results show that the largely deep learning-based *Neural Networks* in biology (Figure 6a) and *Neural Networks* together with *RF/Boosting* in chemistry (Figure 6b) are mainly responsible for the recent explosive growth of machine learning literature in the two fields. However, the continuous and roughly linear growth of the other categories implies that the fast-growing methods do not seem to grow at the expense of methods from other categories. Plotting the mean of the citations per year for each category shows that the publication of highly cited biology articles utilising *Neural Networks* predates and is more sustained (Figure 6c) than the publication of highly cited chemistry articles utilising methods from the same category (Figure 6d).




Figure 5: Industry affiliations and the effect on citations. For both biology (a) and chemistry (g), publications with industry affiliations gather a higher amount of citations per year. This effect is, in both fields, most pronounced for *Tech* affiliations. Breaking down the industry affiliations by country (Figure 5b–f for biology, h–l for chemistry), it is little surprising that private research generally takes place in countries with high ranking universities and highly developed industries.

## 4 Environmental Considerations

In their publication "Green AI", Schwartz et al. [2020] showed that the carbon footprint of deep learning has been growing continuously and suggest making efficiency an evaluation criterion in addition to accuracy. They argue that this ever-increasing need for more compute would make deep learning-based machine learning research not only environmentally problematic but also less inclusive due to the previously discussed unequal distribution of access to compute.

The quantitative exploration of the environmental impact of applied machine learning in biology and chemistry has been complicated by the low availability of information regarding the hardware used and the time spent to train the models. From a total of 27,861 biology and 16,301 chemistry articles, 14,365 (51.6%) and 4,184 (25.7%) were downloadable as open access articles. From these downloaded articles, the GPU model could be extracted from 646 (4.5%) biology articles and from 243 (5.8%) chemistry articles, and the GPU model as well as the training time from 56 (0.4%) and 14 (0.3%), respectively. Based on this sparse data, the statistical power of the analysis is relatively low. However, certain trends in the GPU model-use can be observed between 2018 and 2021 (Figure 7a): The fraction of Nvidia Titan GPUs has been steadily declining during the entire period. Consumer-focused GPUs from the GeForce 10, 20, and 30 series continue to be used in research, with the fraction of GeForce 20 GPUs increasing. In contrast, GeForce 10 series cards experienced a steady decline starting in 2019. However, the most important trend is the steady increase in the fraction of Tesla GPUs.

As newer GPU models are becoming more energy efficient [Špet'ko et al., 2021], efficiency remains a second-class metric compared to accuracy in applied machine learning publications in biology and chemistry. This situation is reflected in the lack of an increase in reported hardware use or training times (Figure 7b). Indeed, the available data




Figure 6: Number of publications by machine learning method category. (a) Number of publications by machine learning method category. (b) Number of publications by machine learning category in biology. (c) Mean citations/year by year and machine learning category in biology. (d) Mean citations/year by year and machine learning category in chemistry.




Figure 7: Hardware and energy use of applied machine learning in biology and chemistry. (a) GPU models used by biology and chemistry researchers combined, showing an increase in the fraction of machine learning-dedicated Tesla series GPUs used, while the share of consumer and enthusiast oriented GPU series is shrinking. (b) The data on training times and exact GPU model that could be extracted from open access literature shows a general increase in electricity use per publication.

shows a general increase in power usage per publication based on the reported GPU model, the number of GPUs used, and the training time. The values are an estimation and only represent the training time of the final model.

## 5 Conclusion

The societal and environmental impacts of recent developments in machine learning are actively being discussed in machine learning research and closely adjoined fields such as natural language processing or image processing.

However, the effects driven by and experienced within applied machine learning in the natural sciences received little attention. This exploratory study into the social and environmental impact of recent developments in machine learning on biology and chemistry research brings to light the following insights:

- (i) The introduction of deep learning methods has caused a rapid increase in the share of machine learning-related articles in biology and chemistry literature.
- (ii) There is a potential emerging trend towards an increase in inequity in applied machine learning research conducted in biology and chemistry based on available funding when corrected for overall publications in the respective field. While not yet statistically significant, the trend should be monitored and countered. There is, however, a significant difference between citation metrics of education vs industry affiliated researchers, with university-affiliated research receiving fewer citations.
- (iii) Based on transition patterns of researchers between academia and industry, big tech companies seem to get increasingly involved in conducting applied machine learning research in biology and chemistry. Given the vast resources and R&D spending of these corporations (even compared to entire nations), the concerns of a potential brain-drain away from academia and a narrowing of the research conducted are also warranted in biology and chemistry.
- (iv) As of yet and based on the number of publications, the growth of neural networks-based deep learning research did not happen at the expense of other, generally less compute-intensive, categories of machine learning methods. However, citation metrics for neural network-based deep learning methods have recently spiked compared to other categories. While this data does not show a narrowing of the use of methods, continuous monitoring of these metrics to avoid a potential method and technology lock-in, especially as investments in specialized hardware continue, may be warranted.
- (v) Data that allows an estimation of the environmental impact of applied machine learning in biology and chemistry is scarce due to a failure to report used hardware and spent training time in the vast majority of articles. This scarcity shows the need for an effort by both authors and publishers to introduce measures concerning reporting these metrics, especially as their importance goes beyond monitoring the environmental impact. Nevertheless, based on the available data, a trend towards more specialized hardware and an overall increase in energy use per paper could be observed.

Overall, these insights are similar to the ones made in machine learning research in general and warrant action, given that research topics with a high societal impact, such as genetics or drug development, can be affected. While each topic may be discussed in detail in future publications, this overview provides the basis for discussion and draws attention to the crucial interfaces between society, the economy, the natural sciences, and machine learning.

## 6 Reproducibility Statement

All data used in this study is freely accessible. The code to reproduce that data as well as the figures can be found in the following repository: [https://github.com/daenuprobst/anon\\_aichem](https://github.com/daenuprobst/anon_aichem)

## References

- Wiki Contributors. Fixed function pipeline, Apr 2015. URL [https://www.khronos.org/opengl/wiki/Fixed\\_Function\\_Pipeline](https://www.khronos.org/opengl/wiki/Fixed_Function_Pipeline).
- Chris J. Thompson, Sahngyun Hahn, and Mark Oskin. Using modern graphics architectures for general-purpose computing: A framework and analysis. In *35th Annual IEEE/ACM International Symposium on Microarchitecture, 2002. (MICRO-35). Proceedings*, pages 306–317, 2002.
- Jens Krüger and Rüdiger Westermann. Linear algebra operators for GPU implementation of numerical algorithms. *ACM Transactions on Graphics (TOG)*, 22(3):908–916, 2003. ISSN 0730-0301. doi:10.1145/882262.882363.
- A. G. Ivakhnenko. Polynomial Theory of Complex Systems. *IEEE Transactions on Systems, Man, and Cybernetics*, SMC-1(4):364–378, 1971. ISSN 0018-9472. doi:10.1109/tsmc.1971.4308320.
- Rajat Raina, Anand Madhavan, and Andrew Y. Ng. Large-scale deep unsupervised learning using graphics processors. *Proceedings of the 26th Annual International Conference on Machine Learning - ICML '09*, pages 873–880, 2009. doi:10.1145/1553374.1553486.
- Dan Claudiu Ciresan, Ueli Meier, Luca Maria Gambardella, and Juergen Schmidhuber. Deep Big Simple Neural Nets Excel on Handwritten Digit Recognition. *arXiv*, 2010. doi:10.1162/neco\_a\_00052.
- Marc’ Aurelio Ranzato, Christopher Poultney, Sumit Chopra, and Yann Cun. Efficient learning of sparse representations with an energy-based model. *Advances in neural information processing systems*, 19, 2006.
- Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Lukasz Kaiser, and Illia Polosukhin. Attention Is All You Need. *arXiv*, 2017.
- Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding. *arXiv*, 2018.
- Shaden Smith, Mostofa Patwary, Brandon Norick, Patrick LeGresley, Samyam Rajbhandari, Jared Casper, Zhun Liu, Shrimai Prabhumoye, George Zerveas, Vijay Korthikanti, Elton Zhang, Rewon Child, Reza Yazdani Aminabadi, Julie Bernauer, Xia Song, Mohammad Shoeybi, Yuxiong He, Michael Houston, Saurabh Tiwary, and Bryan Catanzaro. Using DeepSpeed and Megatron to Train Megatron-Turing NLG 530B, A Large-Scale Generative Language Model. *arXiv*, 2022.
- Samyam Rajbhandari, Conglong Li, Zhewei Yao, Minjia Zhang, Reza Yazdani Aminabadi, Ammar Ahmad Awan, Jeff Rasley, and Yuxiong He. DeepSpeed-MoE: Advancing Mixture-of-Experts Inference and Training to Power Next-Generation AI Scale. *arXiv*, 2022.
- Neil C. Thompson, Kristjan Greenewald, Keeheon Lee, and Gabriel F. Manso. Deep Learning’s Diminishing Returns. *IEEE Spectrum*, 58(10):50–55, 2021. ISSN 0018-9235. doi:10.1109/mspec.2021.9563954.
- Roy Schwartz, Jesse Dodge, Noah A. Smith, and Oren Etzioni. Green AI. *Communications of the ACM*, 63(12):54–63, 2020. ISSN 0001-0782. doi:10.1145/3381831.
- Heidi Ledford. CRISPR, the disruptor. *Nature*, 522(7554):20–24, 2015. ISSN 0028-0836. doi:10.1038/522020a.
- Kris Wetterstrand. The cost of sequencing a human genome, Nov 2021. URL <https://www.genome.gov/about-genomics/fact-sheets/Sequencing-Human-Genome-cost>.
- Todd M Gierahn, Marc H Wadsworth, Travis K Hughes, Bryan D Bryson, Andrew Butler, Rahul Satija, Sarah Fortune, J Christopher Love, and Alex K Shalek. Seq-Well: portable, low-cost RNA sequencing of single cells at high throughput. *Nature Methods*, 14(4):395–398, 2017. ISSN 1548-7091. doi:10.1038/nmeth.4179.
- Alexis Guernet and Luca Grumolato. CRISPR/Cas9 editing of the genome for cancer modeling. *Methods*, 121:130–137, 2017. ISSN 1046-2023. doi:10.1016/j.ymeth.2017.03.007.
- John D McPherson. A defining decade in DNA sequencing. *Nature Methods*, 11(10):1003–1005, 2014. ISSN 1548-7091. doi:10.1038/nmeth.3106.
- Amrita Srivathsan, Emily Hartop, Jayanthi Puniamoorthy, Wan Ting Lee, Sujatha Narayanan Kutty, Olavi Kurina, and Rudolf Meier. Rapid, large-scale species discovery in hyperdiverse taxa using 1D MinION sequencing. *BMC Biology*, 17(1):96, 2019. doi:10.1186/s12915-019-0706-9.
- Nur Ahmed and Muntasir Wahed. The De-democratization of AI: Deep Learning and the Compute Divide in Artificial Intelligence Research. *arXiv*, 2020.
- Diederik P Kingma and Jimmy Ba. Adam: A Method for Stochastic Optimization. *arXiv*, 2014.
- Shaoqing Ren, Kaiming He, Ross Girshick, and Jian Sun. Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks. *arXiv*, 2015.

- Volodymyr Mnih, Koray Kavukcuoglu, David Silver, Andrei A. Rusu, Joel Veness, Marc G. Bellemare, Alex Graves, Martin Riedmiller, Andreas K. Fiedjeland, Georg Ostrovski, Stig Petersen, Charles Beattie, Amir Sadik, Ioannis Antonoglou, Helen King, Dharshan Kumaran, Daan Wierstra, Shane Legg, and Demis Hassabis. Human-level control through deep reinforcement learning. *Nature*, 518(7540):529–533, 2015. ISSN 0028-0836. doi:10.1038/nature14236.
- David Silver, Aja Huang, Chris J. Maddison, Arthur Guez, Laurent Sifre, George van den Driessche, Julian Schrittwieser, Ioannis Antonoglou, Veda Panneershelvam, Marc Lanctot, Sander Dieleman, Dominik Grewe, John Nham, Nal Kalchbrenner, Ilya Sutskever, Timothy Lillicrap, Madeleine Leach, Koray Kavukcuoglu, Thore Graepel, and Demis Hassabis. Mastering the game of Go with deep neural networks and tree search. *Nature*, 529(7587):484–489, 2016. ISSN 0028-0836. doi:10.1038/nature16961.
- Bec Crew. Google scholar reveals its most influential papers for 2020, Jul 2020. URL <https://www.nature.com/nature-index/news-blog/google-scholar-reveals-most-influential-papers-research-citations-twenty-twenty>.
- Prableen Bajpai. Which companies spend the most in research and development (r&d)?, Jun 2021. URL <https://www.nasdaq.com/articles/which-companies-spend-the-most-in-research-and-development-rd-2021-06-21>.
- John Ballard. Nvidia’s usd 24 billion advantage over advanced micro devices, May 2021. URL <https://www.fool.com/investing/2021/05/20/nvidias-24-billion-advantage-over-amd/>.
- Uis. Unesco institute for statistics, 2022. URL [http://data.uis.unesco.org/Index.aspx?DataSetCode=SCN\\_DS&lang=en](http://data.uis.unesco.org/Index.aspx?DataSetCode=SCN_DS&lang=en).
- Roman Jurowetcki, Daniel Hain, Juan Mateos-Garcia, and Konstantinos Stathoulopoulos. The Privatization of AI Research(ers): Causes and Potential Consequences – From university-industry interaction to public research brain-drain? *arXiv*, 2021.
- Joel Klinger, Juan C Mateos-Garcia, and Konstantinos Stathoulopoulos. A Narrowing of AI Research? *SSRN Electronic Journal*, 2020. doi:10.2139/ssrn.3698698.
- Thilo Hagendorff and Kristof Meding. Ethical Considerations and Statistical Analysis of Industry Involvement in Machine Learning Research. *arXiv*, 2020. doi:10.1007/s00146-021-01284-z.
- Abeba Birhane. Algorithmic Colonization of Africa. *SCRIPT-ed*, 17(2):389–409, 2020. doi:10.2966/scrip.170220.389.
- Shakir Mohamed, Marie-Therese Png, and William Isaac. Decolonial AI: Decolonial Theory as Sociotechnical Foresight in Artificial Intelligence. *Philosophy & Technology*, 33(4):659–684, 2020. ISSN 2210-5433. doi:10.1007/s13347-020-00405-8.
- Rachel Adams. Can artificial intelligence be decolonized? *Interdisciplinary Science Reviews*, 46(1-2):176–197, 2021. ISSN 0308-0188. doi:10.1080/03080188.2020.1840225.
- Ziad Obermeyer, Brian Powers, Christine Vogeli, and Sendhil Mullainathan. Dissecting racial bias in an algorithm used to manage the health of populations. *Science*, 366(6464):447–453, 2019. ISSN 0036-8075. doi:10.1126/science.aax2342.
- Mireille Hildebrandt, Carlos Castillo, Elisa Celis, Salvatore Ruggieri, Linnet Taylor, Gabriela Zanfir-Fortuna, Vidushi Marda, and Shivangi Narayan. Data in New Delhi’s predictive policing system. *Proceedings of the 2020 Conference on Fairness, Accountability, and Transparency*, pages 317–324, 2020. doi:10.1145/3351095.3372865.
- Reva Schwartz, Apostol Vassilev, Kristen Greene, Lori Perine, Andrew Burt, and Patrick Hall. Towards a standard for identifying and managing bias in artificial intelligence. Technical report, National Institute of Standards and Technology, March 2022. URL <https://doi.org/10.6028/nist.sp.1270>.
- Ninareh Mehrabi, Fred Morstatter, Nripsuta Saxena, Kristina Lerman, and Aram Galstyan. A Survey on Bias and Fairness in Machine Learning. *ACM Computing Surveys*, 54(6):1–35, 2021. ISSN 0360-0300. doi:10.1145/3457607.
- Jason Priem, Heather Piwowar, and Richard Orr. OpenAlex: A fully-open index of scholarly works, authors, venues, institutions, and concepts. *arXiv*, 2022. doi:10.48550/arxiv.2205.01833.
- Jürgen Gerhards, Silke Hans, and Daniel Drewski. Global inequality in the academic system: effects of national and university symbolic capital on international academic mobility. *Higher Education*, 76(4):669–685, 2018. ISSN 0018-1560. doi:10.1007/s10734-018-0231-8.
- Mathias Wullum Nielsen and Jens Peter Andersen. Global citation inequality is on the rise. *Proceedings of the National Academy of Sciences*, 118(7):e2012208118, 2021. ISSN 0027-8424. doi:10.1073/pnas.2012208118.
- Wayne P. Wahls. High cost of bias: Diminishing marginal returns on NIH grant funding to institutions. *bioRxiv*, page 367847, 2018. doi:10.1101/367847.

- Stephen Nellis and Jane Lanhee Lee. U.S. officials order Nvidia to halt sales of top AI chips to China, 9 2022. URL <https://www.reuters.com/technology/nvidia-says-us-has-imposed-new-license-requirement-future-exports-china-2022-08-31/>.
- Rajesh Gupta, Yan Liu, Mohak Shah, Suju Rajan, Jiliang Tang, B Aditya Prakash, Muhammad Aurangzeb Ahmad, Arpit Patel, Carly Eckert, Vikas Kumar, and Ankur Teredesai. Fairness in Machine Learning for Healthcare. *Proceedings of the 26th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*, pages 3529–3530, 2020. doi:10.1145/3394486.3406461.
- Leo Anthony Celi, Jacqueline Cellini, Marie-Laure Charpignon, Edward Christopher Dee, Franck Dernoncourt, Rene Eber, William Greig Mitchell, Lama Moukheiber, Julian Schirmer, Julia Situ, Joseph Paguio, Joel Park, Judy Gichoya Wawira, and Seth Yao. Sources of bias in artificial intelligence that perpetuate healthcare disparities—A global review. *PLOS Digital Health*, 1(3):e0000022, 2022. doi:10.1371/journal.pdig.0000022.
- Raquel Dias and Ali Torkamani. Artificial intelligence in clinical and genomic diagnostics. *Genome Medicine*, 11(1):70, 2019. doi:10.1186/s13073-019-0689-8.
- Anastasiya Kiseleva and Paul Quinn. Are You AI’s Favorite? EU Legal Implications of Biased AI Systems in Clinical Genetics and Genomics. *SSRN Electronic Journal*, 2021. doi:10.2139/ssrn.4039764.
- Pawel Drozdowski, Christian Rathgeb, Antitza Dantcheva, Naser Damer, and Christoph Busch. Demographic Bias in Biometrics: A Survey on an Emerging Challenge. *IEEE Transactions on Technology and Society*, 1(2):89–103, 2020. ISSN 2637-6415. doi:10.1109/tts.2020.2992344.
- Caner Hazirbas, Joanna Bitton, Brian Dolhansky, Jacqueline Pan, Albert Gordo, and Cristian Canton Ferrer. Towards Measuring Fairness in AI: The Casual Conversations Dataset. *IEEE Transactions on Biometrics, Behavior, and Identity Science*, 4(3):324–332, 2022. ISSN 2637-6407. doi:10.1109/tbiom.2021.3132237.
- Anna Bon, Francis Dittoh, Gossa Lô, Mónica Pini, Robert Bwana, Cheah WaiShiang, Narayanan Kulathuramaiyer, and André Baart. *Perspectives on Digital Humanism*. Springer Cham, 2021. doi:10.1007/978-3-030-86144-5\_9.
- John Jumper, Richard Evans, Alexander Pritzel, Tim Green, Michael Figurnov, Olaf Ronneberger, Kathryn Tunyasuvunakool, Russ Bates, Augustin Židek, Anna Potapenko, Alex Bridgland, Clemens Meyer, Simon A. A. Kohl, Andrew J. Ballard, Andrew Cowie, Bernardino Romera-Paredes, Stanislav Nikolov, Rishub Jain, Jonas Adler, Trevor Back, Stig Petersen, David Reiman, Ellen Clancy, Michal Zielinski, Martin Steinegger, Michalina Pacholska, Tamas Berghammer, Sebastian Bodenstein, David Silver, Oriol Vinyals, Andrew W. Senior, Koray Kavukcuoglu, Pushmeet Kohli, and Demis Hassabis. Highly accurate protein structure prediction with AlphaFold. *Nature*, 596(7873):583–589, 2021. ISSN 0028-0836. doi:10.1038/s41586-021-03819-2.
- Aditya Ramesh, Mikhail Pavlov, Gabriel Goh, Scott Gray, Chelsea Voss, Alec Radford, Mark Chen, and Ilya Sutskever. Zero-Shot Text-to-Image Generation. *arXiv*, 2021.
- Tero Karras, Miika Aittala, Janne Hellsten, Samuli Laine, Jaakko Lehtinen, and Timo Aila. Training Generative Adversarial Networks with Limited Data. *arXiv*, 2020.
- Ting-Chun Wang, Ming-Yu Liu, Andrew Tao, Guilin Liu, Jan Kautz, and Bryan Catanzaro. Few-shot Video-to-Video Synthesis. *arXiv*, 2019.
- Michael Gofman and Zhao Jin. Artificial Intelligence, Human Capital, and Innovation. *SSRN Electronic Journal*, 2019. doi:10.2139/ssrn.3449440.
- Matej Špeřko, Ondřej Vysocký, Branislav Jansík, and Lubomír Říha. DGX-A100 Face to Face DGX-2—Performance, Power and Thermal Behavior Evaluation. *Energies*, 14(2):376, 2021. doi:10.3390/en14020376.

## A Appendix

### A.1 OpenAlex Queries

The OpenAlex database was queried for works of type *journal-article* and *proceedings-article* and filtered on machine learning concepts and biology or chemistry concepts.

The query for machine learning works in biology was [https://api.openalex.org/works?per-page=200&cursor=\\*&filter=concepts.id:C154945302|C119857082|C108583219|C50644808|C8880873|C159149176|C126980161|C58328972|C97541855|C12267149|C179717631|C81363708|C147168706|C46686674|C169258074,concepts.id:C74187038|C64903051|C32909587|C177801218|C99726746|C63222358|C103697762|C192071366|C164126121|C69366308|C185592680|C147597530|C59593255|C161790260|C178790620|C98274493,type:journal-article|proceedings-article](https://api.openalex.org/works?per-page=200&cursor=*&filter=concepts.id:C154945302|C119857082|C108583219|C50644808|C8880873|C159149176|C126980161|C58328972|C97541855|C12267149|C179717631|C81363708|C147168706|C46686674|C169258074,concepts.id:C74187038|C64903051|C32909587|C177801218|C99726746|C63222358|C103697762|C192071366|C164126121|C69366308|C185592680|C147597530|C59593255|C161790260|C178790620|C98274493,type:journal-article|proceedings-article).

The query for machine learning works in chemistry was [https://api.openalex.org/works?per-page=200&cursor=\\*&filter=concepts.id:C154945302|C119857082|C108583219|C50644808|C8880873|C159149176|C126980161|C58328972|C97541855|C12267149|C179717631|C81363708|C147168706|C46686674|C169258074,concepts.id:C86803240|C60644358|C54355233|C70721500|C140556311|C153911025|C78458016|C95444343|C89423630|C203014093|C21565614|C46111723|C157585117|C191120209|C55493867|C204328495,type:journal-article|proceedings-article](https://api.openalex.org/works?per-page=200&cursor=*&filter=concepts.id:C154945302|C119857082|C108583219|C50644808|C8880873|C159149176|C126980161|C58328972|C97541855|C12267149|C179717631|C81363708|C147168706|C46686674|C169258074,concepts.id:C86803240|C60644358|C54355233|C70721500|C140556311|C153911025|C78458016|C95444343|C89423630|C203014093|C21565614|C46111723|C157585117|C191120209|C55493867|C204328495,type:journal-article|proceedings-article).

The query for all biology works was: [https://api.openalex.org/works?per-page=200&cursor=\\*&filter=concepts.id:C74187038|C64903051|C32909587|C177801218|C99726746|C63222358|C103697762|C192071366|C164126121|C69366308|C185592680|C147597530|C59593255|C161790260|C178790620|C98274493,publication\\_year:<year>,type:journal-article|proceedings-article&group\\_by=authorships.institutions.country\\_code](https://api.openalex.org/works?per-page=200&cursor=*&filter=concepts.id:C74187038|C64903051|C32909587|C177801218|C99726746|C63222358|C103697762|C192071366|C164126121|C69366308|C185592680|C147597530|C59593255|C161790260|C178790620|C98274493,publication_year:<year>,type:journal-article|proceedings-article&group_by=authorships.institutions.country_code)

The query for all chemistry works was: [https://api.openalex.org/works?per-page=200&cursor=\\*&filter=concepts.id:C86803240|C60644358|C54355233|C70721500|C140556311|C153911025|C78458016|C95444343|C89423630|C203014093|C21565614|C46111723|C157585117|C191120209|C55493867|C204328495,publication\\_year:<year>,type:journal-article|proceedings-article&group\\_by=authorships.institutions.country\\_code](https://api.openalex.org/works?per-page=200&cursor=*&filter=concepts.id:C86803240|C60644358|C54355233|C70721500|C140556311|C153911025|C78458016|C95444343|C89423630|C203014093|C21565614|C46111723|C157585117|C191120209|C55493867|C204328495,publication_year:<year>,type:journal-article|proceedings-article&group_by=authorships.institutions.country_code)

- Machine learning concepts
  - Artificial Intelligence: C154945302
  - Machine Learning: C119857082
  - Deep Learning: C108583219
  - Artificial Neural Network: C50644808
  - Genetic Algorithm: C8880873
  - Evolutionary Algorithm: C159149176
  - Simulated Annealing: C126980161
  - Expert System: C58328972
  - Reinforcement Learning: C97541855
  - Support Vector Machine: C12267149
  - Multilayer Perceptron: C179717631
  - Convolutional Neural Network: C81363708
  - Recurrent Neural Network: C147168706
  - Boosting: C46686674
  - Random Forest: C169258074
- Biology concepts
  - Biology: C86803240
  - Bioinformatics: C60644358
  - Genetics: C54355233
  - Computational Biology: C70721500
  - Biostatistics: C140556311
  - Molecular Biology: C153911025
  - Evolutionary Biology: C78458016

- 
- Cell Biology: C95444343
  - Microbiology: C89423630
  - Immunology: C203014093
  - Metabolomics: C21565614
  - Proteomics: C46111723
  - Omics: C157585117
  - Structural Biology: C191120209
  - Biochemistry: C55493867
  - Protein Folding: C204328495
  - Chemistry concepts
    - Drug Discovery: C74187038
    - Drug Design: C64903051
    - Molecule: C32909587
    - Chemical Reaction: C177801218
    - Chemical Space: C99726746
    - chEMBL: C63222358
    - Virtual screening: C103697762
    - Drug Design: C192071366
    - QSAR: C164126121
    - ADME: C69366308
    - Chemistry: C185592680
    - Computational Chemistry: C147597530
    - Molecular Dynamics: C59593255
    - Catalysis: C161790260
    - Organic Chemistry: C178790620
    - Pharmacology: C98274493