

Network-Induced Oscillatory Behavior in Material Flow Networks

Dirk Helbing and Stefan Lammer

Dresden University of Technology, Andreas-Schubert-Str. 23, 01069 Dresden, Germany

Ulrich Witt and Thomas Brenner

Max Planck Institute for Research into Economic Systems,

Kahlaische Straße 10, D-07745 Jena, Germany

(dated: April 14, 2004)

Abstract

Network theory is rapidly changing our understanding of complex systems, but the relevance of topological features for the dynamic behavior of metabolic networks, food webs, production systems, information networks, or cascade failures of power grids remains to be explored. Based on a simple model of supply networks, we offer an interpretation of instabilities and oscillations observed in biological, ecological, economic, and engineering systems. We find that most supply networks display damped oscillations, even when their units and linear chains of these units behave in a non-oscillatory way. Moreover, networks of damped oscillators tend to produce growing oscillations. This surprising behavior offers, for example, a new interpretation of business cycles and of oscillating or pulsating processes. The network structure of material flows itself turns out to be a source of instability, and cyclical variations are an inherent feature of decentralized adjustments.

PACS numbers: 89.75.Hc, 89.65.Gh, 47.70.-n, 89.40.-a

Network theory [1, 2] is an important key to explaining complex systems. Topological features [3] determine interesting properties of socio-economic networks [4] or the robustness of the world wide web [5], of sensory systems [6], and food webs [7]. Their relevance for dynamic features, however, is not well understood. Specific network structures appear to be responsible for the beating of a leech's heart [8], pumping effects in some slime molds [9], strong variations in ecosystems [10], or glycolytic oscillations in yeast cells [11]. Many of those systems, including molecular networks [12], can be viewed as particular supply networks. Their functioning is decisive for natural and man-made systems, but prone to oscillations: For example, industries often suffer from over-reactions in production [13], disaster management struggles with a temporary clustering of forces and materials at some places, while they are missing at others [14], and most economies are characterized by "booms" and "recessions" [15, 16]. Based on a simple model of interactive flows, we will show that the likely reason for these instabilities and oscillations is the underlying network structure of supply systems. This is illustrated with a model of macroscopic commodity flows.

Our simple model of supply networks describes the generation or delivery of products, substances, materials, or other resources of kind i at a certain rate $Q_i(t) \geq 0$ as a function of time t . A share $X_{ij}(t) \geq 0$ of that output is required as input for generating or delivering resource j , and a share $Y_i(t) \geq 0$ is absorbed, for example by consumption, degeneration, or loss. If $\sum_j X_{ij}(t) + Y_i(t)$ does not add up to $Q_i(t)$, this is assumed to result in a corresponding change $[N_i(t+\Delta t) - N_i(t)]$ of the stock, inventory, or concentration $N_i(t)$ of resource i per unit time t . This assumption implies a conservation equation for resources (which can be generalized). In the limit $\Delta t \rightarrow 0$ it reads

$$\frac{dN_i(t)}{dt} = \underbrace{Q_i(t)}_{\text{supply}} - \underbrace{\sum_{j=1}^n a_{ij} Q_j(t) + Y_i(t)}_{\text{demand}}; \quad (1)$$

considering that the flow $X_{ij}(t)$ of resources from supplier i represents a share $a_{ij} Q_j(t) \geq 0$ of the entire inputs used by supplier j . In Leontief's input-output model of macroeconomics [17], the m suppliers correspond to different economic sectors producing one kind of commodity i each. $Q_i(t)$ describes the output flow and $N_i(t)$ the inventory of commodity i . The stoichiometric coefficients $a_{ij} \geq 0$ define an input matrix $A = (a_{ij})$ and reflect the technologically determined supply network between economic sectors i and j . For simplicity, we will treat the input coefficients a_{ij} as constants.

The change of the delivery rate $Q_i(t)$ in time is generally a function W_i of the stock levels or concentrations N_j , their temporal change dN_j/dt , and the delivery rates Q_j themselves: $dQ_i/dt = W_i(fN_j; f dN_j/dt; fQ_j)$ with $j \in \{1, \dots, m\}$. In our model of macroeconomic output flows, the delivery rates $Q_i(t)$ are adjusted in response to two criteria: First, if the current inventory $N_i(t)$ exceeds some "optimal" level N_i^0 , the delivery rate is reduced and vice versa. A certain inventory level is desirable to cope with variations in the demand. Second, if inventories are growing ($dN_i/dt > 0$), i.e. if the current supply $Q_i(t)$ exceeds the current demand $Y_i(t) + \sum_j a_{ij}Q_j(t)$, this is an independent reason to reduce the delivery rate $Q_i(t)$. The following equation for the relative change in the delivery rate expresses these responses and guarantees a non-negativity of $Q_i(t)$:

$$\frac{1}{Q_i(t)} \frac{dQ_i}{dt} = \hat{\alpha}_i \left(\frac{N_i^0}{N_i(t)} - 1 \right) - \frac{\hat{\alpha}_i}{N_i(t)} \frac{dN_i}{dt} : \quad (2)$$

Here, $\hat{\alpha}_i$ is an adaptation rate describing the sensitivity to deviations of the actual inventory $N_i(t)$ from the desired one N_i^0 . $\hat{\alpha}_i$ is a dimensionless parameter reflecting the responsiveness to relative deviations $(dN_i/dt)/N_i(t)$ from the stationary equilibrium state. Moreover, economic systems have an important additional equilibration mechanism, as undesired inventory levels and inventory changes can be compensated for by adjusting the price $P_i(t)$ of commodity i . If the same criteria are applied, we find

$$\frac{1}{P_i(t)} \frac{dP_i}{dt} = \beta_i \left(\frac{N_i^0}{N_i(t)} - 1 \right) - \frac{\beta_i}{N_i(t)} \frac{dN_i}{dt} : \quad (3)$$

We will assume that $\beta_i = \hat{\alpha}_i$ is the ratio between the adjustment rate of the output flow and the adjustment rate of the price in sector i . For simplicity, the same ratio $\beta_i = \hat{\alpha}_i$ is assumed for the responsiveness.

Increased prices $P_i(t)$ have a negative impact on the consumption rate $Y_i(t)$ and vice versa, which is described here by a standard demand function f_i with a negative derivative $f_i^0(P_i) = df_i(P_i)/dP_i$:

$$Y_i(t) = [Y_i^0 + \beta_i(t)] f_i(P_i(t)) : \quad (4)$$

This formula takes into account random fluctuations $\beta_i(t)$ over time around a certain average consumption rate Y_i^0 and assumes that the average value of $f_i(P_i(t))$ is normalized to one.

The possible dynamic behaviors of supply networks can be studied by analytical investigation of limiting cases (see Appendix) and by means of a linear stability analysis around

the equilibrium state (in which we have $N_i(t) = N_i^0$, $Y_i(t) = Y_i^0$, $Q_i = \sum_j a_{ij} Q_j^0 = Y_i^0$, and $P_i(t) = P_i^0$). Supply systems without a mechanism analogous to price adjustment are covered by $\beta_i = 1$ and $f_i(P_i) = \text{const.}$ (no price sensitivity).

Denoting the eigenvalues of the input matrix A by λ_i with $|\lambda_i| < 1$, the 3m eigenvalues of the linearized model equations are 0 (m times) and

$$\lambda_i = \frac{1}{2} \left(A_i \pm \sqrt{A_i^2 - 4B_i} \right); \quad (5)$$

where $A_i = \beta_i C_i + \beta_i D_i (1 - \lambda_i)$, $B_i = \beta_i C_i + \beta_i D_i (1 - \lambda_i)$, $C_i = P_i^0 Y_i^0 f_i'(P_i^0) \beta_i N_i^0$ and $D_i = Q_i^0 N_i^0$. Formula (5) becomes exact when the matrix A is diagonal or the parameters $\beta_i C_i$, $\beta_i D_i$, $\beta_i C_i$ and $\beta_i D_i$ are sector-independent constants, otherwise the eigenvalues must be numerically determined. It turns out that the dynamic behavior mainly depends on the parameters β_i , $\beta_i = \beta_i^2$, and the eigenvalues λ_i of the input matrix A (see Fig. 1): In the case $\beta_i \neq 0$ of fast price adjustment, the eigenvalues λ_i are given by $2\lambda_i = \beta_i C_i \pm \sqrt{(\beta_i C_i)^2 - 4\beta_i C_i}$, i.e. the network structure does not matter at all. We expect an exponential relaxation to the stationary equilibrium for $0 < \beta_i = \beta_i^2 < C_i = 4$, otherwise damped oscillations. Therefore, immediate price adjustments or similar mechanisms are an efficient way to stabilize economic and other supply systems. However, any delay ($\beta_i > 0$) will cause damped or growing oscillations, if complex eigenvalues $\lambda_i = \text{Re}(\lambda_i) + i\text{Im}(\lambda_i)$ exist. Note that this is the generic case, as typical supply networks in natural and man-made systems are characterised by complex eigenvalues (see top of Fig. 1). Damped oscillations can be shown to result if all values $\beta_i = \beta_i^2 = \beta_i \hat{= \hat{\beta}_i^2}$ lie below the instability lines

$$\beta_i = \beta_i^2 \leq \frac{C_i + \beta_i D_i [1 - \text{Re}(\lambda_i)]}{1 + \frac{fC_i + \beta_i D_i [1 - \text{Re}(\lambda_i)] g^2}{[\beta_i D_i \text{Im}(\lambda_i)]^2}} \quad (6)$$

given by the condition $\text{Re}(\lambda_i) = 0$. For identical parameters $\beta_i = \beta_i^2 = \beta^2$ and $\beta_i = \beta$, the minimum of these lines agrees exactly with the numerically obtained curve in Fig. 1d. Values above this line cause small oscillations to grow over time, but the resulting aggregate behavior displays slow variations of small amplitude. The amplitude is limited by phase shifts between the oscillations in different sectors and the non-linearities in Eqs. (1) to (4). Business cycles, for example, may therefore emerge without exogenous shocks. This result markedly differs from the dominating business cycle theory [16]. It is surprising that increasing oscillation amplitudes are found if the adaptation rates β_i are large. Nevertheless, many

common production strategies suggest to keep constant inventories N_i^0 , which potentially destabilizes economic systems. Ideal values of $\lambda_i = \lambda_i^2$ should lie below the instability line (6), see Fig. 1d.

In some cases, all eigenvalues λ_i of the input matrix A are real. This applies to symmetric matrices A and matrices equivalent to Jordan normal forms. Hence, the existence of loops in supply networks is no sufficient condition for complex eigenvalues λ_i (see also Fig. 1f). It is also no necessary condition. Examples for asymmetric matrices with real eigenvalues are linear (sequential) supply chains or regular distribution networks. In these cases, Eq. (5) predicts a stable, overdamped behavior if all values $\lambda_i = \lambda_i^2 = \lambda_i^* = \lambda_i^{*2}$ lie below the lines

$$\lambda_i = \lambda_i^2 \quad [C_i + \lambda_i D_i (1 - \lambda_i)] = 4 \quad (7)$$

defined by $\min_i (A_i^2 - 4B_i) > 0$. For identical parameters $\lambda_i = \lambda_i^2 = \lambda^2$ and $\lambda_i = \lambda$, the minimum of these lines corresponds exactly to the numerically determined curve in Fig. 1h. Above it, one observes damped oscillations around the equilibrium state, but growing oscillations are not possible. In supply systems without a price adjustment or comparable mechanism, Eq. (7) predicts an overdamped behavior for real eigenvalues λ_i and $\lambda_i^* = \lambda_i^{*2} < D_i (1 - \lambda_i)$ for all i , while Eq. (6) implies the stability condition $\lambda_i^* = \lambda_i^{*2} < D_i [1 - \text{Re}(\lambda_i)]$ if $1 + [1 - \text{Re}(\lambda_i)]^2 = \text{Im}(\lambda_i)^2$ for all i , given that some eigenvalues λ_i are complex.

While previous studies have focussed on the synchronization of oscillators in different network topologies [1, 18], we have found that many supply networks display damped oscillations, even when their units and linear chains of these units behave in an overdamped way. Furthermore, networks of damped oscillators tend to produce growing (and mostly asynchronous) oscillations. Due to the sensitivity of supply systems to their network structure, network theory [1, 2, 8] can make useful contributions: On the basis of Eqs. (6) and (7) one can design stable, robust, and adaptive supply networks ("network engineering"). For example, it is possible to identify structural and control policies which have a dampening effect. However, in systems with competing goals (such as intersecting traffic streams), oscillatory solutions can be favourable. The results presented in this study and the applied analytical techniques could be also used and generalized to model the dynamics in metabolic networks [11, 12] to enhance the robustness of production processes, or to optimize disaster management [14].

APPENDIX : MATHEMATICAL SUPPLEMENT

Linearized model equations: The linear stability analysis is based on the following linearized equations for the deviations $n_i(t) = N_i(t) - N_i^0$, $p_i(t) = P_i(t) - P_i^0$, and $q_i(t) = Q_i(t) - Q_i^0$ from the equilibrium state:

$$\frac{dn_i}{dt} = q_i - \sum_j a_{ij} q_j - Y_i^0 f_i^0(P_i^0) p_i \quad (8)$$

$$\frac{dp_i}{dt} = \frac{P_i^0}{N_i^0} n_i - i \frac{dn_i}{dt} \quad (9)$$

$$\frac{dq_i}{dt} = \frac{i Q_i^0}{N_i^0} n_i - i \frac{dn_i}{dt} \quad (10)$$

This system of coupled differential equations describes the response of the inventories, prices, and production rates to variations $n_i(t)$ in the demand. The corresponding eigenvalues are shown in Eq. (5).

Dynamic behavior in limiting cases: Despite their mathematical similarity, Eqs. (2) and (3) have a surprisingly different impact on the macroeconomic dynamics: (i) In the case $i \neq 0$ of fast price adjustment, one can eliminate Eq. (10) by assuming $q_i(t) = 0$ and $Q_i(t) = Q_i^0$, so that $dn_i/dt = Y_i^0 f_i^0(P_i^0) p_i(t) - i n_i(t)$. Inserting (9) into the time-derivative of this equation finally results in the equations

$$\frac{d^2 n_i}{dt^2} + i C_i \frac{dn_i}{dt} + i C_i n_i = \frac{d i}{dt} \quad (11)$$

of damped harmonic oscillators with eigenfrequencies $\omega_i^0 = \frac{1}{i C_i}$, damping constants $\gamma_i = i C_i$, and external driving $d i/dt$ due to variations in the consumption rate. (ii) In the case $i = 1$ of slow price adjustment or in supply networks for which a price variable is not relevant, one can eliminate Eq. (9) by assuming $p_i(t) = 0$ and $P_i(t) = P_i^0$, so that $dn_i/dt = \sum_j q_j a_{ij} - i n_i$. Deriving this with respect to time and inserting Eq. (10) delivers

$$\frac{d^2 n_i}{dt^2} + \sum_j (a_{ij} - a_j) D_j \frac{dn_j}{dt} + \sum_j n_j(t) = \frac{d i}{dt} \quad (12)$$

where $a_{ij} = 1$ for $i = j$, otherwise $a_{ij} = 0$. If we assume sector-independent constants $\sum_i i D_i = M$ and $\sum_i i D_i = V$, the $2m$ eigenvalues λ_i are given by $2 \lambda_i = \frac{M(1 - \lambda_i)}{M(1 - \lambda_i)^2 - 4V(1 - \lambda_i)}$. For empirical input matrixes A , one never finds an overdamped, exponential relaxation to the economic equilibrium, but network-induced oscillations (see Fig. 1). An overdamped behavior is only possible if all eigenvalues λ_i are real numbers. (iii) If $(A_i)^2 = B_i = 1$, the eigenvalues become $\lambda_i = A_i$ and

$B_i = A_i = -\alpha_i$. This corresponds to a relaxation to the equilibrium state in the case of a large responsiveness $\alpha_i \gg 1$. An overdamped behavior is found if all eigenvalues λ_i are real numbers or if all $\alpha_i = 0$, otherwise one expects network-induced oscillations. Interestingly enough, $\alpha_i \gg 1$ implies $(dP_i/dt) = (-\alpha_i P_i) \ll 0$, so that Eq. (3) reduces to $dN_i/dt = -\alpha_i N_i^0 - N_i(t)$. Therefore, $N_i(t) = N_i^0$ and $dQ_i/dt = 0$ (i.e. $Q_i = Q_i^0$). Inserting this into Eq. (1) yields an implicit equation for the price $P_i(t)$ as a function of the fluctuations $\delta_i(t)$ in the consumption rate, as usually assumed in economics. It reads

$$[Y_i^0 + \delta_i(t) f_i(P_i(t)) - Q_i^0] \sum_j a_{ij} Q_j^0 = \text{const.} \quad (13)$$

Boundary between damped and growing oscillations: Starting with Eq. (5), stability requires the real parts $\text{Re}(\lambda_i)$ of all eigenvalues λ_i to be non-positive. Therefore, the stability boundary is given by $\max_i \text{Re}(\lambda_i) = 0$. Writing $C_i + \alpha_i D_i (1 - \lambda_i) = -\lambda_i + \alpha_i$ with $C_i = P_i^0 Y_i^0 f_i'(P_i^0) - N_i^0$ and defining

$$\begin{aligned} \alpha_i &= C_i + \alpha_i D_i [1 - \text{Re}(\lambda_i)]; \\ \alpha_i &= -\alpha_i D_i \text{Im}(\lambda_i) \text{ (complex conjugate eigenvalues),} \\ \alpha_i &= 4\alpha_i^2; \end{aligned} \quad (14)$$

we find

$$2\lambda_i = \alpha_i = -\alpha_i + \frac{P_i}{R_i + iI_i} \quad (15)$$

with $R_i = \alpha_i^2 - \alpha_i^2 - \alpha_i$ and $I_i = 2\alpha_i \alpha_i - \alpha_i$. The real part of (15) can be calculated via the relation

$$\text{Re} \frac{P_i}{R_i + iI_i} = \frac{1}{2} \frac{P_i}{R_i^2 + I_i^2 + R_i} : \quad (16)$$

The condition $\text{Re}(2\lambda_i) = 0$ is fulfilled by $\alpha_i = 0$ and $\alpha_i = 4\alpha_i(1 + \alpha_i^2)$, i.e. the stable regime is given by

$$\frac{\alpha_i}{4} = \frac{\alpha_i}{\alpha_i^2} = \frac{\hat{\alpha}_i}{\hat{\alpha}_i^2} \quad \alpha_i \geq 1 + \frac{\alpha_i^2}{\alpha_i^2} \quad (17)$$

for all i , corresponding to Eq. (6).

Boundary between damped oscillations and overdamped behavior: For $\alpha_i > 0$, the imaginary parts of all eigenvalues λ_i vanish if $\text{Im}(\lambda_i) = 0$ (i.e. $\alpha_i = 0$) and if $R_i = 0$. This

requires

$$\frac{4}{i^2} = \frac{1}{i} - \frac{1}{i+1} \quad \frac{1}{i^2} = \frac{1}{i} - \frac{1}{i+1} \quad \frac{1}{i^2} = \frac{1}{i} - \frac{1}{i+1} \quad \frac{1}{i^2} = \frac{1}{i} - \frac{1}{i+1} \quad (18)$$

for all i , corresponding to Eq. (7).

-
- [1] S. H. Strogatz, *Nature* 410, 268 (2001).
- [2] D. J. Watts, S. H. Strogatz, *Nature* 393, 440 (1998); S. H. Strogatz, *Nature* 410, 268 (2001); R. Albert, A.-L. Barabasi, *Reviews of Modern Physics* 74, 47 (2002); S. Maslov, K. Sneppen, *Science* 296, 910 (2002); S. Bornholdt, H. G. Schuster, *Handbook of Graphs and Networks* (Wiley, Weinheim, 2003).
- [3] R. Milošević, S. Sherrington, S. Itzkovitz, N. Kashtan, D. Chklovskii, U. Alon, *Science* 298, 824 (2002).
- [4] F. Liljeros, C. R. Edling, L. A. N. Amaral, H. E. Stanley, Y. Aberg, *Nature* 411, 907 (2001); D. J. Watts, P. S. Dodds, M. E. J. Newman, *Science* 296, 1302 (2002).
- [5] B. A. Huberman, *The Laws of the Web* (MIT, Cambridge, MA, 2000); R. Albert, H. Jeong, A.-L. Barabasi, *Nature* 406, 378 (2000).
- [6] U. Alon, M. G. Surette, N. Barkai, S. Leibler, *Nature* 397, 168 (1999).
- [7] A. M. Neutel, J. A. P. Heesterbeek, P. C. de Ruiter, *Science* 296, 1120 (2002).
- [8] I. Stewart, *Nature* 427, 601 (2004).
- [9] S. Koya, T. Ueda, *ACH Models in Chemistry* 135 (3), 297 (1998).
- [10] O. N. Bjørnstad, S. M. Sait, N. C. Stenseth, D. J. Thompson, M. Begon, *Nature* 409, 1001 (2001).
- [11] S. Dane, P. G. Sørensen, F. Hynne, *Nature* 402, 320 (1999);
- [12] M. B. Elowitz, S. Leibler, *Nature* 403, 335 (2000); E. Almaas, B. Kovacs, T. Vicsek, Z. N. Oltvai, A.-L. Barabasi, *Nature* 427, 839 (2004); A. S. Mikhailov, B. Hess, *J. Biol. Phys.* 28, 655 (2002).
- [13] I. Diaz-Rivera, D. Amburster, T. Taylor, *Mathematics and Operations Research* 25, 708 (2000); J. Dejnckheere, S. M. Disney, M. R. Lambrecht, D. R. Towill, *Eur. J. Operational Research* 147, 567 (2003); C. Daganzo, *A Theory of Supply Chains* (Springer, New York, 2003); D. Helbing, *New Journal of Physics* 5, 90.1 (2003).
- [14] D. Helbing, C. Kuhnert, *Physica A* 328, 584 (2003).
- [15] A. Mullineux, D. G. Dickinson, W. Peng, *Business Cycles* (Blackwell, Oxford, 1993).
- [16] J. B. Long Jr., C. I. Plosser, *Journal of Political Economy* 91 (1), 39 (1983); G. W. Stadler, *Journal of Economic Literature* 32 (4), 1750 (1994).

- [17] W . W . Leontief, Input-Output-Economics (Oxford University, New York, 1966).
- [18] L . F . Lago-Fernandez, R . Huerta, F . Corbacho, J . A . Siguenza, Phys. Rev. Lett. 84, 2758 (2000).

FIG. 1: Properties of our dynamic model of supply networks for a characteristic input matrix specified as average input matrix of macroeconomic commodity flows of several countries (top) and for a synthetic input matrix generated by random changes of input matrix entries until the number of complex eigenvalues was eventually reduced to zero (bottom). Subfigures (a), (e) illustrate the color-coded input matrices A , (b), (f) the corresponding network structures, when only the strongest links (commodity flows) are shown, (c), (g) the eigenvalues $\lambda_i = \text{Re}(\lambda_i) + i\text{Im}(\lambda_i)$ of the respective input matrix A , and (d), (h) the phase diagrams indicating the stability behavior of the model equations (1) to (4) on a double-logarithmic scale as a function of the model parameters $\alpha_i = \beta_i$ and $\gamma_i = \delta_i^2 = \epsilon_i^2 = \nu_i M^{-2}$. The other model parameters were set to $\alpha_i = C_i = D_i = P_i^0 = N_i^0 = Y_i^0 = 1$. Surprisingly, for empirical input matrices A , one never finds an overdamped, exponential relaxation to the stationary equilibrium state, but network-induced oscillations due to complex eigenvalues λ_i .

This figure "figure1.jpg" is available in "jpg" format from:

<http://arxiv.org/ps/cond-mat/0404226v1>