

March 24, 2022

LBL-36574

Why Classical Mechanics Cannot Naturally
Accommodate Consciousness But Quantum Mechanics
Can.

Henry P. Stapp

Theoretical Physics Group
Lawrence Berkeley Laboratory
University of California
Berkeley, California 94720

Abstract

It is argued on the basis of certain mathematical characteristics that classical mechanics is not constitutionally suited to accommodate consciousness, whereas quantum mechanics is. These mathematical characteristics pertain to the nature of the information represented in the state of the brain, and the way this information enters into the dynamics.

Prepared for a Special Issue of "Psyche"

This work was supported by the Director, Office of Energy Research, Office of High Energy and Nuclear Physics, Division of High Energy Physics of the U.S. Department of Energy under Contract DE-AC03-76SF00098.

Disclaimer

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor The Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial products process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or The Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or The Regents of the University of California and shall not be used for advertising or product endorsement purposes.

Lawrence Berkeley Laboratory is an equal opportunity employer.

1. Introduction

Classical mechanics arose from the banishment of consciousness from our conception of the physical universe. Hence it should not be surprising to find that the readmission of consciousness requires going beyond that theory.

The exclusion of consciousness from the material universe was a hallmark of science for over two centuries. However, the shift, in the 1920's, from classical mechanics to quantum mechanics marked a break with that long tradition: it appeared that the only coherent way to incorporate quantum phenomena into the existing science was to admit also the human observer.⁽¹⁾ Although the orthodox approach of Bohr and the Copenhagen school was epistemological rather than ontological, focussing upon "our knowledge" rather than on any effort to introduce consciousness directly into the dynamics, other thinkers such as John von Neumann⁽²⁾, Norbert Wiener⁽³⁾, and J.B.S. Haldane⁽⁴⁾ were quick to point out that the quantum mechanical aspects of nature seemed tailor-made for bringing consciousness back into our conception of matter.

This suggestion lay fallow for half a century. But the recent resurgence of interest in the foundations of quantum theory has led increasingly to a focus on the crux of the problem, namely the need to understand the role of consciousness in the unfolding of physical reality. It has become clear that the revolution in our conception of matter wrought by quantum theory has completely altered the complexion of the problem of the relationship between mind and matter. Some aspects of this change were discussed already in my recent book⁽⁵⁾. Here I intend to describe in more detail the basic differences between classical mechanics and quantum mechanics in the context of the problem of integrating consciousness into our scientific conception of matter, and to argue that certain logical deficiencies in classical mechanics, as a foundation for a coherent theory of the mind/brain, are overcome in a natural and satisfactory way by replacing the classical conception of matter by a quantum conception. Instead of reconciling the disparities between mind and matter by replacing contemporary (folk) psychology by some yet-to-be-discovered future psychology, as has been suggested by the Churchlands, it seems enough to replace classical (folk) mechanics, which is known to be unable to account for the basic physical and chemical processes that underlie brain processes, by quantum mechanics, which does adequately

describe these processes.

2. Thoughts within the Classical Framework.

Thoughts are feeling things, and our introspections concerning them are certainly fallible. Yet each one seems to have several components bound together by certain relationships. These components appear, on the basis of psycho-neurological data⁽⁶⁾, to be associated with neurological activities occurring in different locations in the brain. Hence the question arises: How can neural activities in different locations in the brain be components of a single psychological entity?

The fundamental principle in classical mechanics is that any physical system can be decomposed into a collection of simple independent local elements each of which interacts only with its immediate neighbors. To formalize this idea let us consider a computer model of the brain. According to the ideas of classical physics it should be possible to simulate brain processes by a massive system of parallel computers, one for each point in a fine grid of spacetime points that cover the brain over some period of time. Each individual computer would compute and record the values of the components of the electromagnetic and matter fields at the associated grid point. Each of these computers receives information only from the computers associated with neighboring grid points in its nearly immediate past, and forms the linear combinations of values that are the digital analogs of, say, the first and second derivatives of various field values in its neighborhood, and hence is able to calculate the values corresponding to its own grid point. The complete computation starts at an early time and moves progressively forward in time.

On the basis of this computer model of the evolving brain I shall distinguish the intrinsic description of this computer/brain from an extrinsic description of it.

The intrinsic description consists of the collection of facts represented by the aggregate of the numbers in the various registers of this massive system of parallel computers: each individual fact represented within the intrinsic description is specified by the numbers in the registers in one of these computers, and the full description is simply the conglomeration of these individual facts. This intrinsic description corresponds to the fact that in classical mechanics a complete description of any physical system is supposed to be specified by giving

the values of the various fields (e.g., the electric field, the magnetic field, etc.) at each of the relevant spacetime points. Similarly, an intrinsic description of the contents of a television screen might be specified by giving the color and intensity values for each of the individual points (pixels) on the screen, without any interpretive information (It's a picture of Winston Churchill!), or any explicit representation of any relationship that might exist among elements of the intrinsic description (Pixel 1000 has the same values as pixel 1256!). The analogous basic classical-physics description of a steam engine would, similarly, give just the values of the basic fields at each of the relevant spacetime points, with no notice, or explicit representation, of the fact that the system can also be conceived of as composed of various functional entities, such as pistons and drive shafts etc.: the basic or intrinsic description is the description of what the system is, in terms of its logically independent (according to classical mechanics) local components, not the description of how it might be conceived of by an interpreter, or how it might be described in terms of large functional entities constructed out of the ontologically basic local components.

I distinguish this intrinsic description from an extrinsic description.

An extrinsic description is a description that could be formed in the mind of an external observer that is free to survey in unison, and act upon together, all of the numbers that constitute the intrinsic description, unfettered by the local rules of operation and storage that limit the activities of the computer/brain. This external observer is given not only the capacity to "know", separately, each of the individual numbers in the intrinsic description; he is given also the ability to know this collection of numbers as a whole, in the sense that he can have a single register that specifies the entire collection of numbers that constitutes the intrinsic description. The entire collection of logically and ontologically independent elements that constitutes the intrinsic description can be represented by a single basic entity in the extrinsic description, and be part of the body of information that this external observer can access directly, without the need for some compositional process in the computer/brain to bring the information together from far-apart locations. In general, collections of independent entities at the level of the intrinsic description can become single entities at the level of an extrinsic description.

The information that is stored in any one of the simple logically independent

computers, of which the computer/brain is the simple aggregate, is supposed to be minimal: it is no more than what is needed to compute the local evolution. This is the analog of the condition that holds in classical physics. As the size of the regions into which one divides a physical system tends to zero the dynamically effective information stored in each individual region tends to something small, namely the values of a few fields and their first few derivatives. And these few values are treated in a very simple way. Thus if we take the regions of the computer simulation of the brain that are represented by the individual local computers to be sufficiently small then the information that resides in any one of these local computers appears to be much less than information needed to specify a complex thought, such as the perception of a visual scene: entries from many logically independent (according to classical physics) computers must be combined together to give the information contained in an individual thought, which, however, is a single experiential entity. Thus the thought, considered as a single whole entity, rather than as a collection of independent entities, belongs to the extrinsic level of description, not to the intrinsic level of description.

According to classical mechanics, the description of both the state of a physical system and its dynamics can be expressed at the intrinsic level. But then how does one understand the occurrence of experientially whole thoughts? How do extrinsic-level actual entities arise from a dynamics that is completely reducible to an intrinsic-level description?

One possibility is that the intrinsic-level components of a thought are bound together by some integrative process in the mind of a spirit being, i.e., in the mind of a "ghost behind the machine", of an homunculus. This approach shifts the question to an entirely new realm: in place of the physical brain, about which we know a great deal, and our thoughts, about which we have some direct information, one has a new "spirit realm" about which science has little to say. This approach takes us immediately outside the realm of science, as we know it today.

Alternatively, there is the functional approach. The brain can probably be conceived of, in some approximation, in terms of large-scale functional entities that, from a certain global perspective, might seem to be controlling the activity of this brain. However, in the framework of classical mechanics such "entities" play no actual role in determining of the course of action taken by the

computer/brain: this course of action is completely controlled by local entities and local effects. The apparent efficacy of the large-scale "functional entities" is basically an illusion, according to the precepts of classical mechanics, or the dynamics of the computer/brain that simulates it: the dynamical evolution is completely fixed by local considerations without any reference to such global entities.

As an example take a belief. Beliefs certainly influence, in some sense, the activities of the human mind/brain. Hilary Putnam characterized the approach of modern functionalism as the idea that, for example, a belief can be regarded as an entry in a "belief register", or a "belief box", that feeds control information into the computer program that represents the brain process. Such a belief would presumably correspond, physically, to correlations in brain activities that extend over a large part of the brain. Thus it would be an example of a functional entity that a human being might, as a short-hand, imagine to exist as a single whole entity, but that, according to the precepts of classical mechanics, is completely analyzable, fundamentally, into a simple aggregate of elementary and ontologically independent local elements. The notion that such an extrinsic-level functional entity actually is, fundamentally, anything more than a simple aggregate of logically independent local elements is contrary to the precepts of classical mechanics. The grafting of such an actual entity onto classical mechanics amounts to importing into the theory an appendage that is unnecessary, non-efficacious, and fundamentally illusory from the perspective of the dynamical workings of that theory itself.

Since this appendage is causally non-efficacious it has no signature, or sign of existence, within classical physics. The sole reason for adding it to the theory is to account for our direct subjective awareness of it. Logically and rationally it does not fit into the classical theory both because it has no dynamical effects, beyond those due to its local components alone, and because its existence and character contravenes the locality principle that constitutes the foundation of the theory, namely the principle that any physical system is to be conceived of as fundamentally a conglomerate of simple microscopic elements each of which interacts only with its immediate neighbors. Neither the character of the basic description of the brain, within classical mechanics, nor the character of the classical dynamical laws that supposedly govern the brain, provides any basis

for considering the brain correlate of a thought to be, at the fundamental as distinguished from functional level, a single whole entity. One may, of course, postulate some extra notion of "emergence". But nature must be able to confer some kind of beingness beyond what is suggested by the precepts of classical mechanics in order to elevate the brain correlate of a belief to the status of an ontological whole.

This problem with beliefs', and other thoughts, arises from the attempt to understand the connection of thoughts to brains within the framework of classical physics. This problem becomes radically transformed, however, once one accepts that the brain is a physical system. For then, according to the precepts of modern physics, the brain must in principle be treated as a quantum system. The classical concepts are known to be grossly inadequate at the fundamental level, and this fundamental inadequacy of the classical concepts is not confined to the molecular level: it certainly extends to large (e.g., brain-sized) systems. Moreover, quantum theory cannot be coherently understood without dealing in some detail with the problem of the relationship between thoughtlike things and brainlike things: some sort of nontrivial considerations involving our thoughts seem essential to a coherent understanding of quantum theory.

In this respect quantum theory is wholly unlike classical physics, in which a human consciousness is necessarily idealized as a non-participatory observer | as an entity that can know aspects of the brain without influencing it in any way. This restriction arises because classical physics is dynamically complete in itself: it has no capacity to accommodate any efficacious entities not already completely fixed and specified within its own structure. In quantum theory the situation is more subtle because our perceptions of physical systems are described in a classical language that is unable to express, even in a gross or approximate way, the structural complexity of physical systems, as they are represented within the theory: there is a fundamental structural mismatch between the quantum mechanical description of a physical system and our description of our perceptions of that system. The existence of this structural mismatch is a basic feature of quantum theory, and it opens up the interesting possibility of representing the mind/brain, within contemporary physical theory, as a combination of the thoughtlike and matterlike aspects of a neutral reality.

One could imagine modifying classical mechanics by appending to it the

concept of another kind of reality; a reality that would be thoughtlike, in the sense of being an eventlike grasping of functional entities as wholes. In order to preserve the laws of classical mechanics this added reality could have no effect on the evolution of any physical system, and hence would not be (publicly) observable. Because this new kind of reality could have no physical consequences it could confer no evolutionary advantage, and hence would have, within the scientific framework, no reason to exist. This sort of addition to classical mechanics would convert it from a mechanics with a monistic ontology to a mechanics with a dualistic ontology. Yet this profound shift would have no roots at all in the classical mechanics onto which it is grafted: it would be a completely ad hoc move from a monistic mechanics to a dualistic one.

In view of this apparent logical need to move from monistic classical mechanics to a dualistic generalization, in order to accommodate mind, it is a striking fact that physicists have already established that classical mechanics cannot adequately describe the physical and chemical processes that underlie brain action: quantum mechanics is needed, and this newer theory, interpreted realistically, in line with the ideas of Heisenberg, already is dualistic. Moreover, the two aspects of this quantum mechanical reality accord in a perfectly natural way with the matterlike and thoughtlike aspects of the mind/brain. This realistic interpretation of quantum mechanics was introduced by Heisenberg not to accommodate mind, but rather to keep mind out of physics; i.e., to provide a thoroughly objective account of what is happening in nature, outside human beings, without referring to human observers and their thoughts. Yet when this dualistic mechanics is applied to a human brain it can account naturally for the thoughtlike and matterlike aspects of the mind/brain system. The quantum mechanical description of the state of the brain is automatically (see below) an extrinsic-level description, which is the appropriate level for describing brain correlates of thoughts. Moreover, thoughts can be identified with events that constitute efficacious choices. They are integral parts of the quantum mechanical process, rather than appendages introduced ad hoc to accommodate the empirical fact that thoughts exist. These features are discussed in the following sections.

3. Thoughts Within the Quantum Framework

Let us consider now how the brain would be simulated by a set of parallel computers when the brain is treated as a quantum system. To make this description clear to every reader, particularly those with no familiarity with quantum theory, I shall start again from the classical description, but spell it out in more detail by using some symbols and numbers.

We introduced a grid of points in the brain. Let these points be represented by a set of vectors \mathbf{x}_i , where i ranges over the integers from 1 to N . At each point \mathbf{x}_i there was a set of fields $\phi_j(\mathbf{x}_i)$, where j ranges from 1 to M , and M is relatively small, say ten. For each of the allowed values of the pair $(i; j)$ the quantity $\phi_j(\mathbf{x}_i)$ will have (at each fixed time) some value taken from the set of integers that range from $-L$ to $+L$, where L is a very large number. There is also a grid of temporal values t_n , with n ranging from 1 to T .

The description of the classical system at any time t_n is given, therefore, by specifying for each value of i in the set $\{1; 2; \dots; N\}$ and each value of j in the set $\{1; 2; \dots; M\}$ some value of $\phi_j(\mathbf{x}_i)$ in the set $\{-L; \dots; +L\}$. We would consequently need, in order to specify this classical system at one time, t_n , $N \times M$ "registers" or "boxes", each of which is able to hold an integer in the range $\{-L; \dots; +L\}$.

We now go over to the quantum mechanical description of this same system. It is helpful to make the transition in two steps. First we pass to the classical statistical description of the classical system. This is done by assigning a probability to each of the possible states of the classical system. The number of possible states of the classical system (at one time) is $(2L + 1)^{M \times N}$. If the probability assigned to each of the possible classical systems is one of K possible values then the statistical description of the classical system at one time requires $(2L + 1)^{M \times N}$ registers, each with the capacity to distinguish K different values. This can be compared to the number of registers that was needed to describe the classical system at one time, which was $M \times N$ registers, each with a capacity to distinguish $(2L + 1)$ different values.

If the index m runs over the $(2L + 1)^{M \times N}$ possible classical systems then a probability P_m is assigned to each value of m , where $P_m \geq 0$, and $\sum^P P_m = 1$.

The quantum mechanical description is now obtained by replacing each P_m

by a complex number:

$$P_m = r_m (\cos \theta_m + i \sin \theta_m);$$

where $r_m = \sqrt{P_m}$; θ_m is an angle, \cos and \sin are the cosine and sine functions, and $i = \sqrt{-1}$.

This replacement might seem an odd thing to do, but one sees that this description does somehow combine the particle-like aspect of things with a wavelike aspect: the probability associated with any specific classical state m is $r_m^2 = P_m$, and an increase of θ_m gives a wave-like oscillation.

I am not trying to explain here how quantum theory works: I am merely describing the way in which the description of the computer/brain system changes when one passes from the classical description of it to the quantum description.

For the classical description we needed just $M \times N$ registers, but for the quantum description we need $2 \times (2L + 1)^{M \times N}$ registers. Thus the information contained in the quantum mechanical description is enormously larger. We need a value of r_m , and of θ_m , for each of the possible states of the entire classical system, where the specification of the state of the classical system includes, simultaneously, a value of x_j for each allowed combination of values of i and j . That is, for each conceivable state of the entire classical system one needs two separate registers.

Consider again a belief. As before, a belief would correspond physically to some combination of values of the fields at many well-separated field points x . In the classical computer model of the brain there was no register that represented, or could represent, such a combination of values, and hence we were led to bring in an "external knower" to provide an adequate ontological substrate for the existence of the belief. But in the quantum mechanical description there is such a register. Indeed, each of the $2 \times (2L + 1)^{M \times N}$ registers in the quantum mechanical description of the computer/brain corresponds to a possible correlated state of activity of the entire classically-conceived computer/brain. Consequently, there is no longer any need to bring in an "external observer": the quantum system itself has the requisite structural complexity. Moreover, if we accept von Neumann's (and Wigners⁽⁷⁾) suggestion that the Heisenberg quantum jumps occur precisely at the high level of brain activity that corresponds to conscious events then there is an "actual happening" (in a particular

register, m) that corresponds to the occurrence of the conscious experience of having an awareness of this belief. This "happening" is the quantum jump that shifts the value of r_m associated with this register m from some value less than unity to the value unity. This jump constitutes the Heisenberg "actualization" of the particular brain state that corresponds to this belief. Jumps of this general kind are not introduced merely to accommodate the empirical fact that thoughts exist. Instead, they are already an essential feature of the Heisenberg description of nature, which is the most orthodox of the existing quantum mechanical descriptions of the physical world. Thus in the quantum mechanical description of the brain no reference is needed to any "ghost behind the machine": the quantum description already has within itself a register that corresponds to the particular state of the entire brain that corresponds to the belief. Moreover, it already has a dynamical process for representing the "occurrence" of this belief. This dynamical process, namely the occurrence of the quantum jump (reduction of wave packet), associates the thought with a choice between alternative classically describable possibilities, any one of which is allowed to occur, according to the laws of quantum dynamics. Thus the dynamical correlates of thoughts are natural parts of the quantum mechanical description of the brain, and they play a dynamically efficacious role in the evolution of that physical system.

The essential point, here, is that the quantum description is automatically wholistic, in the sense that its individual registers refer to states of the entire brain, whereas the individual registers in the classically conceived computer/brain represent only local entities. Moreover, the quantum jump associated with the thought is a wholistic entity: it actualizes as a unit the state of the entire brain that is associated with the thought.

The fundamentally wholistic character of the quantum mechanical description nature is perhaps its most basic and pervasive feature. It has been demonstrated to extend to the macroscopic (hundred centimeter) scale in, for example, the experiments of Aspect, Grangier, and Roger⁽⁸⁾. In view of the fact that the wholistic character of our thoughts is so antithetical to the principles of classical physics, it would seem imprudent to ignore the wholistic aspect of matter that lies at the heart of contemporary physics when trying to grapple with the problem of the connection of matter to consciousness.

4. On The Thesis That Mind Is Matter'.

Faced with the centuries-old problem of reconciling the thoughtlike and matterlike aspects of nature many scientists and philosophers are turning to the formula: 'mind is matter'.⁽⁹⁾ However, this solution has no content until one specifies what matter is. The need to define 'matter' is highlighted by the extreme disparity in the conceptions of matter in classical mechanics and quantum mechanics.

One might try to interpret the 'matter' occurring in this formula as the 'matter' that occurs in classical physics. But this kind of matter does not exist in nature. Hence the thesis 'mind is matter', with matter defined in this way, would seem to entail that thoughts do not exist.

The thesis that 'mind is matter' has been attacked on the ground that matter is conceptually unsuited to be identified with mind. The main rebuttal to this criticism given in ref. 9 is that one does not know what the psychological theory of the future will be like. Hence it is conceivable that the future theory of mind may not involve the things such as 'belief', 'desire' and 'awareness' that we now associate with mind. Consequently, some future theory of mind could conceivably allow us to understand how two such apparently disparate things as mind and matter could be the same.

An alternative way to reconcile a theory of mind with the theory of matter is not through some future conception of our mental life that differs so profoundly from the present-day one, but rather through the introduction of the already existing modern theory of matter. Let me elaborate.

The main objection to the thesis that mind is matter | as contrasted to the view that mind and matter are different aspects of a single neutral reality | is based on the fact that each mind is known to only one brain, whereas each brain is knowable to many minds. These two aspects of the mind/brain are different in kind: a mind consists of a sequence of private happenings, whereas a brain consists of a persisting public structure. A mind/brain has both a private inner aspect, mind, and a public outer aspect, brain, and these two aspects have distinctive characteristics.

In the quantum description of nature proposed by Heisenberg reality has, similarly, two different aspects. The first consists of a set of 'actual events':

these events form a sequence of 'happenings', each of which actualizes one of the possibilities offered by the quantum dynamics. The second consists of a set of 'objective tendencies' for these events to occur: these tendencies are represented as persisting structures in space and time. If we correlate thoughts with high-level quantum events in brains, as suggested by von Neumann, Wigner, and others, then we can construct a theory that is a dual-aspect theory of the mind/brain, in the sense that it correlates the inner, or mental, aspects of the mind/brain system with 'actual events' in Heisenberg's picture of nature, and it identifies the outer, or material, aspects of the mind/brain with the 'objective tendencies' of Heisenberg's picture of nature.

This theory might, on the other hand, equally well be construed as a theory in which 'mind is matter', if we accept the criteria for intertheoretic reduction⁽¹⁰⁾ proposed in reference 9. For this quantum theory of the brain is built directly upon the concepts of the contemporary theory of matter, and it appears⁽⁵⁾ to be able to explain in terms of the laws of physics the causal connections underlying human behavior that are usually explained in psychological terms. Yet in this theory there is no abandonment of the normal psychological conception of our mental life. It is rather the classical theory of matter that is abandoned. In the terminology used in reference 9 folk psychology is retained, but folk physics is replaced by contemporary physics.

5. Final Remarks

It will be objected that the argument given above is too philosophical; that the simple empirical fact of the matter is that brains are made out of neurons and other cells that are well described by classical physics, and hence that there is simply no need to bring in quantum mechanics.

The same argument could be made for electrical devices by an electrical engineer, who could argue that wires and generators and antennae etc. can be well described by classical physics. But this would strip him of an adequate theoretical understanding of the properties of the materials that he is dealing with: e.g., with a coherent and adequate theory of the properties of transistors and conducting media, etc. Of course, one can do a vast amount of electrical engineering without paying any attention to its quantum theoretical underpinnings. Yet the frontier developments in engineering today lean heavily on our quantum theoretical understanding of the way electrons behave in different sorts of environments.

In an even much more important way the processes that make brains work the way they do depend upon the intricate physical and chemical properties of the materials out of which they are made: brain processes depend in an exquisite way on atomic and molecular processes that can be adequately understood only through quantum theory. Of course, it would seem easy to assert that small-scale processes will be described quantum mechanically, and large-scale processes will be described classically. But large-scale processes are built up in some sense from small-scale processes, so there is a problem in showing how to reconcile the large-scale classical behaviour with the small-scale quantum behaviour. There's the rub! For quantum mechanics at the small scale simply does not lead to classical mechanics at the large scale. That is exactly the problem that has perplexed quantum physicists from the very beginning. One can introduce, by hand, some arbitrary dividing line between small scale and large scale, and decree that, in our preferred theory, the quantum laws will hold for small things and the classical laws will hold for large things. But the separation is completely ad hoc: there is no natural way to make this division between small and large in the brain, which is a tight-knit physical system of interacting levels, and there is no empirical evidence that supports the notion that any such separation

exists at any level below that at which consciousness appears: all phenomena so far investigated can be understood by assuming that quantum theory holds universally below the level where consciousness enters.

Bohr resolved this problem of reconciling the quantum and classical aspect of nature by exploiting the fact that the only thing that is known to be classical is our description of our perceptions of physical objects. Von Neumann and Wigner cast this key insight into dynamical form by proposing that the quantum/classical divide be made not on the basis of size, but rather on the basis of the qualitative differences in those aspects of nature that we call mind and matter. The main thrust of ref. 5 is to show, in greater detail, how this idea can lead, on the basis of a completely quantum mechanical treatment of our brains, to a satisfactory understanding of why our perceptions of brains, and of all other physical objects, can be described in classical terms, even though the brains with which these perceptions are associated are described in completely quantum mechanical terms. Any alternative theoretical description of the mind/brain system that is consistent and coherent must likewise provide a resolution to the basic theoretical problem of reconciling the underlying quantum mechanical character of our brains with the classical character of our perceptions of them.

6. Conclusions

Classical mechanics and quantum mechanics, considered as conceivable descriptions of nature, are structurally very different. According to classical mechanics, the world is to be conceived of as a simple aggregate of logically independent local entities, each of which interacts only with its very close neighbors. By virtue of these interactions large objects and systems can be formed, and we can identify various 'functional entities' such as pistons and drive shafts, and vortices and waves. But the precepts of classical physics tell us that whereas these functional units can be identified by us, and can be helpful in our attempts to comprehend the behaviour of systems, these units do not thereby acquire any special or added ontological character: they continue to be simple aggregates of local entities. No extra quality of beingness is appended to them by virtue of the fact that they have some special functional quality in some context, or by virtue of the fact that they define a spacetime region in which certain quantities such as 'energy density' are greater than in surrounding regions. All such 'functional entities' are, according to the principles of classical physics, to be regarded as simply consequences of particular configurations of the local entities: their functional properties are just 'consequences' of the local dynamics; functional properties do not generate, or cause to come into existence, any extra quality or kind of beingness not inherent in the concept of a simple aggregate of logically independent local entities. There is no extra quality of beingness as a whole', or 'coming into beingness as a whole' within the framework of classical physics. There is, therefore, no place within the conceptual framework provided by classical physics for the idea that certain patterns of neuronal activity that cover large parts of the brain, and that have important functional properties, have any special or added quality of beingness that goes beyond their beingness as a simple aggregate of local entities. Yet an experienced thought is experienced as a whole thing. From the point of view of classical physics this requires either some 'knower' that is not part of what is described within classical physics, but that can 'know' as one thing that which is represented within classical physics as a simple aggregation of simple local entities; or it requires some addition to the theory that would confer upon certain functional entities some new quality not specified or represented within classical mechanics. This new quality would be a quality whereby an aggregate of simple independent local entities that acts as

a whole (functional) entity, by virtue of the various local interactions described in the theory, becomes a whole (experiential) entity. There is nothing within classical physics that provides for two such levels or qualities of existence or beingness, one pertaining to persisting local entities that evolve according to local mathematical laws, and one pertaining to sudden comings-into-beingness, at a different level or quality of existence, of entities that are bonded wholes whose components are the local entities of the lower-level reality. Yet this is exactly what is provided by quantum mechanics, which thereby provides a logical framework that is perfectly suited to describe the two intertwined aspects of the mind/brain system.

Appendix A .Salient Features of the Quantum Theory of the Mind/Brain Described in Ref. 5.

1. Facilitation. The excitation of a pattern of neural rings produces changes in the neurons that have the effect of facilitating subsequent excitations the pattern.

2. Associative Recall. The facilitations mentioned above have the feature that the excitation of a part of the pattern tends to spread to the whole pattern.

3. Body-World Schema. The physical body of the person and the surrounding world are represented by patterns of neural rings in the brain: these patterns contain the information about the positioning of the body in its environment. Brain processes are able to interpret this information.

4. Body-World-Belief Schema. The body-world schema has an extension that represents beliefs and other idealike structures.

5. Records. The B-W-B Schema are representations that have the properties required for records: they endure, are copiable, and are combinable¹¹. These requirements ensure that these representations are engraved in degrees of freedom that can be characterized as "classical". Superpositions of such classically describable states are generally not classical. This characterization of "classical" (in terms of durability, copiability, and combinability) does not take one outside quantum theory: it merely distinguishes certain functionally important kinds of quantum states from others.

6. Evolution Via the Schoedinger Equation. The alert brain evolves under the quantum dynamical laws from a state in which one B-W-B schema is excited to a state in which a quantum superposition of several such states are excited. That is, the brain evolves from a state in which one B-W-B schema is excited, for a period of time sufficient to "facilitate" the pattern, into a quantum state that is a superposition of several "classical branches", each representing a different classically describable state of the Body-World-Belief complex.

7. The Quantum Jump. The Heisenberg actual event occurs at the high-level of brain activity where the different classical branches have separated: this event actualizes one branch and eradicates the others, in accord with Heisenberg's idea of what happens in a measuring device. The human brain is, in effect, treated as a quantum measuring device.

8. Thoughts. The occurrence of the Heisenberg event at this high level, rather than at some lower level (e.g., when some individual neuron fires) is in line with Wigner's suggestion that the reduction of the wave packet occurs in the brain only at the highest level of processing, where conscious thoughts enter. The state of the brain collapses to a classical branch that encapsulates and records the information contained in a classical description of the body-world-belief complex. It is postulated that this actualizing event at the level of the wave function is associated with a conscious event that is a mental image of the information represented by the actualized B-W-B schema.

9. Limitations. The theory describes only those collapses that occur in the part of the physical world associated with human brains: Whether and where other events occur is left open. A parsimonious version of the theory in which the only collapses are those associated with human brains would account in principle for all human experience: there is no empirical evidence available today that would demand any other actual events. Such a parsimonious theory would be excessively anthropocentric. Yet any attempt to go beyond it would be speculative in the absence of relevant data. In the parsimonious version every actual event corresponds to a human thought, and every human thought corresponds to an actual event: the theory is maximally linked to the empirical facts of human experience.

Appendix B . Survival Advantage

Contemporary quantum theory does not have any definite rule that specifies where the collapses occur. The proposal adopted here is designed to produce a simultaneous resolution of the quantum measurement problem and the mind-matter problem . Thus the proposal is justified by the fact that it produces a coherent model of reality that accords with our actual experience. Yet the deeper question arises: Why should the world be this way, and not some other way? Why should the collapses be to single high-level classical branches, rather than to either lower-level states, such as firings of individual neurons, or to higher-level states that might include, for example, many classical branches.

If we suppose that the determination of where the collapses occur is fixed not by some a priori principle but by habits that become ingrained into nature, or by some yet-to-be-discovered characteristic of matter that does not single-out the classical branches ab initio, then the question arises: Is the placement of the collapses at high-level classical branches, as specified in our model, favorable to survival of the organism ? If so, then there would be an evolutionary pressure for the collapse location to migrate, in our species, to this high-level placement. The fact that the collapses, and hence the accompanying experiences, are classical and high-level would then be consequences of underlying causes, rather than being simply an unexplained fact of nature: it would be advantageous to the survival of the organism to tie whatever fundamental property controls collapses to the high-level classical states of our model.

In fact, it is evident that placement of the collapses at a lower level would introduce a disruptive stochastic element into the dynamical development of the system . Any sort of dynamical process designed to allow the organism to respond in an optimal way to its environmental situation would have a tendency to be disrupted by the introduction of stochastically instituted low-level collapses, which will not always be to states that are strictly orthogonal. Thus there would be an evolutionary pressure that would tend to push the collapses to higher levels. On the other hand, this pressure would cease once the highest possible level of classically specified branches is reached. The reason is that in order for the organism to learn there must be records of what it has done, and these records must be able to control future actions. But these properties are essentially the properties by which we have defined "classical". Superpositions

of such classical states have, because of the local character of the interaction terms in the quantum mechanical laws, no ability to reproduce themselves, or to control future actions of the organism.¹¹ Thus there should be no migration of the location of the collapse to levels higher than those specified in our model.

Appendix C . Many-Worlds Theories.

I have accepted here Heisenberg's idea that there are real events, that each one represents a transition from "the possible" to "the actual", and that the quantum state can be regarded as a representation of "objective tendencies" for such events to occur. In fact, it is difficult to ascribe any coherent meaning to the quantum state in the absence of such events. For there is then nothing in the theory for the probabilities represented by the wave function to be probabilities of : What does it mean to say that something happens with probability P if everything happens?

In our model, if we say that there is no collapse then all the branches continue to exist: there is no singling out and actualization of one single branch. Each of the several branches will evolve independently of the others, and hence it is certainly plausible to say that the different realms of experience that we would like to associate with the different branches should be independent and non communicating: the records formed in one branch will control only that one branch, and have no effect upon the others. But if there is no collapse then it would seem that each of the corresponding separate branches should occur with probability unity. Yet that would not yield a match with experience. In order to get a match with experience we must be able to effectively discard in the limit of an infinite number of repetitions of an experiment those branches that have a quantum weight that tends to zero in this limit. That is, quantum states with tiny quantum weights should occur almost never: they should not occur with probability unity! So without some added ontological or theoretical structure the many-worlds (i.e., no-collapse) theories fail to give a sensible account of the statistical predictions of quantum theory.

Of course, the key question is not whether a certain experience X occurs, but rather whether my experience will be experience X . However, the idea that many experiences occur, but that my experience will be only one of them involves some new sort of structure involving "choice" and "my". It involves a structure that goes beyond the idea of a quantum state of the world evolving in accordance with the Schrodinger equation. At that basic quantum level the various classically describable branches are components that are combined conjunctively: the universe consists of branch 1 and branch 2 and branch 3 and ... ; not branch 1 or branch 2 or branch 3 or Yet the world must be decom-

posed in terms of alternative possibilities in order to assign different statistical weights to the different components: the decomposition given by the basic quantum structure must be converted into an or composition. This restructuring seems to require the introduction of some new sort of beingness: the idea of a psychological being that splits into alternative branches while the associated physical body, evolving in accord with the Schroedinger equation, is splitting into a conjunction of corresponding branches. By an appropriate assignment of statistical weights to the various alternative psychological branches one could then explain the statistical predictions of quantum theory, but this would seem to be an ontological tour de force compared to the simpler Wigner idea, adopted here, that thoughts correspond to real Heisenberg-type events.

References

1. H.P. Stapp, The Copenhagen Interpretation, *Amer. J. Phys.* 40 1098–1116 (1977) Reprinted in ref. 5.
2. J. von Neumann, The Mathematical Foundations of Quantum Mechanics, Princeton University Press (1955) (Translated from the original (1932) German edition) Ch VI Sec. 1.
3. N.W. einer, Back to Leibniz, in *Tech. Rev.* 34 (9132), 201–203, 222, 224; Quantum Mechanics, Haldane, and Leibniz, *Philos. Sci.* 1 (1934), 479–482; The Role of the Observer, *Philos. Sci.* 3 (1936), 307–319.
4. J.B.S. Haldane, Quantum Mechanics as a Basis for Philosophy, *Philos. Sci.* 1 (1934), 78–98.
5. H.P. Stapp, *Mind, Matter, and Quantum Mechanics*, Springer-Verlag (1993).
6. S.M. Kosslyn, *Image and Brain*, MIT Press (1994).
7. E. Wigner, in *The Scientist Speculates*, ed. I.J. Good, Basic Books, New York (1962).
8. A. Aspect, P. Grangier, and G. Roger, Experimental Tests of Bell's Inequalities using Time-varying Analysers, *Phys. Rev. Lett.* 49 (1982), 1804–1807.
9. P.S. Churchland, *Neurophilosophy: Toward a Unified Theory of the Mind/Brain*, MIT Press, Cambridge MA, 1992.
10. P.S. Churchland, *ibid.*, p 295.
11. H.P. Stapp, Symposium on the foundations of modern physics 1990, eds. P. Lahti and P. Mittelstaedt, World Scientific, Singapore, 1991.