

Fundamental Nomic Vagueness

Eddy Keming Chen*

Forthcoming in *The Philosophical Review*

Abstract

If there are fundamental laws of nature, can they fail to be exact? In this paper, I consider the possibility that some fundamental laws are vague. I call this phenomenon *fundamental nomic vagueness*. I characterize fundamental nomic vagueness as the existence of borderline lawful *worlds* and the presence of several other accompanying features. Under certain assumptions, such vagueness prevents the fundamental physical theory from being completely expressible in the mathematical language. Moreover, I suggest that such vagueness can be regarded as *vagueness in the world*.

For a case study, we turn to the Past Hypothesis, a postulate that (partially) explains the direction of time in our world. We have reasons to take it seriously as a candidate fundamental law of nature. Yet it is vague: it admits borderline (nomologically) possible worlds. An exact version would lead to an *untraceable arbitrariness* absent in any other fundamental laws. However, the dilemma between fundamental nomic vagueness and untraceable arbitrariness is dissolved in a new quantum theory of time's arrow.

Keywords: *vagueness, exactness, higher-order vagueness, mathematical expressibility, epistemicism, arbitrariness, imprecise probability, laws of nature, time's arrow, Past Hypothesis, entropy, fundamentality, Humeanism, anti-Humeanism, density matrix*

Contents

1	Introduction	2
2	Exactness and Vagueness of the Fundamental Laws	4
2.1	What They Are	4
2.2	What They Are Not	8
2.3	Laws of Nature	8
2.4	Vagueness in the World?	12
2.5	Vagueness in the Quantum Measurement Axioms?	14

*Department of Philosophy, University of California, San Diego, 9500 Gilman Dr, La Jolla, CA 92093-0119. Website: www.eddykemingchen.net. Email: eddykemingchen@ucsd.edu

3	A Case Study of Fundamental Nomic Vagueness: The Past Hypothesis	16
3.1	Temporal Asymmetries and the Past Hypothesis	16
3.2	Vagueness of the Weak Past Hypothesis	19
3.3	Untraceable Arbitrariness of the Strong Past Hypothesis	25
4	Fundamental Nomic Exactness without Untraceable Arbitrariness	31
5	Conclusion	32

1 Introduction

Vagueness is a pervasive feature of ordinary language. Many predicates we use in everyday contexts do not have determinate boundaries of application. Is John bald when he has exactly 5250 hairs on his head? There are determinate cases of “bald,” but there are also borderline cases of “bald.” In other words, predicates such as “bald” are indeterminate: there are individuals such that it is indeterminate whether they are bald.¹ Moreover, the boundaries between “bald” and “borderline bald” are also indeterminate. Hence, there do not seem to be sharp boundaries *anywhere*. The phenomenon of vagueness gives rise to many paradoxes (such as the sorites) and serious challenges to classical logic.

We might expect that, at the level of fundamental physics, the kind of vagueness that “infects” ordinary language should disappear. That is, the fundamental laws of physics, the predicates they invoke, and the properties they refer to should be exact.² The expectation is supported by the history of physics and the ideal that physics should deliver an objective and precise description of nature. All the paradigm cases of candidate fundamental laws of nature are not only simple and universal, but also *exact*, in the sense that, for every class of worlds (or class of solutions), fundamental laws either determinately apply or determinately fail. Suppose the fundamental laws are Newton’s equation of motion $F = ma$ and law of universal gravitation $F = Gm_1m_2/r^2$: there is no vagueness about whether a certain class of worlds (described in terms of trajectories of point particles with Newtonian masses) satisfies the conjunction.³

Fundamental nomic exactness—the ideal (roughly) that fundamental laws are exact—supports an important principle about the (perfect) mathematical expressibility of fundamental laws. If some fundamental laws were vague, it would be difficult

¹There are subtleties about how best to characterize vagueness. For reviews on vagueness and the sorites, see Keefe and Smith (1996), Sorensen (2018), and Hyde and Raffman (2018).

²Penrose (2005) seems to hold that expectation. I used to expect that, but considerations of the arguments in this paper convinced me otherwise. Here, we assume that there are fundamental laws of nature and it is the aspiration of physics to discover them. At the level of non-fundamental physics, and in the special sciences, the ideal of exactness may still be important but not absolute.

³An alleged violation of the expectation concerns the measurement axioms of orthodox quantum theory, which I discuss in §2.5. Another case concerns the constants and the observables of effective field theory (EFT). See Miller (2020). Since he is not focused on “fuzziness,” Miller’s proposal is best construed as a theory of ontic imprecision, not ontic or fundamental nomic vagueness.

to describe them mathematically in a perfectly faithful way that genuinely respects their vagueness and does not impose sharp boundaries anywhere. The kind of mathematics we are used to, built from a set-theoretic foundation, does not lend itself naturally to model the genuine fuzziness of vagueness. One could go further: the language of mathematics and the language of fundamental physics are supposed to be exemplars for the “ideal language,” a language that is exact, suggested in Frege’s *Begriffsschrift*, Russell’s logical atomism, and Leibniz’s *characteristica universalis*. The successful application of mathematical equations in formulating physical laws *seems* to leave no room for vagueness to enter into a fundamental physical theory. If vagueness is not perfectly mathematically expressible, and if there is fundamental nomic vagueness, then the fundamental physical theory is not perfectly mathematically expressible.⁴

Interestingly, little is written about the connection between vagueness and fundamental laws of nature. The topic is philosophically and scientifically important, with ramifications for metaphysics, philosophy of science, and foundations of physics. What does it mean for a fundamental law to be vague? Are there examples of vague fundamental laws that may obtain in a world like ours? What does fundamental nomic vagueness mean for the metaphysical status and mathematical expressibility of fundamental laws? How does it relate to ontic vagueness? This paper is an attempt to address some of those questions.

First (§2), I propose an account of fundamental nomic vagueness, distinguish it from approximations, and discuss its implications for nomic possibility and necessity. Although it differs from standard cases of ontic vagueness, it can be regarded as “vagueness in the world.” Fundamental nomic vagueness violates a principle called *fundamental exactness* on certain anti-Humeanism but not on Humeanism about laws of nature. (The first part of §2.1 may be skimmed by experts in vagueness.)

Second (§3), I focus on the case of the Past Hypothesis (PH), the postulate that (roughly) the universe started in a special macrostate of low entropy. Given its role in explaining the arrows of time in our world, we have reasons to take it seriously as a fundamental law or at least an *axiomatic postulate* in physics that is on a par with fundamental laws. Yet, macrostates are vague. Even when we specify an exact level of entropy, PH remains vague: there will be borderline lawful worlds with features of genuine fuzziness. An exact version of PH (which I call the Strong Past Hypothesis) contains an objectionable kind of arbitrariness not found in any other fundamental laws or dynamical constants—its exact boundary leaves no trace in the material ontology, resulting in a gap between the nomic and the ontic. It violates a theoretical virtue that I call *traceability*. (§3.1 may be skimmed by experts in statistical mechanics.)

The case study highlights a dilemma between fundamental nomic vagueness and untraceability. In §4, I suggest that, under some conditions, the dilemma can be dissolved in a natural way. The conditions are realized in a new quantum theory of time’s arrow that links the macrostate directly to the micro-dynamics. Surprisingly,

⁴This may cast some doubt on what Wigner (1960) calls the “unreasonable effectiveness of mathematics in the natural sciences.”

far from making the world fuzzy or indeterminate, quantum theory can restore exactness in the nomological structure of the world. (§4 may be skipped by people whose main interests lie outside philosophy of physics.)

2 Exactness and Vagueness of the Fundamental Laws

In this section, I propose an account of exactness and vagueness of the fundamental laws.

2.1 What They Are

First, I review some features of vagueness in ordinary language predicates. They have analogues in fundamental nomic vagueness. The paradigmatically vague predicates include ones such as “bald,” “tall,” “red,” “child,” and “heap.” Following Keefe and Smith (1996), I summarize their common features:

(Borderline) Vague predicates have borderline cases.

To be a borderline case is to be some object or state of affairs for which the predicates do not determinately apply. John with exactly 5250 hairs on his head is a borderline case of “bald.”

(No Sharp Boundary) Vague predicates do not have well-defined extensions.

A precise extension of “bald” and a precise extension of “not bald” would pick out a precise boundary between the two. Suppose anyone with 6000 or more hairs is not bald and anyone with fewer than 6000 hairs is bald. Then John would fall under the extension of “bald.” Alex with exactly 6000 hairs would fall under the extension of “not bald,” but if Alex loses just one more hair she would fall out of “not bald” and fall into “bald.” (We can add a parenthetical qualifier ‘apparently’ to accommodate views such as epistemicism according to which vague predicates do have well-defined extensions but we don’t know what they are.)

(Sorites) Vague predicates are susceptible to sorites paradoxes.

It is easy to generate sorites paradoxes on vague predicates. For example, we can start from a case that is determinately bald (having no hair) and proceed to add one hair at a time, argue that at no point can adding one hair make the difference between “bald” and “not bald,” and come to the absurd conclusion that no number of hairs will make one non-bald.

(Higher-order Vagueness) Vague predicates come with higher-order vagueness.

Whenever there are borderline cases, there are borderline borderline cases, and borderline borderline borderline cases. This is known as the phenomenon of higher-order vagueness. If it is indeterminate where to draw the line between “bald” and “not bald,” plausibly it is indeterminate where to draw the line between “bald” and “borderline bald,” and between “not bald” and “borderline not bald,” and so on. In other words, it seems inappropriate to draw a sharp line *at any level*. This is part of the genuine fuzziness we are interested in below.

Higher-order vagueness is a challenge to any formal and precise model of vagueness. Even on degree-theoretic accounts of vagueness, there will be an exact boundary between maximal determinateness and less-than-maximal determinateness and exact boundaries around any determinate degree of vagueness, which seems unfaithful to the phenomena of higher-order vagueness (Keefe and Smith 1996, pp. 46-47). The same point applies to imprecise probabilities that are treated in terms of set-valued measures. After all, a set of probability measures is still too precise to faithfully represent the phenomenon of higher-order vagueness.⁵ Even some defenders of the degree-theoretic accounts acknowledge that the numbers used to model vagueness should be taken instrumentally and not realistically. For example, Edgington (1996) suggests that “[the] numbers serve a purpose as a theoretical tool, even if there is no perfect mapping between them and the phenomena” (p.297). Can higher-order vagueness be mathematically expressed in a completely faithful way (with a perfect mapping between the mathematical representation and the phenomena)? I doubt it, but I do not have an impossibility *proof* (although Sainsbury (1990) gives compelling arguments that higher-order vagueness cannot be faithfully described set-theoretically).⁶ I shall assume that it cannot be. If my assumption is incorrect, then this paper can be seen as another reason to look for a perfect mathematical representation.

We might expect that, at the fundamental level of reality, everything is perfectly exact. In particular, we might expect that there is no vagueness in the fundamental physical ontology of the world (the fundamental physical objects and their properties) or in the fundamental nomological structure of the world (the fundamental laws).

How should we understand the exactness of paradigm fundamental laws of nature? Let us start with the familiar case of Newtonian mechanics with Newtonian gravitation. The theory can be formulated as a set of differential equations that admit a determinate set of solutions. Those solutions will specify all and only the possible histories compatible with Newtonian equations ($F = ma$ and $F = Gm_1m_2/r^2$); each solution represents a nomologically possible world of the theory.

Consider the projectile motion illustrated in Figure 1. Suppose that the projectile

⁵See Rinard (2017) for insightful arguments against using set-valued probabilities to model imprecise probabilities (IP). Rinard’s argument is relevant to our discussion of PH. Even if we use a probability distribution or a set of probability distributions concentrated on some macrostate, it is still too precise. To genuinely respect higher-order vagueness, we can replace a set of probability distribution with a vague “collection” of probability distributions, where some distributions will be borderline members of the “collection.” Membership turns out to be vague.

⁶Williamson (1994) §4.12 further argues that higher-order vagueness is not faithfully modeled by many-valued logics (and degree-theoretic approaches to truth).




Figure 1: The motion of a projectile under Newtonian mechanics. Picture by Zátónyi Sándor, (ifj.) Fized, CC BY-SA 3.0 <<https://creativecommons.org/licenses/by-sa/3.0/>>, via Wikimedia Commons.

has unit mass m and the gravitational acceleration is g (we simplify the example by ignoring the rest of the world). We can specify the history of the projectile with the initial height, initial velocity, maximum height, and distance traveled. There is a determinate set of histories compatible with Newtonian equations. For any history of the projectile, it is either determinately compatible with the equations or determinately incompatible with the equations. And the same is true when we fully describe the example by accounting for all the massive bodies in the world.

In terms of possible worlds (or models, if one dislikes possible worlds): if W represents the space of all possible worlds, then Newtonian mechanics corresponds to a proper subset in W that has a determinate boundary, where the boundary is not in spacetime but in modal space. Let us call that subset the *domain* of Newtonian mechanics; it represents the nomological possibilities according to Newtonian mechanics. For any possible world $w \in W$, either w is contained in the domain of Newtonian mechanics or it is not. For example, in Figure 2, w_1 is inside but w_2 is outside the set of worlds delineated by Newtonian mechanics. In other words, w_1 is nomologically possible while w_2 is nomologically impossible if Newtonian laws are true and fundamental. This suggests that we can capture an aspect of fundamental nomic exactness in terms of domain exactness:

Domain Exactness A fundamental law L is domain-exact if and only if, (a) for any world $w \in W$, there is a determinate fact about whether w is contained inside L 's domain of worlds, i.e. L 's domain has no borderline worlds, (b) L 's domain, which may also be called L 's *extension*, forms a set of worlds, (c) L 's domain is not susceptible to sorites paradoxes, and (d) L 's domain has no borderline borderline worlds, no borderline borderline borderline worlds, and so on.

In contrast, a domain-vague law has none of (a)–(d). Intuitively, a domain-vague law has a vague boundary in the following sense. In Figure 2, a domain-vague law is pictured by a “collection” of worlds with a fuzzy boundary. Just as a cloud does not have a clear starting point or a clear end point, the fuzzy “collection” of worlds does not delineate the worlds into those that are clearly compatible and those that




Figure 2: An exact fundamental law and a vague fundamental law represented in modal space.

are clearly incompatible with the law. To borrow the words of Sainsbury (1990), a domain-vague law classifies worlds “without setting boundaries” in modal space. For example, $w3$ is clearly contained inside the domain of the vague law, since it is so far away from the fuzzy boundary; but $w4$ is not clearly contained inside the domain of the vague law, and neither is it clearly outside; $w2$ is clearly outside the domain. More precisely, I propose that we understand domain vagueness as the opposite of domain exactness:

Domain Vagueness A fundamental law L is domain-vague if and only if L meets all four conditions below.

- (a') L has borderline worlds that are not determinately compatible with it. For some world $w \in W$, there fails to be a determinate fact about whether w is contained inside L 's domain of worlds.
- (b') L lacks a well-defined extension in terms of a set of models or a set of nomological possibilities. Nomological necessities and possibilities turn out to be vague.
- (c') L is susceptible to sorites paradoxes. We can start from a world that is determinately lawful, proceed to gradually make small changes to the world along some relevant dimension, and eventually arrive at a world that is determinately unlawful. But no particular small change makes the difference between lawful and unlawful.
- (d') L possesses higher-order domain-vagueness. Whenever there are borderline lawful worlds, there are borderline borderline lawful worlds, and so on. It seems inappropriate to draw a sharp line anywhere. This reflects the genuine fuzziness of domain vagueness.

Thus, domain vagueness has features similar to those of ordinary-language vagueness. What if L has some but not all of (a')–(d')? For example, a law may have a domain

where it is indeterminate whether some world w is contained in it, but its domain does not have higher-order vagueness or sorites-susceptibility. If such a case exists, it may be a case of indeterminacy, but I do not characterize it as vagueness.⁷ At any rate, domain exactness and domain vagueness capture the kind of fundamental nomic exactness and fundamental nomic vagueness we care about in this paper.⁸ We will use them to understand some case studies in the following sections. In §3, we show that PH, if it is true and if it can be regarded as a fundamental law, is an instance of a vague fundamental law of nature. It exemplifies domain vagueness: the “collection” of worlds compatible with PH does not have a sharp boundary.

2.2 What They Are Not

To better understand fundamental nomic exactness and fundamental nomic vagueness, it would be helpful to say what they are not. Importantly, they are not about the absence or the presence of approximations. As pictured in Figure 2, the worlds that make up the domain of fundamental laws are entire possible worlds (conceived as complete world histories, or histories of the universe). Approximations arise when we apply fundamental laws to partial world histories, such as histories of some subsystems of the universe. In many subsystems, they are governed by effective laws—laws that are only approximately true about certain kinds of subsystems. When a subsystem is not completely isolated from its environment (the rest of the universe), there may be forces between objects in the subsystem and objects in the environment that are negligibly small but nonzero. In that case, we can, for all practical purposes, treat the subsystem as if it were a closed system and still apply the fundamental laws to the subsystem, but with the understanding that such laws are only *approximately* true. On my view, that is not fundamental nomic vagueness. In that case, the fundamental laws are determinately false about the subsystem.

2.3 Laws of Nature

So far we have focused on exactness and vagueness of fundamental laws. The issue can also come up in non-fundamental scientific theories, which can employ vague non-fundamental laws. For example, in so far as biology has laws, they may invoke vague predicates such as “cell,” “organism,” and “species.” The focus and the novelty of this paper lies in developing (in §2.1) a general account of nomic vagueness of *fundamental laws of nature* and arguing (in §3) that PH is a realistic case of such nomic vagueness. Vagueness in the fundamental laws is surprising and deserves special attention from metaphysicians and philosophers of science. If some vague fundamental laws are part of the complete theory of the physical world, and if such vagueness is not fully mathematically expressible, then the complete

⁷ In this paper, by ‘a fundamental law fails to be exact,’ I mean it satisfies all of (a’)-(d’). It is plausible that (a’) implies (b’), (c’), and arguably (d’). However, I do not argue for that here.

⁸There is another kind of fundamental nomic vagueness that results from vague objective probabilities or typicalities. See Goldstein (2012). Fenton-Glynn (2019) offers an account of imprecise (but not vague) chances in the best-system theory.

theory cannot be faithfully written in the language of mathematics. Nonetheless, the discussion may also provide a model for understanding nomic vagueness at the non-fundamental levels, which I leave for future work.

Let me say more about the notion of fundamental laws employed in this paper⁹:

Fundamental Laws For any world w , fundamental laws of nature in w are the non-mathematical axioms (basic postulates) of the complete fundamental physical theory of w .¹⁰

Examples of physical theories include classical mechanics and quantum mechanics.¹¹ For a physical theory to be complete in world w , it needs to entail all the important regularities in w , including those described by non-fundamental laws (such as laws of chemistry, biology, and so on). For a physical theory to be fundamental in w , it cannot be derived from another non-equivalent physical theory that is true in w .¹² Hence, in a quantum world, classical mechanics is not a fundamental theory, because it can be derived from quantum mechanics (via approximations in some limit). However, in a classical world, classical mechanics is a fundamental theory because quantum mechanics is not true in such a world. In §3.1, I suggest that in a time-asymmetric classical world, classical mechanics by itself is not *complete* because it fails to account for the time asymmetries, which is an important class of regularities (and the same applies to a time-asymmetric quantum world). A solution is to add PH to the micro-dynamical equations to complete the fundamental theory. Fundamental laws have an elite status—they are axiomatic. In terms of modality, since the axioms are nomologically necessary, the derived theorems will also have nomological necessity. The derivation may be complicated due to mathematical complexities. The physical theory can employ some mathematics, but the mathematical axioms are not laws of nature. Hence, the fundamental laws of nature are the *non-mathematical axioms*.

Laws in w are either fundamental or non-fundamental in w . I require non-fundamental laws in w be derivable¹³ from fundamental laws in w . But not all deductive consequences of fundamental laws are laws, for otherwise we could trivialize the notion of laws by using disjunction introduction. Some deductive

⁹Similar conceptions can be found in the writings of physicists such as Weinberg (1992) and Hawking (2008) as well as philosophers of physics Albert (2000, 2015) and Loewer (2012, 2020a). This conception of laws is related to *reductionism* of non-fundamental sciences to physics. On reductionism vs. autonomy of “special sciences,” see for example Oppenheim and Putnam (1958) and Fodor (1974). On my conception, even though non-fundamental laws are derivable from fundamental laws, non-fundamental laws are not redundant; they play important roles in scientific explanations at non-fundamental levels. This conception might not contradict the viewpoint of Fodor (1974).

¹⁰We also expect the complete fundamental theory to be simple, consistent, and unified.

¹¹The true theory of the world is not yet discovered. But we have some hints of what it might look like, based on current theories.

¹²The qualifier “non-equivalent” is added so that merely having an equivalent reformulation does not disqualify a theory from being fundamental. Without the qualification, if T and T' are two equivalent physical theories that are mutually derivable, then neither T nor T' can be fundamental. Thanks to an anonymous reviewer for suggesting I make this clear.

¹³The relevant derivations may also involve approximations and idealizations. Again, we set these issues aside as it does not impact the argument in §3.

consequences will be more important than others because they support counterfactuals and are extraordinarily useful and simple. Identifying the sufficient conditions for laws is an important project, but I do not pursue it here. Instead, I suggest a necessary condition for a law to be non-fundamental in w :

Necessary Condition for Non-Fundamental Laws In any world w , if a law of nature is a non-fundamental law in w , then it can be (non-trivially) derived from the fundamental laws in w .

Consequently, a law that cannot be so (non-trivially) derived in w is a fundamental law in w . An example of a non-fundamental law in our world is the ideal gas law $PV = nRT$ that can be derived from the micro-physics. Not all non-fundamental laws have been successfully derived from the fundamental axioms in physics, but what matters is that they can be.

The above conception is somewhat neutral about the metaphysics of lawhood. Let me say more about the metaphysical commitments. With Hicks and Schaffer (2017), I do not insist on Lewis (1983)'s strict criterion that fundamental laws are stated exclusively with predicates that correspond to perfectly natural properties.¹⁴ When formulating fundamental laws, scientists should be free to invoke derived properties as long as they are scientifically useful. In fact, Lewis's own analysis of probabilistic laws allows *objective probability* to appear in the axioms of the best system yet objective probability is not perfectly natural (and neither is it categorical).¹⁵ For the Humean best-system framework, I suggest we replace the strict criterion with this one: the best system optimally balances simplicity, informativeness, fit, and *degree of naturalness* of the properties invoked by the axioms.¹⁶ The revision arguably still handles the trivialization problem that motivates the strict criterion.¹⁷ In so far as derived properties are instantiated by fundamental objects, there is nothing metaphysically spooky. For example, even though acceleration is a derived property (from positions) in Newtonian mechanics, $F = ma$ can delineate what is nomologically possible. Similarly, entropy is a derived property (from volume in phase space), and a low-entropy initial condition can also constrain the nomological possibilities. As such, fundamental laws involving derived properties can still describe (or govern) the behavior of fundamental objects. Nevertheless, in the cases of entropy and acceleration, unlike the property of *being a tiger*, the derived properties are easily re-expressible in terms of fundamental properties and the re-expressed laws can still be simple. Hence, sometimes even the strict criterion can be satisfied (see §3.2).

¹⁴See Sider (2011) for a defense and expansion of Lewis's criterion.

¹⁵Thanks to Chris Dorst for discussion here.

¹⁶For similar suggestions see Hicks and Schaffer (2017), Fenton-Glynn (2019), and Sánchez (2020). It would certainly be useful to give a full account on how to calculate the degree of naturalness, but I do not pursue it here.

¹⁷Briefly, the trivialization problem is this (Lewis 1983, p.367): without some constraint of naturalness, the best system can be just the simple and maximally informative sentence $\forall xFx$ where F applies to all and only actual objects. The system entails all actual truths and regularities. That result, on Lewis's account, means all regularities are laws, which trivializes the distinction between laws and non-laws. Lewis appeals to perfect naturalness to block the problem, but degree of naturalness also suffices (Hicks and Schaffer 2017).

Moreover, with Callender (2004) and *pace* Lewis (1983), I do not require laws to concern exclusively *regularities*. Certain boundary conditions of the universe, such as PH, are candidate axioms of the Lewisian best system. On Humeanism, why automatically disqualify PH, which seems to be an axiom of the actual best system of our world, from being a fundamental law?¹⁸ I see no compelling reason. There are many other versions of Humeanism, such as those found in Cohen and Callender (2009) and Loewer (2020b). For concreteness, when I discuss Humeanism, I focus on this particularly interesting version of the non-governing conception of laws:

Reformed Humeanism The fundamental laws are the (non-mathematical) axioms of the best system that summarizes the mosaic and optimally balances simplicity, informativeness, fit, and degree of naturalness of the properties invoked. The best system supervenes on the mosaic.¹⁹

Regarding the governing conception of laws, with Maudlin (2007), I think the best versions are ones where laws are interpreted as ontological primitives; they are not to be analyzed further in terms of universals, essences, powers, dispositions, and the like. However, *pace* Maudlin, I do not posit the direction of time as a fundamental feature of the universe and do not consider temporal *production* as central to the notion of governing. Consequently, for anti-Humeanism, I would not restrict fundamental laws to dynamical laws of temporal evolution. In particular, boundary conditions can be fundamental laws. A boundary condition such as PH can govern the world by *constraining* the nomological possibilities, thereby limiting the range of behavior of fundamental objects. Hence, I am particularly interested in a minimal governing conception of laws:

Minimal Primitivism Fundamental laws of nature are the (non-mathematical) fundamental facts that govern the behavior of fundamental objects; there is no restriction on the forms of the fundamental laws.

The theoretical virtues invoked by the reformed Humean are still useful for the minimal primitivist:

Epistemic Guides Even though theoretical virtues such as simplicity, informativeness, fit, and degree of naturalness are not metaphysically constitutive of fundamental laws, they are good epistemic guides for discovering them.

Reformed Humeanism and minimal primitivism are two well-motivated metaphysical views about laws. However, they are not accepted by everyone. I do not have the space to defend them in detail, but I think they capture two important metaphysical conceptions of lawhood in the literature. In §3.1, I show that both support the proposal that PH is a fundamental law.

¹⁸Some may worry that this dissolves the distinction between boundary conditions and laws. However, not all boundary conditions have the required balance of optimally contributing to simplicity, informativeness, fit, and degree of naturalness.

¹⁹Here I set aside the issue whether the Humean mosaic contains only categorical and “point-sized” facts.

2.4 Vagueness in the World?

Fundamental laws of nature are objective features of the physical world. Thus, fundamental nomic vagueness appears to be “worldly.” However, fundamental nomic vagueness differs from standard cases of worldly or *ontic* vagueness that concern the vague identity, spatio-temporal boundaries, and parts of material objects (such as cats, clouds, mountains, and tables).²⁰ That is because fundamental laws of nature are not material objects and do not have boundaries or parts in spacetime. Moreover, fundamental nomic vagueness is not modeled by Barnes’s (2010) theory, one of the most developed theories of ontic vagueness to date. Nevertheless, if fundamental laws are fundamental facts of the world, then their vagueness *can* be seen as metaphysical. Hence, there is conceptual room for a more liberal conception of ontic vagueness that includes fundamental nomic vagueness.

Standard cases of ontic vagueness are material objects with vague boundaries or parts in spacetime.²¹ For concreteness, consider Tom the cat. Tom is composed of many molecules, but some are borderline parts of Tom (and some are borderline borderline parts of Tom, and so on). Moreover, there are many exact groupings of the molecules, called p-cats. Which p-cat is identical to Tom? It may be vague. We can also run sorites argument and remove molecules one at a time from Tom. As a first approximation, the picture suggested by the focus on standard cases seems to be this²²:

V1 There is ontic vagueness if and only if there is some material object (or objects) and some property (or relation) of material objects such that it is vague whether the object (or objects) has the property (or relation).²³

On V1, if Tom is an actual vague material object, then there is ontic vagueness. In contrast, Keefe and Smith (1996) suggest that vagueness of macroscopic objects such as Tom is “merely superficial” (p.56). Facts about Tom supervene on the material objects and their properties at the “base level” (the metaphysically fundamental level), if such a level exists. Only vagueness at the fundamental level qualifies for “non-superficial” ontic vagueness. They seem to hold onto the following view (although they do not mention relations):

²⁰For an overview of ontic vagueness, see Sorensen (2018) §8, Keefe and Smith (1996), Williams (2008), and the references therein.

²¹See Tye (1990), as well as related discussions about ‘the problem of the many’ in Geach (1980) and Unger (1980). See Hawley (2001) for a discussion about vagueness in temporal persistence.

²²Some of the theorists such as Parsons and Woodruff (1995) and Barnes (2010) mention only indeterminacy in their official statements even though their target is ontic vagueness. It does not matter to my arguments below. If such indeterminacy does not come with other features of the target sense of vagueness (sorites-susceptibility, higher-order vagueness, etc), then fundamental nomic vagueness is not modeled by their theories.

²³Parsons and Woodruff (1995) seem to hold such a view, even though their emphasis is on the states of affairs about material objects having properties or relations. For them, the objects are those things that make up the world, and the relations include the identity relation, which is the focus of their analysis.

V2 There is ontic vagueness if and only if there is some fundamental material object (or objects) and some fundamental property (or relation) such that it is vague whether the object (or objects) has the property (or relation).

V2 only looks at the fundamental material objects (such as fundamental particles) and their fundamental properties and relations (such as mass, charge, and spatio-temporal relations). Burgess (1990) challenges V2 and defends the idea in V1 that the existence of vague macroscopic objects also qualifies for ontic vagueness, because the idea allows one to “say familiar things about the nature of concrete physical reality” (p.286) and to respect the task of metaphysics to “describe each layer [of the multi-layered reality] and the relationships between them” (p.283). However, neither V1 nor V2 recognizes fundamental nomic vagueness as a version of ontic vagueness.

To model ontic vagueness, Barnes (2010) proposes the following:

V3 There is ontic vagueness if and only if every possible world is exact but it is vague which world is the actualized world.²⁴

Barnes’s proposal is motivated by a desire to preserve classical logical principles such as bivalence and excluded middle. It is one of the most developed theories of ontic vagueness to date. Again, fundamental nomic vagueness does not imply ontic vagueness in the sense of V3, as a fundamental law (such as PH) may be vague without it being vague which possible world is actualized. What fundamental nomic vagueness violates is this principle:

V4 It is vague which worlds are nomologically possible.²⁵

Even so, a vague fundamental law does not contradict this:

V5 It is vague which worlds are metaphysically possible.

On a more liberal conception of ontic vagueness, according to which validating V4 suffices for there being ontic vagueness, fundamental nomic vagueness would then count as ontic vagueness. On minimal primitivism, and on any view where fundamental laws and facts about nomologically possibilities are among the fundamental facts, validating V4 entails violating this:

Fundamental Exactness All the fundamental facts of the world are exact.

If the idea about ontic vagueness is simply vagueness in the fundamental facts, then it seems that we should adopt the more liberal conception that leaves room for fundamental nomic vagueness to count as ontic vagueness. However, if the idea is

²⁴This relies on an ersatz modal theory where there is exactly one actual world, possible worlds are ersatz objects, and one of them is actualized. See Barnes (2010) pp.613-621.

²⁵There is an interesting similarity between fundamental nomic vagueness and standard cases of ontic vagueness of material objects. While Tom has a fuzzy boundary in spacetime, a vague fundamental law (see Figure 2) has a fuzzy boundary in modal space.

more restrictive along the lines of V1–V3, then fundamental nomic vagueness does not count.

Let me say more about the connection between fundamental nomic vagueness and Fundamental Exactness. It is natural to wonder whether fundamental nomic vagueness would favor reformed Humeanism over minimal primitivism, since the Humean mosaic can be perfectly exact even when some fundamental laws are vague. It depends on whether it is a vice of a theory to lose Fundamental Exactness when it does not entail ontic vagueness in the more restrictive sense. I suspect the answer is not straightforward, as there are other factors to consider. In §3.3, I suggest that fundamental nomic vagueness is a relevant desideratum in theory-choice but it should be used carefully when other things are equal.

On minimal primitivism, if the epistemic guides point us to a theory with a vague fundamental axiom, then we have good reasons to accept some fundamental nomic vagueness. However, since the epistemic guides are defeasible and fallible, they do not guarantee finding the true fundamental laws. Some might take this as a reason to adopt an epistemic view of fundamental nomic vagueness, according to which there is an exact boundary of nomological possibilities but it is hidden from us. However, the minimal primitivist should resist that urge, as she has good reasons to trust the epistemic guides as truth-conducive, assuming the world is induction-friendly. Hence, if she has good reasons to take the vague postulate as a fundamental law, then she should take that as evidence that there are indeterminate facts about nomological possibilities even if that violates Fundamental Exactness. From an empiricist perspective, metaphysical assumptions are revisable in light of empirical evidence.

On reformed Humeanism, if the best system includes a vague axiom, then we have to accept some fundamental nomic vagueness. After all, on reformed Humeanism, being part of the best axiomatization is constitutive of being a fundamental law. However, fundamental nomic vagueness does not entail a violation of fundamental exactness, as fundamental laws are not among the fundamental facts of reformed Humeanism. Even if the reformed Humean has to accept some fundamental nomic vagueness, she may have multiple ways to understand its nature. I leave that to future work.

2.5 Vagueness in the Quantum Measurement Axioms?

No physical theory has inspired more discussions about indeterminacy than quantum theory. It has been argued that ontic vagueness in a strict sense is a feature implied by quantum theory (see, for example, Lowe (1994), French and Krause (2003)). However, we now have precise formulations of quantum mechanics such as Bohm's theory, GRW spontaneous collapse theory, and Everett's theory (see Myrvold (2017) for a review). In those theories, there is no vagueness in the fundamental material ontology or fundamental dynamics (satisfying V1–V4). The world can be described as a universal quantum state evolving deterministically (or stochastically) and in some cases guiding and determining the trajectories of material objects, all of which

are exact.

However, textbook versions of quantum mechanics seems to offer a genuine case of fundamental nomic vagueness. We focus on the dynamical laws.²⁶ Textbook versions suggest that quantum theory contains two kinds of laws: one linear, smooth, and deterministic evolution of the wave function (the Schrödinger equation), and the other stochastic jump of the wave function triggered by measurements of some system (collapse postulates). However, it is unclear what counts as a measurement, and hence it is unclear when the two dynamical laws apply. For any precise definition we propose, say in terms of the size of the system, we can imagine a slightly smaller or a slightly larger size that could also work. For any precise boundary between the measured system and the measuring apparatus, we can imagine a somewhat different line. So there seems to be no principled way to draw the boundary between the system and the apparatus and hence no principled definition of when to apply the two laws.

Bell (1990) speaks out against such vagueness in the fundamental axioms of quantum mechanics:

What exactly qualifies some physical systems to play the role of ‘measurer’? Was the wavefunction of the world waiting to jump for thousands of millions of years until a single-celled living creature appeared? Or did it have to wait a little longer, for some better qualified system...with a Ph.D.?....The first charge against ‘measurement’, in the fundamental axioms of quantum mechanics, is that it anchors there the shifty split of the world into ‘system’ and ‘apparatus’. (p.34)

Bell’s first objection is that textbook quantum mechanics is too vague. Even supposing terms such as ‘measurement’ have determinate cases, it is hard to imagine there be a sharp split between systems that are measurers and systems that are measured. Hence, there will be histories of the wave function that count as borderline possible. However, the real issue that troubles Bell is the disunity suggested by the theory: the world is (vaguely) split into two parts, one classical and one quantum. If we are allowed to apply the theory to only part of the world, then it is “to betray the great enterprise” (p.34) of understanding the world in a unified way. The “shifty split” shows that the division is not a principled one. So it seems to me, in this case, fundamental nomic vagueness is a *symptom* that points us to the deeper problem that the theory is disunified. I return to this issue in §3.3.

As a historical matter, the vagueness issue has been resolved in precise formulations of quantum mechanics of Bohm, GRW, and Everett, making quantum mechanics less relevant as a serious case for ontic vagueness or fundamental nomic vagueness. These theories not only resolve the vagueness issue, but they are also better physical theories. They provide deeper, more unified, and observer-independent explanations about ‘quantum measurements.’ On those theories, measurement is not a *sui generis* process that has special powers in the physical world, and collapse is not a process

²⁶For the related issue of “quantum metaphysical indeterminacy” that arises from considerations of realism about quantum observables, see Calosi and Wilson (2019) and the references therein.

that occurs only when an observer is present. Rather, they are treated as any other process that obeys the same set of physical laws. They uphold the physicalist aspiration that observers are just part of nature and nothing special. Hence, even setting aside the issue of vagueness, there are reasons not to take textbook quantum axioms as candidate fundamental laws. In order to find a more realistic case of fundamental nomic vagueness, we must look elsewhere.

3 A Case Study of Fundamental Nomic Vagueness: The Past Hypothesis

In this section, I provide a more realistic case of fundamental nomic vagueness that arises from considerations of the arrow of time.

3.1 Temporal Asymmetries and the Past Hypothesis

In a world governed by (essentially) time-symmetric dynamical laws such as classical mechanical equations, quantum mechanical equations, or relativistic equations, it is plausible to think that the time-asymmetric nomological regularities (such as the tendency for entropy to increase and not decrease) cannot be derived from dynamical laws alone.

What else should be added? An influential proposal suggests we postulate a special initial condition: the universe was initially in a low-entropy macrostate, one with a high degree of order. This is now called the *Past Hypothesis* (PH).²⁷ Assuming PH and an accompanying Statistical Postulate (SP) of a uniform probability distribution over possible microstates compatible with the low-entropy macrostate, most likely the universe's entropy increases towards the future and decreases towards the past. The presence of PH, and the absence of a corresponding low-entropy hypothesis at the other end of time, explains the wide-spread temporal asymmetry. There are several versions of PH, of varying strengths, which we discuss in §3.2 and §3.3. What is important for my purpose in this section is that PH narrows down the choices of the initial microstate of the universe (a maximally fine-grained description of its physical state): they have to be compatible with some special macrostates (coarse-grained descriptions of the physical state) with low entropy.

To qualify as a serious candidate for fundamental nomic vagueness, PH needs to be considered as a candidate for a fundamental law of nature. Its nomic status has been taken seriously in the literature. For example, Feynman (2017)[1965] writes:

Therefore I think it is necessary to add to the physical laws the hypothesis that in the past the universe was more ordered, in the technical

²⁷PH was originally proposed in Boltzmann (1964)[1898]§89 (though Boltzmann ultimately seems to favor what may be called the *Fluctuation Hypothesis*) and discussed in Feynman (2017)[1965]§5. A geometric version was proposed by Penrose (1979). For recent discussions, see Albert (2000), Loewer (2020a), Callender (2011), North (2011), Lebowitz (2008), Goldstein (2001), and Goldstein et al. (2020). For critical discussions, see Earman (2006).

sense, than it is today—I think this is the additional statement that is needed to make sense, and to make an understanding of the irreversibility.

Making a similar point, Goldstein et al. (2020) write:

The past hypothesis is the one crucial assumption we make in addition to the dynamical laws of classical mechanics. The past hypothesis may well have the status of a law of physics—not a dynamical law but a law selecting a set of admissible histories among the solutions of the dynamical laws.

See also Albert (2000), Callender (2004), and Loewer (2007).

I think we have good reasons, both scientific and philosophical, to accept that (1) PH is a law, and (2) PH is a *fundamental* law. Here is another place where there is room for reasonable disagreements. Although I find the reasons compelling, others might not. They might resist (1) and (2) by rejecting my assumptions. Ultimately, my main conclusions are conditional: (A) if one accepts my conception of laws of nature, then PH is a fundamental law, and (B) if PH is a fundamental law, then there is fundamental nomic vagueness. If someone wants to avoid committing to fundamental nomic vagueness, they might see the arguments in this paper as reasons to resist the idea that PH is a fundamental law or the conception of laws that motivates the idea.

I argue for (B) in §3.2-3.3. For the remainder of this subsection, I argue for (A). I review three reasons in favor of (1) that PH is a law. First, the Second Law of Thermodynamics is a non-fundamental law that is derivable from PH and dynamical laws. The Second Law is a *statistical* law: typically, most isolated subsystems increase in entropy towards the future and decrease in entropy towards the past. It can admit exceptions, which are nomologically possible but unlikely (assuming SP). The Second Law is a statistical *law* because it satisfies many desiderata for lawhood. For example, it is projectable and supports a wide range of counterfactuals. (Even if we were on Mars, most isolated ice cubes in the cup would most likely be larger in the past and smaller in the future. Even if there were Martians, they would most likely not be able to regularly separate milk and coffee with a few casual swirls of a spoon (Carroll 2010).) Hence, the Second Law has nomological necessity. Now, if the PH is nomologically contingent, the Second Law will also be nomologically contingent (since the Second Law is partly derived from PH). Hence, PH is nomologically necessary. Second, the counterfactual arrow of time depends on nomic facts. Treating PH as a law of nature provides a good explanation for the counterfactual arrow: PH severely constrains the nomic possibility space such that typical (in the sense made precise by SP) histories exemplify counterfactual dependence in one temporal direction only. Lewis (1979)'s explanation for the counterfactual arrow is not sufficient as shown by Elga (2001). As Loewer (2007) points out, to fix it we need to include PH as a law. Third, there is an abundance of physical records about the past but no such records about the future. Having PH as a law explains that. It also explains why such an asymmetry is not accidental or extremely unlikely. Assuming that PH is a

law and SP underwrites objective probabilities, it is indeed overwhelmingly likely that our past was in a lower entropy state and not a higher entropy state like our future, thus blocking the reversibility paradox and the skeptical catastrophe (Albert (2000) §4).

Given the conception of fundamental laws discussed in §2.3, there are good reasons in favor of (2) that PH is a fundamental law. A law is a fundamental law in w if it is not derivable from other fundamental laws in w . PH is not derivable from standard fundamental laws we postulate in our world, because they are compatible with both PH and its negation. For example, just like Newtonian mechanics, quantum mechanics is compatible with a low-entropy initial macrostate and with a high-entropy one.²⁸ Hence, if PH is a law in our world, and in so far as we have good reasons to think that the true physical theory has features similar to current ones, then we have good reasons to think that PH is a fundamental law in our world. That, I maintain, is a reasonable verdict. After all, if PH is not derivable from other fundamental laws, it will be axiomatic in the fundamental physical theory, on a par with other fundamental laws. If PH is a non-fundamental law, how can it have an axiomatic status? If it plays the same role as other fundamental laws as axiomatic constraints on the nomological possibilities, has PH not earned the elite status? Moreover, if one is a reformed Humean about laws of nature, one has a direct argument for the fundamental nomological status of PH. The system containing PH and SP as axioms is way more informative than the system without them and is only slightly more complex (cf: Callender (2004) and Loewer (2012)). Similar considerations hold for minimal primitivism, where the best system is used as our best epistemic guide to find the fundamental “governing” laws. The set of fundamental axioms including PH, SP, and fundamental dynamical laws has been named *the Mentaculus* by Loewer (2007) and Albert (2015). See Demarest (2019) and Chen (2020a,b) for further developments of the Mentaculus.

One could raise two objections on metaphysical grounds. First, PH concerns the boundary condition of the universe and is not a dynamical law. As such, it is different from other candidate fundamental laws such as the Schrödinger equation. However, on my view, that is not a relevant difference. As discussed in §2.3, being non-dynamical does not automatically disqualify PH from being a fundamental law. Second, PH concerns metaphysically non-elite properties such as entropy which should not appear in a fundamental law. However, from the perspective of reformed Humeanism and minimal primitivism, it is not absolute eliteness that matters but relative eliteness. As long as entropy is relatively elite (relatively natural and fundamental), it can appear in the reformed Humean best system and the minimal primitivist’s fundamental laws. Moreover, entropy can be fairly easily

²⁸What about deriving PH from some non-standard theories? There is progress on this front, but success is not guaranteed. For example, Carroll and Chen (2004) developed a multiverse model with unbounded entropy in which “baby universes” are spontaneously created in low-entropy states. In such a model, PH is not a fundamental postulate but a local initial condition induced by time-symmetric dynamical laws that are more fundamental. However, although theoretically possible, it is far from clear whether the actual dynamical laws produce such “baby universes” and produce them in sufficiently low-entropy states.

re-expressed in terms of fundamental properties. I discuss that in §3.2.

These considerations provide good reasons to think that, conditionalized on the assumptions, we should interpret PH as a fundamental law in our world. If one is not willing to call PH a fundamental *law*, one may still accept that, given its nomological necessity and underivability from other fundamental laws, PH enjoys an axiomatic status in the fundamental physical theory. As such, its vagueness has the same ramifications for nomic modalities and the mathematical expressibility of the fundamental theory.

3.2 Vagueness of the Weak Past Hypothesis

Hence, we have good reasons to think that there is fundamental nomic vagueness in our world *if PH is vague*. Is PH vague? To begin, let us consider the following version of PH that is sometimes proposed:

Super Weak Past Hypothesis (SWPH) At one temporal boundary of space-time, the universe has very low entropy.

SWPH is obviously vague. How low is low? The collection of worlds with “low-entropy” initial conditions has fuzzy boundaries in the space of possible worlds. Hence, if SWPH were a fundamental law, then we would have nomic (domain) vagueness.

However, SWPH may not be detailed enough to explain all the temporal asymmetries. For example, in order to explain the temporal asymmetries of records, intervention, and knowledge, Albert (2000) and Loewer (2020a) suggest that we need a more specific condition that narrows down the initial microstates to a particular macrostate. One way to specify the macrostate invokes exact numeral values for the macroscopic variables of the early universe. Let S_0, T_0, V_0, D_0 represent the exact values (or exact distributions) of (low) entropy, (high) temperature, (small) volume, and (roughly uniform) density distribution of the initial state. Consider the following version of PH:

Weak Past Hypothesis (WPH) At one temporal boundary of space-time, the universe is in a particular macrostate M_0 , specified by the macroscopic variables S_0, T_0, V_0 , and D_0 .

WPH is a stronger version of PH than SWPH. By picking out a particular (low-entropy) macrostate M_0 from many macrostates, WPH more severely constrains the initial state of the universe. WPH is also more precise than SWPH. (Some may even complain that the WPH is too strong and too precise.) Unfortunately, WPH is still vague. The collection of worlds compatible with WPH has fuzzy boundaries. If WPH were a fundamental law, then we would still have nomic (domain) vagueness: there are some worlds whose initial conditions are borderline cases of being in the macrostate M_0 , specified by the macroscopic variables S_0, T_0, V_0 , and D_0 .

The vagueness of WPH is revealed when we connect the macroscopic variables to the microscopic ones. Which set of microstates realizes the macrostate M_0 ? There is hardly any sharp boundary between those that do and those that do not realize the macrostate. A macrostate, after all, is a coarse-grained description of the physical state. As with many cases of coarse-graining, there can be borderline cases. (To connect to our discussion in §2.1, the vagueness of macrostates is similar to the vagueness of “is bald” and “is a table.”) In fact, a macrostate can be vague even when it is specified with precise values of the macro-variables. This point should be familiar to those working in the foundations of statistical mechanics.²⁹ However, it is worth spelling out the reasons to understand where and why such vagueness exists.

Let us begin by considering the case of temperature, a macroscopic variable in thermodynamics. Take, for example, the macrostate of having temperature $T = 273.15\text{K}$ (i.e. 0°C or 32F). It is sometimes suggested *without qualifications* that temperature just is average kinetic energy, giving the impression that temperature is exact (because average kinetic energy is exact). The oversimplification is harmless for all practical purposes. However, in our case the qualifications matter. In fact, temperature is vague, even when we use a precise number such as $T = 273.15\text{K}$. Moreover, it is overdetermined that it is vague.

According to kinetic theory of gas, temperature has a microscopic meaning. For example, the temperature of an ideal gas in equilibrium is proportional to its average (translational) kinetic energy. In symbols:

$$\bar{E} = \frac{3}{2}k_B T_k \quad (1)$$

where \bar{E} represents the average kinetic energy of the gas molecules, k_B is the Boltzmann constant, and T_k represents the thermodynamic temperature of the gas. Assuming that the collection of gas molecules is an exact notion, and that each molecule has an exact value of (translational) kinetic energy, then the average kinetic energy of the gas is an exact quantity, which equals the sum of kinetic energies divided by the number of molecules. The constant $\frac{3}{2}$ is obviously exact. If k_B has an exact value, then T_k also has an exact value, for the ideal gas at equilibrium. In this case, for certain ideal gasses in equilibrium, they will have the exact temperature $T = 273.15\text{K}$.

However, vagueness enters from at least two sources: (1) the Boltzmann constant and (2) thermal equilibrium. The upshot is that having temperature $T = 273.15\text{K}$ is vague and admits borderline cases: for some gasses in the world, it is not determinate whether they are in the macroscopic state of having temperature $T = 273.15\text{K}$.

First, the Boltzmann constant, k_B , does not seem to have an exact value known to nature (unless we commit to untraceable arbitrariness to be explained in §3.3). k_B is a physical constant different from those that occur in the dynamical laws, such as the gravitational constant G in $F = Gm_1m_2/r^2$. Unlike G in the law of gravitation, k_B is

²⁹Commenting on the vagueness of the macrostate boundaries, Loewer (2007) writes, “Obviously, the notion of *macro state* is vague and there are many precisifications that would serve the purposes of statistical mechanics.” Goldstein et al. (2020) write, “there is some arbitrariness in where exactly to ‘draw the boundaries.’”




Figure 3: A phase diagram of the triple point of water. Picture by Matthieumarechal, CC BY-SA 3.0 <<http://creativecommons.org/licenses/by-sa/3.0/>>, via Wikimedia Commons.

a *scaling constant*, playing the role of bridging the microscopic scales of molecules and the macroscopic scales of gas in a box. In this sense, k_B is like the Avogadro number N_A . Just as there is no sharp boundary between the microscopic and the macroscopic, there is no sharp boundary between different values of any macroscopic variable. Historically, k_B is a measured quantity with respect to the triple point of water, a particular state of water where the solid, liquid, and vapor phases of water can coexist in a stable equilibrium (see Figure 3). The triple point also serves as a reference point for $T = 273.15\text{K}$. But the picture is highly idealized and assumes a sharp transition that would naturally stand for *the triple point*. In fact, for any body of water in the real world, there is no single *point* that is aptly named the “triple point.” At best, there is a quick but smooth transition that only becomes a sudden jump in the infinite limit (e.g. as the number of particles goes to infinity), which does not obtain in the real world. Given the smoothness of the transition, there is no sharp boundary to draw between states that count as $T = 273.15\text{K}$ and states that do not, between states that count as $T = 273.15\text{K}$ and states that count as borderline $T = 273.15\text{K}$, and so on. And the same issue likely carries over to any phase transition or critical point we encounter. That is the first source of vagueness.³⁰

Second, the notion of thermal equilibrium is not exact. To apply Equation (1) and calculate the temperature of some real gas in front of us, we need to adjust the equation and account for any differences between the ideal gas law and the real

³⁰One could of course stipulate an exact value for k_B . This is actually done recently, at the 26th meeting of the General Conference on Weights and Measures, to define k_B with an exact value instead of referring to it as a measured quantity. See www.bipm.org/en/CGPM/db/26/1. We should understand the redefinition as a practical instruction for conventionally setting international standards for measurements and calculations. But as for the constant k_B known to Nature, if it has an exact value, it would contain untraceable arbitrariness. See §3.3.

gas. Suppose that can be done without introducing any additional vagueness. To apply the corrected equation, it still needs to be the case that the gas is in thermal equilibrium.

However, some gasses are borderline cases of being in thermal equilibrium. For any gas in a box, thermal equilibrium is the “most likely” state. It is a state that (roughly) requires that the positions of the gas molecules to be evenly distributed in the box and their velocities conform to a particular Gaussian distribution (the Maxwell-Boltzmann distribution). However, the uniform distribution in positions and the Gaussian distribution in velocities obtain in the infinite limit (as the number of gas molecules goes to infinity) and almost never in the real world (when the gas only has a finite number of molecules). For example, a gas of 100 billion molecules almost never has exactly 50 billion on the left half of the box and 50 billion on the right half, just as an unbiased coin flipped 100 billion times almost never produces exactly 50 billion heads and exactly 50 billion tails (it only approaches 50/50 as the number of flips tends to infinity). So, to avoid making equilibrium an “unlikely state,” we accept the modification that a gas is in equilibrium if its gas molecules are *more or less* uniformly distributed in positions and *more or less* of the Gaussian distribution in velocities. Hence, a gas of 100 billion molecules can be in equilibrium when exactly 50 billion is in the left half of the box and exactly 50 billion is in the right half of the box; but it can stay in equilibrium if there is one more molecule on the left and one fewer on the right; and it can still stay in equilibrium if there are two more on the left and two fewer on the right; and so on.³¹ But when does the gas stop being in equilibrium and start being in non-equilibrium? What is the exact meaning of “more or less” in the modified definition? We can use the strategy in §2.1 and run a *sorites argument* here similar to the one on “bald.” Hence, there are real gasses in the world that have the required average kinetic energy \bar{E}_T but nonetheless are borderline cases of thermal equilibrium. Thus, such gasses are borderline cases of having temperature $T = 273.15\text{K}$.³² Moreover, there are borderline borderline cases. Suppose a gas with 50 billion - 20 million molecules on the left and 50 billion + 20 million on the right is a borderline case of thermal equilibrium. When do borderline cases begin and when do they end? If we move molecules from the right to the left one by one, eventually we reach determinate thermal equilibrium. However, it is implausible that there is a sharp transition from borderline thermal equilibrium to determinate thermal equilibrium. Hence, there are borderline borderline cases. The argument iterates, yielding borderline borderline borderline cases and so on. That is higher-order vagueness.

Since neither the Boltzmann constant nor thermal equilibrium is exact, it is overdetermined that the macrostate of $T = 273.15\text{K}$ is vague. The same goes for any other particular temperature, and any particular level of entropy, pressure, and so on. We have similar reasons to think that almost every other macroscopic variable,

³¹To fully describe thermal equilibrium, we need to coarse-grain *more finely* into smaller cells than just two halves, and we need to consider momentum degrees of freedom. But the point made above easily generalizes.

³²A moment’s reflection suggests that invoking “local equilibrium” does not help; it faces the same problem of vagueness.




Figure 4: A diagram of phase space where macrostates have fuzzy boundaries. The macrostate M_0 represents the initial low-entropy condition described by WPH. X_0 is the actual initial microstate. The picture is not drawn to scale.

as used in thermodynamics and scientific practice, is vague. Hence, we have good reasons to think that WPH is vague: there are some worlds whose initial conditions are borderline cases of macrostate M_0 .

There is a more systematic way to think about the vagueness of the thermodynamic macrostates in general and the vagueness of M_0 in the WPH. In the Boltzmannian account of classical statistical mechanics, macrostates and microstates can be understood as certain structures on phase space (Figure 4).

- Phase space: in classical mechanics, phase space is a $6N$ -dimensional space that encodes all the microscopic possibilities of the system.
- Microstate: a point in phase space, which is a maximally specific description of a system. In classical mechanics, the microstate specifies the positions and the momenta of all particles.
- Macrostate: a region in phase space in which the points inside are macroscopically similar, which is a less detailed and more coarse-grained description of a system. The largest macrostate is thermal equilibrium.
- Fuzziness: the partition of phase space into macrostates is not exact; the macrostates have fuzzy boundaries. Their boundaries become exact only given some choices of the “C-parameters”, including the size of cells for coarse-graining and the correspondence between distribution functions and macroscopic variables.
- Entropy: $S(x) = k_B \log|M(x)|$, where $|\cdot|$ denotes the standard volume measure in phase space. Because of Fuzziness, in general, the (Boltzmann) entropy of a system is not exact.

We can translate WPH into the language of phase space: at one temporal boundary of space-time, the microstate of the universe X_0 lies inside a particular macrostate M_0 that has low volume in phase space. This shows that the derived properties invoked by WPH can be re-expressed in terms of the fundamental properties (volume of microstates in some region of phase space, which can be further expressed as Lebesgue measure of sets of ordered $6N$ -tuples of positions and momenta of particles). Unlike properties such as tigerhood, and more like acceleration, thermodynamic properties such as temperature and entropy are more natural and more easily re-expressed in terms of fundamental properties. Hence, the re-expressed version of WPH can satisfy even the strict criterion that only allows fundamental properties to appear in fundamental laws.

Fuzziness is crucial for understanding the vagueness and higher-order vagueness of macrostates. Without specifying the exact values (or exact ranges of values) of the C-parameters, the macrostates have fuzzy boundaries: some microstates are borderline cases for certain macrostates, some are borderline borderline cases, and so on. The fuzzy boundary of M_0 illustrates the existence of borderline microstates and higher-order vagueness. There will be a precise identification of macrostates with sets of microstates only when we exactly specify the C-parameters (or their ranges). In other words, there is a precise partition of microstates on phase space into regions that are macroscopically similar (macrostates) only when we make some arbitrary choices about what the C-parameters are. In such situations, the WPH macrostate M_0 would correspond to an exact set Γ_0 on phase space, and the initial microstate has to be contained in Γ_0 .

However, proponents of the WPH do not specify a precise set. A precise set Γ_0 would require more precision than is given in statistical mechanics—it requires the specific values of the coarse-grained cells and the specific correspondence with distribution functions. (In the standard quantum case discussed in Appendix, it also requires the precise cut-off threshold for when a superposition belongs to a macrostate.) The precise values of the C-parameters could be added to the theory to make WPH into a precise statement (which we call the *Strong Past Hypothesis* in §3.3). But they are nowhere to be found in the proposal, and rightly so.³³

Some choices of the C-parameters are clearly unacceptable. If the coarse-graining cells are too large, they cannot reflect the variations in the values of macroscopic variables; if the coarse-graining cells are too small, they may not contain enough gas molecules to be statistically significant. Hence, they have to be macroscopically small but microscopically large (Albert (2000) p.44(fn.5) and Goldstein et al. (2020)). However, if we were to make the parameters (or the ranges of parameters) more and more precise, beyond a certain point, any extra precision in the choice would seem completely arbitrary. They correspond to how large the cells are and which function is the correct one when defining the relation between temperature and sets of microstates. That does not seem to correspond to any objective facts in the world. (How large is large enough and how small is small enough?) In this respect,

³³For example, see descriptions of SWPH and WPH in Goldstein (2001), Albert (2000), and Carroll (2010).

the arbitrariness in precise C-parameters is quite unlike that in the fundamental dynamical constants. (In §3.3, we discuss their differences in terms of a theoretical virtue called ‘traceability.’) Moreover, not only do we lack precise parameters, we also lack a precise set of permissible parameters (hence no exact ranges of values for the C-parameters). There shouldn’t be sharp boundaries anywhere. Suppose size m is borderline large enough and size n is determinately large enough. Small changes from m will eventually get us to n , but it is implausible that there is a sharp transition from borderline large enough to determinately large enough. Similarly, there shouldn’t be a sharp transition between borderline large enough to borderline large enough, and so on. That is higher-order vagueness.

Because of higher-order vagueness, we need to take standard mathematical representation of WPH with a grain of salt. The macroscopic variables—adjustable parameters in WPH—need to be coarse-grained enough to respect the vagueness. For example, we may *represent* the temperature of M_0 as 10^{32} degrees Kelvin. But temperature does not have the exactness of real numbers. A more careful way to represent the vague temperature should be “ 10^{32} -ish degrees Kelvin,” where the “-ish” qualifier signifies that temperature is vague and the number 10^{32} is only an imperfect mathematical representation.³⁴ Its exactness is artificial. Hence, WPH should be characterized as a macrostate M_0 specified by S_0 -ish entropy, T_0 -ish temperature, and so on.

The vagueness here is appropriate, since macroscopic variables only make sense when there are enough degrees of freedom (such as a large number of particles). In practice, however, such vagueness rarely matters: there will be enough margins such that to explain the thermodynamic phenomena, which are themselves vague, we do not need the extra exactness. The vagueness disappears *for all practical purposes*. Nevertheless, WPH is a genuine case of fundamental nomic vagueness and it is a possibility to take seriously.

3.3 Untraceable Arbitrariness of the Strong Past Hypothesis

For the sake of completeness, I consider the possibility of an exact version of PH. Suppose there is an exact law known to nature and the vagueness of WPH is only epistemic: there is, in fact, a precise set Γ_0 with exact boundaries on phase space that stands in for the initial macrostate. I formulate it as follows:

Strong Past Hypothesis (SPH) At one temporal boundary of space-time, the microstate of the universe is in Γ_0 , where Γ_0 corresponds to a particular admissible precisification of M_0 .

Unlike WPH, SPH is exact. As such, it is mathematically expressible. However, as I explain below, SPH violates a plausible feature that every other fundamental law and dynamical constant satisfies: SPH is “untraceable.” The exact boundary of Γ_0 does not “leave a trace” in typical worlds compatible with it. Hence, SPH is arbitrary in a

³⁴Thanks to Alan Hájek for discussions here.

way that other exact fundamental postulates in physics are not. Moreover, it widens the gap between the ontic and the nomic. Other things being equal, that seems to make it less appealing among proposals for understanding PH as a fundamental law.

On the epistemic interpretation of vagueness, there is in fact an exact number of hairs, n , that turns someone from being bald to being non-bald. But the number n is not known to us. In fact, it cannot be known to us in any way. Similarly, there are in fact exact boundaries of the macrostate M_0 , represented by the set of microstates Γ_0 on phase space. The exact set can be picked out only by the unhelpful description “the set that is invoked by the SPH.” Which set it is is unknown and likely unknowable by empirical investigations (as I explain below). However, many things that are true of nature may be unknown or unknowable to us, as a consequence of certain physical laws. There are examples of in-principle limitations of knowledge in well-defined physical theories such as Bohmian mechanics and GRW collapse theories (Cowan and Tumulka (2016)). Moreover, we may not know the exact values of the fundamental constants and the fundamental dynamical laws, if not forever then at least for a long time. Hence, knowledge and knowability about the precise boundaries of Γ_0 is not the issue, for they may also arise for other fundamental laws and dynamical constants that we think are fine. Neither is the problem that the postulate of a precise set Γ_0 would be a brute fact that is not explained further. Every other fundamental law or dynamical constant is supposed to be also brute and not explained further (in the scientific sense and not in the metaphysical sense of explanation).

What sets the arbitrariness of SPH apart from that of the dynamical constants and other fundamental laws is its *untraceability*. The exact boundaries of SPH are typically untraceable. There are infinitely many ways to change the boundaries of Γ_0 that do not lead to any differences for most worlds SPH deems possible. Hence, Γ_0 does not leave a trace in most worlds compatible with it.

Let me make this notion of traceability more precise. It is plausible that the objective features of the world are reflected in the changes in the properties of particles, the field configurations, the mass densities, the space-time geometry, and so on. Such changes do not have to be measured or measurable by human beings. But for the familiar fundamental laws and their dynamical constants, typical changes in their exact values will be “felt” by the matter distributions (or some other part of the fundamental ontology excluding the fundamental laws) in the nomologically possible worlds. That is, there are some worldly features in the fundamental material ontology that are sensitive to typical changes in the “nomology.” For example, any changes in the gravitational constant G will be felt by the massive objects and will change (however slightly or significantly) the motion of planets around stars, the formation of galaxies, and the distribution of fundamental matter. On a closer scale, it affects how exactly my vase shatters when it hits the ground. In other words, there should be *some traces in the material ontology* of the world. If the value of G had been different, the material ontology would have been different. We can capture this idea modally as changes in the nomological status (from possible to impossible) or the objective (conditional) probability (e.g. from 0.8 to 0.3 given prior histories) of the world. We formulate the following condition on traceability:

Traceability-at-a-World A certain adjustable parameter O in the physical law L is *traceable at world w* if any change in O (while holding other parameters fixed) will result in some change in the nomological status of w with respect to L , i.e. from possible to impossible or from likely to unlikely (or some other change in the probabilistic measures).

We are treating “adjustable parameter” in a loose sense. For example, in the case of Newtonian theory with gravitation $F_G = ma \wedge F_G = Gm_1m_2/r^2$, we can adjust it in the following (independent) ways:

- Change the constant $G= 6.67430$ to $G'=6.68$ (in the appropriate unit);
- Change division by r^2 to division by $r^{2.001}$;
- Change the multiplication by m_1 to multiplication by $m_1^{1.00001}$.

All such changes are *traceable at typical worlds* that satisfy Newton’s law of motion and law of universal gravitation. For a typical Newtonian world whose microscopic history h is a solution to the Newtonian laws, h will not be possible given any of those changes. In other words, it will change a typical history h from nomologically possible to nomologically impossible with respect to Newtonian theory of gravitation. Here, we are interested in traceability at most worlds that are allowed by L . This is because there may be cases where for “accidental” reasons two different values of O may produce the same world w in exact microscopic details; a change of the value of O does not change w from possible to impossible or change its probability. Such cases would be atypical. The relevant property is this:

Traceability A certain adjustable parameter O in the physical law L is *traceable* if O is traceable at most worlds allowed by L .³⁵

If some degree of freedom O is traceable at most worlds, then at most worlds (typically) the value of O can be determined to arbitrary microscopic precision. Then, normally, the more information we know about the actual world the more precise we can determine the value of O . However, what matters is not our epistemic access. For typical worlds compatible with L , if it is deterministic, most worlds will only admit one value of O . That is the case for the gravitational constant G .

Similarly, the laws and dynamical constants of Maxwellian electrodynamics are traceable; those of Bohmian mechanics are traceable; those of Everettian quantum theory are traceable; those of special and general relativity are traceable. In those theories, there is a tight connection between the nomic and the ontic. Typically the precision of the laws leaves traces in the material ontology.

³⁵Here “most” is with respect to some natural measure in the state space such as the Lebesgue measure in phase space or normalized surface area measure on the unit sphere in Hilbert space. The threshold for most is vague. As such, there may be borderline cases of traceable parameters. This is to be expected, as traceability is supposed to be a theoretical virtue; like other theoretical virtues, it can be vague. But the examples we encounter here are clear-cut.




Figure 5: A diagram of phase space where macrostates have exact boundaries. Γ_0 and Γ'_0 are two admissible precisifications of M_0 . The actual initial microstate X_0 lies inside both.

A stochastic theory such as GRW presents an interesting wrinkle. The GRW theory postulates two fundamental constants: the collapse rate λ and the collapse width σ . Consider just the collapse rate λ that describes the probability of collapse (per-particle-per-unit-time). Since it is a probabilistic theory, the same history of quantum states can be compatible with distinct values of λ . What λ does is to provide a probability measure (together with a slightly-modified Born-rule probability measure) that tells us which collapse histories are typical (or very probable) and which are not. However, each micro-history receives zero measure. It is the macro-history (considered as a set of micro-histories that are macroscopically similar) that can receive positive probabilities. Hence, in a stochastic theory, we should understand the appropriate change of nomological status as changes in the probabilistic measure of the macro-history that the micro-history realizes.

Although familiar laws in physics are traceable, SPH is not. To see this, consider Γ_0 and another set Γ'_0 that has slightly different boundaries (see Figure 5). Suppose both are admissible precisifications of M_0 and both include the actual initial microstate X_0 as a member. Then the world starting in microstate X_0 is compatible with SPH and another law SPH' that slightly alters the boundaries of Γ_0 . Moreover, this is the case for typical worlds compatible with Γ_0 : at most worlds compatible with Γ_0 , slightly altering the boundaries of Γ_0 will not make a difference to the nomological status of most worlds. (At some atypical worlds very close to the boundaries of Γ_0 , altering the boundaries will take them from being possible to being impossible or vice versa.) For most worlds inside Γ_0 , there will be infinitely many changes to the boundaries of Γ_0 that do not affect the probabilities of those worlds.

Hence, SPH is not traceable.³⁶ And there lies the key difference between SPH and

³⁶Because of higher-order vagueness, the same will be true for a disjunctive version of SPH that says that the initial microstate belongs to a determinate set of precisifications, such as: X_0 is in Γ_0 or

other fundamental laws and constants. The former is arbitrary in a way the latter are not: SPH has untraceable arbitrariness. For traceable laws and constants such as G , their values may be arbitrarily precise; their values are not explained further. However, they still respect a close connection between the nomic and the ontic: their exact values are reflected in the material ontology. That is not the case of SPH; the exact boundaries of Γ_0 outrun the ontic; the exact choice of Γ_0 is not reflected in the material ontology. *Other things being equal, we should minimize the gap between the ontic and the nomic.* (To emphasize: this is different from the gap between the nomic and what's epistemically accessible, for plenty of facts about the material ontology may forever lie beyond our epistemic ken.)

It is implausible that we can appeal to super-empirical virtues to pin down Γ_0 . Take for example the theoretical virtue of simplicity. It is unlikely that there will be a simplest precisification of M_0 , just as it is unlikely there is a simplest choice of the coarse-graining size (or other C-parameters).³⁷ Furthermore, those theoretical virtues are themselves vague. In cases where Nature is kind to us, there may be a choice that is by far the simplest (or best balances various virtues) that their vagueness makes no difference. However, although we may have *faith* in Nature's kindness, we have no *reason* to think that SPH is such a case.

Endorsing SPH leads to endorsing some untraceable arbitrariness in Nature. Although it is not impossible Nature acts in this strange way, if every other fundamental postulate and dynamical constant in physics seems to respect traceability, conservativeness suggests that we try to keep it if we can. We should respect the tight connection between the nomic and the ontic by not letting in untraceable arbitrariness.

Is WPH also untraceably arbitrary? No. Let me explain in what sense WPH is traceable. WPH (see Figure 4) does not delineate the nomological possibilities as a set of microstates with sharp boundaries. Instead, it selects a fuzzy region— M_0 .³⁸ WPH is stated in the vague macro language: the initial macrostate has S_0 -ish entropy, T_0 -ish temperature, and so on. The vagueness of the “-ish” tolerates small differences in values: “20-ish” and “20.0001-ish” are *equivalent representations* of the same macrostate. Thus, slight variations of WPH will not produce different vague laws. Adjusting the entropy value from S_0 to $S_0 + \epsilon$ will select the same fuzzy region, as long as ϵ is small enough. Moreover, increasing entropy by too much will produce observable, macroscopic differences in most worlds compatible with WPH (e.g. from low entropy to high entropy). Of course, what counts as small enough and what counts as too much will be vague. Now, even though not all traceable differences are observable, observable differences are traceable. Hence, unlike the exact SPH, the

Γ'_0 or Γ''_0 or Γ'''_0 .

³⁷Penrose (1979)'s Weyl curvature hypothesis (WCP) is a simple and exact version of the low-entropy initial condition in classical relativity. But by itself it seems insufficient to explain the records asymmetry (Rovelli 2020). Moreover, the quantum generalization of WCP (Ashtekar and Gupta 2016) is vague.

³⁸Here it may be useful to follow Sainsbury (1990)'s suggestion: we should not be speaking of “boundaries” at all, for there is only one kind of boundary. Hence, a fuzzy region is perhaps a better mental imagery.

vague WPH is not untraceably arbitrary.

Interestingly, although traceability seems like a novel theoretical virtue, it provides another explanation for people's negative attitudes towards the quantum measurement axioms. Many philosophers of physics are unfriendly towards fundamental yet vague quantum measurement axioms, but some of them can accept a fundamental WPH. Both are vague. What can be a principled reason that distinguishes the two cases? There are in fact two reasons. First, there is the ideal of unification mentioned in §2.5. The second reason, which has so far been under-appreciated, is that the exact alternative of WPH is untraceable, while the exact alternative of the measurement axioms is in fact *traceable*; different cut-offs in the law will typically lead to differences in the fundamental material ontology. A particular simple alternative to the vague measurement axiom is provided by the GRW theory. Exact values of the GRW adjustable parameters (collapse width, collapse rate, and probability of the collapse center) leave traces in the material world.

It is difficult to formulate precise theory-choice principles, but here is a proposal: *other things being equal, if we can avoid fundamental nomic vagueness without introducing untraceable arbitrariness, we should prefer an exact alternative; but if we can do it only by introducing untraceable arbitrariness, then a fundamental yet vague law is perfectly acceptable and should be preferred to the exact alternative.* Given the proviso "other things being equal," the principle should be applied very carefully. We should treat fundamental nomic vagueness as a defeasible indicator that can, in some cases, reveal the deeper defect in the theory. For example, the vagueness of textbook quantum mechanics indicates that the theory lacks a unified explanation, where the precise alternative GRW not only ensures exactness but also provides "unified dynamics for microscopic and macroscopic systems" (Ghirardi et al. 1986). However, since the indicator is *defeasible*, some theories can contain fundamental nomic vagueness and yet be perfectly fine as candidate fundamental theories, such as the case of the classical statistical mechanics with WPH (the Mentaculus). In that case, fundamental nomic exactness is not worth the price, for it would make the theory untraceably arbitrary; fundamental nomic vagueness is not a symptom of some deeper disunity in the Mentaculus, as the theory aspires to be a unified explanation of the fundamental and the non-fundamental sciences.

I have not provided a decisive argument for the theory-choice principle. For people desiring to avoid fundamental nomic vagueness at all costs, they can reject the principle and choose SPH over WPH as the fundamental boundary-condition law. Therefore, a more neutral way to summarize the findings so far is that we face a dilemma: either accept vague fundamental laws such as SWPH and WPH, or violate traceability by adopting SPH. There is no free lunch in Nature; either way we have to pay.

4 Fundamental Nomic Exactness without Untraceable Arbitrariness

Is the dilemma an essential feature in any theory that includes a fundamental law of a low-entropy boundary-condition? In this section, I consider under what conditions the dilemma may be dissolved. It turns out that the dilemma is essential if our world is classical but dissolvable if our world is quantum. Here I focus on the conceptual elements and leave the technical details to the Appendix.

The dilemma arises for PH because of its role in the fundamental physical theory. In the *Mentaculus*, the micro-dynamical laws (such as $F = ma$) suffice to explain the entire history of every microstate, and PH is brought into the theory to explain why most nomologically possible microstates should display the macroscopic time-asymmetric regularities, such as those summarized in the Second Law. It does so by “throwing out” most microstates that do not display the regularities. However, the explanandum—the time-asymmetric regularities—are vague, macroscopic phenomena about temperature, entropy and the like. Hence, a vague law such as WPH would suffice as the explanans and an exact law such as SPH would be overly precise. In contrast, micro-dynamical laws are traceable; their explanandum are exact, microscopic phenomena (e.g. the relative distances of point particles). This observations leads to an interesting possibility: if the low-entropy boundary condition somehow appears in the micro-dynamical equations, perhaps an exact version of PH will no longer be untraceably arbitrary.

In §3.3, SPH is formulated as a constraint on X_0 , the initial classical state of the universe, which represents the positions and momenta of all the particles. The Γ_0 stipulated by SPH does not appear in the traceable dynamical equation $F = ma$. In realist theories of quantum mechanics, SPH can be formulated as a constraint on the initial quantum state of the universe, represented by a wave function, Ψ_0 . Still, the exact boundary stipulated by SPH does not appear in the traceable dynamical equation (the Schrödinger equation). As such, the quantum version of SPH contains the same vice as the classical one—untraceable arbitrariness. Thus, we can similarly argue that we should prefer the quantum WPH over the quantum SPH.

However, quantum theory contains a more general kind of quantum states, represented by density matrices. It has been recognized for many years that the fundamental quantum state of the universe may be in such a state, which we shall call W , and it would have the same observable consequences as one represented by Ψ . In parallel with the realist quantum theories with a fundamental Ψ , there have been developments of W -versions of Bohmian mechanics where W directly guides Bohmian particles, GRW collapse theories where W undergoes spontaneous collapses, and Everettian theories where W strictly obeys the von Neumann equation and realizes an emergent multiverse. The viability of the W -theories as an alternative to Ψ -theories transforms the situation about fundamental nomic vagueness and untraceable arbitrariness in a quantum world. It is good news for the dissolving the dilemma, but this strategy has so far been under-appreciated (likely because fundamental nomic vagueness is under-appreciated).

Here is the innovation allowed by W -theories: the fundamental quantum state of the universe is initially W_0 (a density matrix), and we further stipulate that W_0 is *the* simplest quantum state (the normalized projection) corresponding to a particular precisification of a low-entropy macrostate (represented by \mathcal{H}_{PH}). In Chen (2018, 2020a), I call this the *Initial Projection Hypothesis* (IPH). IPH is a new proposal of the fundamental law of a low-entropy boundary condition that replaces (quantum) SPH. I call the package of IPH and fundamental dynamical laws *the Wentaculus*. Unlike SPH and WPH in standard Ψ -quantum theories, IPH selects a unique quantum state—it is stipulated to be both the actual one and the only nomologically possible one. (Yet, IPH remains simple insofar as \mathcal{H}_{PH} is simple.) IPH is exact but also traceable. It is exact because, unlike WPH, IPH admits no borderline worlds; slight changes of W_0 will produce different laws. It is traceable because, unlike SPH, slight differences in W_0 will leave traces in the material ontology. The dilemma is dissolved here because W_0 plays two roles at t_0 : it corresponds to the low-entropy macrostate and also appears in the microscopic equations. It becomes traceable because of its second role, while standard exact versions of PH do not play the second role and are untraceable. Moreover, for each realist theory, its W -version is no less simple or theoretically virtuous. In fact, one could argue that with IPH, there is a greater degree of unification of quantum theory with temporal asymmetry.

The strategy does not work in a classical world. One could try to replace SPH+SP with a probability distribution ρ (which is analogous to W) and somehow use it to guide the motion of classical particles. But it would be awkward: it would either multiply the ontology to *particles and the physical counterpart of ρ* , or complicates the simple dynamics of $F = ma$ by introducing stochastic jumps. Alternatively, one could completely throw out the classical particles and represent the material ontology with ρ . But again, without changing the deterministic dynamics to a stochastic one, one would have to embrace a many-worlds interpretation even in a classical world, because ρ would deterministically evolve to be supported on different macrostates. All of these changes are artificial. Thus, in a classical world, the exact alternative to WPH is not worth the price, and a vague WPH is perfectly fine. The proviso of the theory-choice principle in §3.3 is not satisfied, as other things are clearly not equal.

5 Conclusion

Fundamental nomic vagueness is vagueness in the fundamental laws of nature. On the proposed account, to find out whether a fundamental law is vague, we check whether it admits borderline nomologically possible worlds, lacks a well-defined extension, carries sorites-susceptibility, and possesses higher-order vagueness. If the account is intelligible, which I think it is, then fundamental laws of nature is a new place to look for vagueness. The account leaves room for *vague chances*, which is left for future work. I also leave to future work how fundamental nomic vagueness can impact theories of causation, counterfactuals, and scientific explanation.

On a widespread view where fundamental laws are metaphysically fundamental, fundamental nomic vagueness is a “worldly” kind of vagueness. On such a view,

vagueness of fundamental laws implies vagueness of certain fundamental facts of the world. However, fundamental nomic vagueness differs from standard cases of ontic vagueness, as the latter but not the former concerns the vague identity, spatio-temporal boundaries, or parts of material objects.

It is surprising, whether from a Humean or a non-Humean perspective, that actual fundamental laws of nature can be vague. We might expect all fundamental laws to be *completely and faithfully expressible* by precise mathematical equations. That expectation will be mistaken if actual fundamental laws include vague ones such as WPH and if higher-order vagueness is not completely mathematically expressible. One can use SPH to eliminate vagueness by fiat. However, it introduces *untraceable arbitrariness* that is absent in any other fundamental laws or dynamical constants.

Interestingly, the dilemma between fundamental nomic vagueness and untraceability is dissolved when we directly use the initial macrostate to dictate (or describe) the motion of fundamental material objects, such as when we postulate IPH in density-matrix quantum theories. Hence, another surprising lesson is that, far from making the world vague, the innovations of quantum theory can eliminate fundamental nomic vagueness without introducing untraceable arbitrariness in Nature. Does it follow we should prefer the density-matrix theories with IPH over the wave-function theories with WPH? That is an open question, as we need to carefully consider their strengths and weaknesses, and whether other things are equal. Fundamental nomic vagueness provides a relevant desideratum for theory-choice. A related question, which I did not fully address in this paper, is the value of preserving complete mathematical expressibility of fundamental physical laws.

In current and future physics, there may be other cases of fundamental nomic vagueness that cannot be eliminated in a similar manner and cases of arbitrariness that have a different character. Then one's position on the metaphysics of laws could make a difference to how one should deal with fundamental nomic vagueness and arbitrariness. As the case study shows, the issue is delicate and should not be settled in advance. There are many interesting questions concerning metaphysics, physics, and mathematics that can make a difference to how much we should tolerate vagueness in the fundamental laws. Attending to those details may also teach us something new about the nature of laws.

Appendix

First, I briefly explain the standard framework of the Boltzmannian account of quantum statistical mechanics (Goldstein et al. (2020)), in parallel to that of the classical statistical mechanics (§3.2):

- Hilbert space: Hilbert space is a vector space equipped with inner product structure that encodes all the microscopic possibilities (possible worlds) of the system (or the universe as a whole).
- Microstate: a vector in Hilbert space, a maximally specific description of a

system.³⁹

- **Macrostate:** a subspace in Hilbert space in which the quantum states contained within are macroscopically similar, which is a less detailed and more coarse-grained description of a system. The Hilbert space is orthogonally decomposed into subspaces.
- **Fuzziness:** the decomposition of Hilbert space into macrostates is not determinate; the macrostates have fuzzy boundaries. Their boundaries become exact only given some choices of the C-parameters, including the size of cells for coarse-graining, the correspondence between distribution functions and macroscopic variables, and the cut-off threshold for macrostate inclusion.
- **Entropy:** $S(\psi) = k_B \dim \mathcal{H}$, where \dim denotes the dimension counting in Hilbert space and \mathcal{H} is the subspace that contains most of ψ . Higher-dimensional subspaces tend to have higher entropies. Because of Fuzziness, in general, the (Boltzmann) entropy of a system is not exact.

We can translate the WPH in the language of Hilbert space:

Quantum Weak Past Hypothesis (QWPH) At one temporal boundary of space-time, the wave function of the universe is in a particular macrostate M_0 , where M_0 is the low-entropy macrostate characterized by the Big Bang cosmology.

SP would take the following form:

Quantum Statistical Postulate (QSP) At one temporal boundary of space-time, the probability distribution is the uniform one (with respect to the normalized surface area measure on the unit sphere) over wave functions compatible with QWPH.

Second, I explain the new strategy of reconciling fundamental nomic exactness with traceability. Recent works in the foundations of quantum mechanics suggest that density matrices can directly represent fundamental quantum states.⁴⁰ Chen (2018) calls the view *density matrix realism*. On density matrix realism, the fundamental state of the universe is mixed rather than pure and it has to be described by a density matrix rather than a wave function. The density matrix is not merely epistemic. Since the density matrix is fundamental, the *fundamental micro-dynamics* needs to be revised (e.g. à la Allori et al. (2013)) to reflect the change: we replace the Schrödinger equation with the von Neumann equation, the Bohmian guidance equation with another that uses the density matrix as an input, the GRW collapse equations with another that stochastically evolves the density matrix, and various definitions of local beables from the wave function with their density-matrix counterparts. Moreover,

³⁹It is possible to have additional ontologies such as the Bohmian particles and the GRW mass densities.

⁴⁰See, for example, Dürr et al. (2005), Maroney (2005), Wallace (2011, 2012), and Chen (2018).

the density-matrix versions of Bohm, GRW, and Everett are empirically equivalent to the respective wave-function versions.

I consider a new postulate about the initial quantum state:

$$W_0 = \frac{\mathbb{I}_{PH}}{\dim \mathcal{H}_{PH}} \quad (2)$$

where \mathbb{I}_{PH} designates the projection operator onto \mathcal{H}_{PH} and \dim counts the dimension of that subspace. I use this to formulate a new low-entropy initial condition for density matrix realism:

Initial Projection Hypothesis (IPH) At one temporal boundary of space-time, the quantum state of the universe is exactly W_0 as described in Equation (2).

This version of PH is exact. The combination of density matrix realism and IPH does the heavy-lifting. The low-entropy initial condition is completely and unambiguously described in W_0 . Unlike the SPH or its quantum version QSPH we encountered earlier, W_0 enters directly into the fundamental micro-dynamics. Hence, W_0 will be traceable and not objectionably arbitrary. To see that, consider two realist interpretations of the quantum state (Chen (2019)):

1. W_0 is ontological: if the initial density matrix represents something in the fundamental material ontology, IPH is obviously traceable. Any changes to the physical values of W_0 will leave a trace in every world compatible with IPH.
2. W_0 is nomological: if the initial density matrix is on a par with the fundamental laws, then W_0 plays the same role as the classical Hamiltonian function or fundamental dynamical constant of nature. It is traceable in the Everettian version with a matter-density ontology as the initial matter-density is obtained from W_0 . It is similarly traceable in the GRW version with a matter-density ontology. For the GRW version with a flash ontology, different choices of W_0 will in general lead to different probabilities of the macro-histories. In the Bohmian version, different choices of W_0 will lead to different velocity fields such that for typical initial particle configurations (and hence typical worlds compatible with the theory) they will take on different trajectories.

The traceability of W_0 is due to the fact that we have connected the low-entropy macrostate (now represented by W_0) to the micro-dynamics (in which W_0 occurs). Hence, W_0 plays a dual role at t_0 (and only at that time): it is both the microstate and the macrostate. In contrast, the untraceability of Γ_0 in the classical SPH is due to the fact that classical equations of motion directly involve only the microstate X_0 , not Γ_0 . Similarly, the \mathcal{H}_0 in the standard wave-function version of QSPH is untraceable because the Schrödinger equation directly involves only the wave function, not \mathcal{H}_0 . There are many changes to Γ_0 and to \mathcal{H}_0 that make no changes whatsoever in typical worlds compatible with those postulates.

Acknowledgement

I thank the editors and two anonymous referees of *The Philosophical Review* for valuable comments. I am also grateful for helpful discussions with David Albert, Jacob Barandes, Craig Callender, Eugene Chua, Julianne Chung, Jonathan Cohen, Neil Dewar, Christopher Dorst, Kenny Easwaran, Dorothy Edgington, Sam Elgin, Michael Esfeld, Ronny Fernandez, Sheldon Goldstein, Veronica Gomez, Jeremy Goodman, Patrick Greenough, Alan Hájek, Tyler Hildebrand, Christopher Hitchcock, Mario Hubert, Nick Huggett, Tom Imbo, Niels Linnemann, John MacFarlane, Tim Maudlin, Brian McLaughlin, Michael Miller, Kerry McKenzie, Dustin Lazarovici, Barry Loewer, Oliver Pooley, Diana Raffman, Samuel Rickless, Susanna Rinard, Ezra Rubenstein, Daniel Rubio, Don Rutherford, Mark Sainsbury, Miriam Schoenfield, Charles Sebens, Ayoob Shahmoradi, Ted Sider, Gila Sher, Elliott Sober, Anncy Thresher, Roderich Tumulka, Yanjing Wang, Eric Watkins, Isaac Wilhelm, and Eric Winsberg; as well as audiences at CalTech, City College of New York, Columbia University, University of Illinois at Chicago, UC San Diego, Delta 13 Logic Workshop, and Harvard Mini-Workshop on the Foundations of Thermodynamics. Thanks especially to Wayne Myrvold and David Wallace for their feedback on my talk at the University of Western Ontario that led to more careful considerations about vagueness and arbitrariness.

References

- Albert, D. Z. (2000). *Time and chance*. Cambridge: Harvard University Press.
- Albert, D. Z. (2015). *After physics*. Cambridge: Harvard University Press.
- Allori, V., Goldstein, S., Tumulka, R., and Zanghì, N. (2013). Predictions and primitive ontology in quantum foundations: a study of examples. *The British Journal for the Philosophy of Science*, 65(2):323–352.
- Ashtekar, A. and Gupta, B. (2016). Initial conditions for cosmological perturbations. *Classical and Quantum Gravity*, 34(3):035004.
- Barnes, E. (2010). Ontic vagueness: A guide for the perplexed. *Noûs*, 44(4):601–627.
- Bell, J. (1990). Against ‘measurement’. *Physics world*, 3(8):33.
- Boltzmann, L. (1964). *Lectures on gas theory*. Berkeley: University of California Press.
- Burgess, J. A. (1990). Vague objects and indefinite identity. *Philosophical studies*, 59(3):263–287.
- Callender, C. (2004). Measures, explanations and the past: Should ‘special’ initial conditions be explained? *The British Journal for the Philosophy of Science*, 55(2):195–217.

- Callender, C. (2011). Thermodynamic asymmetry in time. In Zalta, E. N., editor, *The Stanford Encyclopedia of Philosophy*. Metaphysics Research Lab, Stanford University, fall 2011 edition.
- Calosi, C. and Wilson, J. (2019). Quantum metaphysical indeterminacy. *Philosophical Studies*, 176(10):2599–2627.
- Carroll, S. (2010). *From eternity to here: the quest for the ultimate theory of time*. Penguin.
- Carroll, S. M. and Chen, J. (2004). Spontaneous inflation and the origin of the arrow of time. *arXiv preprint hep-th/0410270*.
- Chen, E. K. (2018). Quantum mechanics in a time-asymmetric universe: On the nature of the initial quantum state. *The British Journal for the Philosophy of Science*, forthcoming.
- Chen, E. K. (2019). Realism about the wave function. *Philosophy Compass*, 14(7).
- Chen, E. K. (2020a). From time asymmetry to quantum entanglement: The Humean unification. *Noûs*, pages 1–29.
- Chen, E. K. (2020b). The Past Hypothesis and the nature of physical laws. In Loewer, Barry, W. E. and Weslake, B., editors, *Time's Arrows and the Probability Structure of the World*. Harvard University Press, forthcoming.
- Cohen, J. and Callender, C. (2009). A better best system account of lawhood. *Philosophical Studies*, 145(1):1–34.
- Cowan, C. W. and Tumulka, R. (2016). Epistemology of wave function collapse in quantum physics. *The British Journal for the Philosophy of Science*, 67(2):405–434.
- Demarest, H. (2019). Mentaculus laws and metaphysics. *Principia: An International Journal of Epistemology*, 23(3):387–399.
- Dürr, D., Goldstein, S., Tumulka, R., and Zanghì, N. (2005). On the role of density matrices in bohmian mechanics. *Foundations of Physics*, 35(3):449–467.
- Earman, J. (2006). The “past hypothesis”: Not even false. *Studies in History and Philosophy of Science Part B: Studies in History and Philosophy of Modern Physics*, 37(3):399–430.
- Edgington, D. (1996). Vagueness by degrees. In Keefe, R. and Smith, P., editors, *Vagueness: A Reader*, pages 294–316. MIT Press, Cambridge, MA.
- Elga, A. (2001). Statistical mechanics and the asymmetry of counterfactual dependence. *Philosophy of Science*, 68(S3):S313–S324.
- Fenton-Glynn, L. (2019). Imprecise chance and the best system analysis. *Philosophers' Imprint*, 19(23):1–44.
- Feynman, R. (2017). *The Character of Physical Law*. Cambridge: MIT press.

- Fodor, J. A. (1974). Special sciences (or: The disunity of science as a working hypothesis). *Synthese*, 28:97–115.
- Frege, G. (1973). *Begriffsschrift und andere Aufsätze*. Georg Olms Verlag.
- French, S. and Krause, D. (2003). Quantum vagueness. *Erkenntnis*, 59(1):97–124.
- Geach, P. T. (1980). *Reference and Generality*. Cornell University Press, Ithaca, NY.
- Ghirardi, G., Rimini, A., and Weber, T. (1986). Unified dynamics for microscopic and macroscopic systems. *Physical Review D*, 34(2):470.
- Goldstein, S. (2001). Boltzmann's approach to statistical mechanics. In Bricmont, J., Dürr, D., Galavotti, M. C., Ghirardi, G., Petruccione, F., and Zanghì, N., editors, *Chance in Physics*, pages 39–54. Berlin: Springer.
- Goldstein, S. (2012). Typicality and notions of probability in physics. In *Probability in physics*, pages 59–71. Springer.
- Goldstein, S., Lebowitz, J. L., Tumulka, R., and Zanghì, N. (2020). Gibbs and Boltzmann entropy in classical and quantum mechanics. In Allori, V., editor, *Statistical Mechanics and Scientific Explanation: Determinism, Indeterminism and Laws of Nature*. Singapore: World Scientific.
- Hawking, S. W. (2008). *The Theory of Everything: The Origin and Fate of the Universe*. Jaico Publishing House.
- Hawley, K. (2001). *How Things Persist*. Clarendon Press.
- Hicks, M. T. and Schaffer, J. (2017). Derivative properties in fundamental laws. *The British Journal for the Philosophy of Science*, 68(2):411–450.
- Hyde, D. and Raffman, D. (2018). Sorites paradox. In Zalta, E. N., editor, *The Stanford Encyclopedia of Philosophy*. Metaphysics Research Lab, Stanford University, summer 2018 edition.
- Keefe, R. and Smith, P. (1996). Introduction. In Keefe, R. and Smith, P., editors, *Vagueness: A Reader*, pages 1–57. MIT Press, Cambridge, MA.
- Lebowitz, J. L. (2008). Time's arrow and Boltzmann's entropy. *Scholarpedia*, 3(4):3448.
- Lewis, D. (1979). Counterfactual dependence and time's arrow. *Noûs*, 13:455–76.
- Lewis, D. (1983). New work for a theory of universals. *Australasian Journal of Philosophy*, 61:343–77.
- Loewer, B. (2007). Counterfactuals and the second law. In Price, H. and Corry, R., editors, *Causation, Physics, and the Constitution of Reality: Russell's Republic Revisited*. Oxford University Press.
- Loewer, B. (2012). Two accounts of laws and time. *Philosophical Studies*, 160(1):115–137.

- Loewer, B. (2020a). The Mentaculus. In Barry Loewer, Eric Winsberg, B. W., editor, *Time's Arrows and the Probability Structure of the world*. Harvard University Press, forthcoming.
- Loewer, B. (2020b). The package deal account of laws and properties (pda). *Synthese*, pages 1–25.
- Lowe, E. (1994). Vague identity and quantum indeterminacy. *Analysis*, 54(2):110–114.
- Maroney, O. (2005). The density matrix in the de Broglie–Bohm approach. *Foundations of Physics*, 35(3):493–510.
- Maudlin, T. (2007). *The Metaphysics Within Physics*. Oxford University Press, New York.
- Miller, M. E. (2020). Worldly imprecision. *Philosophical Studies*, forthcoming.
- Myrvold, W. (2017). Philosophical issues in quantum theory. In Zalta, E. N., editor, *The Stanford Encyclopedia of Philosophy*. Metaphysics Research Lab, Stanford University, spring 2017 edition.
- North, J. (2011). Time in thermodynamics. *The oxford handbook of philosophy of time*, pages 312–350.
- Oppenheim, P. and Putnam, H. (1958). Unity of science as a working hypothesis. volume 2. Minneapolis: Minnesota University Press.
- Parsons, T. and Woodruff, P. (1995). Worldly indeterminacy of identity. In *Proceedings of the Aristotelian Society*, pages 171–191. JSTOR.
- Penrose, R. (1979). Singularities and time-asymmetry. In Hawking, S. and Israel, W., editors, *General relativity*, pages 581–638. Cambridge: Cambridge University Press.
- Penrose, R. (2005). *The Road to Reality: A Complete Guide to the Laws of the Universe*. Alfred A. Knopf, New York.
- Raffman, D. (1994). Vagueness without paradox. *The Philosophical Review*, 103(1):41–74.
- Rinard, S. (2017). Imprecise probability and higher order vagueness. *Res Philosophica*.
- Rovelli, C. (2020). Memory and entropy. *arXiv preprint arXiv:2003.06687*.
- Russell, B. (2009). *The philosophy of logical atomism*. Routledge.
- Sainsbury, R. M. (1990). Concepts without boundaries. *Inaugural Lecture given at King's College London on 6 November 1990*.
- Sánchez, V. G. (2020). Crystallized regularities. *Journal of Philosophy (forthcoming)*.
- Sider, T. (2011). *Writing the Book of the World*. Clarendon Press, Oxford.

- Sorensen, R. (2018). Vagueness. In Zalta, E. N., editor, *The Stanford Encyclopedia of Philosophy*. Metaphysics Research Lab, Stanford University, summer 2018 edition.
- Tye, M. (1990). Vague objects. *Mind*, 99(396):535–557.
- Unger, P. (1980). The problem of the many. In French, P., Theodore E. Uehling, Jr, and Wettstein, H. K., editors, *Midwest Studies in Philosophy V: Studies in Epistemology*, pages 411–67. University of Minnesota Press, Minneapolis, MN.
- Wallace, D. (2011). The logic of the past hypothesis. manuscript.
- Wallace, D. (2012). *The Emergent Multiverse: Quantum theory according to the Everett interpretation*. Oxford: Oxford University Press.
- Weinberg, S. (1992). *Dreams of a Final Theory: The Search for the Fundamental Laws of Nature*. New York: Pantheon.
- Wigner, E. (1960). The unreasonable effectiveness of mathematics in the natural sciences. *Communications in Pure and Applied Mathematics*, 13(1).
- Williams, J. R. G. (2008). Ontic vagueness and metaphysical indeterminacy. *Philosophy Compass*, 3(4):763–788.
- Williamson, T. (1994). *Vagueness*. Routledge, London.
- Wilson, J. (2013). A determinable-based account of metaphysical indeterminacy. *Inquiry*, 56(4):359–385.